

SCIENTIFIC AMERICAN


[Entered at the Post Office of New York, N. Y., as Second Class Matter. Copyright, 1909, by Munn & Co.]

A POPULAR ILLUSTRATED WEEKLY OF THE WORLD'S PROGRESS


Vol. CI.—No. 20.
ESTABLISHED 1845.

NEW YORK, NOVEMBER 13, 1909.

[10 CENTS A COPY
\$3.00 A YEAR.]



The balloon house, gas holder, and gas house at Fort Omaha, Neb.



The balloon house at Fort Myer, Va., with signal corps detachment and hydrogen balloon No. 9.

OUR AERONAUTICAL ORGANIZATION.—[See page 350.]

SCIENTIFIC AMERICAN

ESTABLISHED 1845

MUNN & CO., Inc., Editors and Proprietors

Published Weekly at

No. 361 Broadway, New York

CHARLES ALLEN MUNN, *President*
361 Broadway, New York.
FREDERICK CONVERSE BEACH, *Sec'y and Treas.*
361 Broadway, New York.

TERMS TO SUBSCRIBERS.

One copy, one year, for the United States or Mexico \$3.00
One copy, one year, for Canada 3.75
One copy, one year, to any foreign country, postage prepaid, 18s. 6d. 4.50

THE SCIENTIFIC AMERICAN PUBLICATIONS.

Scientific American (established 1845) \$3.00 a year
Scientific American Supplement (established 1876) 5.00 "
American Homes and Gardens 3.00 "
Scientific American Export Edition (established 1878) 3.00 "

The combined subscription rates and rates to foreign countries, including Canada, will be furnished upon application.

Remit by postal or express money order, or by bank draft or check.

MUNN & CO., Inc., 361 Broadway, New York.

NEW YORK, SATURDAY, NOVEMBER 13th, 1909.

The Editor is always glad to receive for examination illustrated articles on subjects of timely interest. If the photographs are sharp, the articles short, and the facts authentic, the contributions will receive special attention. Accepted articles will be paid for at regular space rates.

LOCAL MAGNETIC DISTURBANCES AND THE GENESIS OF PETROLEUM.

In a bulletin recently published by the Geological Survey, Mr. George F. Beiker ingeniously inquires whether there is not a hitherto unsuspected relation between magnetic disturbances as manifested by the compass needle and petroleum deposits. Any such attempt must necessarily be based on some definite theory of petroleum's origin. Accordingly Mr. Beiker summarizes the condition of knowledge with reference to the origin of petroleum and other bituminous substances. The result is thoroughly unsatisfactory. Some oils are undoubtedly organic and some are beyond question inorganic. The evidence shows that neither variety can properly be regarded as unimportant. Mr. Beiker's review, however, does not elucidate the source of the principal deposits, the great petroleum pools. They may have been derived from carbonaceous matter of vegetable or animal origin, and they may have been derived from carbides of iron or other metals. It is also barely possible that the hydrocarbons exist as such in the mass of the earth.

In thinking over this situation it occurred to him to inquire whether any relation could be detected between the behavior of the compass needle and the distribution of hydrocarbons. Not very much could be expected from a comparison of these phenomena, for magnetite exerts an attraction on the needle whether this ore occurs in solid masses or is disseminated in massive rocks; and again, many if not all volcanic rocks possess polarity, so that repulsions are involved as well as attractions. Even if the iron carbide theory of genesis were known to be correct, and exclusively correct, no one would think of maintaining that all bodies of magnetite have a connection, however remote, with the occurrence of petroleum. Hence any indications of iron carbides and associated petroleum which the compass might be supposed to afford would be obscured by the local attraction of independent masses of magnetite. Earth currents are also to some extent local and thus produce irregularities in declination.

Nevertheless, irregularities of the curves of equal declination on Bauer's map of the magnetic declination in the United States, are strongly marked in the principal oil regions. When this map is compared with one prepared by Mr. David T. Day showing in detail the known hydrocarbon deposits of the United States the coincidences recognized become more striking and other agreements become evident.

The most marked agreement is found throughout the great Appalachian oil field, which is the area of greatest variation in declination. In California, also, strong deflections of the isogonal lines accompany the chain of hydrocarbon deposits. In the interior of the country the coincidences are less marked, but they are very noticeable.

There are other systematic irregularities, wrinkles in the isogonic topography, which can not be connected with oil. One such wrinkle runs down the Atlantic coast and contains the New Jersey native iron as well as known deposits of magnetite. Another lies near latitude 47 deg. and is doubtless due to the great northern iron belt.

No detailed chart of the magnetic declination in the petroleum fields of the Caucasus has yet been prepared. Mr. Bauer states that great magnetic distur-

bances exist in that region, so that relations not dissimilar to those in this country are probable.

On the whole, coincidences between the occurrence of petroleum and local disturbances of the compass needle are too numerous to be attributable to mere accident or chance. There must therefore be a direct or an indirect historical connection between the two phenomena in the regions of coincidence.

No one doubts the vast industrial importance as well as the deep geological interest of the petroleum question. As time elapses it will grow more and more important, for the pinch of dwindling coal resources will probably affect children of those already born. In the interest both of the development and the conservation of our natural resources all the means at the command of science should be brought to bear on this mysterious subject. A geologist and a chemist each of the highest order should be coupled in the long and difficult investigations needed to elucidate the genesis of petroleum. The initial expense would be considerable, but the ultimate economy would be enormous.

THE FIFTH VANDERBILT CUP RACE AND THE GOOD ROADS TOUR FROM NEW YORK TO ATLANTA.

It is seldom that the public has an opportunity to witness notable speed and reliability contests contemporaneously, but such was the case this year when the Vanderbilt cup race was run on Long Island on October 30th, while the reliability tour promoted by the New York Herald and the Atlanta Journal was also being conducted.

Although the race has lost much of its former glamor through the substitution of high-powered stock chassis for the huge racers that used to compete, it nevertheless gives a good idea of the speed and endurance qualities of the machines that are being regularly produced for the market.

The fifth annual race was run over a 12.64-mile course, which included the cement motor parkway, upon Long Island, and consisted of 22 laps (278.08 miles). There were 15 competitors, while the four stock cars that took part in the Wheatley Hills Trophy race and the six in the race for the Massapequa Trophy, both of which were run simultaneously, made a total of 25 machines that were traveling around the course at the start. The two secondary races were 189.6 and 126.1 miles in length respectively, and were for cars of smaller horse-power and lighter build.

The Vanderbilt race was won by the 60-horse-power 6-cylinder Alco car driven by H. F. Grant. The time was 4 hours, 25 minutes, and 42 seconds. The average speed maintained was 62.77 miles an hour, as against 64.38 made by Robertson last year on a better course with a 120-horse-power Locomobile. During the last four rounds an average of over 70 miles an hour was maintained, the last one being covered in 10:33 at the rate of 71.9 miles an hour. This machine—an improved American model of a well-known French car—has always done well in all contests in which it has been entered, and it was not at all surprising that it should win America's premier racing event.

The only other car to finish was Parker's Fiat, which averaged 61.55 miles an hour. Only two other cars—an old Mercedes and the two-cycle Atlas—were running at the end. This is said to have been due to the use of the motor parkway as more than half the course, which was only half the length of those used in previous years. The cement surface of this road has slight undulations that make it a very severe test of both tires and mechanism. Two cars broke their steering knuckles, four had cracked cylinders, and three sustained a broken crankshaft, a broken rear axle, and a damaged radiator, respectively.

The 189.6-mile race was a walkover for Harroun on a Marmon, as the three other cars in the race lost many minutes making repairs, and one of them withdrew when the race was half done. The average speed of the winner was 59.76 miles an hour.

The 126.4-mile race was won by a Chalmers-Detroit 30-horse-power car in 2 hours, 9 minutes, 52 2/5 seconds at an average speed of 58.4 miles an hour. Two Maxwell machines were second and third with an average of 51.1 and 50.4, respectively, while a 22-horse-power Hudson secured fourth place with a 50-mile-per-hour average.

The reliability tour which was promoted for the purpose of spreading the good roads doctrine by giving the farmers of the South an ocular demonstration of the value and usefulness of the automobile, especially where good roads obtain, was carried out with marked success. Forty-seven cars left New York on the morning of October 25th and covered the 1,100 miles of varying kinds of roadway passing through nine States and leading to Atlanta in ten days without serious trouble. Twenty-six of these machines made the journey on schedule time with a perfect score. They were divided into six classes, ranging in price from \$4,000 down to \$850. The Maxwell runabout was the sole prize-winning representative of the lowest priced class. This reliability run had been well planned by the newspapers which conducted it. Many roads on the

route were improved especially for the tourists, and in all probability there will eventually be established a national highway from New York to Florida as a result of the impetus given the movement for such a road by the tour which has just been completed.

NON-TOXIC COFFEE AND TEA.

It is a somewhat singular fact that each of the staple household beverages, coffee, tea, and cocoa, contains an alkaloid, a poison. In small doses these alkaloids have a certain stimulating effect upon the system, and it is presumably on this account that the beverages which contain them have acquired such popularity. At the same time there seems to be no room for doubt that these beverages act as aids to the digestion. Still, the fact remains that the alkaloids of coffee, tea, and cocoa are toxic substances. Their ingestion in excess may become harmful even to strong and healthy persons. For this reason endeavors have been made to find suitable substitutes, which should possess the advantages and pleasing properties of our common household beverages, but free from the poisonous constituents which these latter contain.

We must look to special processes of treatment of ordinary coffee for our supply of a non-toxic product free from alkaloids. One such process, the product of which is upon the market, consists first in a preliminary treatment of the coffee beans, whereby their cell tissue is loosened. They are next subjected to the action of acid or alkali, and the caffeine can then be extracted with a volatile solvent, such as benzene, ether, chloroform, petroleum ether, etc. The residue of solvent left in the material after the extraction is expelled by treatment with high-pressure steam or *in vacuo*.

A new process, invented by Prof. Kippenberger, who has abandoned his patent claims and made the method public property, consists in treating the coffee with oil, and subsequently with acetone or glycerine.

The inventor has found that caffeine is insoluble in oil at ordinary room temperature, but is readily soluble in hot oil. Furthermore, caffeine tannate, which is present in coffee side by side with free caffeine, while practically insoluble in ether, benzene, and chloroform, is readily soluble in glycerine and acetone.

The new process accordingly consists in treating the coffee with fatty oils (glycerides) at temperatures and pressures at which the glycerides are not decomposed. After this step the coffee is freed from adhering liquid in any suitable manner, e. g., by centrifugal action. The oil may be freed from caffeine either by simply allowing it to cool, when the alkaloid is precipitated, or by extracting with a suitable solvent. After this treatment the coffee still contains a small proportion of caffeine, namely, that which is present "bound" in the form of tannate. This can be eliminated by treatment with glycerine or acetone or both. If preferred this step can be carried out before the treatment with hot oil. The temperature in this latter should not exceed 200 deg. C., for decomposition of the glycerides must at all events be avoided.

In place of the glycerides (oils) it has been found that quite a large number of other substances can be used. One condition which they must satisfy is that they should be liquid at say 100 to 150 deg. C. Among substances may be mentioned the aliphatic hydrocarbons, and those of the aromatic series; also derivatives of the latter, especially their alkyl and chlorine substitution products; further, the higher alcohols, ethers, and esters, such as amyl alcohol, amyl ether, and ethyl acetate. But none of these substances is quite as well adapted as the glycerides for the extraction of the caffeine, as they leave a residue behind the complete elimination of which is attended with some difficulty.

The treatment with oil does not only extract the caffeine, but also certain resinous substances. As the result of this the taste of the coffee is improved. In the case of tea the conditions are less fortunate. Here the process causes the loss of certain of the constituents which impart its characteristic aroma to the tea. The results of the extraction of coffee with glycerine and acetone also are not entirely satisfactory. To an expert taster the product appears not quite faultless. To the ordinary consumer, however, it is quite indistinguishable from the natural untreated ware.

The principal object of a recently designed clock is to show at a glance, says the Journal of the Royal Society of Arts, the time all over the world. In front of it a disk is mounted, which revolves with the earth once in 24 hours, having the hours 1 P. M. till 12 midnight, and 1 A. M. till 12 noon, painted on its outside edge, the hours being divided into intervals of five minutes each. In the same plane as the disk is a fixed dial, with a circular aperture to accommodate the disk. The dial has Greenwich painted on the top, the names of the other places being arranged at such distances from Greenwich that at any moment the corresponding time for any part of the world is shown. The clock is set by turning the disk, so that the time at any place abroad at a given time in London, or other place, can be easily read off.

ENGINEERING.

New traffic records were made by the Subway and elevated railways in New York during the Hudson-Fulton Celebration, 2,200,000 passengers being carried on the day of the military parade.

A variable stroke petroleum engine has been designed by Messrs. J. F. Gill and T. C. Aveling, intended to overcome the difficulties which prevent such engines being applied directly to the shaft of a vehicle, as in the case of the steam engine.

The total excavation now made in the Panama Canal to the end of September last is 87,172,058 cubic yards, which is only about three hundred yards short of one-half the total excavation required. As the average daily excavation is over 100,000 cubic yards, it may safely be said that half the work was done by the end of the first week in October.

The hurricane in New Orleans on September 20th caused an interruption in the operation of the pumps of the drainage system, owing to their being electrically operated and the overhead transmission line being blown down. Temporary wires were strung up hastily on telegraph poles, and pumping resumed in 48 hours, but it is now proposed to build a duplicate transmission line, and eventually to put the whole of it underground.

In connection with the landing of the Cunard steamers at Fishguard in Wales, the Great Western Railway of England has put on a new special train to London, which has been making remarkable time. On a recent run a train with a total weight of 300 tons was drawn by the new engine "King Edward" from Fishguard to London, 261 miles, at an average speed, including one stop of four minutes, of 61.2 miles per hour.

An improvement much needed elsewhere also is being tried by the Chicago Railways Company for the forced ventilation of street cars. A double ceiling is used with a number of openings like those of a hot-air heating system, the space between upper and lower ceiling acting as an exhaust duct. Fresh-air intakes are cut through the floor near the sides of the car, the screened air admitted passing through electric heaters under the seats before entering the interior of the car.

A remarkable piece of work was done by Messrs. David Rolls & Son of Liverpool in the fitting of a new high-pressure cylinder of improved design to the steamer "Star" of New Zealand. The vessel being engaged in the meat trade, it was desired if possible that the change should be made in the time required to discharge her cargo at Liverpool; and although it involved the machining and fitting of all auxiliary parts, it was completed in five and one-half working days.

One of the unusual features of the work on the Ashokan reservoir in the Catskills is the use of special steam rollers for "puddling" the earth fills on either side of the concrete core-walls of the dikes. Over six million cubic yards of earth must be spread in six-inch layers, moistened and rolled, eventually forming a dam 300 feet high in places and four miles long, so the work of the rollers is considerable. They have corrugated front rolls and cross-cleats on the rear rolls, so as to thoroughly knead the moist earth, and each covers the work done by thirty men, a dozen teams, and a cableway, and is guaranteed against breakdown in continuous work for seven years.

In the House of Commons recently the question was raised as to whether the Home Office would consider the question of compelling tramway authorities to fix on their cars a device for making a continuous noise when the speed exceeds a certain limit, as is now done in the case of motor omnibuses. Mr. Masterman replied that the question was under consideration, but the application of the device to tramcars presented special difficulties, owing to the varying limits of speeds authorized for tramways. Mr. Myer asked if Mr. Masterman was aware that some of the cars on the Thames Embankment traveled at a speed of over 20 miles per hour, but no answer was given.

There has been much favorable comment in the engineering press upon the completion, in six months less than the contract time and well within the estimated cost, of the widening of Blackfriars Bridge in London. This bridge, which is 140 years old, consists in its present form of five iron arches ranging in span from 155 to 286 feet between masonry piers founded on wrought-iron caissons filled with concrete, the original masonry arches having been removed and the bridge enlarged in 1864. The work completed last month by Sir William Arrol & Co. as contractors was necessitated by the plan of the London County Council to carry its tramways across the bridge, to connect its northern and southern systems. The roadway was widened by 30 feet, which involved the moving bodily for that distance of wrought-iron face ribs, 155, 174, and 186 feet long respectively, out to the end of the extended piers.

ELECTRICITY.

It is reported that a series of wireless telegraph stations are to be installed in Siberia which will enable the War Department of Russia to keep in communication with the easternmost parts of the empire. These stations are to be large enough to operate over a radius of a thousand miles.

It has been suggested from time to time that the air in the subway could be rendered less obnoxious by supplying each car with apparatus for producing ozone, but the mere conversion of oxygen already in the subway into the form of ozone would not solve the difficulty. What is needed is a fresh supply of oxygen to take the place of that consumed by the passengers and converted into carbon dioxide. A recent editorial in the *Electro-chemical and Metallurgical Industry* calls attention to the system of Dr. R. Von Foregger, who a few years ago proposed the use of fused sodium peroxide. Water added to this chemical would cause the production of sodium hydroxide and would liberate oxygen. The sodium hydroxide would then absorb the carbon dioxide of the air and thus in addition to furnishing a fresh supply of oxygen it would purify the air as well.

Strange as it may seem to the uninitiated, the cost of operating an electric car depends to a large extent on the motorman. The economical motorman will permit his car to coast whenever possible and in this way will effect a considerable saving of power. Each application of the brakes means a waste of power. Recently an apparatus has been devised for keeping a record of the periods of coasting of different cars. The device is connected both with the electrical controller and with the air brakes and operates only when both the controlling apparatus and the brakes are in the "off" position. The record is made on a paper ribbon driven by a clock. This record makes it possible to judge of the relative economy of different motormen operating on the same line and encourages them to let the cars coast whenever it is possible to do so without falling behind their schedule.

One of the main advantages of electrifying a railroad system lies in the fact that instead of having a large number of portable power plants represented by the locomotives, all the different power units are brought together in one central station and thus considerable economy is possible, if for no other reason because a separate reserve power is not required for each train. The same argument applies to the centralizing of central power stations. Instead of having different concerns manufacture their own electricity the power could all be generated in one large station. Recently the New York Edison Company has offered to furnish power for the Broadway-Lexington Avenue subway. The Edison Company points to the fact that it is well equipped to furnish the power required and has an adequate reserve to meet all demands.

Replying to the popular demand that the Illinois Central Railroad should electrify its terminal in Chicago, President Harahan points out the fact that electric traction is still in the experimental stage and that little as yet is known of the use of electricity for handling freight. The Illinois Central is obliged to interchange trains and cars with other roads and considerable inconvenience would be occasioned by the use of electric traction in its freight yards. He also suggests that the smoke nuisance could be eliminated by other means, and until a comprehensive plan has been developed for electrifying all the railroads that enter Chicago it would be impracticable for the Illinois Central to make a change in the power it uses. The railroad is making experiments with cars operated by gasoline engines and is testing the use of coke instead of soft coal. As a matter of fact, the railroads of Chicago contribute only a small portion of the smoke that clouds the city. However, the City Council is considering an ordinance which will compel every railroad in Chicago to use electricity.

The extensive use of trackless trolley cars in continental Europe has led British manufacturers to make experiments with a view to producing a type particularly adapted to the requirements of their own traction systems. Recently a car has been developed which possesses many very interesting features. Chief of these is the trolley head and its connection to the car. A three-wire system is used, the current being collected from two outer wires while a central wire takes the place of a ground. The head is supported in a horizontal position by means of a sort of parallel-ruler connection, there being two poles connecting it with the roof of the car. The head can be converted into a single-pole trolley head whenever it is desired to run the car on a track system, and in this case the ground is taken care of by a pair of shoes which ride on the rails. The overhead wires are so arranged that they can be adapted for a track system at a minimum expense whenever the traffic makes such a change advisable. It is merely necessary to remove the outer wires and leave only the central trolley wire.

SCIENCE.

Jean Comandon announced before the Academy of Sciences on October 27th the development of a new method of photographing bacilli by the combined use of an ultra-microscope and a cinematograph.

After examining the documents presented for consideration by Lieutenant-Commander Peary, the National Geographical Society has reached the decision that he reached the North Pole, and has decided to award him a gold medal for his exploit.

A cablegram has been received at Harvard Observatory from Kiel stating that Winnecke's comet was observed by Pons of Laplate, Oct. 31 d. 5040 Gr. M. T. in R. A. 17 h. 11 min. 51.6 sec. Dec. —27 deg. 18 min. 43 sec. The comet is visible in a small telescope.

Prof. Metchnikoff, as our readers well know, advocates the drinking of much fermented milk to check the intestinal putrefaction of food, and thus prolong life. In furtherance of his end, bombons have been prepared, consisting of a lactic-acid product surrounded by a sweetened chocolate coating. The sugar of the coating assists in lactic-acid fermentation.

An alloy which may have a considerable value for steel processes is now manufactured in the electric furnace in France. This is the mangano-silicide of aluminium, formed of manganese, silicon, and aluminium, containing generally from 1 to 2 per cent of iron and 0.25 per cent or less of carbon. Sulphur and phosphorus are practically absent. The new alloy has been found to answer very well as a de-oxidizing agent in steel making. During the refining it is transformed to silicate of manganese and aluminium, giving a very fusible slag which is easily separated from the melted metal. It is claimed that the steels which are obtained by the process are very homogeneous and are free from porosity. The proportion of the new alloy is about as follows: Manganese, 75 per cent; silicon, 37 per cent; and aluminium, 18 per cent. In the steel process, 100 parts of alloy combine with 71 parts of oxygen to give 171 parts of slag.

The \$1,000,000 given by John D. Rockefeller will go a long way toward eradicating the "hookworm." The worm was identified in 1903 by Dr. Charles Wardell Stiles of the Rockefeller commission. Soil pollution is responsible for the existence and spread of the worm. It can be eliminated from the human body by a simple treatment of thymol and Epsom salts, the patient in most cases being cured in several days. Pronounced anaemia is the chief symptom of persons afflicted with the hookworm disease, accompanied by emaciation and great physical weakness. Laziness, mental lassitude, and stupidity are other symptoms. Uncinariasis is the technical name for the disease. Hookworm disease was probably known to the Egyptians near 3,000 years ago, but its cause was not understood until about the middle of the nineteenth century. The hookworm is about half an inch long. It lives in the small intestine.

Once it was possible to buy radium at \$2 a milligramme; now the market price is \$90 a milligramme, equal to \$2,500,000 an ounce. This was one of the striking statements in a very interesting speech delivered by Sir William Ramsay at the foundation stone laying ceremony of a new radium factory in Limehouse, an eastern suburb of London. The British Radium Corporation, which is going to extract radium from pitchblende found in the Trenwith mine, Cornwall, is believed to be the first company in the world to attempt the production of the precious mineral on a commercial basis. It is one of the romances of science that the material in the old days was regarded by the Cornish miners as a nuisance, for it prevented them from obtaining copper from smelting. For a long time it was cast on the dumps or left underground. To-day the comparative value of crude pitchblende ore is far in excess of the gold quartz of Johannesburg or the blue earth of the diamond mines.

The swamp potato (*Solanum Comersonii*), which grows wild in Uruguay, has lately been cultivated in France, where it has produced a variety with violet tubers. The new variety is characterized by extraordinary productiveness, resistance to disease and frost, and the production of large aerial tubers in the axils of the leaf stalks. German potato growers, however, find the new variety so similar to the long-known variety "Paulsen's Blue Giant" that they are inclined to think that the latter has, innocently or designedly, been exploited in France as a novelty. The same opinion is held by a prominent English potato grower. The two sorts have also been cultivated, side by side, at the experiment station of a Swedish society for the improvement of moors, where they appeared to be identical in foliage, flowers, and tubers. The swamp potato, however, proved less productive than the old Blue Giant, and its most strongly emphasized peculiarities, antipathy to lime and preference for marshy soil, could not be detected. Similar results were obtained on an experimental plantation in Silesia.



ARCHAEOLOGICAL RELICS FROM THE SEA.

BY FERDINAND WORTHINGTON.



In 1907 a Greek sponge-fishing craft discovered, three miles off the coast of Madhia between Sousse and Sfax, at a depth of about 150 feet, the wreck of a vessel some 100 feet long and 20 feet beam. The cargo of the sunken vessel consisted of sixty columns of white marble arranged in six rows, the columns being topped with Corinthian or Ionic capitals, and otherwise painstakingly and artistically carved. Furthermore, there were several statues.

M. A. Merlin, Director of Antiquities, of Tunis, has advanced the theory that the vessel was an ancient galley which had left Greece, bound probably for Italy. Contrary winds had driven it on the coast of Tunis, where it foundered at a time which may be approximately placed at about the beginning of the Christian era.

The relics which have been brought to the surface from this ancient wrecked ship are undoubtedly of Greek origin. Several bronze statues have been recovered. One of them, a figure of Eros, is thought to be a replica of the Eros of Praxiteles. There is also a Hermes of Dionysus, fragments of candelabra and of beds, also a statuette about 14 inches high, which might have served as a lamp, for the head is hollowed out to form an oil well.

The marble relics are more numerous than those of bronze. They comprise capitals of various decorative designs; drinking cups embellished with Bacchic bas-reliefs which remind one of the celebrated Borghese vase of the Louvre; statuettes, busts, and the like. One column which was brought ashore measures 13½ feet in height, and nearly 2 feet in diameter at the base.

It may be stated that this artistic treasure trove of the sea was recovered at the expense of the Tunisian and French governments, the Académie des Inscriptions et Belles-Lettres, and several wealthy gentlemen. The French navy assisted in bringing the material to the surface. The divers employed were Greeks who

had forsaken their calling of sponge fishing to devote themselves to the more artistic vocation of fishing for statues. All the objects which have been recovered will eventually find a place in the Bardo Museum at Tunis.

A Pure Air Law for Workmen.

BY C. M. RIPLEY.

It costs money to purify anything. Whether it be the Panama Zone that must be made habitable, or a political situation which requires a housecleaning, all of these worthy enterprises require considerable expenditure and there will always be found some who protest. Even our worthy pure food law came in for its share of complaint, and now we learn that the New York labor law requiring a supply of fresh air for the employees of workshops and factories is being subjected to some criticism.

The law reads as follows:

"The owner, agent or lessee of a factory shall provide, in each work room thereof, proper and sufficient means of ventilation, and shall maintain proper and sufficient ventilation; if excessive heat be created or if steam, gases, vapors, dust or other impurities that may be injurious to health be generated in the course of the manufacturing process carried on therein, the rooms must be ventilated in such a manner as to render them harmless, so far as is practicable."

Mr. William W. Walling, chief factory inspector for the State of New York, interprets the law as follows:

"As defined by Dr. John S. Billings, perfect ventilation means that any and every person in a room takes into his lungs at each respiration air of the same composition as that surrounding the building, no part of which has recently been in his own lungs or those of his neighbors, or which consists of the products of combustion generated in the building, while at the same time he feels no currents or drafts of air, and is perfectly comfortable as regards temperature, being

neither too hot nor too cold. How much air is required to meet these conditions? Not less than 2,000 cubic feet per hour for each person, with the same amount per hour for each cubic foot of gas consumed whether for light, heat, or power."

Some landlords in New York city have put forth the claim that the amount of fresh air specified by the Department of Labor was an "arbitrary quantity." Several authorities on the subject of ventilation who have been consulted in the matter and who are also entirely disinterested agree that 2,000 cubic feet per hour per person is common practice and is based upon definite laws or rules which have been followed for many years in the design of ventilating systems.


The "Architects' and Builders' Pocketbook," written by Mr. Frank E. Kidder, C.E., Ph.D., states (and this book is an authority and therefore a record of current practice) that 1,800 cubic feet per hour per child should be the standard for school buildings, this amount being required by law both in Massachusetts and New York. It further states that in buildings more closely packed, and occupied for a longer period, the air supply should be from 2,000 to 2,500 cubic feet per hour per person. In giving an example of a school room of certain dimensions, he shows that the standard amount of air would result in the air in the room being changed about eight times per hour—which certainly does not appear to be an excessive amount.

Since the above applies only to buildings where people sit quietly, or for buildings where only children congregate, it is difficult to see how the representatives of the New York Department of Labor can justly be accused of any "arbitrary" action in interpreting the meaning of "proper and sufficient" ventilation.

Mr. Percival Robert Moses, consulting, heating and ventilating engineer of New York city, states that he has found the rate of 2,000 cubic feet per hour per person a satisfactory and conservative working basis. In a loft 25 feet wide and 100 feet long, containing



A bronze Hermes.




A marble Ionic capital.



Marble bas-relief depicting a funeral banquet.
ARCHAEOLOGICAL RELICS FROM THE SEA.



A bronze statue of Eros.



Fishing for archæological relics.

80 workmen, and lighted with electricity, the amount of air required would be $80 \times 2,000 = 160,000$ cubic feet per hour. This amount of air per hour would move at the rate of about $\frac{1}{8}$ of a mile per hour, and would be sufficient to change the air in the loft six times per hour, assuming a 10-foot ceiling. Since the Massachusetts and New York State laws for school rooms require eight changes per hour, and since some authorities recommend even 50 per cent in excess of this, it appears that the action of the factory inspector hardly comes within the definition of the word "arbitrary" which in the Standard Dictionary means "done capriciously" or "without adequate determining principle," or "non-rational," not done according to reason or judgment; depending on the will alone; tyrannical; despotic; not fixed by rule.

The operating cost for a ventilating system is made up of two items: (1) Power for turning fans; (2) additional heat for incoming air. In a loft building where the tenant will pay for the power, the expense will automatically be divided and the landlord will pay for the extra heat required, since heat is included in the rent. It will also be noticed that again the adoption of electric lighting will cut the bills for operating expense to a remarkable degree. This cut in expense will affect the tenant, since a much smaller ventilating motor will be required, and it will also affect the landlord because less air will have to be drawn in, and hence the cost for heating would be diminished.

In large systems the services of an expert heating and ventilating engineer would probably prove valuable, and it is possible so to design the equipment that a judicious "recirculation" of the air from halls and basements will effect an economy in the fuel bill. This air is seldom impure and requires much less heat than if cold air were brought in from outside. It is also possible in buildings where high-pressure steam is available, or where boilers which have been run at low pressure can be run at a higher pressure, to adopt the following policy: Provide steam engines to operate the fans and turn the exhaust steam into the heating coils—thus getting a double use out of the steam and cutting down the electric bill. This idea could be carried still further in many instances, and economies could be made (especially in the winter) by abandoning electric pumping, again lowering the electric bill. This is the stock argument of the advocates of isolated plants, who contend that great economies result in buildings of a million cubic feet or more if engines are installed and electricity is made on the premises. It is a fact that steam at high pressure only contains about 6 per cent more heat than steam at low pressure. Thus the argument that electricity can be made and a building heated with exhaust steam is advanced. The layman does not appreciate one very peculiar fact about steam: that at five pounds pressure it is only about 6 per cent cheaper to make than at 100 pounds pressure, showing that the cost does not increase in proportion to the pressure.

In the future it is probable that factories and loft buildings will be equipped with ventilating apparatus at the outset, with the ducts concealed in the walls and the fans located in the basement. A model building

of this character has recently been completed in New York city, in which the landlord at the time of construction had the ventilating system installed at his expense, after the design of a prominent consulting engineer. Thus the cost of operating a system and the responsibility of maintaining it in good condition does not rest upon the tenant.

It is natural during this transition period and before the betterment of the standard of building construction has become general, that some differences are bound to arise between the Factory Inspection Bureau and the landlords and tenants. It is to be hoped that this condition is but temporary.

In the report of the United States Bureau of Labor at Washington, D. C., it is shown that deaths among factory workers due to consumption, were divided as follows:

Employees exposed to metallic dust...36.9 per cent
 Employees exposed to mineral dust...28.6 per cent
 Employees exposed to vegetable fiber
 dust24.8 per cent


Those exposed to animal and fiber dust...32.1 per cent
 The occupation showing the highest consumption mortality was grinders, among whom 49.2 per cent of all deaths were from that disease.

An ingenious conclusion was reached by Mr. Frederick L. Hoffman, of the Prudential Life Insurance Company, based on this report. It is his opinion that by intelligent methods of ventilation and dust removal the consumption death rate among the wage earners would result in an annual saving of 22,238 lives. This would add, quoting the Engineering News, 15.4 years of life for every death from consumption avoided by rational conditions of industrial life. Such a gain would represent a total of 342,465 years of additional lifetime, and by just so much the industrial efficiency of the American nation would be increased. Placing the economic value of a year's lifetime at only \$200, the total average gain to the nation would be \$3,080 for every avoidable death of a wage earner from consumption, representing the enormous total of \$68,493,000 as the annual financial value clearly within the range of practical attainment. Therefore, nothing within reason should be left undone as a national, State, and individual or social duty to prevent that needless but now enormous loss of human life from consumption due to the unfavorable conditions in American industry.


None will deny that the efficiency of workmen varies with their good health and comfort. Slight physical ills are prevented by better surroundings, and the loss to the employee due to absences, or brain made stupid by breathing foul air, are immediate losses to the employer through lowered efficiency, and later involve a loss of trained employees and the necessary breaking in of green help.

The Technical Utilization of Platinum.

Platinum is one of the most important substances used in modern industry. Its resistance to attack by strong sulphuric acid makes it a suitable material for the vessels employed in concentrating the dilute acid of the lead chambers, and until recently, states



Dancing menad, a fragment of a marble vase.
 ARCHEOLOGICAL RELICS FROM THE SEA.



Bronze lamp.

Umschau, platinum vessels were always used for this purpose. Its permanence in the air makes it suitable for contacts in electric bells, induction coils and the like, its resistance to the action of chemical reagents causes platinum to be employed in the construction of crucibles, evaporating dishes, scale pans, etc., as well as electrodes for experimental and technical electrolysis. Platinum is little affected by heating to a very high temperature and it is consequently used in the construction of electric resistance furnaces, in which temperatures exceeding 1,800 deg. F. are attained, and in Le Chatelier's pyrometer for the measurement of high temperatures. Another property of platinum which is of great practical importance is the approximate equality of its coefficient of expansion by heat to that of glass or porcelain. A platinum wire fused into a glass vessel will not produce cracks or leakage by unequal contraction in cooling or unequal expansion in subsequent heatings. This property is utilized by the makers of incandescent electric lamps, the carbon filaments of which are connected with the external circuit by short platinum wires, fused through the glass bulbs. For a similar reason the attachments of artificial teeth are made of platinum wire, which is baked with the porcelain mass in the kiln. Finally, the catalytic properties of platinum are utilized in various chemical industries, especially the production of sulphuric acid by the contact process, and in the construction of self-lighting gas burners, etc.

The Rising of the Aral Sea.

The rise which has been noticed in the Aral Sea is a difficult one to explain. It will be remembered that this body of water is one of the greatest lakes in the world, and in some places it has a depth of 220 feet. It receives the water of two large rivers, the Amu-Daria and the Syr-Daria, which bring to it about 2,000 cubic yards per second. During the last century it appears that the level of the lake has varied considerably. Starting from the middle of the century, we find that the level was lowered during 30 or 35 years, and this condition prevailed until after 1880, bringing about changes in the contour of the lake, and the islands became larger. However, we find that in 1899, when Berg explored the lake, it was now rising and had reached a much higher level, so that it overflowed some of the islands, and these had to be abandoned. On shore the railroad tracks had to be moved. The rise in the lake lasted until 1908, and we find that from 1880 to 1901 the level of the lake rose about 6.6 feet. Besides the Aral Sea we find that other lakes of the same region have also risen, so that the region of central Asia is far from undergoing a gradual drying up, as was supposed. Given the mean depth of the lake as 52 feet, the rise of 6.6 feet gives the addition of a mass of water representing one-eighth of the lake's contents. At the Barnoul observatory the rainfall is found to have kept at about the same point since 1875, so that we are at loss to explain the rise of the lakes in this region. In ancient epochs we find similar phenomena in different lakes as determined by geologists, but like the present one they appear to be unexplained.

OUR AERONAUTICAL ORGANIZATION.

BY C. H. CLAUDY.

Except for sporadic experiments, as at Fort Myer last year, for all the majority know to the contrary, the United States has done nothing in aeronautics. But the impression is erroneous. We have done all that we could do with the money there was available—more, indeed, than anyone thought we could.

Just what is our status, aurally, to-day?

To begin at the beginning, the aeronautical work of the government is all in the hands of the Signal Corps, an arm of the service charged with obtaining and conveying information, and opening lines of transmission of intelligence. Within the Signal Corps, of which Brig.-Gen. James Allen is chief, is the Aeronautical Division. This includes a number of officers, of whom Lieut. Frank P. Lahm is chief, under Gen. Allen, and enlisted men in squads of varying proportions, depending on the work to be done. Major G. O. Squiers is the theoretical expert. The strange proportion of men to officers of about two enlisted men to each officer, which obtains, is explained by the fact that the enlisted men do nothing but erect the balloons, or act as laborers for the towing or holding of aeroplanes. It is the officers alone who do the flying, and to whom is intrusted the actual aerial work. An exception to this was found last year when, on the death of Lieut. Thomas Selfridge in the Wright accident, and before Lieut. Lahm could get to St. Joseph, Mo., where the dirigible was located, Sergt. Ward went up in the dirigible with Lieut. Foulois, and while without experience, succeeded in operating the steering end with credit.

By name, the officers in the aeronautical corps are Lieut. Frank P. Lahm, Major George O. Squiers, Lieut. Benjamin D. Foulois, Lieuts. Winters, Bamberger, and Dickenson. Capt. Charles De F. Chandler is attached to the Signal Corps now as disbursing officer, but is available for aeronautical duty at any time. Of these officers, Lieut. Lahm has had the greatest experience, and he and Capt. Chandler are the two licensed pilots. Lieut. Foulois made a record with the dirigible last year. Winters, Bamberger, and Dickenson have each made a few flights in free balloons, but are still beginners in the art of aviation. Major Squiers has made an exhaustive study of the theory of aviation of all kinds and is an authority on the subject, although his practical experience is limited to a couple of balloon and one aeroplane trips.

The equipment with which the Aeronautical Division has to work comprises a balloon house at Fort Myer, and a balloon house of much greater capacity at Fort Omaha, where is also located a large electrolysis plant for the decomposition of water and the collection and storage of hydrogen, and the compression of it into steel tubes, for transportation. The Aeronautical Division has a number of spherical balloons, one dirigible, and will have at least one and possibly two aeroplanes before another year, being under contract to accept one from A. M. Herring and the Wright brothers, each, if they can satisfy the tests and conditions laid down by the Signal Corps in their original specifications.

The present equipment of the Aeronautical Division is neither large nor strong, but while it is used almost entirely for experimental and training purposes, it must not be supposed for a moment that it could not be used successfully in time of war. The spherical balloons, which can be used either captive or free, are just as able to take an observer aloft in time of war and for photographic or observation purposes, as in time of peace to give him aeronautical experience. The dirigible, while a small one—ninety feet long—has not a very large radius of action. Perhaps five hours in the air would represent its extreme of endurance. Yet it is perfectly efficient for the obtaining of information at a considerable distance.

The aeroplanes will be—one of them at least—the best of their kind in the world. Mr. Herring's machine is a mystery and no one knows whether it will be a success or not. But the Wright machine has demonstrated its efficiency.

Nevertheless, much depends upon who will run an aeroplane—as to how it will behave. The selection of Lieuts. Lahm and Humphreys to be the first aeroplane pupils is a wise one, not only because these gentlemen have had more actual aeronautical experience than anyone else in the army, but because they are both of them the type of men to make a success of any enterprise requiring quick thinking and action and cool nerves.

Perhaps the most interesting thing in connection with army aeronautics which the United States has to show, is the large balloon house at Omaha, which is capable of housing a very large dirigible, several hundred feet long, and of supplying it with gas. Just as soon as Congress sees fit to provide the money, we can immediately build a large dirigible, without having to wait for a balloon house. It is unquestionable that another and much larger balloon house, similar to or larger than the one at Omaha, will be erected at or near Washington. Indeed, Gen. Allen has expressed himself in favor of building it big enough to hold a

Zeppelin. Meanwhile, there is the plant at Omaha, ready for the big dirigible when we shall get it. At present it houses the small one. The filling of steel tubes of one cubic foot capacity with 2,000 cubic feet of gas is a regular part of the work at Omaha, so that these tubes, transported from place to place, can afford facilities for erecting and flying either spherical or the dirigible balloon. Hydrogen, of course, has so much greater lifting power than coal gas, that its use is dictated always except for balloons of large size which have not to carry much weight. The "No. 9," seen in the photograph, is capable of making a free flight with two men although it holds but 9,000 cubic feet of gas, which provides a gross lifting power of 630 pounds. The "No. 10," which has a capacity of 80,000 cubic feet, will lift more than a ton, filled with coal gas, and with hydrogen would lift 5,600 pounds. To have hydrogen easily and quickly available, anywhere at any time, is a great part of the work of the electrolysis and compressing plant at Omaha, and the possession of this plant, as well as of the various balloons, dirigibles, and aeroplanes, goes far to give the United States at least a start in aeronautics, whereas we are popularly conceded to be simply a minus quantity.

The Testing of Intelligence.

BY OUR BERLIN CORRESPONDENT.

The multiplicity and diversity of those intellectual forces which individually or collectively are called intelligence, is only too often under-rated. In a recent memoir, E. Stransky draws attention to the error generally made in connection with scientific intelligence tests, so called, by choosing a single aspect of mental life as representative of its totality. It is a common mistake to mix up scientific training with intelligence, appreciating the mental capacity of a person according to the number and character of the notions assimilated at school and outside of it. Now, though a man, by frequently using abstract notions, gives evidence of a high intellectual capacity if these notions have been created by him, or at least acquired with a great deal of mental effort, those deriving the same notions from book reading do not necessarily show any productive superiority over lay people who have no occasion to deal with the same matters.

Generally speaking, it may be said that memory is by no means the only one, and still less, the most elevated of intellectual properties which, combined, make up the intelligence of a man. Again, memory is of two different kinds, possessing different value, viz., either *impressive* or *associative*, according as this faculty relates to the more or less durable impressions left by our perceptions, or to the system of intellectual associations by which new perceptions are united to the existing associative elements. Now, the former kind of memory obviously is far more primitive than the other, and cannot possibly be taken as a gage of intelligence. It is, in fact, generally known that adult persons, having assimilated a large amount of associative elements, are far from being so impressive as children, whose brains are as yet new. Moreover, the most intelligent persons often forget the most rapidly and absolutely what they have learned at school in a purely mechanical manner, even though these matters belong to their special branch. A celebrated physician, Dr. Billroth, has said in this connection that the "really educated people are just those who have forgotten more than others." The intelligence tests recently made in different countries on subjects chosen among the lower classes, have given especially instructive results in this connection by showing the frequently startling ignorance of the most common notions in the case of an individual perfectly capable by his mental capacities of earning his living and governing his house.

To this should be added that memory is only one of the different components of intelligence, and that judgment and power of combination are particularly important among the remaining functions of our intellect. Now, in appreciating the comparative mental forces of school children, this undeniable truth is only too frequently neglected, classification being merely based on the matters absorbed in a more or less superficial manner by the memory of the individual, and in everyday life we are unfortunately inclined to commit the same serious mistake.

In a previous memoir, the author has pointed out the individual diversity existing in the intellectual and psychical reaction to the outside world. There are thus individuals whose inner intellectual life in its extraordinary wealth cannot become fully evident, owing to a relative impotence of mental or merely linguistic manifestation. Another group comprises those who have not always at their disposal a frequently rather extensive knowledge. These individuals require tranquillity and, generally speaking, the concurrence of circumstances propitious to their individuality in order to manifest in their entirety their knowledge, judgment, and imagination. They then become capable of accomplishing verily remarkable things, whereas when compelled to give evidence of their capacities and

knowledge in a less propitious situation (at an examination, for instance) they are bound miserably to fail, and to appear dull, and even stupid. On the long way traversed by thought before its outside manifestation there are numberless obstacles sufficing to close against the outside world an abundantly gifted intelligence.

From what has been said will be understood what value may be ascribed to intelligence tests made according to a given scheme with watch or meter in hand, and which mainly relate to memory, promptness of repartee, and adaptability of the subject. It would certainly be interesting to test by a really scientific method also the mentality of those particularly gifted individuals whose intellectual life consists of combination rather than reception. Some methods have already been suggested in this connection; the late Dr. Ebbinghaus thus endeavored to use as gage the faculty of supplementing words, and on this basis the author has developed the method of "word deformation." However, all these methods, so far from showing the comparative value of intelligence, at most yield some information as to a given intellectual faculty.

Artificial and Natural Ice.

Natural ice, domestic or imported from Norway, was used exclusively in France twenty years ago. At present, three-quarters of the ice used in France is artificial, although the importers of ice have gradually reduced their price one-half. In interior French cities artificial ice has completely supplanted imported ice. Fifteen years ago considerable quantities of Norwegian ice were still brought to Paris, *via* Dieppe. This commerce has now entirely ceased, and Norwegian ice is used only in cities on or near the seacoast. The annual consumption of ice for cooling purposes in France amounts to 200,000 tons, of which 150,000 tons are manufactured. 4,500,000 tons of ice are used annually in the United States.

A French writer has recently suggested the imposition of a tax upon imported ice, in order to protect the manufacture of pure and wholesome artificial ice. He reminds his readers that this industry is of French origin. The French physicist La Hire first succeeded, in 1685, in freezing water by means of the heat absorbed when sal ammoniac is dissolved. In the nineteenth century another Frenchman, Bourgeois, constructed the first practical ice-making apparatus. In 1875 the method of transporting food in cold storage was created by Ch. Tellier.

Natural ice is not wholesome, as the majority of microbes survive temperatures of from -60 to -170 deg. F. Many sanitary casualties have been caused by the use of impure ice. An epidemic of typhoid fever in Rennes, in 1895, was traced to this cause.

In 1892, at the instigation of the Paris health board, the prefect of the Seine issued an ordinance which restricted the use of natural ice to industrial establishments and admitted as "edible" only artificial ice made either from sterilized water or water drawn from the city mains. Hence a protective duty of 6 francs per metric ton, or about \$1.20 per ton, on imported natural ice is demanded.—Cosmos.

Official Meteorological Summary, New York, N. Y., October, 1909.

Atmospheric pressure: Highest, 30.59; lowest, 29.63; mean, 30.05. Temperature: Highest, 75; date, 8th; lowest, 35; date, 30th; mean of warmest day, 67; date, 8th; coolest day, 39; date, 29th; mean of maximum for the month, 59.8; mean of minimum, 46.7; absolute mean, 53.2; normal, 55.5; deficiency compared with the mean of 39 years, 2.3. Warmest mean temperature of October, 61, in 1900; coldest mean, 50, in 1876. Absolute maximum and minimum of October for 39 years, 88 and 31. Average daily excess since January 1st, 0.7. Precipitation: 0.74; greatest in 24 hours, 0.31; date, 23rd; average for October for 39 years, 3.58. Accumulated deficiency since January 1st, 2.64. Greatest precipitation, 11.55, in 1903; least, 0.58, in 1879. Wind: Prevailing direction, west; total movement, 9,396 miles; average hourly velocity, 12.6; maximum velocity, 46 miles per hour. Weather: Clear days, 15; partly cloudy, 8; cloudy, 8; on which 0.01 or more of precipitation occurred, 8. Thunderstorms, 23rd. Frost, heavy, 20th, 21st, 26th. Fog, dense, 10th.

An Inventors' Exhibition.

The Royal Württemberg Chamber of Commerce is organizing a State exhibition of inventors' models to be held next year at Stuttgart. Its chief purpose is to help poor inventors who have little opportunity of bringing their inventions under the notice of likely purchasers. The directors of the affair promise that strict impartiality will be shown in the selection of exhibits, and that none will be accepted which is not worthy of serious consideration. There will be no expenses of any kind for the very poor inventor, and low fees for the others. It is not said whether the exhibition is expected to be self-supporting, but perhaps not, as the enterprise is being backed by the State.

Correspondence.

WHY WATCH SPRINGS BREAK.

To the Editor of the SCIENTIFIC AMERICAN:

Being a worker in tempered sheet steel, it occurs to me that the cause of broken main springs may be because the edges are not properly finished; that is, because there are short or small places on the edge that have not been ground and rounded on the edge since tempering. To overcome liability of cracks in band saws, I find it necessary to finish the edges. The breaks in the springs begin only at the edges, and I would suggest a more perfectly finished edge.

Lumberton, Miss.

J. H. MINER.

MAGNETISM AND THE BREAKING OF WATCH SPRINGS.

To the Editor of the SCIENTIFIC AMERICAN:

Concerning the subject of breakage of main springs, allow me to contribute the following:

Every watchmaker has observed that at certain times a large part of his repair work consists of replacing broken main springs. And it is often observed that the spring is broken into as many parts as there were coils in the spring, and sometimes a fracture occurs every half coil.

The writer on one occasion, while wondering at the appearance of a spring broken up into half coils, noticed that the pieces were magnetized, and made a simple experiment of determining the polarity of the pieces by bringing the fractured ends together. He discovered that when the pieces were fitted together as they were in the original spring, the ends of the pieces at each joint were of like polarity. He then suspended a small soft-iron indicator from a single fiber of silk in a small material bottle, and by passing this indicator along the line of broken pieces of spring, discovered that the points of fracture were of alternate polarity. This was puzzling, for the ends of the pieces at each point of fracture should be of opposite polarity.

The writer has since caused a spring to be magnetized while coiled in a watch barrel, and on extending the spring found the points of polarity fixed in the spring, alternating every half coil.

Now it is evident that the repulsive force of like polarity at a point in each half coil has somewhat to do with the breaking of the spring.

When we consider that many springs, when wound up, are strained almost to the point of breaking, if we then subject them to the magnetic strain, the breaking as described does not seem so strange.

Jersey City, N. J.

FRANK G. BURCH.

THE RENAISSANCE CLERGY AND SCIENCE.

To the Editor of the SCIENTIFIC AMERICAN:

The mention of the supposed papal bull against Halley's comet at its appearance in 1456 naturally suggests the consideration of the scientific work of that time. The universities were all in the hands of the ecclesiastics. In Italy particularly practically all of the professors were clergymen. In spite of the usual impression with regard to church opposition to science, this is a great period in the history of science. Though it is not usually realized, the Renaissance affected science quite as much as it did arts and letters. During the century from 1450 to 1550 the foundation of much of our modern science was laid. In the Archives of Diagnosis (New York, April, 1909) I called attention to the fact that to a man of this period, the famous Cardinal Nicholas of Cusa, we owe the first hint as to the use of accurate methods in diagnosis in medicine. There were no watches, for the "Nuremberg eggs" were not made until the next century, and the taking of the pulse had been very indefinite. Cardinal Nicholas suggested that the amount of water passing through a water clock during one hundred beats of the pulse should be weighed, and compared with the amount of water that flowed through standard water clocks, in normal and abnormal cases of various kinds. He suggested that the same thing should be done for the respirations. He also declared that specific gravity in the study of the urine and blood would surely be of value. Prof. Karl Bins of the University of Bonn called attention to this some five years ago in the Berlin Medical Journal.

It seems surprising at first that such thoroughly scientific suggestions for medicine should have come at the middle of the fifteenth century. A review of the scientific situation during the latter half of the century, however, showed how natural they were. Cardinal Nicholas himself wrote a series of books on mathematics. It is in one of these on mechanics that his suggestion with regard to medicine occurs, and he touched many other important scientific questions. He declared, for instance, that "the earth cannot be fixed, but moves as do the other stars." He denies that it can be the center of the universe. He was sent on diplomatic missions by the Pope, and while riding in his carriage it is said that he thought out the problem of the cycloidal curve from studying the motion of a fly on the wheel, and solved this curve. Cantor, the great German historian of mathematics, gives him

some thirty pages, a whole chapter to himself. His greatest contemporary was Regiomontanus, the father of modern astronomy. Regiomontanus introduced the use of the tangent into mathematics. He was invited to Rome by the successor of that Pope Calixtus who is said to have issued the bull against the comet, to become the papal astronomer. Cantor gives him a very important place in the history of mathematics. Antonius the Archbishop of Florence was another contemporary, and his monograph on comets contains a number of interesting anticipations of ideas that did not get into astronomy until after Galileo's time. Galileo was rather inclined to think comets appearances in our atmosphere. Antonius thought them far distant. At this time Puerbach was teaching mathematics and astronomy at Vienna, and translating the Alexandrian mathematicians and astronomers from Greek into Latin for the universities of that time. A little later Novara was doing the same thing at Padua. When Copernicus, having completed his studies at Cracow, wanted to do graduate work in astronomy and mathematics, he went down to Italy. Before the end of the fifteenth century he announced his new theory of the universe. Within the same decade Columbus gave the men of his time a new world, and Copernicus what his bishop friend Ferber declared to be a new universe.

Medicine woke up as the result of the touch with old Greek medicine, just as mathematics and astronomy did. Italy was the home of graduate teaching in this as in all the other sciences. Linacre and Caius and Free from England went down to Italy to study anatomy and clinical medicine. Berengarius was teaching at Bologna, Benivieni at Florence, and Leonicensus at Vicenza, and modern medicine was receiving a great new impetus. During the century from 1450 to 1550, the Renaissance century (which we Americans should call Columbus's century) all our modern anatomy came into being. The work on it was all done in the ecclesiastically ruled universities of Italy. Vesalius, Varolius, Columbus the anatomist, Eustachius, Caesalpinus, and Piccolomini, with Fallopius and many others, did their work in the peninsula. Most of them were professors of anatomy at Rome. Eustachius, whose name is attached to several structures in the human body; Columbus, who discovered the circulation in the lungs; Caesalpinus, who first described the circulation of the blood in the body; and Varolius, after whom important structures in the brain are named, were all papal physicians. Chemistry and pharmacology woke up in the persons of the monk Basil Valentine and his great successor Paracelsus.

To think of the latter half of the fifteenth century as a time when there was lack of interest in science or any suppression of scientific aspirations, is to be ridiculously ignorant of what actually occurred; for the chapter of the Renaissance of science when the Greek masters were rediscovered and translated for the modern world is quite as important as the story of humanism or the new learning, when the Greek literary texts touched the genius of the modern world to that outburst of new thought that made one of the most interesting periods in the world's history. A little more study of science history, and not of the supposed religious history of the time, shows how utterly without foundation is the squabbling over religious intolerance.

JAMES J. WALSH,

Dean and Professor of the History of Medicine, Fordham University Medical School. New York city.

A New Nitrous Product.

At Mülhausen, Alsace, there is being manufactured a new nitrous product for use as fertilizer, in the shape of a nitride of aluminium, the combination of nitrogen and aluminium being obtained by a new process invented by M. Serpek. The inventor first studied the preparation of carbide of aluminium which he obtained in the form of yellow crystals by heating a mixture of alumina and carbon in the electric furnace. This carbide, like the other carbides with which we are acquainted, has the property of fixing gaseous nitrogen and thus gives nitride of aluminium. To obtain an economical production of this latter, he does not isolate the carbide of aluminium, but after the formation of this body in the electric furnace it is at once mixed with a fresh quantity of alumina and is then treated with nitrogen gas. He thus obtains masses which contain 20 to 24 per cent of nitrogen, and this can be used at once as fertilizer. Under the influence of atmospheric oxygen and moisture we have ammonia given off, which is transformed by bacteria into nitrates and alumina. The inventor is working the new process in a small factory which he installed, and has realized some interesting results during the last year. He now produces crystallized nitride of aluminium which has a high percentage of nitrogen—as much as 34 per cent. An advantage of his process is that we do not need to use pure nitrogen which requires an expensive plant of Linde or other machines, but the gas from the producer is employed, this con-

taining 77 per cent of nitrogen and 23 per cent carbon monoxide with a little carbonic acid. Thus we have a very simple and rapid process for the crystallized nitride, and owing to the various advantages, it may compete with cyanamide.

The Migrations of Mackerel and Herring.

Although the mackerel fishing season usually ends in October, thousands of mackerel have been caught after October in recent years in the English Channel. In November, 1901, a bank was discovered which often yielded a catch of six tons in two or three hours. Several similar winter assembling places have since been discovered. It had previously been assumed that mackerel seek the North Atlantic in winter, and return in spring to the North Sea and the coasts of Cornwall and Brittany, but these new discoveries indicate that they do not migrate, but simply seek greater depths in the same locality for their winter resting places, where they remain assembled during the day. At night they disperse in search of food and are consequently seldom caught in the nets.

Localized schools of herring have also been discovered in recent years. There may be migratory schools as well, observes Prometheus, but it appears certain that the herring is a more sessile fish than has hitherto been assumed. During its first year, or until it attains a length of 4 or 5 inches, and probably until its length has increased to 8 or 9 inches, at the end of the second year, it remains near the place of its birth. After the second year it begins to appear sporadically. At all seasons the waters of the English Channel contain adult herring which are evidently of the same breed with the young fry of spring. Even in winter a few herring are caught, but only at great depths, although large numbers are caught near the surface in summer. The assumed migration of herring to Arctic waters is made doubtful by the discovery of these sessile schools. This discovery also explains the existence of the distinct local races, which are recognized by the fishermen, and which always reappear on the same fishing grounds at the breeding season.

"Cork Metal."

BY F. J. WILLOTT.

At one of the recent aeronautical exhibitions samples of a metal were shown under the name of "cork metal," which was said to be 40 per cent lighter than aluminium, and to have numerous other properties which should make it a rival of the latter.

Great secrecy was maintained as to the nature of this wonderful metal, but its properties were such as to rouse my interest, as a consequence of which I have submitted it to chemical analysis.

In appearance the metal resembles very strongly the alloys known as magnalium. The surface presents a lusterless whitish gray color, both sheets and bars showing the scorings and scratches so frequently found on badly rolled or drawn aluminium. Careful analysis gave the following result:

Aluminium	5.04 per cent
Iron	0.017 per cent
Zinc	0.48 per cent
Sodium	0.21 per cent
Magnesium	99.30 per cent

It will be seen therefore that essentially "cork metal" is nothing but magnesium to which a small amount of zinc has been added. Whether this latter has been purposely introduced or, as is more probable, is merely present as an impurity, I am unable to say.

As the metal evolves hydrogen when immersed in water, I found it necessary to use organic solvents for the determination of the specific gravity. In alcohol this was found to be 1.762, thus confirming the conclusion that cork metal is, in fact, magnesium.—Chemical News.

The Current Supplement.

Of the two chief constituents of the atmosphere, we have hitherto been accustomed to look upon oxygen as the fundamentally important element. Nitrogen, however, is of vital importance; so important, in fact, that the task of finding out and opening up new sources of nitrogen compounds has become one of the most interesting and pressing problems of the day. The subject is well discussed in the current SUPPLEMENT, No. 1767, by Mr. A. Bernthsen. The Schneider torpedo-testing station is elaborately described and illustrated. Mr. Snowden B. Redfield describes the making of automobile tires. The stars are due to fall on the nights of November 12th to 14th, a fixture in the celestial schedule of events. The display is called the Leonid shower, and is discussed in the current SUPPLEMENT. A new gas-electric motor car for the Third Avenue Railway Company of New York city is illustrated. The article on the Paris Aviation Exhibition is concluded. The usual engineering notes, electrical notes, and trade notes will be found in their accustomed places.

MAKING ALCOHOL FROM WOOD WASTE.

A middle West industry, for which a great future is promised, is that of the manufacture of alcohol from sawdust, shavings, slabs, and other refuse of the lumber mill.


Rumors of improved methods and great economies in the manufacture of wood alcohol have been "in the air" for some time, and we have received a number of inquiries on the subject from subscribers and correspondents. We are glad, therefore, to be able to give now some details of the new process, for which patents have recently been granted to Mr. Malcolm F. Ewen and Mr. George H. Tomlinson of Chicago.

and energy from his other great responsibilities to continue independent investigations, and it is largely owing to his personal and financial support that the present successful process has been developed, one of the patentees being his brother.


Lumbermen have long been alive to the necessity of finding a use for the appalling piles of waste they are compelled annually to destroy, if only as a means of additional profit, before the question of conservation of natural resources became of national interest. In addition, there are many and various uses to which alcohol is applicable with advantage, and from which it has hitherto been excluded by its cost.

TRIALS OF THE NEW "DREADNOUGHT"—"NORTH DAKOTA."


In view of the fact that the first two "Dreadnoughts" to be built for the United States navy are identical in everything except motive power, the "Delaware" being driven by reciprocating engines and the "North Dakota" by Curtis turbines, an unusual amount of interest has been aroused by the recent speed trials of these two ships. The "Delaware," which was built by the Newport News Shipbuilding Company, was tried out over the course off Rockland, Maine. She is equipped with Babcock & Wilcox boilers, and in the five trial runs for standardization of her propellers,




A diffusing battery of four units.




Reading the thermometers.



One of the large tanks in which the wood pulp is fermented.



Still by which a fine grade of ethyl or grain alcohol has been made out of sawdust and slabs.



The digesting machine which performs the functions of a mechanical stomach. It converts the starch of wood waste into sugar.

MAKING ALCOHOL FROM WOOD WASTE.

It has long been known that ethyl alcohol and other valuable by-products could be made from wood waste in laboratory experiments, and many processes have been developed, but practically none of them has reached the stage of economic success on a commercial scale.

One of these aroused the interest of Mr. John M. Ewen, better known as a construction steel work engineer and manager of the Fuller Construction Company, builders of so many "skyscrapers." Although it was not found practicable commercially, Mr. Ewen was so much impressed with the possibilities of cheap alcohol from wood waste that he spared enough time

All kinds of internal-combustion engines, for instance, can use alcohol as fuel with advantage over gasoline and with very little modification.

One of the greatest advantages of the production of a pure alcohol from wood, however, will be the release for food purposes of the millions of bushels of corn and barley now consumed in the manufacture of grain alcohol.


The price of grain alcohol is at present \$2.60 a gallon at 188 proof, of which \$2.07 is internal revenue tax, the net wholesale price being only 53 cents. Corn worth 26 cents is required for the manufacture of a

(Continued on page 359.)

which were made over the mile course, she developed a maximum speed for one mile of 21.98 knots, a mean speed for the five runs of 21.44 knots; a maximum horse-power of 30,000, and a mean horse-power of 28,578.

The "North Dakota" is not only an exact duplicate of the "Delaware" in the form of her hull and in the displacement, but in common with that ship is equipped with fourteen Babcock & Wilcox boilers. Consequently, the Navy Department was in a position to make a most exact comparison of the efficiency of the respective motive power, all the conditions except

(Continued on page 360.)



Length, 518 feet, 9 inches. Beam, 85 feet, 2 1/4 inches. Mean draft, 27 feet. Displacement on trial, 20,000 tons. Speed on trial, 21.86 knots. Horse-power, 33,875. Coal supply, 2,500 tons. Armor: Main belt, 10 inches to 12 inches and 7 feet 6 inches wide; upper belt, 10 inches to 8 inches and 8 feet wide; barbettes and turrets, 11 inches. Armament: ten 12-inch forty-five caliber guns; fourteen 5-inch fifty-caliber guns.

UNITED STATES BATTLESHIP "NORTH DAKOTA"; FASTEST "DREADNOUGHT" AFLOAT.

The Wright Brothers and Their First American Pupils.

On November 4th Orville Wright arrived at New York fresh from his exhibition flights at Berlin and at Potsdam before the Emperor and Empress. During his stay he taught several army officers how to operate his biplane. These machines are now being manufactured in Germany, England, France, and Italy, and a large company is about to be organized to make them in the United States.

Wilbur Wright has finished teaching Lieuts. Lahm and Humphreys the operation of the new government biplane at College Park, Md. The aerodrome is located beside the tracks of the B. & O. Railroad, some eight miles from Washington, and in the course of the lessons the aeroplane had several brushes with the express trains, all of which it is reported to have won easily. An important modification was made a month ago by Wilbur Wright. This consisted in removing the upper surface of the front horizontal rudder and rigging it just in front of the rear vertical rudders as a tail. It is said to make the machine much easier to control, and also that it does away to a large extent with pitching. Orville Wright changed in a similar manner the machine that he used in Germany.

After being taught for a fortnight how to operate the government biplane, Lieuts. Lahm and Humphreys, on October 26th, made their first flights in it alone. Lieut. Humphreys made the first flight, which consisted of two circuits of the field, in 3 minutes. Lieut. Lahm next flew six times around, and described some small circles as well, his time being 13 minutes. Lieut. Humphreys then made another flight of 8 minutes. On October 30th both officers had been flying for 10 minutes when the gear that drives the magneto dropped off, causing the engine to stop. The machine glided safely to earth. On November 1st, after making an excellent 16-minute flight, Lieut. Lahm remained aloft 58½ minutes. Two days later Lieut. Humphreys, with Lieut. Foulois as passenger, flew 61¼ minutes, and came within 10¼ minutes of equaling Orville Wright's record flight with a passenger. Lieut. Lahm, after one false start, succeeded in making an 8¾-minute flight with Lieut. Sweet, who weighs 185 pounds and whom Wilbur Wright had twice tried to take up in a calm without accomplishing it. Lieuts. Humphreys and Foulois made another flight of 25 minutes. On November 5th, when Lieuts. Lahm and Humphreys were making a flight early in the morning, the motor began missing, and the machine got dangerously near the ground. The end of the lower plane struck in making a turn, and the machine was rather badly smashed, although neither of its occupants was hurt.

An Electrolytic Scrap Tin Process.

The electrolytic method for extracting tin from scrap is quite extensively used in Italy at the present time. An alkaline bath is used in most of the factories. For the anode tin scrap is used, while the cathode is made up of plates of iron. The bath is a soda lye which is kept at a high temperature. Oxidation of the tin at the positive pole produces stannic acid, which is transformed to stannate of soda by combination with the soda of the bath. This stannate of soda is reduced at the negative pole, and here the tin is deposited. Soda is re-formed in this way.

Considered theoretically, the electrolysis should have the effect only of depositing the tin at the negative pole, while leaving iron at the positive pole, the liquid of the bath not changing in composition, and no gas being given off at the electrodes. It was found, however, that a heating of the bath gave a much better result, which is explained by the lowering of the electrical resistance when the temperature rises and by the greater solubility of the stannic acid in the caustic soda at high temperatures. Thus in order to facilitate the chemical and electrolytic phenomena the liquid is heated and given a rapid circulation in the direction of the current. The reactions are easily produced at the positive pole, owing to the great surface of contact of the anode and the bath, but such reactions are less easily produced at the cathode, whose surface is much smaller. Therefore at the beginning of the operation there is formed an excess of stannate of soda and its quantity keeps on increasing. When the percentage of stannate exceeds a certain value determined by experience, the bath is not sufficiently alkaline to allow of the good progress of the actions. Some of the liquid is then removed and replaced by soda lye. When the operation is well carried out, there is but little hydrogen set free at the negative pole and nearly all the oxygen enters into reaction at the positive pole. The amount of gas given off shows an indication as to the working of the process, and the end of the extraction of the tin coincides with the greatest disengagement of gas.


In Italy the tanks generally used are made of iron and have about 100 cubic feet capacity. The liquid is made to circulate rapidly between the re-heater and the tanks by a pump. The six anodes which are used are formed by perforated iron holders containing the tin scrap, while the seven cathodes are made of plates of

iron. The tin is thrown down on the cathodes in a spongy state which adheres but slightly and can be collected by scraping off. The powder thus secured is washed and then compressed in cylindrical cakes, which are kept under water in order to prevent oxidation. The cakes are melted in a furnace of the kind which is used for bismuth. A part of the tin is oxidized during the operation. The metal is then recuperated by a reducing treatment of this oxide in a reverberatory furnace.

The iron obtained at the cathode does not contain more than 0.1 per cent of tin when the process is well carried out, and this iron is of a very good quality and is sought for by iron works. It is this part of the process which makes the present method of tin extracting economical, for unless the iron can be used in metallurgy the case would be otherwise, as is true for other tin extraction methods. The stannate of soda taken from the bath is then transformed to bioxide of tin, and to carry this out we filter the liquid taken from the tanks and a current of carbonic-acid gas is passed through it. There is formed thus carbonate of soda and stannic acid, and this latter is roasted so as to give bioxide of tin, this product being used in ceramics and also in the chemical industry for manufacture of tin salts. At present there is used in Italy from 50,000 to 60,000 tons of tin, the greater part of which goes to the manufacture of tin cans. The scrap is estimated at 11,000 tons. As soon as the new works are completed, the whole of this amount of scrap can be treated in Italy.

THE RECORD FLIGHTS OF COUNT DE LAMBERT AND HENRY FARMAN

Mention has already been made in these columns of the magnificent flight of Count de Lambert on a



COUNT DE LAMBERT FLYING NEAR THE EIFFEL TOWER.

Wright biplane from the Juvisy aerodrome to Paris and above the Eiffel Tower. In the present issue we reproduce a photograph showing the aeroplane flying near the tower at a high elevation. After circling about the aerodrome a couple of times in order to reach a height of some 450 feet, Count de Lambert left it at 4:37 P. M. on October 18th and flew straight for Paris, passing over Chevilly and Villejuif and entering the city by passing over bastion 81, about 180 feet to the left of the Arcueil gate. From this point he curved to the left and kept steadily ascending, so that when he reached the Eiffel Tower he was at a height of some 400 meters (1,312 feet), or 100 meters (328 feet) above the top of this lofty edifice. After passing over it he described a wide semi-circle, and returned to Juvisy along the same route. He alighted at 5:30 P. M. less than a score of feet from his shed, and was heartily cheered by the crowd of spectators who had witnessed his departure and return. The total length of the flight was 49 minutes 39 seconds, and the distance covered close to 30 miles. The air-line distance from the aerodrome to the tower is about 12½ miles, but the course followed by Count de Lambert was a couple of miles longer, to which must be added the circuits of the aerodrome at the start and upon the return. When congratulated upon his magnificent performance by Orville Wright (who had just arrived from Berlin), Count de Lambert was very modest and had but little to say. The chief impression was the slow speed at which he seemed to be traveling when flying at a great height, and the well-nigh interminable time before he finally reached again his starting point. Although his flight was one

of the most daring that has thus far been made, the Count did not treat it as such, and he seems to have made it without any great trepidation. As a spectacular feat in aviation it stands unsurpassed up to the present, although Farman's new endurance record, made at Mourmelon November 3rd, was probably of more importance from a practical point of view.

While competing for the Michelin trophy last week Wednesday, Farman flew continuously for 4 hours, 6 minutes, and 25 seconds, during which time he covered 232 kilometers (144 miles) at an average speed of 35.06 miles an hour. Thus he has actually covered in a single flight a distance as great as that from New York to Albany, which we stated some time ago we believed him capable of covering if he had seen fit to revisit America and participate in the contest held during the Hudson-Fulton Celebration. This contest, which is for a prize of \$10,000 for the first aeroplane or dirigible that flies from New York to Albany, is to be held open until October 9th, 1910.

The motor used by Farman in his latest record-breaking flight is the same one that he used in winning the long-distance contest at Rheims. It is a Gnome revolving-cylinder motor of 50 horse-power, having 7 cylinders that revolve in a vertical plane around a stationary crankshaft. In a brake test made by the Aero Club of France, this motor developed only 34 horse-power and ran for 2½ hours; Farman has had, however, greater success with it, as evidenced by his excellent flight. Both Paulhan and Sommer, as well as Farman, have also made excellent flights recently upon Farman biplanes at the recent aviation meetings at Blackpool and Doncaster in England. The revolving-cylinder motor seems to have worked well in every instance, and to have demonstrated its reliability.

The Michelin trophy was brought to America last week by the president of the Aero Club of America as a result of Wilbur Wright's flight of 2 hours 20 minutes on December 31st last at Le Mans. When asked whether he thought it would remain here, Wilbur Wright is said to have replied that the winner for this year must be prepared to fly from dawn till dark; so in all probability Farman's record will be considerably beaten before the year is out.

As the trophy can only be competed for between 10 A. M. and sunset, however, if the flight for it is not made until the last day of the year, it cannot be of more than of six or seven hours' duration.

Disinfectants in Water Purification.

At the annual meeting of the New England Water Works Association one paper dealt with the extensive studies which have been in progress for some years at the Laurence Experimental Station, and another recorded some interesting results obtained at the Poughkeepsie water works. At the Laurence establishment many disinfectants have been tested, including copper salts, permanganate of potash, and calcium chloride. Unlike copper salts, both of the latter reagents are rapidly decomposed; they effect a considerable reduction in the number of bacteria present; and the resulting compounds are of harmless character from the physiological standpoint. Recent experience at Poughkeepsie relates chiefly to the employment of calcium chloride, which has been found beneficial in preparing the water for filtration. The general tendency to-day in water purification is toward reduction of the work to be performed in filters. British endeavors of this class are mainly confined to the provision of storage reservoirs where partial purification occurs by natural agencies, while American engineers more generally attempt to hasten the process by means of coagulants and disinfectants, alone or in combination. The papers mentioned are worthy of consideration, but we think the British method of preliminary treatment generally preferable, especially for waters already characterized by a fairly large proportion of mineral salts.

The Russian Secret Service and Aeronautics.

The Russian government views with alarm the advent of the airship or aeroplane. Evidently the fear that some aeronautic nihilist may possibly drop a bomb upon the Czar's palace has wrought up the government to a pitch of nervous fear. The Minister of the Interior has given the following instructions to his subordinates:

1. All ascents of flying machines and airships are to be carefully watched by the police.
2. All the aero clubs of Russia must be registered, and their members are subject to supervision by the secret police.

A good example of the economy often accomplished by chemical investigation and discovery is furnished in the case of ultramarine. Many years ago when this was made by powdering the mineral lapis lazuli, it sold for more than its weight in gold. Now that the chemist has discovered how to make the same material from such cheap substances as kaolin, sodium sulphate and carbonate, charcoal, sulphur and rosin, the price is only a few cents per pound.—American Machinist.



A SIMPLE METHOD OF LAYING OUT A SUN DIAL.

BY E. WILLARD BROWNE.

The sun is a very poor timekeeper. At this time of the year it is about a quarter of an hour fast, while in February it will be nearly fifteen minutes slow. For this reason we do not take time from the real sun, but from an imaginary sun which comes to meridian every twenty-four hours exactly on the second. There are only four days in the year when the real sun is on time, viz., April 15th, June 15th, September 1st, and December 25th. A sun dial records the real sun's time and not the mean sun's time, and consequently is a very poor timepiece for actual service in these days. However, it makes a very attractive ornament, and readers of Handy Man's Workshop may find it interesting to make a simple dial. It is popularly supposed that the laying out of the sun dial face is a difficult matter, but this can be done without the use of mathematics if the difference between the real solar time, the mean solar time, and standard time is clearly understood. Noon, strictly speaking, is the moment when the sun comes to meridian; that is, when it is due south of the observer. As we have just stated, if we depended upon the real sun to mark the noon hour, some of our days would be shorter than others. Our watches would have to run anywhere up to thirty seconds a day fast and slow at different times of the year, in order to keep pace with the real sun. The imaginary sun which keeps perfect time is not much better for general purposes because noon would be different to different observ-




Fig. 1.—A SUN DIAL FOR USE AT THE NORTH POLE.

ers. A man in New York would have different time from a man in Brooklyn. A commuter from the Oranges would have to set his watch ahead about a minute when going to business and back a minute when returning home. To avoid all this complication we take our time from the mean noon at certain fixed meridians just 15 degrees apart. The eastern section of the country gets its time from noon at the seventy-fifth meridian west of Greenwich; central time is taken from noon at the ninetieth meridian; mountain time, from the hundred-and-fifth meridian; and Pacific time from the hundred-and-twentieth meridian west of Greenwich. Bearing these facts in mind, we can proceed to lay out our dial without the use of mathematics on the four days above referred to when the real sun and the imaginary sun come to meridian at the same time.

First of all, it is absolutely necessary that the line casting the shadow on the dial face shall be absolutely parallel with the axis of the earth. This being the case, it makes no difference what the position or form of the surface receiving the shadow may be so long as it is rigid. Our problem resolves itself therefore into the question of how we shall provide for the placing of this shadow-casting line.

It is perfectly apparent that at the North Pole this line would occupy merely an upright position, and a dial for such a situation would be similar to Fig. 1. At the southern extremity of the earth's axis a similar instrument would be required, except that the hour marks would have to number round in the opposite direction.

At the equator an apparatus similar to Fig. 2 has been devised. If the shadow-casting line is to be parallel to the earth's axis, it is evident that at this point it must be perfectly horizontal and pointing north and south. Just here it may be of interest to call attention to the fact that at the equator the sun always rises and sets at six o'clock. The most convenient surface to receive the shadow from a line placed as above described would be the interior of a half cylinder; and if this were equally distant at all

points from said line, the hour marks would be twelve equal divisions of its surface. This same form of sundial could be used at any latitude, provided it has an arrangement for canting it up (Fig. 3) so as to maintain the position of the axis line parallel with the earth's axis.

In latitudes midway between the equator and the poles a horizontal form of sun-dial is most commonly used, and we will construct ours according to that model.

Fig. 4 affords a general idea of the method of con-




Fig. 2.—A SUN DIAL SUITABLE FOR USE AT THE EQUATOR.

struction. The material should be well-seasoned pine for the baseboard, which may consist of two pieces of 3/4-inch stock measuring 10 1/2 by 6 inches each, with two 12-inch cleats to correspond. In the preparation of the gnomon or shadow-casting piece *ABC*, the essential feature is that the angle at *B* shall invariably correspond in degree with the latitude of the locality where the dial is to be placed. For instance, since Boston is 42 deg. 21 min. north latitude, angle *B*, if the dial is to be used in Boston, must be a shade over 42 1/3 degrees; at New York the angle *B* should be 40 3/4 degrees.

The base line of the gnomon should be at least long enough to extend two-thirds of the way across the board. If our dial is to be for indoor use only, the shadow piece may be constructed of heavy bookbinder's pasteboard, but for outdoor exposure it had better be made of brass or heavy galvanized sheet iron. Make a paper pattern, and get your tinsmith to cut it out for you. The out-of-door sun dial should receive at least three good coats of the best white lead paint as a protection from the weather.

Having reached this point, and having assembled the various parts, fastening them securely in place with screws or good wire nails, we are now ready to make our markings upon the dial surface for the twelve or fourteen hours of daylight during which our sunshine clock will be of service. These may be made temporarily with lead pencil, and afterward lined in with waterproof ink or good black paint.

It is very essential while placing these lines, of course, that the dial shall remain in an absolutely fixed position, and that the gnomon shall point exactly north and south, as it ought always to do if our time is to be at all accurate. Now, without a surveyor's compass how shall we accomplish this? Mean solar noon in Boston is at sixteen minutes of twelve o'clock. By that we mean that at 11:44 the imaginary sun is directly in the south; and if at noon on Christmas day or any other of the four days above mentioned when the imaginary and real suns coincide, we place our dial so that the gnomon, with angle *B*




Fig. 3.—A CONVEX DIAL TILTED TO THE ANGLE OF ITS LATITUDE.

toward the south, casts at either side no shadow whatever, the shadow that extends from the edge of the gnomon marks the hour of XII. At 12:44 a line drawn along the shadow will be the I o'clock mark of the real solar time. With a reliable timepiece in hand we may thus proceed to make the necessary markings as the hours go by, being careful of course to see that the position of the instrument has not been altered. The morning hours will bear the same relative distances from XII on the opposite side of the dial.

To find the difference between mean solar time and the standard time for any locality apply the following rule: Ascertain the difference in longitude between the given place and the meridian of the standard time of that locality, as indicated by the following table:

Colonial time is mean solar time of 60th meridian
 Eastern time is mean solar time of 75th meridian
 Central time is mean solar time of 90th meridian
 Mountain time is mean solar time of 105th meridian
 Pacific time is mean solar time of 120th meridian
 Multiply the number of degrees of difference in longitude by four, and the result will be the difference of time in minutes.

If the standard meridian is the larger of the two, mean solar noon will occur just as many minutes before 12 o'clock standard time. If it be smaller, the time will be so many minutes later.

To illustrate:

The meridian of eastern time is 75 deg.
 Longitude of Boston is 71+ deg.

	4
—	deg.
Multiply by 4	—
	16
	minutes.

The meridian of eastern time being the larger, therefore mean solar noon will occur at 16 minutes before 12 o'clock, and the sun dial must be placed so that the gnomon casts no shadow at that time.

Should it be thought desirable to construct a vertical sun dial to be attached to the southern wall of a house, for instance, the same principles apply as we have already laid down, only be sure to bear in mind that the essential angle of the triangular gnomon is always the one farthest to the south, and not the one resting against the baseboard. It is more than probable that the wall to which the dial is to be fastened does not face exactly south, so that it will be necessary to bend the gnomon slightly to the east or west, in order to get the proper direction for its upper edge.

Having had good success in the construction of one or more sun dials made according to the foregoing suggestions, possibly it may be thought desirable to construct something of a more permanent nature, and




Fig. 4.—CONSTRUCTION OF A HORIZONTAL DIAL.

the following directions in regard to the use of concrete for that purpose may be of service.

In making a mold for the construction of the plane portion of the dial, one of two methods may be followed. Make a shallow box the exact size and shape of this part of the dial. Before the bottom board is fastened on, draft upon its interior surface a reversed tracing of the markings of a previously constructed dial, giving of course also the hour-mark figures. These may now be gone over with a V-shaped chisel if raised markings are desired, or they may be built up with modeler's wax if figures indented in the stone surface are thought to be more desirable. A thin but tapering piece of board should be fastened at the point where the gnomon is to be inserted later on. The entire mold should now be thoroughly gone over with tallow, to prevent the concrete mixture from sticking at any point.

A good concrete for our purpose may be made of two parts sand and one of Portland cement. These should be thoroughly mixed before water is added. About 20 per cent of water is supposed to be about the right proportion to use, but a better rule to follow is to continue to add water until the mixture has such a consistency that tapping upon it with a flat trowel will bring water to the surface. The concrete should be allowed to set for five or six hours before the mold-boards are removed, and, by the way, these should have been fastened together with screws. After this the stone should be kept moistened every hour or two for two or three days to obtain the best results. Another method of making this part of the dial, though the result might not be quite satisfactory, would be to fill a shallow box with concrete, working the markings into the surface before it has begun to set very much.

The gnomon may be made of iron by your blacksmith neighbor, in which case it ought to undergo some treatment to prevent its rusting; or it may be cast of brass from a wooden model. Having this firmly cemented in the groove provided for it, we have now a dial ready for whatever surroundings may seem desirable. Concrete stone may be rendered impervious to the action of water or frost by the following treatment: First, wash it thoroughly with a hot solu-

tion of Castile soap, and after rubbing in and drying, apply a solution of alum.

Since the color of the concrete may not be wholly satisfactory for receiving the shadow of the sun, the upper surface of our stone may be kept painted with lead paint or with an insoluble whitewash.

EXPERIMENTAL COLOR MAKING WITH SIMPLE CHEMICAL SOLUTIONS.

BY A. J. JARMAN.

Color manufacturing to-day is carried out upon a very large scale, and so cheaply that it has often been considered quite impracticable for the amateur to prepare his own colors; but one should bear in mind that the colors so produced are of absolute purity, containing no adulteration whatever. Furthermore, there is not only an elementary knowledge of chemistry obtained, but a useful and valuable product, at the cost of a very small outlay.

The following colors can be easily made, without the use of special chemical vessels, the one essential point being that all the water used should be filtered, so as to free it from organic matter and mechanical impurities, in the form of iron rust, and sometimes small fragments of carbonate of lead, obtained from the lead supply piping.

The following solutions must be made in clean glass bottles, half a dozen strips of glass half an inch wide and ten inches long, and half a dozen or more of common glass tumblers, and a few sheets of white blotting paper.

In the clean bottles make up the following chemical solutions:

1. Iodide of potassium, 120 grains dissolved in 10 ounces of water; a label being placed thereon with the name of the chemical.
2. Bichloride of mercury, 120 grains dissolved in 10 ounces of hot water, and allowed to become cold.
3. Two drachms of nitrate or acetate of lead dissolved in 10 ounces of hot water.
4. Half an ounce of protosulphate of iron dissolved in 10 ounces of water.
5. Half an ounce of ferricyanide of potassium (*red prussiate of potash*), also dissolved in 10 ounces of water.
6. Half an ounce of bicarbonate of soda dissolved in 10 ounces of water.
7. Two drachms of nitrate of silver dissolved in 10 ounces of distilled water.
8. Half an ounce of bichromate of potash dissolved in 10 ounces of water.

Now having all these chemical solutions made, proceed as follows: Pour into one of the tumblers two or three ounces of the bichloride of mercury solution, then add carefully half an ounce of the iodide of potassium solution; stir well with one of the glass strips, when instantly a beautiful deposit of scarlet vermilion will be formed.

Be careful not to add too much iodide solution, because this scarlet vermilion is soluble in a solution of iodide of potassium, which may become partially or wholly re-dissolved. If this is the case, continue to add more of the bichloride of mercury solution, when the precipitate will return. Always have the mercury solution in *excess*; this will do no harm. The precipitate, or scarlet vermilion, is known chemically as *iodide of mercury*.

The iodine, which was chemically bound up with potassium, was freed when the iodide solution was mixed with the bichloride of mercury solution; there being a greater affinity between the iodine and mercury than between iodine and potassium; hence the change. So iodide of potassium and bichloride of mercury, when brought together in solution, form *iodide of mercury* and chloride of potassium.

To purify the color so produced, all that is necessary is to allow the precipitate to subside, pour off the clear portion (this contains the chloride of potassium which is held in solution), pour upon the precipitate some clean water. Allow it to subside. About four such washings will remove the impurity. Then fold a piece of white blotting paper, about ten inches square, so as to form a quarter of the sheet. Open the fold, pour into it the wet precipitate, wash out the tumbler, pour the washings into the blotting filter, and place the blotting filter into another tumbler, or into the same one, if more convenient. When the precipitate has become well drained, it may be allowed to dry, or be used in a moist condition by adding a few drops of gum arabic mucilage, being well incorporated with a bone or hard rubber paper knife upon a piece of ground glass, or when dry, ground with a pestle in a small mortar, and used as desired. The above description of filtering will apply to *all* the following colors.

Pale lemon yellow is made by pouring two or three ounces of the lead solution into a clean tumbler, and adding half an ounce of the iodide of potassium solution. Stir the mixture well; the pale yellow precipitate being *iodide of lead*. Wash the precipitate, and filter as for the vermilion.

Lemon chrome is made by the following mixture: Three ounces of lead solution is poured into a tumbler,

and two ounces of the bichromate of potash solution poured into it. Stir with a clean glass strip. The beautiful rich yellow precipitate is chromate of lead.


The chromic acid of the bichromate of potash has combined with the lead of the lead salt (owing to the greater affinity of these two bodies), so that chromate of lead is formed, and acetate or nitrate of potash is formed as the result of chemical combination. Wash the precipitate and filter as before, *always* using a fresh filter paper for each precipitate. Pure white, or carbonate of lead is made as follows: Pour two ounces of the lead solution into a tumbler, add about one ounce of the bicarbonate of soda solution; a dense white precipitate of pure *carbonate of lead* is formed (white lead); the precipitate being washed and filtered as before. In this case the carbonic acid, from the bicarbonate of soda, has attacked the lead from the acetate of lead solution, carbonate of lead being formed, and acetate of soda.

Prussian blue is formed by the following mixture: Take three ounces of the red prussiate of potash solution in a clean tumbler; pour into this about three ounces of the protosulphate of iron solution; instantly a dense, beautiful, rich blue precipitate is produced; stir this well; the resulting precipitate is Prussian blue. In this case the cyanogen that was combined in the red prussiate of potash has seized the iron of the protosulphate and formed *cyanide of iron*, while in the clear solution, when the precipitate subsides, is held the sulphate of potash formed by the reaction. This precipitate will take some time to subside. Never mind this; wash this precipitate as before, when it will be found that there is one of the finest blue colors produced that it is possible to obtain. A beautiful rich brick red is made by pouring into a tumbler four ounces of the nitrate of silver solution, then add thereto three ounces and a half of the bichromate solution; stir this well with a glass strip; stir it vigorously, because the precipitate is apt to be rather coarse if stirring is not well attended to. This precipitate is chromate of silver, a very permanent color. Although the term brick red is given to it, it is more of a purple red, a color in fact that cannot be produced by any other means. By preparing the above colors one's self, there is not only great pleasure derived, but a knowledge that can only be obtained by experiment.

AN INTERESTING PARADOX.

BY C. S. BOURNE.

In the demonstration of truths of a scientific character, it is sometimes surprising to an experimenter to



WHICH WAY WILL THE AIR FLOW?


obtain results seemingly opposed to what we conceive to be a natural sequence of means employed. Thinking it may interest some of the readers of the SCIENTIFIC AMERICAN, I give the details of a small apparatus which I constructed some time ago. As shown in the accompanying engraving, the device comprises a baseboard A, from which rise two supports B. A hollow shaft C is supported at each end by means of screws D, threaded through the vertical supports. Mounted on the shaft C is a hollow drum E, consisting of two semi-cylindrical portions eccentrically connected to form the offsets F at opposite sides of the drum. These offset portions are open and provide communication with the interior of the drum. Close to one of the supports B is a box or air chamber G, through which the shaft C runs. The shaft C is provided with an aperture H, communicating with the interior of the drum, and an aperture I, communicating with the interior of the air chamber G. An opening J provides communication with the outside air. I have asked a number of persons to predict the result of rapidly rotating the drum in the direction of the arrow (which was done in this case by drawing a cord wound on the shaft), and all have stated their belief to be that the air would be drawn into the drum, and would pass through the shaft into the air chamber, issuing from the aperture J. In fact, the result is a current in the opposite direction, as can readily be demonstrated by holding a piece of paper before the opening J. The paper will be sucked inward. The explanation, of course, is that the centrifugal force of

the air in the drum more than balances the condensing power before the apertures F F.

FILTER FOR CISTERNS.

BY CHARLES BRECHT.

The accompanying illustration pictures a method of filtering the water in a cistern so as to make it fit for drinking. This filter may be applied to any cistern by simply filling the cistern with stone or concrete in such a manner as to get an inverted conical or pyramidal bottom. The device comprises a basket A, adapted to fit into this conical bottom. The basket is preferably made of sheet iron or steel of light gage, and to prevent it from rusting should be galvanized. The basket



A CISTERN FILTER.

should be attached by means of straps B to the pump pipe C. A wire screen E fits across the bottom of the basket, and is secured to the pipe C just above the perforated bottom section of the pipe. This forms a small chamber D, in which the filtered water collects. Above the screen E are placed layers of filtering material, consisting first of coarse gravel over which is laid fine gravel and then a layer of fine sharp sand. Above this a layer of charcoal should be placed; then a layer of fine sand, a layer of coarse sand, a layer of fine gravel, and finally a layer of coarse gravel. Over this is placed a coarse wire screen or perforated plate to keep the mass in place.

The idea of this arrangement is to do away with any contamination of the water by filtering it only as it is used. The wide top of the filtering basket provides a large filtering area, while the apex allows as small a volume as possible to stand in the filter basket and become brackish in case of a long drought. This small amount may be thrown away if it is found unfit for use and fresh filtered water quickly obtained, at the same time keeping as large a reserve above the filter basket as the size of the cistern will permit.


A CLOSE-CORNER SCREW DRIVER.

BY HERBERT S. DAVIS.

The screw driver here illustrated will be a welcome addition to anyone's kit of tools, as sometimes in a close space one cannot turn a regular screw driver with any degree of satisfaction, whereas with this screw driver by using first one end and then the other the screw can be tightened up nicely.

In use it somewhat resembles an angle wrench. Take a piece of $\frac{3}{4}$ -inch square tool steel, about $4\frac{1}{2}$ inches long, and heating it to a fair heat bend one end over and form a lip as shown at A, Fig. 1. Then, turning it one-quarter way round (this is done so that the other end clears the work when using) bend the other end and shape it as at B. Dress up the blades with a file, making them slightly hollow back of the edge of the lip which should be a good $1/64$ or $1/32$ inch thick. Then harden it at as low a heat as possible, and temper to a strong blue.

One need not confine himself to this size of steel. The device can be made lighter or heavier to suit various requirements.



CLOSE-CORNER SCREW DRIVER.

Right here a word on the shape of a screw-driver blade may not be amiss. Most of the screw drivers the writer has seen have lips of wedge shape as shown in Fig. 2. When made like this they have a tendency, when in use, to climb out of the slot and damage it so that it is difficult to tighten or loosen the screw.

The blade should be made as in Fig. 3, slightly hollow back of the lip. When made this way it will catch in the bottom of the slot and will not ride out.

RECENTLY PATENTED INVENTIONS.
Pertaining to Apparel.

FORM-GAGE.—EDITH R. SEXTONE, Chicago, Ill. In this patent the invention has for its purpose the provision of a gage suitable to obtain the shape and measure of different sized and proportioned women, for the construction of bust forms and stands upon which to drape their clothing.

ATTACHMENT FOR WEARING-APPAREL.—A. GOLDBERG, New York, N. Y. By means of this attachment the waist dimensions of garments can be altered to adapt them for use by persons having different waist measurements; it obviates the use of a draw string; requires no alteration in the garment to permit its use in connection therewith, and is inexpensive to manufacture.

GARMENT-RACK.—B. HASKOWITZ, New York, N. Y. This rack supports a plurality of garments. Two members are employed, one of which is normally fixed and the other which is normally movable, and these members are so connected together that the movable member may be pulled out longitudinally together with the garments supported thereby and may then be rotated to better display the garments.

HAT-GUARD.—C. H. SHAW, New York, N. Y. This invention is an improvement in hat guards, and the inventor has in view such a device in which the guard string will be automatically drawn within the hat when released and the effective length of the string altered to suit the convenience of the wearer.

Electrical Devices.

ELECTRIC DETONATOR.—G. A. ALLEN, Western Springs, Ill. More particularly the invention relates to detonators of the type operated by aid of electricity, the more particular purpose being to guard the explosive materials and exclude the entrance of moisture, so as to preserve in good condition the priming and other explosive substances contained within the detonator shell.

Of Interest to Farmers.

INCUBATOR.—E. A. MAISCH, Anderson, Cal. In this electrically heated incubator the invention relates more particularly to the construction of the heating coils and the egg-supporting trays. Means provide for an even temperature at all parts of both trays; only a small quantity of current is consumed and the contrivance requires only a simple method of regulation.

BEE DIGGER AND TOPPER.—W. C. MAUER, Greeley, Colo. This improvement is in beet diggers and toppers, and the device is especially adapted for digging and topping sugar beets, which are generally planted in elevated ridges, and at spaced distances apart. Beets below a certain size are culled or rejected and the remainder must be topped at the crown.

Of General Interest.

EXERCISING APPARATUS.—W. P. STULL, McKeesport, Pa. In using the apparatus, it is clasped in the hand with the thumb on one grip and the fingers on the other, and the hand is opened and closed, with the arms pendent, extended, and bent to the shoulder, or with any other movement of the arms, advisable or desirable. At the same time the body may be bent into various positions.

ADVERTISING DEVICE.—J. E. DOWSING, New York, N. Y. In this instance the invention has reference to advertising devices admitting of general use, and more particularly to a type of advertising device suitable for campaign purposes with a view of attracting the attention of the public to a particular candidate.

DOOR-HANGER.—F. J. S. MIELY, Gunnison, Colo. This invention relates to door hangers and especially to such as are employed for hanging sliding doors such as car doors, barn doors, and the like. The object is to provide a track of improved form which will be reliable in operation, and further, to provide improved means for supporting the track.

Hardware.

STRAINER.—T. RICHARDSON, New Orleans, La. This device is for application to faucets for straining water and other liquids and thereby removing wigglers, bugs, and other solid particles. The object of the invention is to provide in such a device a detachable straining element, which is easily applied and displaced for cleansing and other purposes without removing the device from the faucet.

NUT-LOCK.—T. HAND, Walla Walla, Wash. This form of nut lock is much stronger, more rapidly applied and removed and may be manufactured at much less cost on account of its simplicity, there are no key holes or cavities to become clogged, it automatically adjusts itself to a constantly tightening position and may be removed by simply exerting a holding strain on a lug by a crow-bar, pick, or other tool, if the wrench should not be available.

MITER-BOX.—W. E. SHUTTS, Ellenburg Center, N. Y. This inventor provides a box wherein the saw is guided to operate at a variety of angles from the perpendicular, while operating at various angles on horizontal planes. The operative positions may be readily and quickly adjusted, and means provide for regu-

lating the depth or extent of cutting of the blade.

Heating and Lighting.

BOILER-TUBE CLEANER.—J. D. THOMPSON, Eureka, Cal. The object here is to provide a cleaner for tubes, which is adapted for directing a jet of steam through the boiler tubes from their rear, it being possible to use the cleaner without dismantling the boiler or furnace in any manner and without drawing the fire from the furnace.

ELECTRICALLY-OPERATED WATER-HEATER.—J. A. HUNNEWELL, Lowell, Mass. The more particular purpose of the inventor is to provide a type of heater containing a minimum of parts, the latter being so arranged that water passes through a long tube containing a heating coil, the cold water entering at one end of this tube and the hot water being drawn from the opposite end of the same.

VACUUM AIR-VALVE.—C. A. DUNHAM, Marshalltown, Iowa. This invention pertains to certain improvements in vacuum air valves intended for use in connection with vacuum vapor heating systems, or for any class of heating work in which it is desired to vent air from the mains, returns, or other portion of the system in which low pressure steam is used.

Household Utilities.

WINDOW-SHADE SUPPORT.—C. C. BROWN, Revelstoke, British Columbia, Canada. The object of this invention is to provide a new and improved window shade support, arranged for convenient up and down adjustment on the window, to allow moving the shade roller to any desired height, and to permit convenient manipulation of the window shade.

FLUSH-TANK.—B. WALKER, JR., Austin, Texas. The improvement refers to flush tanks, and the aim is to produce a tank having a valve of simple construction which will operate to close automatically after the water of the tank has run off. A further object is to provide an improved construction for controlling the main lever of the tank which operates the flush valve.

FOLDING CRIB OR BED.—E. GUNDELACH, New Rochelle, N. Y. The intention in this case is to provide a crib or bed, which is simple and durable in construction, exceedingly strong and cheap to manufacture, and arranged to permit of conveniently folding it into a comparatively small bundle for transportation or storing purposes.

JAR-OPENER.—J. H. SMITH, Rochester, N. Y. The object of the invention is to provide an opener for jars containing fruit, vegetables and other food stuffs, and arranged for convenient application to pry the closure open, with a view to break the vacuum in the jar and the adhesiveness of the closure to the jar, thus permitting convenient removal of the closure.

Machines and Mechanical Devices.

REINFORCEMENT FOR BOOK-LEAVES.—F. H. CRUMP, Los Angeles, Cal. The main purpose here is to strengthen the binding edges of loose sheets to such an extent that the sheets may be moved upon the posts or other binding mechanism without mutilation. Another purpose is to provide a binding edge which will be of the same thickness, after reinforcement has been applied, as the main body of the sheet.

SPEEDOMETER.—E. SCHNEIDER, XV. Stagliasse 8, Vienna, Austria. The speedometer, according to this invention, is connected to an ordinary clock work, which couples a spindle to an indicator device intermittently for a definite period of time, so that the index of the indicator is set in accordance with the speed of the spindle at the time.

COIN-SORTER.—T. F. GALLIGAN, Providence, R. I. This apparatus is for use in automatically separating coins according to their several denominations. It has coin delivery openings successively decreasing in size, from the top to the bottom passage, according to the size of the coins, a coin carrier in each passage, means for sweeping the coins into the pockets of each carrier and means for revolving the carriers to finally carry those coins remaining in the pockets over the several denomination outlets whereby the coins drop through by gravity.

SAUSAGE TWISTING AND LINKING MACHINE.—W. J. COLLINS, New York, N. Y. An object in this case is to provide a simple and efficient machine which can be driven from any suitable source of power, and which forms sausage links of uniform length. The links may be also formed of different lengths without danger of tearing or injuring the same, and the machine twists the casing so tightly that it cannot subsequently untwist.

TRIGGER MECHANISM.—E. R. WILLIAMS, St. Joseph, Mo. The purpose of the inventor is to provide a mechanism provided with a very sensitive auxiliary trigger on the usual or main trigger, to securely lock the main trigger and hammer in firing position, and to permit an easy and quick release of the hammer for firing purposes.

Prime Movers and Their Accessories.

COMBINED TIMER AND DISTRIBUTER.—G. T. BROWN, New York, N. Y. This invention is for use in connection with multi-cylinder

internal combustion engines for controlling the passage of the spark at the igniter. The casing is supported rigidly so that there can be no movement whatsoever, and upon the central shaft the inventor provides a helical contact member movable longitudinally of the shaft and rotatable therewith. The pitch of the helix and position of the helical member on the shaft determine the time of closing of the electric current.

STARTING-CRANK FOR INTERNAL-COMBUSTION ENGINES.—J. A. LAWSON, New York, N. Y. This invention pertains to improvements in cranks for internal combustion engines, and more particularly to an improved means whereby the crank may be locked to the shaft by the mere act of grasping the handle of the crank, and whereby the releasing of the handle will release the grip of the crank upon the shaft.

COMBINED TURBINE MUFFLER AND FLY-WHEEL.—J. A. LAWSON, New York, N. Y. Mr. Lawson not only utilizes the pressure of the gas, but he prevents the high temperature of the gas from injuring the wheel rotated thereby. This wheel is so constructed as to operate as a fly wheel, and furthermore he utilizes the wheel in creating a partial vacuum at the exhaust valve or valves of the engine during the cranking or starting of the engine.

Pertaining to Vehicles.

HANDLE-BAR FOR BICYCLES.—J. R. LOGAN, Fresno, Cal. The intention in this case is to provide a bar for bicycles which serves as a receptacle, in which the hose employed in connection with a pump for inflating the tires may be stored. By stowing the hose, it is always at hand ready for use, and by utilizing the bar, a receptacle is provided, which is not in the way and adds but little cost to the handle bar.

WEAR-STRIP FOR CART AND WAGON BODIES.—J. T. HAMILTON, Council Bluffs, Ia. The invention relates to vehicles used for carrying grain and similar material which may leak out at the rear of the vehicle body. The invention strengthens the parts at this point, renders them more durable, and operates positively as a preventive of the waste of grain by leakage.

NOTE.—Copies of any of these patents will be furnished by Munn & Co. for ten cents each. Please state the name of the patentee, title of the invention, and date of this paper.



Kindly write queries on separate sheets when writing about other matters, such as patents, subscriptions, books, etc. This will facilitate answering your questions. Be sure and give full name and address on every sheet.

Full hints to correspondents were printed at the head of this column in the issue of March 13th or will be sent by mail on request.

(12129) F. A. McD. says: There has recently been brought out an electrolytic alternating current rectifier, consisting mainly, I understand, of aluminium electrodes immersed in a solution of aluminium chloride. If you have ever published any account of the construction of this apparatus, or know of any such description having been published, I would be pleased to have you advise where I may find the same. A. You will find the electrolytic rectifier described with plans for its construction in SUPPLEMENT Nos. 1478, 1644, 1679, and in the SCIENTIFIC AMERICAN, Vol. 97, No. 8, and Vol. 101, No. 7. We send these papers for ten cents each.

(12130) C. C. says: I have quite a lot of dry batteries. They have gone dead. Is there any way they could be charged or worked over to put some life into them? A. Nothing can be done for dead dry cells to revive them "as good as new." Sometimes holes are punched in them and they are put into jars as wet cells, getting some current out of them. Sometimes the top is cut out and fresh solution of sal ammoniac is put in. The strength and life of the renewed cell are not enough to pay for the labor and cost.

(12131) J. R. says: Will you kindly tell me how much per house-power is the selling price of electricity when it is generated and sold to consumers. I ask this question for the purpose of framing a lease for a water power which we are trying to have improved. A. The price of electricity in this city is 10 cents per kilowatt hour, either for power or lighting purposes. The kilowatt is the more usual unit of measurement because it may be more conveniently estimated simply by multiplying the voltage of the current by the amperage, e. g., 10 amperes of 250-volt current gives 2,500 watts or 2½ kilowatts; 746 watts, or ¾ of a kilowatt nearly are equivalent to one horse-power, or one kilowatt = 1 1/3 horse-power. The price varies in different parts of the country, being higher at remote coal-burning plants where fuel is expensive, and lower at hydro-electric generating stations where power costs nothing. The highest price we know is 22 cents per kilowatt hour, and the lowest 5 cents, the New York price above quoted being about the average and a fair price to estimate upon.

(12132) C. R. says: Allowing that a man weighing 300 pounds and 3 ounces weighed 300 pounds by spring balance—3 ounces being lost in centrifugal force at sea level, equator—what would he weigh at the North Pole, with 13 miles less of earth under him? I say 295 pounds, as there is less matter to attract. What would he weigh at the top of a mountain 5 miles high, equator? Would he weigh less than 300 in or over the deepest (5 miles) ocean, equator? That is, does the water attract as vigorously as earthy matter? Will the SCIENTIFIC AMERICAN get a sea captain to try a common ball with spring balance at sea level, New York, and then over the deepest ocean abyss? A. The weight of a person at different places on the earth is calculated by the application of Newton's law of gravity. The weight is directly proportional to the attracting mass, and inversely proportional to the squares of the distances between the centers of gravity. The results obtained show that a body will weigh about 1/190 part more at the poles than at the equator. (See Young's "General Astronomy," Chapter V.—The Earth as a Globe. We can send the book for \$3, postpaid.) The centrifugal force at the equator is 1/289; hence, a man or other body really weighing 300 pounds would seem to weigh a trifle less than 299 pounds at the equator, because of centrifugal force. The loss given by you as 3 ounces is too small. At the poles a man whose real weight is 300 pounds at the equator would weigh 301.5 pounds. The earth's mean diameter may be taken as 7,917.6 miles, as given by Young in his latest book. The oblateness of the earth is usually taken as 26 miles. From these figures you will see that the equatorial radius is 3,965.3 miles and the polar radius is 3,952.3 miles. You may disregard the fraction and use only the whole numbers. At the pole there is a little less matter to attract a body, and for this reason it would weigh a little less, but at the same time it is brought nearer the center of the attracting body. It is 3952/3965 as far from the center, and hence the attraction (3965/3952)² times as great, and the weight is increased to the same degree. The weight on the top of a mountain 5 miles high at the equator would be (3965/3970)² times the weight at the sea level. We do not know what change of weight there would be over the deepest ocean. Pendulum experiments to determine this are not easy on a ship, nor is accurate weighing very easy on shipboard—certainly not the accurate weighing of a large weight. Balances for weighing heavy articles are not sensitive enough to determine the weight to a small fraction of a unit. We may say that the water attracts less than the rocks of the earth, since it is less dense than the rocks. We must leave you with these explanations to figure out the results, since we do not solve problems for correspondents, as you will see by referring to our Hints to Correspondents.

(12133) H. L. T. says: Some years ago I heard of an instrument used by architects to determine the extent of the sun's shadow for any given condition, at any particular season of the year. Could you inform me who manufactures or sells this instrument? I have made inquiries from a number of the prominent supply houses without success. A. We do not know any instrument especially for determining the sun's shadow. This can be drawn by a protractor when the altitude of the sun above the horizon has been determined. To find the altitude of the sun for any day at noon, when the shadows are shortest since the sun is highest, you should have the latitude of the place and the declination of the sun. Subtract the latitude of the place from 90 deg. To the remainder add the declination from March 21st to September 21st. From the remainder subtract the declination from September 21st to March 21st. This gives the angle of altitude of the sun at noon above the southern horizon. With this angle, the shadow cast by any object can easily be drawn.

(12134) F. Electric Company says: Can you favor us with receipt of formula for the silvering of lens mirrors, such as are used for marine searchlights on projectors? A. You will find in our SUPPLEMENT No. 1,671, price ten cents, full and accurate directions for silvering glass for mirrors. The method is the one now in general use by precipitating silver upon the glass from a solution. With cleanliness and care, good results are not difficult to obtain.

(12135) J. D. asks: Are you aware of any plan being discovered how the pyramids of Egypt were built? A. We believe that authorities upon Egyptian antiquities are agreed as to the probable method of handling the stones of the pyramids and the much larger statues and obelisks which were moved hundreds of miles and set up in place. Man power alone can have done the work, and it does not seem necessary to suppose any unknown modes were used for doing the work. With men enough, all can be accounted for. Frescoes exhibit such work going on. Some have thought that earth was filled in to form an inclined plane as the pyramid was raised to the higher portions, and the stones were then slid up this plane, which was removed after the building was completed. In modern times such stones have been moved long distances by man power. The base of the statue of Peter the Great in St. Petersburg was

dragged from Finland to its present location by men. Its weight is estimated at 2,000 tons. Iron rails were laid upon which cannon balls rolled, and thus the huge block was drawn by men.

NEW BOOKS, ETC.

KRIECHTIERE UND LURCHE DEUTSCHLANDS. By Dr. Kurt Floericke. Kosmos Gesellschaft der Naturfreunde. Geschäftsstelle Franck'sche Verlagshandlung in Stuttgart. Price, 50 cents.

In this book Dr. Floericke has presented a popular account of the principal reptiles and amphibians of Middle Europe. To those who are familiar with the German language and desire to obtain a general knowledge of an interesting class of animals, without delving into technical details, the book can be recommended.

THE FIXED LAW OF PATENTS. By William Macomber. Boston: Little, Brown & Co., 1909. Large 8vo.; pp. 1,060. Price, \$7.50 net.

In this work Mr. Macomber has presented in digested form the patent statutes, the decisions of the Supreme Court of the United States, and the decisions of the nine Circuit Courts of Appeals, the three constituting what Mr. Macomber calls "The Fixed Law of Patents." As a piece of compilation and arrangement the book is indeed admirable; as a reference work for the patent lawyer it will be extremely helpful. The principles of patent law, although fairly few in number and simple in essence, have in later years become more or less befogged in the effort of non-technical judges to administer the patent law fairly. In view of that fact, any attempt to bring something like order out of a chaos of decisions is certainly commendable. Because the book gathers up the appellate law, in the language of decisions, it should be of interest to the specialist. Unless he has digested the law for himself, the specialist will hardly have such a compilation. Considered as a whole, the work may be regarded as an orderly statement of the courts' language in important cases, and therefore absolutely authoritative.

INNS AND TAVERNS OF OLD LONDON. By Henry C. Shelley. Boston: L. C. Page & Co., 1909. 364 pp. Price, \$3.

The subject of inns and taverns in London has always been a fascinating one, and the literature concerning them is quite voluminous. The present volume sets forth the historical and literary associations of those haunts, together with an account of the most notable coffee houses, clubs, and pleasure gardens of the British metropolis. The English have always had a reputation of being essentially a home-loving people; still in the seventeenth and eighteenth centuries they seem to have exercised considerable zeal in creating substitutes for that home which they ought to have loved above all else. When the Londoner had procured his taverns and inns, he set to work evolving a new species of public resort in the coffee house. That type of establishment appears to have been responsible for the development of the club as the substitute for the home, and then came the age of the pleasure garden. Both of the latter survive, the one in the form of a more rigid exclusiveness than the eighteenth century Londoner would have dreamed possible; the other is so changed that frequenters of the latter would scarcely recognize the relationship. The engravings are taken from old prints, and are of great interest. The book is beautifully printed and most attractively bound.

IMAGINATION IN BUSINESS. By Lorin F. Deland. New York: Harper Brothers, 1909. 18mo.; 108 pp. Price, 50 cents net.

This little book contains a number of shrewd essays which deal with a curious phase of business. It shows the remarkable part which imagination plays in business, especially to-day.

LIGHT AND HEAVY TIMBER FRAMING MADE EASY. By Fred T. Hodgson. Chicago: Fred J. Drake & Co., 1909. 12mo.; 395 pp. Price, \$1.

The present work is a copious treatise on the modern practical methods of executing all kinds of timber framing, from the simple scantling shed or lean-to to the heavy and complicated timber bridges, centers, needling, and shoring, roughing and railway work, tank frames and taper structures, and is illustrated by 450 engravings and diagrams.

THE ROMANCE OF MODERN MANUFACTURE. By Charles R. Gibson. Philadelphia: J. B. Lippincott & Co., 1910. 12mo.; 320 pp. Price, \$1.50.

In the present volume the author has endeavored to trace the evolution of the different industries, and to describe in everyday language the methods of modern manufacture in all of the principal industries. It deals with textile machinery, laundry machinery, needle machinery, thread machinery, shoe machinery, manufacture of pottery by machinery, paper making, manufacture of books, artificial light, manufacture of confectionery, the mechanical baker, clocks and watches, manufacture of iron, making steel rails, the railroad and the locomotive, building a ship, and other chapters. The illustrations and diagrams are particularly clear, and we are glad to note a number of the

best ones have appeared first in the SCIENTIFIC AMERICAN, and that they are reprinted properly credited.

MACHINE DRAWING AND DESIGN FOR BEGINNERS. By Henry J. Spooner, C.E. New York and London: Longmans, Green & Co., 1908. 8vo.; 266 pp.; 743 illustrations. Price, \$1.25.

The author is director and professor of mechanical and civil engineering in the Polytechnic School of Engineering in London, and is the author of valuable works on drawing and machine design. The work is an excellent one, and the drawings which are reproduced are thoroughly common sense. Of course, English practice is slightly different from American, but the differences are not so great as to militate against the value of this book. The questions suitable for examination and home work are valuable, but the Board of Education examination papers are worthless for American students.

AN EXPERIMENTAL STUDY OF BAGASSE AND BAGASSE FURNACES. By E. W. Kerr, M.E., assisted by E. M. Percy, B.S. Baton Rouge, 1909. 8vo.; 106 pp.

During the last few years the writer, who has charge of the instruction of students in the engineering branches of the Audubon Sugar School, has visited a large number of sugar factories in Louisiana for the purpose of gathering data and information for classroom use. In these visits he has been particularly struck with the lack of uniformity in the methods employed for utilizing bagasse as a fuel, both as to the form and proportions as well as to the manipulation of the furnaces. With a view to standardizing as far as possible the methods employed, it was decided to conduct a series of investigations, the object of which should be to gain a thorough insight, by general observation and by tests, into the methods used in Louisiana for utilizing the heat from bagasse. The result of the labors of the author is included in the present pamphlet, which gives his views on the subject most exhaustively and reflects great credit upon the author.

LABORATORY NOTES ON IRON AND STEEL ANALYSES. By Walter Macfarlane. London and New York: Longmans, Green & Co., 1909. 12mo. 462 pp. Price, \$2.50 net.

These notes were in the first instance written for the guidance of the staff in an iron and steel works laboratory, which was for some years under the supervision of the author, and where the results of over 40,000 estimations were annually placed on record. The methods required to be reliable and rapid, so as to control and keep pace with the manufacturing operations. It was necessary that all the analysts should work on identical lines, and the accuracy of the methods were tested in daily practice and confirmed by other analysts. These notes have been explained and published, and are for the benefit of all students. The general aim of the book has been to set out a full course of assaying or analysis in full detail. The work is an excellent one, and is certain of a considerable sale.

MODERN PRACTICE IN MINING. Volume II. The Sinking of Shafts. By R. A. S. Radmayne. New York and London: Longmans, Green & Co., 1909. 8vo.; 275 pp. Price, \$2.25 net.

The sinking of shafts for the purpose of opening out and developing mineral wealth constitutes one of the most important branches of mining; and although a vast amount of information respecting such operations is disseminated throughout the proceedings of the various mining institutions, and excellent chapters are devoted to the subject in many textbooks on mining, so far as the present writer knows, shaft sinking has not hitherto been treated from the British standpoint of the work. While the practice described is British practice, it cannot help but be of interest to the mining engineers in this country. The illustrations are numerous and are well executed on a good scale.

AREIKA. By D. Randall Maciver and C. Leonard Woolley. With a chapter on Merottic Inscriptions by F. Ll. Griffith. Oxford: The University Press, 1909. 4to.; 56 pp.; 42 plates.

This volume is the first of a series which will record the results of explorations in Egypt planned and financed by Mr. Eckley B. Coxe, Jr., of Philadelphia, and this is the first volume of the series to be known as the Eckley B. Coxe, Jr., Expedition to Nubia. The expedition is to be conducted for five years on behalf of the University of Pennsylvania, and the antiquities that may be obtained will be presented to the University Museum. The district selected for the researches is a part of the country which lies between the First and Second Cataracts, and this first volume records the results obtained in the year 1907. The plates are beautifully executed, and the monograph is an important contribution to the archaeology of a section of the world concerning which very little is known.

THE AUTOBIOGRAPHY OF SIR HENRY MORTON STANLEY, K.C.B. By his Wife Dorothy Stanley. Cambridge, Mass., and New York: Houghton, Mifflin & Co., 1909. 8vo.; 550 pp. Price, \$5 net.

Stanley was a remarkable man, and this revelation of his personal life and of his keen and unprejudiced view of men and affairs

stands as one of the books of permanent importance in this field. Of all the interesting and important autobiographies that have seen the light in the last decade none perhaps has a wider appeal to all classes of readers than the autobiography of Henry Morton Stanley. The grim workhouse, the squalid life in Liverpool, the terrible experiences at sea, his adoption by a New Orleans merchant, his life as a planter, the enlistment in the Confederate army, the wonderful picture of Shiloh, his life in prison and escape, his finding of Livingstone, the exploration of the Dark Continent, the founding of the Congo State, and his closing years are described with a vigor of style which has rarely been surpassed. The book is beautifully printed and illustrated, and is certain to have a large sale, as it appeals to almost everyone.

MECHANICAL DRAWING FOR TRADE SCHOOLS. By Charles C. Leeds. New York: D. Van Nostrand Company, 1909. Oblong 4to.; 58 plates and text. Price, \$2.

This work on mechanical drawing has been prepared with a purpose in view of thoroughly grounding draftsmen and others of the various machinery trades in the principles of mechanical drawing. It is also intended to familiarize them with modern drafting-room practice. The author does not believe in using models, as he thinks this tends to develop copyists, and in this he is undoubtedly correct. The author, who is connected with the Carnegie Technical Schools, finds that the results obtained by this system are excellent. The plates are on an enlarged scale, and the drawings from which they are made are well executed. There is a bill of material with nearly every plate.

IRRIGATION ENGINEERING. By Herbert M. Wilson, C.E. New York: John Wiley & Sons, 1909. 8vo.; 625 pp. Price, \$4 net.

The Reclamation Service of the United States now has 21 projects which have reached such a state of completion that water is being furnished settlers for irrigation of their lands. At this date 675,514 acres are under irrigation from Reclamation projects and \$42,932,787 have been expended upon the construction of works completed or in progress. The revenues collected to date from projects in operation and available under the law for re-expenditure on future construction amount to \$1,070,596. The present or sixth edition has been almost entirely rewritten, bringing up to date the tremendous progress made in construction by the Reclamation Service. Since the last edition important changes have been produced in the design and in the materials used in structures on irrigation works as a result of the very general adoption of reinforced concrete for such works.

ARCHITECTURAL PERSPECTIVE. By I. P. Hicks. New York: Industrial Publication Company, 1909. Square 12mo.; 38 pp. Price, 50 cents.

BUILDING PLANS AND HOW TO DRAW THEM. By I. P. Hicks. New York: Industrial Publication Company, 1909. Square 8vo.; 73 pp. Price, 50 cents.

Legal Notices

60 YEARS' EXPERIENCE

PATENTS

**TRADE MARKS
DESIGNS
COPYRIGHTS & C.**

INVENTORS are invited to communicate with **Munn & Co., 361 Broadway, New York, or 625 F Street, Washington, D. C.**, in regard to securing valid patent protection for their **inventions. Trade-Marks and Copyrights** registered. **Design Patents and Foreign Patents** secured.

A Free Opinion as to the probable patentability of an invention will be readily given to any inventor furnishing us with a model or sketch and a brief description of the device in question. All communications are strictly confidential. Our **Hand-Book on Patents** will be sent free on request.

Ours is the **Oldest** agency for securing patents; it was established over sixty years ago.

MUNN & CO., 361 Broadway, New York
Branch Office, 625 F St., Washington, D. C.

INDEX OF INVENTIONS

For which Letters Patent of the United States were Issued for the Week Ending November 2, 1909, AND EACH BEARING THAT DATE


See note at end of list about copies of these patents.

Acid, new mercury salt of para-aminophenyl-arsinic, J. Altschul. 938,939
Adding machine, F. R. McBerty. 938,501
Adding machine actuating mechanism, C. P. Wetmore. 938,532

Advertising hat rack, B. Klum	938,591
Air compressor, compound, N. A. Christensen	938,742
Alloys, etc., manufacturing calcium silicon, Goldschmidt & Weil	938,758
Ambulance, C. Mestrovich	938,496
Anthracene compound, P. Thomaschewski	938,617
Arch centering form, collapsible, A. R. Smith	938,718
Asphalt, rejuvenating, J. A. Pine	938,698
Assaying composition, J. C. Hames	938,849
Atomizer, T. A. De Vilbiss	938,543
Auger, coal, C. R. Anderson	938,941
Automobile driving gear, E. G. Whitacre	939,116
Automobile touring map carrier, H. Dalitz	938,828
Axle and making same, steel car, A. C. Cunningham	938,827
Axle lubricator, car, Hardy & Droll	938,852
Baby cloths, receptacle for, C. Brewer	938,961
Balloon, dirigible, B. D. Reese	939,089
Band cutter, J. Deane	938,831
Barrel head and hoop fastener, Z. Dixon	938,497
Basket, C. S. Mooney	938,607
Baskets, boxes, etc., corner iron for, F. W. Goedeke	939,005
Battery contact, J. H. Gugler	938,663
Bearing, antifriction, I. Moss	939,060
Bearing, roller, O. E. Michaud	939,055
Bed, folding wall, W. C. James	938,668
Bed spring, Sirr & Kleine	938,717
Beer, bottling, E. Gull	938,577
Beer bottling machine, R. C. Gull	938,578
Belt coupling, G. E. Purple et al.	938,510
Belt coupling, G. E. Purple	938,511
Belt sander, O. Olsson	938,692
Belt shifting mechanism, A. A. Wood	938,931
Belt, sorting, O. Sutter	938,521
Bench clamp, R. T. Bond	938,457
Bench stop, M. R. Raynesford	939,088
Bending machine, R. A. Carter	938,556
Berth, sleeping car, A. West	938,929
Bevel, jack rafter, C. F. Reum	938,704
Binder, H. W. Wagener	938,621
Binder, loose leaf, E. P. Webster	938,530
Binding post, H. E. Leppert	938,672
Block, See Building block	
Blower, air flue, L. Lunstrum	938,495
Book, check, C. S. Sultzzer	938,908
Book, folding check, C. S. Sultzzer	938,909
Book, manifold, B. C. Maxwell	939,149
Book or pad, manifold, B. C. Maxwell	939,150
Book, pocket check, C. S. Sultzzer	939,151
Bottle capping machine, R. L. Shuman	938,612
Bottle capping machine, G. Kirkegaard	939,141
Bottle closure, F. W. H. Clay	938,825
Bottle closure, Cauffman & Best	938,971
Bottle, non-refillable, M. Raymond	938,703
Bottle, non-refillable, R. Riegel	938,706
Bottle, siphon, P. Devarco	938,746
Bowl, sugar, C. T. McCreery	939,066
Box, M. M. King	938,590
Box, J. H. Baker	938,811
Box, G. B. Reed	939,103
Brake beam, C. H. Williams, Jr.	938,535
Brake head, adjustable, W. A. Robischung	939,094
Brake mast, H. C. Ostermann	939,076
Brake slack adjuster, automatic, R. F. Hamilton	939,018
Brick press, S. J. Pink	938,699
Bristle drying machine, E. R. Zehner	938,542
Broom head cover, O. T. Merkle	939,052
Brush, Wolgram & Klausman	938,755
Brush, Ahlstedt & Bowman	938,121
Buckle and clasp, combined, M. E. Burns	939,122
Buckle, cross line, W. D. Wise	938,536
Building blocks, musical, A. A. Giffin	939,127
Building structure, V. Font	939,000
Burner, H. W. Schoff	938,902
Bust pad, A. C. Henderson	938,856
Butter and lard cutter, C. H. Carlson	938,970
Butter, apparatus for the continuous manufacture of, A. H. Borgstrom	938,815
Buttonhole attachment, substitute, F. Robertson	939,092
Cable traction apparatus, C. J. Eastman	938,655
Cables, clamping mechanism for litter supporting, W. Gutenkunst	938,847
Calculating machine, J. Bricken	938,550
Calculating machine, R. Rein	938,790
Can caps, machine for applying cement to, W. F. Butler	938,460
Can cover coating machine, G. W. F. Weber et al.	938,529
Can cutter and tapping valve, oil, W. M. Curtis	938,644
Can drier, labeled, R. Schilling	938,713
Can neck and making the same, milk, R. Bray	938,960
Candlestick, miner's, C. Fisk	938,838
Car brake, N. P. Zech	938,935
Car door and means for operating it, W. M. Smith	938,719
Car door for grain, coal, etc., R. R. Reavley	938,789
Car, dump, C. H. Clark	938,976
Car fender, G. A. Etsler	938,994
Car grain door lock, box, C. O. French	938,469
Car, railway motor, Hovey & Rix	938,582
Car track sanding device, W. E. Fielding	938,837
Car underframe bolster construction, F. Koch	938,770
Car wheel and mounting, T. Donohoe	938,988
Carbid and manufacturing same, H. L. Hartenstein	938,581
Carbureter, S. W. Rapp	938,894
Carriage top, W. Wood	938,933
Carton, G. W. Teasdale	938,799
Cash register, E. J. von Pein	938,527
Caster, E. H. Humphrey	938,867
Caster, B. H. Noelting	938,888
Caster, furniture, E. H. Humphrey	938,866
Casting metals, W. G. Nichols	938,688
Casting plant, C. W. Sherman	938,904
Catamenial bagage, C. B. Johnson	938,907
Cement and other products making, S. Peacock	939,078
Cement sidewalks or similar structures, apparatus and process for laying, A. D. Nay	939,071
Chair, See Folding chair	
Chair, M. Thum	938,915
Chair attachment, barber, T. G. Aitkin	938,937
Chair seat, A. Wanner, Jr.	938,730
Chair, Norman & Peterson	939,156
Channel bars with taperless flanges, making, H. Sack	939,171
Chuck, automatic, H. O. Evans	938,996
Chuck, drill, H. N. Kennedy	938,589
Chuck, drill, C. F. Schultis	939,102
Chuck lathe, and drilling, W. Kleber	938,873
Clamping device, J. W. Higgins	938,862
Clevis hook, whiffletree, W. S. Thomson	938,524
Clothes line hanger, C. C. Lovejoy	939,045
Clothes line reel and tightener, R. M. Kneisley	939,033
Clothes line tightener, Scheurer & Marek	939,099
Clothes press, steam, A. J. Hoffman	939,025
Cluster, wireless, R. B. Benjamin	938,631
Clutch actuating mechanism, B. M. W. Hanson	939,192
Clutches, duplex thrust device for friction, A. Lambert	938,772
Coal loading apparatus, W. Larsen	938,879
Cock, ball, W. J. Frost	938,470
Coffee machine, C. Nelson	938,605
Coin holder, A. R. Vollrath	938,922
Coke oven, by-product retort, H. Prentice	939,086
Coloring matter, vat, J. Deinet	938,618
Comfortables, sanitary washable case for, A. O. Caldwell	938,968
Communication, selection in systems of, E. E. Clement	939,187
Communication, selective apparatus for systems of, E. E. Clement	939,186
Computing machine check stamping mechanism, G. A. Armstrong	938,455
Computing table, E. Aberle	938,737
Concrete construction, C. E. Brockhausen	938,458
Concrete molding machine, combination, J. H. West	939,118
Concrete partition, reinforced, G. M. Graham	938,659
Concrete receptacle, form or mold for, R. C. Morris	939,059
Concrete single, J. H. West	938,930
Concrete structure, reinforced, G. M. Graham	938,662
Concrete structure reinforcing frame, G. M. Graham	938,661
Concrete structures, erecting reinforced, G. M. Graham	938,660
Concrete wall construction, J. Macbeth	938,678

Condenser, C. J. A. Gottlieb	938,476
Cooling system, L. L. Rogue	938,814
Copy holder, H. P. Collier	938,978
Corn shocker, I. T. Leager	938,595
Corner pieces, machine for cutting and trimming the edges of, C. J. Lysaght	939,144
Corner pieces, machine or apparatus for creating the edges of, C. J. Lysaght	939,145
Corset clamp, S. E. Florshiem	938,567
Cotton chopper, Armstead & Kelley	938,626
Cotton gathering and gleaning machine, O. C. Houghton	938,864
Couch fabric, C. H. Gail	938,569
Countersink attachment, S. Lindstrand	938,673
Crane, horn, T. J. Beecham	938,723
Crank, safety, C. C. Iig	939,027
Crate, G. E. Richmond	938,705
Crow call, C. H. Perdew, Sr.	939,080
Crusher head, R. Bernhard	938,546
Curtain and shade hanger, combined window, J. W. Henley	938,485
Curtain hook, McCall & Taft	939,064
Curtain pole, C. C. Schell	938,792
Curving machine, sheet material, C. N. Frey	938,751
Cushion for the bottoms of chair legs, etc., W. Males	938,883
Cushion wheel, A. Ellis	938,834
Cuspidor, G. R. Teschel	938,912
Cuspidor, D. V. Haddock	939,013
Cut off, water spout, G. Henkel	938,665
Cutting machine, sheet material, A. F. Preston	938,788
Dental instrument, E. L. Chott	938,640
Desiccating machine, E. R. Fillmore	939,126
Desk, N. E. Fealy	939,126
Die stripper, J. H. Am	938,940
Dish washing apparatus, E. Aldrich	938,622
Display apparatus, J. Gaynor	938,571
Display can, sheet metal, J. Xavier	938,736
Door and window fastener, sliding, F. H. Schlappbach	939,174
Door hanger, G. T. Biddle	938,823
Doors, combined roller support and casting for edgewise movable, M. Kurtzon	938,493
Doors, screen, etc., means for hanging, T. Gill	939,004
Doubletree, G. M. Prink	939,002
Draft equalizer, A. V. Burke	938,637
Drier, H. W. Shepard	939,175
Drill, W. C. Whitney	938,534
Driven mechanism, operating device for, R. D. Tittle	938,726
Driving and reversing mechanism, F. A. Thurston	938,800
Driving mechanism, friction, R. & J. Lusse	939,046
Drum and cymbal beater, bass, A. C. Schipper	938,899
Dust collector and separator, E. H. Frickey	938,656
Dust collector and separator, O. Porbeck	938,702
Dye, vat, P. Fischer	938,565
Dye, yellow, P. Fischer	938,566
Dyeing apparatus, hat, F. Bauer	938,738
Egg cabinet and testing attachment, F. J. Balgie	938,629
Eggs, preserving, W. H. Burns	938,965
Elastic wheel, M. Schnabel	938,901
Electric furnace, Kochling & Bodenhamer	939,095
Electric machine brush, dynamo, H. S. Miller	938,604
Electric machine, dynamo, A. L. Cushman	938,558
Electric switch, G. W. Hart	938,664
Electrical distributing system, A. S. Hubbard	938,865
Electrical wiring on stand pipes, hood for, J. Potterton	939,165
Electricity, generating, H. S. Blackmore	939,183
Electromagnetic device, E. A. Bros	938,740
Electromechanical device, G. H. Row	938,709
Elevating and lowering apparatus, E. P. Dandridge	938,986
Elevator locking mechanism, G. F. Steedman	938,520
Embroidery machines, perforating or pricking apparatus for, C. Moriggi	938,884
Engine. See Internal combustion engine.	
Envelope clipping machine, C. E. Campbell	938,741
Eraser, J. S. Thurman	938,725
Eraser, ink, F. M. Holder	928,667
Evaporating apparatus, S. M. Lillie	939,143
Eye-glass mounting, S. J. Clulee	938,744
Fan, pump, and the like, centrifugal, J. Kirby	939,140
Fans, blade of centrifugal, O. B. Jacobsen	939,136
Faucet and spigot attachment, J. E. McLean	939,069
Faucet, compound, F. B. Hunter	938,568
Feed water heater, G. H. Gibson	939,110
Feed water pump, F. Grievie	939,110
Fence clamp, woven wire, J. Fisher	938,564
Fiber cleaning machine, L. L. Summers	938,722
File holder, W. C. Shank	938,519
Filling machine, J. F. Haller	938,482
Filter, R. S. Browne	938,636
Filter, L. W. & M. Andres	938,947
Fire alarm, W. Goodchild	939,128
Fire escape, A. Anderson	938,625
Fire extinguisher and signaling system, automatic, Lewis & Nolen	938,859
Firearm, C. S. Lewis	939,142
Fish tape coupling, F. A. Swan	938,723
Fishing reel line guide, W. A. Austin	938,948
Flash light, J. Anderson	938,945
Floor scraping machine, S. Drew	938,652
Fluid controlling apparatus, H. Sieben	938,613
Fluid pressure combination lock, W. J. Hofstatter	938,487
Flushing apparatus, P. S. Millice	938,683
Flushing apparatus, T. W. Whistley	939,123
Flushing tap, C. M. Franzheim	938,468
Folding chair, W. W. Dozier	938,832
Folding strap or brace, G. C. Locklin	938,674
Foot rest, H. S. Phillips	938,697
Furnace, J. C. Osborne	938,693
Furnace mechanical charging apparatus, blast, L. Geuze	938,572
Fuse, electric time, McPhee & Gillies	939,155
Fuse holder, J. E. Graybill	938,477
Game, H. E. Hile	939,024
Garment, machine for, J. A. Moody	939,176
Garment supporting strap, E. Morris, Jr.	939,058
Gas burner, W. F. Cobedes	938,745
Gas, manufacturing, C. B. Tully	938,919
Gas plant, peat, J. D. Oligny	938,691
Gearing, A. D. Williamson	938,805
Gearing, G. O. Leopold	939,042
Gearing, J. G. Morrison	939,153
Gearing, A. D. Williamson	939,179
Glass cylinders, drawing, H. A. Schnellbach	939,101
Glass tank, gassing pool, A. L. Schram	938,518
Go-cart, E. G. Moore	938,498
Grab or draft hook, D. A. Busch	938,561
Grader and drag, road, E. B. Fritchman	939,003
Grain cleaner and separator, F. Grotenrath	938,576
Grass catcher, H. B. McGrath	939,068
Grinder, portable and detachable disk, J. C. Ward	939,115
Grinding and polishing roll, A. Bevan	938,547
Grinding machine, G. Larson	939,038
Grinding machine, lens, F. Buchhop	938,459
Grinding mill, J. Walker	938,923
Grinding solid bodies, machine for, A. J. Ericsson	938,466
Grip device, intermittent, R. D. Tittle	938,727
Gun, J. R. Crabtree	938,983
Gun cleaning means, R. A. Fessenden	938,836
Guns, device for emptying the magazines of repeating shot, T. Hardy	938,851
Hair drying apparatus, W. A. Soles	939,104
Hair pin, B. L. Scott	939,105
Hair waver, B. L. Scott	938,552
Hammer and sledge combined, A. M. Powell	939,085
Harvester, beet, H. V. Lee et al.	938,881
Harvester, cotton, C. N. Goodwin	938,998
Hat holder, W. R. Evans	938,998
Hatch or manhole cover, water tight, M. A. Laubeuf	938,593
Hay carrier, S. P. Lerch	938,775
Hay press, N. Piquette	938,701
Hay press sweep, N. Piquette	938,700
Hay rack, E. J. Wells	938,928
Hay rake and loader, O. J. Olson	939,157
Hay rake and loader, combined, O. Boyer	938,959
Head adjusting mechanism, C. L. Grohman	938,479
Headlight bracket and mechanism for turning same, automobile, F. H. Aubeuf	938,456
Heater. See Feed water heater.	
Heel sweep, reversible and adjustable, J. H. Brockman	938,963
Hinge, Larkin & Woody	938,669
Hinge for doors, spring, E. C. Scruggs	938,797

Wood-working Machinery



For ripping, cross-cutting, mitring, grooving, boring, scroll-sawing, edge moulding, mortising; for working wood in any manner. Send for catalogue A. The Seneca Falls M'fg Co. 695 Water St., Seneca Falls, N. Y.

Engine and Foot Lathes

MACHINE SHOP OUTFITS, TOOLS AND SUPPLIES. BEST MATERIALS. BEST WORKMANSHIP. CATALOGUE FREE. SEBASTIAN LATHE CO., 120 Culvert St., Cincinnati, O.

Foot and Power and Turret Lathes, Planers, Shapers, and Drill Presses.

SHEPARD LATHE CO., 133 W. 2d St. Cincinnati, O. Your PATENTS and BUSINESS in ARIZONA. Laws the most liberal. Expense the least. Hold meetings, transact business anywhere. Blanks, By-Laws and forms for making stock full-paid for cash, property or services, free. President Stoddard, FORMER SECRETARY OF ARIZONA, resident agent for many thousand companies. Reference: Any bank in Arizona. STODDARD INCORPORATING COMPANY, Box 8000 PHOENIX, ARIZONA

FRICITION DISK DRILL

FOR LIGHT WORK. Has These Great Advantages: The speed can be instantly changed from 0 to 1600 without stopping or shifting belts. Power applied can be graduated to drive, with equal safety, the smallest or largest drills within its range—a wonderful economy in time and great saving in drill breakage. W. F. & JNO. BARNES CO., Established 1872. 1999 Ruby Street, Rockford, Ill.

DO YOU USE GRINDSTONES? If so we can supply you. All sizes mounted and unmounted, always kept in stock. Remember, we make a specialty of selecting stones for all special purposes. Send for catalogue "I." THE CLEVELAND STONE CO., 6th Floor, Hickox Bldg., Cleveland, O.

THE INTERNAL WORK OF THE Wind. By S. P. LANGLEY. A painstaking discussion by the leading authority on Aerodynamics, of a subject of value to all interested in airships. SCIENTIFIC AMERICAN SUPPLEMENTS 946 and 947. Price 10 cents each, by mail. Munn & Co., Inc., 361 Broadway, New York City, and all newsdealers.

DURYEA'S BUGGYAUT The vehicle for cold weather Write for Our Catalog C. S. DURYEA, Reading, Penna.

How to Construct An Independent Interrupter

In SCIENTIFIC AMERICAN SUPPLEMENT, 1615, A. Frederick Collins describes fully and clearly with the help of good drawings how an independent multiple interrupter may be constructed for a large induction coil. This article should be read in connection with Mr. Collins' article in SCIENTIFIC AMERICAN SUPPLEMENT, 1609, "How to Construct a 100-Mile Wireless Telegraph Outfit." Each Supplement costs 10 cents; 20 cents for the two. Order from your newsdealer or from MUNN & CO., Inc., 361 Broadway, New York

Two Good Books for Steel Workers

Hardening, Tempering, Annealing and Forging of Steel

By JOSEPH V. WOODWORTH Size 6 1/2 x 9 1/2 inches. 288 pages. 201 illustrations. Price \$2.50 postpaid

THIS is a practical work, treating clearly and concisely modern processes for the heating, annealing, forging, welding, hardening and tempering of steel, making it a book of great value to toolmakers and metal-working mechanics in general. Special directions are given for the successful hardening and tempering of steel tools of all descriptions, including milling cutters, taps, thread dies, reamers, hollow mills, punches and dies and various metal-working tools, shear blades, saws, fine cutlery and other implements of steel, both large and small. The uses to which the leading brands of steel may be adapted are discussed, and their treatment for working under different conditions explained; also special methods for the hardening and tempering of special brands. A chapter on case-hardening is also included.

The American Steel Worker

By E. R. MARKHAM Size 5 1/2 x 8 inches. 367 pages. 163 illustrations. Price \$2.50 postpaid

THIS is a standard work on selecting, annealing, hardening and tempering all grades of steel, by an acknowledged authority. The author has had twenty-five years' practical experience in steel-working, during which time he has collected much of the material for this book. Careful instructions are given for every detail of every tool. Among the subjects treated are, the selection of steel to meet various requirements; how to tell steel when you see it; reasons for different steels; how to treat steel in the making of small tools, taps, reamers, drills, milling cutters; hardening and tempering dies; pack-hardening; case-hardening; annealing; heating apparatus; mixtures and baths, the best kind, and why; and in fact everything that a steel-worker would want to know is contained in this book.

OUR SPECIAL OFFER: The price of these two books is \$2.50 each, but when the two volumes are ordered from us at one time, we send them prepaid to any address in the world on receipt of \$4.00.

MUNN & COMPANY, Inc. Publishers 361 Broadway, New York

MAKING ALCOHOL FROM WOOD WASTE.

(Continued from page 352.) gallon of alcohol, and the process costs another 6 cents, the actual cost of production being therefore about 32 cents.

The Standard Alcohol Company, owners of Messrs. Ewen and Tomlinson's patents, produces a gallon of equally pure alcohol from 5.7 cubic feet of sawdust, hitherto considered valueless, but costing, if bought for manufacturing purposes, at the outside 26 cents a ton. The cost of conversion and distillation is about 4 cents a gallon, and the total cost of materials, process, barrels, etc., does not exceed 10 cents a gallon.

The comparative cost of producing denatured alcohol is still more in the Standard Company's favor.

Wood and other vegetable fibers, as is generally known, contain a large proportion of starchy matter, which can be converted into sugar by treatment with acids. This process goes on constantly in the human body, the stomach being unable to digest starch but using its nutritive constituents when converted by the digestive juices into sugar.

The same change must be brought about in the wood waste before fermentation for the generation of alcohol is possible.

For this purpose the wood waste in the Standard Company's process is introduced into the cylindrical "digester" shown in our illustration, the door closed, and a mixture of steam and sulphurous acid introduced by an internal spray pipe while the machine is revolved. The acid acts on the starch in the wood, and at the same time the heat volatilizes the turpentine and other resinous matter in the woods used. The digester is lined with a special kind of brick to resist acid.

Upon completion of the digestion, the steam and gases are exhausted under water, which absorbs the surplus acid and liquefies the turpentine.

The treated material is then removed from the digester, and carried by conveyers to the diffusion batteries, upon the screens of which it is deposited. There it is washed by clean water, which passes through all the cells in series, becoming a stronger and stronger sugar solution. The cells are so arranged that each is filled in turn, and each in turn, when it has been washed longest, receives the fresh water, after which it is emptied of the washed residues. The liquor is next neutralized with lime, any acidity preventing fermentation, pumped into a tank and allowed to settle, the clear liquid being then pumped to the distillery fermenting tanks. A special yeast, similar to brewers' yeast, is added, and fermentation begins, from this point, the process being no different to that of making grain alcohol.

Every kind and form of wood has been used, but always with the same results, a purer alcohol being obtained than that which is generally obtained from grain. Every stage of the process has been carried on under supervision of U. S. government inspectors, and the usual licenses have been taken out.


Tests have been performed by other companies with their own staff in the Standard Company's plant, excluding everyone who has been connected with former experiments, entirely confirming the Standard Company's results, and resulting in contracts for the use of the plant under license.

The utility of this process to lumbermen will immediately be appreciated. The refuse burned will be eliminated; and if a hundred tons of wood waste a day is produced at a mill, 1,200 to 1,500 gallons of alcohol may be made from it, supplying a large quantity of power for other purposes, and still leaving the refuse with its fuel value but little diminished. The resins are extracted from pine and similar woods in the process, but the residue discharged from the diffusion battery in the alcohol process may be made into briquettes or charcoal, forming a desirable fuel salable at a good profit. Smaller mills making less than 50 tons of waste (Concluded on page 360.)

Hog scraping machines, beater for, W. Gus-senhoven	938,761
Horse blanket, J. W. Felpe	938,787
Horse releaser, Stires & Smith	938,721
Horseshoe, J. H. Hershberger	938,858
Horseshoe, P. von Stettina	938,907
Hose coupling, W. F. Koper	939,036
Hose coupling, I. I. Rose	939,096
Hose coupling, J. E. Ward	939,195
Hose coupling and gasket therefor, J. E. Ward	938,731
Hose coupling, train, A. H. McMasters	939,070
Hub attaching device, I. S. West	938,804
Hunting knife, G. P. Riggs	939,091
Hydrocarbon burners, feed system for, J. N. Leach	938,670
Ice cream mold gaging attachment, J. A. Aubry	938,628
Ice making apparatus, D. J. Havenstrite	938,853
Infant's band, J. Gundel	939,012
Internal combustion engine, G. V. Benson	938,633
Jar tray, W. A. Lorenz	938,675
Jewelry box, L. E. Brown	938,964
Journal box, G. Frowen	938,841
Journal box torsion lid, T. H. Symington	938,523
Key, C. H. Eszterak	938,897
Kiln, C. A. Matcham	939,049
Kinematograph and like instrument, E. A. Ivatts	939,135
Knitting machine latch needle, R. W. Scott	938,795
Knob, door, H. S. Lockwood	938,776
Knob spindle, swivel, J. R. Fletcher	939,191
Knockdown box, W. J. Neebes, Jr.	938,887
Knockdown box, W. L. Howland	939,026
Labeling machine, F. L. Woodland	938,807
Labeling machine, can, G. F. Russ	938,897
Ladder, J. W. Caldwell	938,638
Ladder, ironing board, and clothes rack, combined step, J. Watt	938,924
Lamp, H. F. Smith, reissue	15,033
Lamp burner, W. E. Gard	938,754
Lamp burner, incandescent, A. A. Jahnke	939,137
Lamp holding attachment for miners' caps, O. R. Anderson	938,942
Lamp, incandescent gas, J. Maas	938,602
Lamp socket, rustier, R. E. Benjamin	938,632
Lamps, adjustable suspension cord for electric, T. W. Trotter	938,802
Last lock, F. J. Shainey, Sr.	938,903
Lasting machine, C. F. Pym	938,512 to 938,514
Lathes, feed for, C. L. Libby	939,043
Leather shredding mills, attrition plate for, G. E. Sovereign	938,798
Lifting and lowering apparatus, J. V. Vick-sell	938,728
Lifting apparatus, J. H. Gilman	938,755
Lifting jack, L. Willour	938,806
Lime and apparatus therefor, burning, H. L. Doherty	938,987
Linotype and other type casting machines, matrix for, C. A. Albrecht	938,938
Liquid cooler, J. D. Hendrix	939,021
Liquid fuel burner, C. A. Bratten	939,121
Liquids, filling, storing, and discharging in-flammable, Claus & Lewison	938,977
Litter carrier trip mechanism and reaction stop, J. Stenkenkunst	938,579
Lock, H. G. Voight	938,921
Lock, H. F. Weidel	938,926
Lock, H. Eckhardt	938,991
Locomotive ash pan, R. W. Clark	938,824
Log conveyer, Grogan & Henson	939,011
Loom, J. Nazarian	938,886
Loom magazine, weft replenishing, H. Wy-man	938,540
Loom shuttle picking mechanism, I. E. Pal-mer	938,785
Loom stop motion, O. A. Sawyer	938,712
Loom weft replenishing mechanism, O. A. Sawyer	938,711
Mail bag catching and delivering apparatus, T. F. Curtis	938,985
Mail pouch delivery apparatus, C. W. Broughton	938,821
Mainspring winder, G. W. Bowers	938,818
Manifolding pad, B. O. Maxwell	939,148
Marine table, A. H. Pence	938,695
Marker, self-feeding, A. G. Gunn	938,846
Match safe, F. Shille	939,100
Matches, combined original package and safe for, F. F. Theobald	938,913
Mechanical movement, G. W. Hart	939,193
Metal box or case, folding, F. Trieschman	938,916
Metal molding, P. T. Kenny	938,768
Metal plates, apparatus for pressing parts of large dimensions from, M. A. Bour-geois	938,816
Metal working machinery, C. E. Von Nor-man	938,803
Metal working machines, stop for carriages of, B. M. W. Hanson	938,483
Metals, ores, etc., working, O. Frick	938,752
Metallic bodies, method of and apparatus for testing and sorting, J. A. Switzer	939,109
Metallic leaf, package roll of, W. H. Coe	939,189
Metallic tie and rail fastener, L. McFar-land	939,067
Metallurgical process, A. G. Betts	938,634
Milk, fibrous dehydrated, J. A. Just	939,139
Milk pasteurizer and filter, C. O. Stam-baugh	939,107
Milk, utilizing dried, J. A. Just	939,138
Milking appliance, Henrichsen & Hemming-sen	938,857
Milking vessel, S. W. Gerster	938,658
Mine ventilator, M. T. McDonough	938,781
Mines, apparatus for recording bell or like signals, especially applicable to, J. Russell	938,516
Mines, priming charge for, L. Cahuc	938,553
Mirror, electric mouth, B. E. Turney	938,525
Mixing receptacle, hand, A. Hallenberg	939,017
Moistener, antiseptic finger, Sauer & Pot-ter	939,098
Molding machine, C. Mills	938,684
Molding machine, C. W. King	939,030
Molding machine, V. E. Knecht	939,032
Mop head and wringer, combined, L. J. Broughton	938,685
Motion mechanism for converting rotary in-termittent motion to reciprocating motion, J. Myrholm	939,063
Motor controller, electric, F. Diehl	938,649
Muffler, G. C. Hicks, Jr.	938,860
Nailer, automatic clench, P. R. Glass	938,474
Nautical instrument, C. A. McCallister	938,780
Navigation apparatus, W. J. Chance	938,972
Necktie fastener, W. J. Reed	938,606
Necktie holder, Ferguson & Hay	938,749
Necktie support, N. D. Nelson	938,687
Nest and arrangement, combined trap, Miller & Hallenbeck	938,608
Nut lock, J. McIlwain	938,503
Nut lock, J. E. Robinson	938,515
Nut lock, C. H. Hoff	938,707
Nut lock, Lawson & Wheeler	938,880
Nut lock, A. C. Woodruff	938,932
Nut lock, G. B. Martin	939,048
Nut lock, H. P. Davies	939,124
Nut making machine, F. R. & C. E. Long	938,599
Oil burner, W. S. Jenks	938,598
Ordnance, ammunition hoisting apparatus for heavy, Dawson & Horne	938,560
Ore matter, means for the concentration by amalgamation of values of metallic, R. Luckenbach	938,676
Organ, reed, L. A. McCord	939,065
Outlet box, J. T. McLeady	938,682
Package tie, Lee & Gray	939,040
Packing, hydraulic, F. Hymans	938,870
Packing ring, C. E. Mapp	938,807
Paints, manufacture of, R. S. Perry	938,605</

Percolator, C. A. Stelle.....	938,906
Percolator, simple syrup, S. T. Hensel.....	939,131
Phenol halogen phthalain compound, W. R. Orndorff.....	939,075
Phonogram, F. C. Applegate.....	939,120
Phonograms, making, F. C. Applegate.....	939,119
Phonograph records, holder and index for, Alexander & Knickerbocker.....	938,809
Phorometer, J. E. Cogan.....	938,463
Piano actions, tool for applying bridges to, A. G. Crawford.....	938,826
Piano pedal connection, adjustable, H. Meyer.....	939,053
Pick, C. H. Blow.....	938,955
Picker stick attachment, W. D. Park.....	938,694
Picture apparatus, moving, H. Voegel.....	938,729
Picture exhibiting machine, F. H. Richards.....	938,595
Picture machines and stereopticons, controlling switch for moving, T. Taira.....	939,110
Pins, etc., machine for manufacturing grooved, A. L. Mowry.....	939,061
Pipe coupling, G. W. Curry.....	938,984
Pipe coupling, E. Marek.....	939,146
Pipe lines, device for passing cables through, H. A. Greenan, reissue.....	13,032
Pistols, etc., automatic safety appliance for, J. Tambour.....	939,111
Piston, T. Hall.....	938,431
Planing machine, W. A. Robertson.....	939,093
Planter, corn, V. F. Pavey.....	939,159
Plow, F. R. Mosher.....	938,686
Plow, C. Christensen.....	938,975
Plow attachment, C. W. De Kay.....	938,647
Plow attachment, P. Flynn.....	938,839
Plow, gang, L. A. Hubert.....	939,132
Plow sweep, S. H. Carpenter.....	938,639
Plumbing joint fitting and attachment, W. J. & P. M. Forster.....	939,001
Porton paper, H. Hoffman.....	938,666
Post card, souvenir, R. Hasbrouck.....	938,763
Poultry hanger, L. F. Henig.....	938,765
Power generator, C. C. Tuch.....	938,918
Power tacker, portable, M. D. Phelan.....	938,508
Press, S. L. Carter.....	938,462
Press feeding mechanism, automatic, L. C. Krummel.....	938,876
Propeller, M. R. White.....	938,733
Propelling device, ship, M. Franklin.....	938,750
Propelling means for vessels, T. E. Taylor.....	938,911
Propelling mechanism, boat, B. F. Jacobs.....	939,028
Pruning shears, E. Arneson.....	938,627
Pump for automobile tires, H. Swain.....	938,522
Pump for wells, W. H. Larkin.....	938,878
Pump, steam, H. L. Thompson.....	938,724
Punch, F. Harling.....	938,580
Punching holes in metal plates, machine for, C. H. Clark.....	939,185
Puzzle, L. W. Pullen.....	938,509
Puzzle, G. B. Matthews.....	939,050
Puzzle postal card, N. Olinger.....	939,074
Rack. See Advertising hat rack.....	
Rack, C. J. Hawkins.....	938,854
Radius averaging instrument, W. H. Bristol.....	938,962
Rail clamp, anchor, A. W. Brand.....	938,549
Rail clamp, guard, G. L. Hall.....	938,848
Rail joint, boltless, E. Kelly.....	938,587
Railway rail anchor, J. M. Scott.....	938,716
Railway rail joint, A. P. Finley.....	938,467
Railway spike, F. B. Kobert.....	938,875
Railway switch, street, J. Leith.....	939,010
Railway switch, street, J. Leith.....	939,041
Railway switches, device to turn, Ordonez & Katz.....	938,889
Railway tie, L. Wylder.....	938,538
Railways, electric controlling and signaling system for, H. E. McDonnell.....	939,154
Rake, C. M. Lehigh.....	938,882
Raker gage and jointer, J. C. Gehrman.....	938,472
Reeds, rattan, etc., article made from, G. E. Pfennigshausen.....	938,696
Reflectors, skirting for, O. A. Mygatt.....	939,062
Refrigerating counter, E. Carpenter.....	938,554
Refrigerator car, Borrowdale & Strain.....	938,958
Refrigerator, locker, R. L. Tilghman.....	938,620
Relay, self-locking, J. F. Keely.....	938,588
Replenishing device, J. Chandler.....	938,557
Retailer, O. B. Grant.....	938,845
Resistance unit, H. W. Leonard.....	938,671
Retorts and the like, measuring feed device for, M. Bittlich.....	938,954
Reversing mechanism, automatic, H. O. Evans.....	938,997
Rivet, W. P. Bartel.....	938,812
Roasting separation process, H. A. Wentworth.....	938,732
Rock-like substance, A. D. Ney.....	939,072
Rolling flanged bars, H. Sack.....	939,168
Rolling flanged bars, universal rolls for, H. Sack.....	939,170
Rolling manganese steel, W. S. Potter.....	938,893
Rolling mill, H. Sack.....	939,169
Rolling mill, universal H. Sack.....	939,173
Roofing joint, metal, L. B. Hunter.....	938,869
Rotary engine, R. F. Schmidt.....	938,714
Sad iron, M. J. Haber.....	938,762
Safe door cam, C. Bartels.....	938,545
Salve and ointment, non-odoriferous phenol, N. Sulzberger.....	938,614
Sand reel, L. C. Sands.....	938,609
Sash fastener, C. A. Hunt.....	938,584
Saw attachment, J. L. Matthews.....	939,051
Saw handle, adjustable and detachable, R. E. Martin.....	938,680
Saw jointer, J. Bohyer.....	938,957
Scraper, hog, J. F. Lawson.....	938,594
Screw jack, C. V. Fowler.....	938,840
Screw threading implement, G. F. Chapman.....	938,973
Seal, W. Collins.....	938,979
Seal lock, W. K. Blodgett.....	938,813
Seals on papers, device for impressing, F. Gottschalk.....	938,756
Seaming machine, tinner's double, H. Poell.....	939,083
Section liner, E. B. Kerst.....	938,769
Seeder, G. A. Knoblock.....	938,492
Seeding device, Pricer & Bartow.....	939,087
Separator, E. H. Frickey.....	938,657
Sewing machine, lock stitch, F. W. Merrick.....	939,152
Sewing shank-eyed buttons, machine for, J. Perley.....	939,161
Shade roller and curtain bracket, combined, C. Wright.....	938,934
Shade roller bracket, window V. T. Crawford.....	938,642
Shaft coupling, L. A. Westman.....	938,531
Shaft detaching device, M. P. Powell, Jr.....	938,890
Sharpening lawn mowers, skates, etc., machine for, J. L. Kyle.....	938,494
Shears, A. J. Baur.....	938,630
Sheet feeding apparatus, A. S. Allen.....	939,182
Sheet feeding machine, B. R. Stickney.....	939,177
Shelf, hanging, F. E. Lee.....	938,506
Ship, H. C. Davis.....	938,645
Ship cleaner, H. Schwartz.....	938,794
Shipping cylinder cap, C. Schraudenbach.....	938,793
Shock absorbing pad, L. R. Nodine.....	938,504
Shock loader, J. B. Schuman.....	938,611
Shoe shank randing and cutting-in machine, Gooding & Taft.....	939,007
Shoe, sporting, D. J. Golden.....	938,843
Shoe tree, A. H. Taft.....	938,615
Shoes, machine for pressing and shaping the backs of, Smith & Hadsell.....	939,105
Shovel and hoe, combined, D. B. Hartwell.....	939,019
Shredding machine, Williams & Frickey.....	938,734
Shutter fastener or bower, G. Erwin.....	938,748
Sign, advertising, A. Russell.....	938,710
Signal transmitting and receiving apparatus, electrical, Dawson & Buckham.....	938,830
Sink, kitchen, W. J. Reed.....	938,607
Siphon, beverage, H. J. Schmitt.....	938,517
Skirt marker, F. C. Luetly.....	938,677
Sleigh, self-propelled, J. H. Hayes.....	939,194
Small arm, J. Tambour.....	939,112
Soldering machine, can, C. W. Sleeper.....	939,104
Soles for boots and shoes, making, O. C. Davis.....	938,829
Speed apparatus, variable, E. C. Marble.....	938,679
Speed indicator, W. Schaufelberger.....	938,898
Spindle. See Knob spindle.....	
Spring structure, H. Reidenbach.....	939,090
Stacker, hay, E. G. Carter.....	938,461
Stair guard, J. Lalonde.....	938,771
Stamps, automatic machine for attaching postage, H. S. Brewington.....	938,820
Steel ingots, treating manganese, W. S. Potter.....	938,892
Steel, manganese, W. S. Potter.....	939,084
Steel, producing finished shapes from manganese, W. S. Potter.....	939,164
Steel, producing finished shapes of manganese, W. S. Potter.....	938,891
Steel, treating manganese, W. S. Potter.....	939,163

A Prodigy in Power Is This Engine!



A Portable Power Plant, Complete in itself
 Here's a new type of gasoline engine that has scored a tremendous success. A prodigy in power. Note how it differs in looks from ordinary gasoline engines.
 This is the key to its greatness. It's a complete, portable Power Plant! Needs no cement foundation—no anchor posts—no belts—no arms. Always ready any time, anywhere!

The Fuller & Johnson FARM PUMP ENGINE

For Farms and Country Homes
 This engine is just what you need for farm or country homes. Clamps to any pump standard. Works in any well. Pumps 800 to 1000 gallons per hour. Cannot freeze in coldest weather. Cannot overheat. Has pulley for running light machinery. Can be detached and taken anywhere easily. Affords FIRE PROTECTION. Same high grade as best automobile engines. Equal in quality to high-powered Fuller & Johnson Engines, known the world over. Simplest, neatest, strongest, handiest, most adaptable little engine on the market. Costs less than a good windmill. Write for catalog, price and name of nearest agent, Fuller & Johnson Mfg. Co. 455 Henry St., Madison, Wis. Established 1840.

MEN WANTED

1200 men \$6.92 profit average per day
 Selling "WEAR-EVER" Aluminum Specialties
 Half of these men had no previous experience. Work made pleasant by our 175 page instruction Book. No door-to-door canvassing. Let us show you what others have done. Address
The Aluminum Cooking Utensil Co., Desk 25, Pittsburgh, Pa.
Opportunity knocks, but don't expect the door to be kicked in.

Deaf Persons Otophone

after trying electrical and other devices find that the

is the best thing in aids to hearing. No cumbersome wires; no battery. A small compact instrument held against the ear, not inserted. Reproduces natural voice tones very effectively; no "buzzing." Manufactured in our surgical instrument department. Our TRIAL offer and testimonials will interest you. Send to-day for illustrated booklet K.

E. B. Meyrowitz
 Optician
 Manufacturer of Surgical Instruments and Electrical Appliances
 108 East 23d Street, New York

A FLOOD OF LIGHT FROM KEROSENE (Coal Oil)

Burning common kerosene the ALADDIN MANTLE LAMP generates gas that gives a light more brilliant than city gas, gasoline or electricity. Simple, odorless, clean, safe and durable; is revolutionizing lighting everywhere. **Biggest Money Maker for Agents** Needed in every home. Every lamp guaranteed. Sell it free. Ask our nearest office how you can get a lamp free or apply for agency proposition. **THE MANTLE LAMP CO. of America, Desk 29 Chicago, Portland, Ore., Waterbury, Conn., Winnipeg, Can.**

Instructive Scientific Papers ON TIMELY TOPICS

Price 10 Cents each by mail

ARTIFICIAL STONE. By L. P. Ford. A paper of immense practical value to the architect and builder. SCIENTIFIC AMERICAN SUPPLEMENT 1500.

THE SHRINKAGE AND WARPING OF TIMBER. By Harold Busbridge. An excellent presentation of modern views; fully illustrated. SCIENTIFIC AMERICAN SUPPLEMENT 1500.

CONSTRUCTION OF AN INDICATING OR RECORDING TIN PLATE ANEROID BAROMETER. By N. Monroe Hopkins. Fully illustrated. SCIENTIFIC AMERICAN SUPPLEMENT 1500.

DIRECT-VISION SPECTROSCOPES. By T. H. Blaslesley, M.A. An admirably written, instructive and copiously illustrated article. SCIENTIFIC AMERICAN SUPPLEMENT No. 1493.

HOME MADE DYNAMOS. SCIENTIFIC AMERICAN SUPPLEMENTS 161 and 600 contain excellent articles with full drawings.

PLATING DYNAMOS. SCIENTIFIC AMERICAN SUPPLEMENTS 720 and 793 describe their construction so clearly that any amateur can make them.

DYNAMO AND MOTOR COMBINED. Fully described and illustrated in SCIENTIFIC AMERICAN SUPPLEMENTS 844 and 865. The machines can be run either as dynamos or motors.

ELECTRICAL MOTORS. Their construction at home. SCIENTIFIC AMERICAN SUPPLEMENTS 759, 761, 767, 641.

Price 10 Cents each, by mail
 Order through your newsdealer or from
MUNN & COMPANY, Inc.
 361 Broadway New York

(Concluded from page 359.)
 a day may profitably combine to operate a joint distillery for the conversion of their refuse into alcohol.
 Whereas it may be not a little alarming to the prohibitionists to suggest that a drinkable alcohol may be so cheaply made from sawdust, much as one may deprecate the manufacture of artificial wines and liquors and adulteration with alcohol, it is at least satisfactory that the product of the new process is actually purer than that made from grain.

TRIALS OF THE "NORTH DAKOTA."

(Continued from page 352.)
 that of the motors being identical.
 The five trials of the "North Dakota" over the mile course gave the following speeds: 22.25, 21.48, 22.13, 21.51, and 23.13, the average speed working out at 21.83 knots. She thus not only exceeded the mean speed of the "Delaware" by 0.39 knot, but the turbines exceeded the reciprocating engines by over 5000 horse-power. The maximum number of revolutions of her propellers was 286 a minute, and it was found that 263 revolutions were sufficient to maintain the contract speed of 21 knots.

In the four-hour test under full power the "North Dakota" made 21.71 knots for the first two hours, and 21.64 knots in the third hour. On the fourth mile the failure of a tube in one of the boilers necessitated the shutting down of four out of the fourteen boilers; but even under this greatly reduced power, the speed of the ship was exactly 21 knots.

A feature which, from the military standpoint, is of the greatest importance is the remarkable steadiness of the ship, even when the turbines are being pushed to the limit. Throughout the greater part of the length of the ship it was scarcely possible to tell, from any vibration, that the engines were in motion. This is a feature which is particularly appreciated by ordnance officers; since the vibration which is noticeable on ships driven by reciprocating engines is more or less disturbing to the gun sights. The "North Dakota," which is considerably the largest warship yet built for our navy, has been constructed in record time; and the Fore River Company is to be congratulated on the fact that, had it not been for delays in the furnishing of armor, they would have cut down the record for construction even more than they have. Her dimensions are: Total length, 518 feet 9 inches; beam, 85 feet 2½ inches; draft on trial, 27 feet; displacement on trial, 20,000 tons. She is the most completely armored ship afloat. Her main belt, 7 feet 6 inches wide, tapers from 10 inches at its bottom edge to 12 inches at its top edge. Above this, extending to the gun deck, is a second belt 8 feet wide, tapering from 10 inches at its bottom edge to 8 inches at the top. The 5-inch guns have a protection of 5 inches of armor, and the main turrets and barbettes are protected by 11 inches.

The lines of the ship are particularly fine, in fact, as fine as those of our armored cruisers. She will prove to be a splendid vessel when heading into a heavy sea; for not only has she freeboard, due to her fore-castle deck, of 27 feet, but she is given a very pronounced outward flare, which should serve to lift her comfortably over the waves, and enable the ship to be driven at full speed in heavy weather. An innovation is the placing of the officers' quarters forward under the fore-castle deck and in the superstructure immediately abaft of the two forward turrets.
 The battery is mounted on the longitudinal axis of the ship, a disposition which originated with our Construction Department, and is being followed by some foreign navies. The placing of all the guns on the center line enables the whole battery to be trained on either beam, giving the ship a broadside discharge either to port or starboard of ten 12-inch guns. This arrangement, it is true, weakens the end-on fire, which, in
 (Concluded on page 361.)

Home-Made Experimental Apparatus

- In addition to the following articles, the Scientific American Supplement has published innumerable papers of immense practical value, of which over 17,000 are listed in a carefully prepared catalogue, which will be sent free of charge to any address. Copies of the Scientific American Supplement cost 10 cents each.
- If there is any scientific, mechanical, or engineering subject on which special information is desired, some papers will be found in this catalogue, in which it is fully discussed by competent authority.
- A few of the many valuable articles on the making of experimental apparatus at home are given in the following list:
- ELECTRIC LIGHTING FOR AMATEURS.** The article tells how a small and simple experimental installation can be set up at home. Scientific American Supplement 1551.
- AN ELECTRIC CHIME AND HOW IT MAY BE CONSTRUCTED AT HOME,** is described in Scientific American Supplement 1566.
- THE CONSTRUCTION OF AN ELECTRIC THERMOSTAT** is explained in Scientific American Supplement 1566.
- HOW TO MAKE A 100-MILE WIRELESS TELEGRAPH OUTFIT** is told by A. Frederick Collins in Scientific American Supplement 1605.
- A SIMPLE TRANSFORMER FOR AMATEUR'S USE** is so plainly described in Scientific American Supplement 1572 that anyone can make it.
- A ½-H.-P. ALTERNATING CURRENT DYNAMO.** Scientific American Supplement 1558.
- THE CONSTRUCTION OF A SIMPLE PHOTOGRAPHIC AND MICRO-PHOTOGRAPHIC APPARATUS** is simply explained in Scientific American Supplement 1574.
- A SIMPLE CAMERA-SHUTTER MADE OUT OF A PASTEBOARD BOX, PINS, AND A RUBBER BAND** is the subject of an article in Scientific American Supplement 1578.
- HOW TO MAKE AN AEROPLANE OR GLIDING MACHINE** is explained in Scientific American Supplement 1582, with working drawings.
- EXPERIMENTS WITH A LAMP CHIMNEY.** In this article it is shown how a lamp chimney may serve to indicate the pressure in the interior of a liquid; to explain the meaning of capillary elevation and depression; to serve as a hydraulic tourniquet, an aspirator, and intermittent siphon; to demonstrate the ascent of liquids in exhaustive tubes; to illustrate the phenomena of the bursting bladder and of the expansive force of gases. Scientific American Supplement 1583.
- HOW A TANGENT GALVANOMETER CAN BE USED FOR MAKING ELECTRICAL MEASUREMENTS** is described in Scientific American Supplement 1584.
- THE CONSTRUCTION OF AN INDEPENDENT INTERRUPTER.** Clear diagrams giving actual dimensions are published. Scientific American Supplement 1615.
- AN EASILY MADE HIGH FREQUENCY APPARATUS WHICH CAN BE USED TO OBTAIN EITHER D'ARSONVAL OR OUDIN CURRENTS** is described in Scientific American Supplement 1618. A plunger battery of six cells, a two-inch spark induction coil, a pair of one-pint Leyden jars, and an induction coil, and all the apparatus required, most of which can be made at home.
- SIMPLE WIRELESS TELEGRAPH SYSTEMS** are described in Scientific American Supplements 1363 and 1381.
- THE LOCATION AND ERECTION OF A 100-MILE WIRELESS TELEGRAPH STATION** is clearly explained, with the help of diagrams, in Scientific American Supplement 1622.
- THE INSTALLATION AND ADJUSTMENT OF A 100-MILE WIRELESS TELEGRAPH OUTFIT,** illustrated with diagrams, Scientific American Supplement 1623.
- THE MAKING AND THE USING OF A WIRELESS TELEGRAPH TUNING DEVICE,** illustrated with diagrams, Scientific American Supplement 1624.
- HOW TO MAKE A MAGIC LANTERN,** Scientific American Supplement 1546.
- THE CONSTRUCTION OF AN EDDY KITE.** Scientific American Supplement 1555.
- THE DEMAGNETIZATION OF A WATCH** is thoroughly described in Scientific American Supplement 1561.
- HOW A CALORIC OR HOT AIR ENGINE CAN BE MADE AT HOME** is well explained, with the help of illustrations, in Scientific American Supplement 1573.
- THE MAKING OF A RHEOSTAT** is outlined in Scientific American Supplement 1594.
- Good articles on **SMALL WATER MOTORS** are contained in Scientific American Supplement 1494, 1049, and 1406.
- HOW AN ELECTRIC OVEN CAN BE MADE** is explained in Scientific American Supplement 1472.
- THE BUILDING OF A STORAGE BATTERY** is described in Scientific American Supplement 1433.
- A SEWING-MACHINE MOTOR OF SIMPLE DESIGN** is described in Scientific American Supplement 1210.
- A WHEATSTONE BRIDGE,** Scientific American Supplement 1595.
- Good articles on **INDUCTION COILS** are contained in Scientific American Supplements 1514, 1522, and 1527. Full details are given so that the coils can readily be made by anyone.
- HOW TO MAKE A TELEPHONE** is described in Scientific American Supplement 966.
- A MODEL STEAM ENGINE** is thoroughly described in Scientific American Supplement, 1527.
- HOW TO MAKE A THERMOSTAT** is explained in Scientific American Supplements 1561, 1563, and 1566.
- ANEROID BAROMETERS,** Scientific American Supplements 1500 and 1554.
- A WATER BATH,** Scientific American Supplement 1464.
- A CHEAP LATHE UPON WHICH MUCH VALUABLE WORK CAN BE DONE** forms the subject of an article contained in Scientific American Supplement 1562.
- Each number of the Scientific American Supplement costs 10 cents by mail.
 Order from your newsdealer or from
MUNN & CO., Inc., 361 Broadway, New York

Classified Advertisements

Advertising in this column is 75 cents a line. No less than four nor more than ten lines accepted. Count seven words to the line. All orders must be accompanied by a remittance. Further information sent on request.

READ THIS COLUMN CAREFULLY.—You will find inquiries for certain classes of articles numbered in consecutive order. If you manufacture these goods write us at once and we will send you the name and address of the party desiring the information. There is no charge for this service. In every case it is necessary to give the number of the inquiry. Where manufacturers do not respond promptly the inquiry may be repeated.

MUNN & CO., Inc.

BUSINESS OPPORTUNITIES.

BUILD A \$5,000 BUSINESS in two years. Let us start you in the collection business. No capital needed; big field. We teach secrets of collecting money; refer business to you. Write today for Free Pointers and new plans. Am. Collection Service, 23 State St., Detroit, Mich.

Inquiry No. 8868.—Wanted to buy nickeloid for buttons.

MANUFACTURERS.—Bids wanted for small internally geared friction clutches, from 3 to 6 inches diameter. Answer, Room 1111, Flatiron Building, New York City.

Inquiry No. 8960.—For the address of the Windsor Mfg. Co., manufacturers of waterproof collars and cuffs.

ANYONE, anywhere, can start a small order business at home. No canvassing. Be your own boss. Send for free booklet. Tells how. Heacock, 1273, Lockport, N. Y.

Inquiry No. 8918.—For manufacturers of "Wyd's Electro-Catalytic Sparking Plug."

LOCAL REPRESENTATIVE WANTED.—Splendid income assured right man to act as our representative after learning our business thoroughly by mail. Former experience unnecessary. All we require is honesty, ability, ambition and willingness to learn a lucrative business. No soliciting or traveling. This is an exceptional opportunity for a man in your section to get into a big paying business without capital and become independent for life. Write at once for full particulars. Address E. R. Marden, Pres. The Nat'l Co-op. Real Estate Co., Suite 378, Marden Bldg., Washington, D. C.

Inquiry No. 8987.—Wanted, the manufacturers of the Van Winkle Woods & Sons, and the Weber power meters.

EDUCATIONAL.

CIVIL SERVICE EMPLOYEES are paid well for easy work; examinations of all kinds soon; expert advice, sample questions and Booklet 40 describing positions and telling easiest and quickest way to secure them free. Washington Civil Service School, Washington, D. C.

Inquiry No. 8996.—Wanted addresses of manufacturers of machinery for working orange wood manure sticks.

PATENTS FOR SALE.

FOR SALE.—Patent No. 836,141. Improvements on airships and aeroplanes. For further information write to A. E. G. Lubke, 832 Clayton Street, San Francisco, Cal.

Inquiry No. 8990.—For information regarding shoes not made of leather but similar to the same and are as durable.

FOR SALE.—Patent for preserving and purifying milk and cream to keep indefinitely in sealed cans, and for Pasteurizing in 5 and 10-gallon tanks for commercial use. For further particulars address Mr. A. V. Russell, Newman, California.

Inquiry No. 9001.—For the address of progressive manufacturers of fruit jars.

FOR SALE. Patent No. 900,457. An improved lathe rest for holding cylinders while being bored in an engine lathe. For further particulars address A. E. Whiting, Weston, W. Va.

Inquiry No. 9010.—Wanted to buy a "Rector Help-a-Phone."

FOR SALE.—Combined folding ironing table and sleeve board. Is adjustable to any height; folds into a compact bundle; special skirt board feature. Can be manufactured for 85c. each. Must sell. Send offer or write for particulars. Theo. C. Krings, Clarinda, Iowa.

Inquiry No. 9014.—For manufacturers of machinery, supplies, etc., to equip a small plant for the manufacture of iridium-tipped gold nib making for fountain pens.

PATENT FOR SALE.—Combination trunk and typewriter desk; a very useful device for travelers. The change can be made in a minute from a trunk to office desk, with typewriter in place, and pigeon hole annex; remove typewriter and put in its place a looking glass, and you will have a perfect dressing table, useful for either sex. I will sell this patent outright or grant license to manufacture on royalty. U. S. Patent No. 917,161, April 6, 1909. Address M. R. Schultze, Southampton, N. Y.

Inquiry No. 9016.—Wanted, machinery necessary for an installation of a plant for refining salt by a modification of the Bessemer process.

FOR SALE.

FOR SALE on a royalty basis, a Bundle Tying Machine for mercantile use. A new field of enormous possibilities. Cheap in comparison with its need. Address J. W. Hall, Wrightstown, Pa.

Inquiry No. 9018.—Wanted the address of parties manufacturing gold-plated pens for use in cheap fountain pens.

FOR SALE.—Engine lathe, swings 9 1/2 in., takes 25 in. between centers. Complete with full set change gears to cut all size threads, 3 to 40 in. Price only \$43.50. Address L. F. Grammes & Sons, Allentown, Pa.

Inquiry No. 9022.—Wanted to buy a light, small motor, not exceeding three pounds in weight, including everything in going order.

TYPEWRITERS.

REAL REMINGTON. \$18.75.—One machine only in new localities to secure desirable agent. Special agents prices supplied on all makes of typewriters. 3 ribbons \$1.00. Standard Typewriter Exchange, 23 Park Row, New York.

Inquiry No. 9023.—Wanted to buy silk machines from re-reeling, twisting, doubling, to the final process of making it into clothes.

MISCELLANEOUS.

"**LIGHT, HEAT, MAGNETISM AND ELECTRICITY** are all one and the same thing." If you want to know what they are, send fifty cents for a copy of this pamphlet to A. M. Howland, El Paso, Texas.

Inquiry No. 9025.—Wanted, address of rubber manufacturers in Germany.

WANTED.—Catalogues and prices from parties who sell or manufacture complete canning and can-making plants. Address W. R. Wilcox, Cananea, Sonora, Mexico. Care Joe Plant.

LISTS OF MANUFACTURERS.

COMPLETE LISTS of manufacturers in all lines supplied at short notice at moderate rates. Small and special lists compiled to order at various prices. Estimates should be obtained in advance. Address Munn & Co., Inc., List Department, Box 773, New York.

Inquiry No. 9026.—Wanted, address of parties who make "invar" or other metals having a low coefficient of expansion.

A LIST OF 1,500 mining and consulting engineers on cards. A very valuable list for circularizing, etc. Price \$15.00. Address Munn & Co., Inc., List Department, Box 773, New York.

Inquiry No. 9028.—Wanted, to buy a washing machine that is run by a coil spring motor.

Inquiry No. 9029.—Wanted, catalogues and all information on machinery for braiding straw in manufacturing straw hats.

Inquiry No. 9030.—Wanted, the address of firms manufacturing a wood fiber bottle and case made from same material.

Inquiry No. 9034.—For manufacturers of machinery that could reduce stumps to kindling wood.

Inquiry No. 9036.—Wanted, the address of the manufacturers of "Cycle Ball Bearing Suspenders."

(Concluded from page 360.)

these ships, consists of only four guns, as against six guns in several foreign navies; but it is the belief of our naval officers that future engagements will be fought almost entirely broadside to broadside. Personally, we are inclined to the belief that if the third and fourth turrets were staggered, the third being moved over to starboard and the fourth turret to port, the effectiveness of the gunfire would be increased without diminishing the broadside fire.

The foremost pair of guns have a command of 33 feet. The pair immediately astern have a command of 41 feet. Turret No. 3 carries its guns about 32 feet above the sea, and those in the two after turrets have a command of about 25 feet. We shall hope in a later article to give further particulars of the trials of this vessel.

Radiations of Short Wave Length.

At the recent meeting of the British Association for the Advancement of Science, at Winnipeg, Prof. Lyman, of Harvard University, described his interesting researches on radiations of very short wave lengths. The radiations involved in ordinary laboratory work are comprised between 6,800 and 2,600 of Angstrom's scale. Schumann has demonstrated the great effect of the atmosphere in limiting the spectrum in the ultra-violet region. By the employment of lenses of fluorine, Prof. Lyman has extended Schumann's researches, especially to the region between 2,000 and 1,030 Angstrom, which exhibits peculiarities of great interest. No visible hydrogen line was found between 2,000 and 1,650. Between 1,650 and 1,030 conspicuous lines of hydrogen were observed, but they did not exhibit the grouping which is characteristic of hydrogen lines in other parts of the spectrum. No lines of nitrogen, oxygen, or helium and only a few lines of argon were detected between 2,000 and 1,030. In this region carbon dioxide and carbon monoxide show spectra of many bands. Hydrogen, argon, and helium are very transparent to these radiations, but oxygen absorbs them energetically. Here, probably, is the explanation of the opacity of air to these radiations. Prof. Lyman has corrected the limit of absorption by fluorine. This absorption begins at 1,265 Angstrom and not at 846, as had previously been believed. The chemical effects of these radiations of short wave length are very intense. Oxygen, especially at low pressures, is strongly ozonized. Gases, in general, are ionized, the more strongly as their pressure is lowered. Bumstead has shown that the photochemical action of these radiations is 25 times more intense than that of ordinary ultra-violet rays.—La Nature.

The Fortieth Birthday of the Post Card.

The first post cards were issued in Austria on October 1st, 1869. The idea had already been suggested, but not adopted, at the fifth German postal congress, in 1865. Its adoption in Austria appears to be due to an article published in 1869 by Prof. Emanuel Hermann of Vienna, who is sometimes called the inventor of the post card. In 1870 post cards were issued by the North German Postal Union, Bavaria, England, and

(Concluded on page 363.)

\$1

THE NEVER FAIL CO.,
1067 Nicholas Bldg., Toledo, Ohio.

I enclose \$1 for one No. 1 NEVER FAIL Stropper on your 15-day offer. If it is satisfactory, I will send you \$2 within 15 days. If not, I am to return stropper and get my money back.

Name

Address

City

State

No. 2 for any old Razor

No. 1 for any Style Safety

TRY THE NEVER FAIL 15 DAYS

Then, if you can't say with perfect truth, "Never have I enjoyed such soothing shaves," send it right back at our expense and we'll return your money.

With the Never Fail, every user is at once an expert. You can instantly sharpen any razor—any styleblade—and make it better than the day it passed the shop inspector. Better, keener, sharper than it can be made by the most expert hand operator, and in much less time. Only a few strokes on either side does the trick—five or six seconds. If you use safety blades, the NEVER FAIL WILL MAKE EVERY ONE OF THEM GOOD FOR FROM 50 TO 150 PERFECT SHAVES, so it will pay for itself in money as well as time saved.

We are so positive the Never Fail will make good, that we issue the exceptional offer contained in the center of this advertisement. We want you to enjoy a Never Fail like thousands of others. We want you to know, by experience, the pleasure of a smooth, soothing, comfortable shave—a shave only possible with a Never Fail Stropper.

Remit only a third of the price—and that simply as an evidence of good faith. Could we choose our

\$1
AND THE COUPON
BRINGS THIS
THREE DOLLAR
NEVER FAIL
STROPPER

inquiring we'd gladly send it free. Send just \$1.00. Try the Never Fail 15 days. Subject it to the severest tests. Then, if not completely satisfied—if not the best stropper you ever used—if it doesn't do just as we say, send for your money.

There never was a shaving problem—it has always been a sharpening problem. Any man can use a razor, provided his blades are properly sharpened.

We could tell you about the way the Never Fail is made, but you don't care to hear it. You only want to be certain of a GOOD stropper—one that will positively end your shaving troubles. We have it in the Never Fail. One dollar and the coupon will prove it, and your dollar is simply on deposit while you judge.

Don't go on shaving the old way—the torturing way. Don't waste time and money and undergo the risks of the barber shop. Shave every day in your own home at the same time you complete the rest of your morning toilet. Carry the clean, well-groomed face to business that every gentleman should. You'll feel better—look better and be time and money ahead. Just clip the coupon, pin a dollar bill to it and mail at our risk.

NEVER FAIL COMPANY, 1067 Nicholas Bldg., Toledo, Ohio

GUY de MAUPASSANT
King of All Short Story Writers

8 Volumes, Illustrated. Size, 4 1/2 x 7 inches

Over 200 Complete Stories and
Pearson's Magazine

FOR ONE YEAR
Only \$3.60 delivered FREE

Most Exceptional Offer—LIMITED NUMBER

FRENCH AUTHORS have written many lively tales which, because of false conventional modesty, have been, until recent translations, unknown to those who read only English. Prudish modesty and unfair prejudice have deprived us of the merriest and liveliest tales ever written. Maupassant was the one man in France who, because of his environment and temperament, could write truly the realistic scenes of **REAL PARISIAN LIFE** so fascinatingly as to rivet your attention to his merry tales, to the exclusion of everything else.

Maupassant's eventful career gave him ideas, situations and local color for his unsurpassed stories. Strong in imagination, overflowing with natural enthusiasm and passion in his study of human life and phases of human conduct, things really happening—not as we imagine they might or as we would—**BUT THE REAL DOINGS OF LIFE**—is what Maupassant always gives us. Poe describes the unusual, the unnatural, the impossible; Maupassant the real, the natural and the possible, holding a mirror up to nature. His dramatic instinct, his situations and his climaxes are overwhelming. He always fixes upon the one thing of most human-soul interest and makes it as vivid as any stage scene. These absorbing stories should be in every library—**tales of travel, mystery, adventure, comedy, pathos and tragedy, love and realism.**

EIGHT BEAUTIFUL VOLUMES of the Most Fascinating Reading in the World. Contain over 2,500 pages, more than 300 pages to the volume, printed from a new cast of 8 point type, large and clear, on pure white antique paper, made specially for this edition. Pages are wide, with liberal margins, illustrated with specially made line-cut frontispieces, bound in de luxe art cloth, backs and sides stamped with an ornamental design.



WE GUARANTEE that this edition is the first printing from brand new type and illustration plates.

FOR SALE at all leading BOOK, DEPARTMENT STORES and NEWSDEALERS in the United States and Canada. If your dealer doesn't have it, write direct to **PEARSON'S AT ONCE** before this Advertising Edition is exhausted.


OUT HERE, MAIL AT ONCE!

Name.....

Address.....

Dept. 570
Pearson's Magazine,
N. Y. City.

Enclosed find \$3.60.
Send me the 8 vol. set of
De Maupassant and Pearson's
Magazine for one year.



THREE NEW BOOKS JUST PUBLISHED BY MUNN & CO.

HANDY MAN'S WORKSHOP AND LABORATORY


COMPILED AND EDITED BY
A. RUSSELL BOND

12mo. 467 Pages. 370 Illustrations. \$2.00 Postpaid

EVERY practical mechanic, whether amateur or professional, has been confronted many times with unexpected situations calling for the exercise of considerable ingenuity. Some time ago it was decided to open a department in the Scientific American devoted to the interests of the "Handy Man." There was an immediate response from amateur and professional mechanics all over the country who sent in thousands of suggestions. The best of these have been prepared for use in the present book and a large portion of them has never before been published. It may be regarded as the best collection of ideas by resourceful men. Not only amateur mechanics, but professional men as well will find in this book hundreds of ingenious ideas, wrinkles or "kinks," as they are called. The electrician, the physicist and the chemist have all furnished their quota of ideas.


BRIEF TABLE OF CONTENTS

Chapter I.—Fitting up a workshop.—Building the shop, the work bench, the tool grinder, the lathe, the scroll saw, the drill press, etc.
Chapter II.—Shop "kinks."—Thread cutting without a die, how to coil a spring, substitutes for a pipe wrench, methods of driving a nail, drills and methods of drilling, sawing holes in metal, home-made micrometer, turning a ball, etc.
Chapter III.—Soldering of metals and the preparation of solder and soldering agents.
Chapter IV.—Handy man in the factory.—Emergency uses of the lathe, milling machine, etc.
Chapter V.—Handy man's experimental laboratory.—Home-made laboratory apparatus, elastic pendulum, chemical experiments, home-made seismograph, etc.
Chapter VI.—Handy man's electrical laboratory.—Static electric apparatus and experiments, storage and dry batteries, home-built motors, an electrolytic rectifier, wireless telegraphy, etc.



HOW TO DRILL METAL

Chapter VII.—Handy man about the house.—Decorations and ornaments, electrical fireless cooker, iceless refrigeration, milk testing without apparatus, home-made vacuum cleaner, how to mend garden hose, etc.
Chapter VIII.—The handy sportsman.—Portable automobile house, converting a buggy into an automobile, auto repairs, a one-man airship, a Chanute type glider, ice yachts, scooters, installing a motor in a boat, bicycle coasting sled, reducing the range of a rifle.
Chapter IX.—Model toy flying machines.—Monoplanes, biplanes, an aeroplane kite, Diabolo flying machine, etc.




SCIENTIFIC AMERICAN BOY AT SCHOOL

BY A. RUSSELL BOND

12mo. 338 Pages. 314 Illustrations. \$2.00 Postpaid

THE present volume is a sequel to "THE SCIENTIFIC AMERICAN BOY," of which many thousands have been sold, and it continues the narrative and describes the construction of various devices and apparatus with particular reference to outdoor use. The constructions are fully within the powers of the average boy and the text is written so clearly that there can be no failure if attention is paid to detail. The list of chapters below gives an admirable epitome of the contents.



ANY BOY CAN CONVERT HIS OLD BICYCLE INTO A BICYCLE SLED


BRIEF TABLE OF CONTENTS

Chapter I.—Initiation.
Chapter II.—Building a dam.
Chapter III.—Boat building.—The construction of a bateau.
Chapter IV.—The club house on the lake.—How to chop down a tree, constructing a platform in the lake, building a lake house.
Chapter V.—A chapter of surprises.
Chapter VI.—The Modern Order of Ancient Engineers.—The pantagraph, the work bench, an Egyptian lathe, bow drill, twisted cord drill.
Chapter VII.—A pedal-paddle boat.—A boat fitted with paddles driven by a bicycle.
Chapter VIII.—Surveying the Lake.—An underwater stockade, surveying with the thumb, with

a ruler, with a pin, with a 2-foot rule, measuring heights by shadows and by reflection, plane table surveying, intersection and traversing.
Chapter IX.—Sounding the lake.—Method of taking and recording the soundings, a camera as a telescope, making a telescope.
Chapter X.—Signaling systems.—The ball, cone, and drum code, the semaphore system, night semaphore and electric signals, the cipher disk.
Chapter XI.—The Howe truss bridge.—A plank bridge, construction of the Howe truss, the snowball catapult.
Chapter XII.—The seismograph.—Construction of a simple instrument for recording earthquakes.

Chapter XIII.—A canal lock.—Inclined elevators, construction of a lock for small boats, construction of a drawbridge.
Chapter XIV.—Hunting with a camera.—An electric shutter, the umbrella blind, climbers, under-water photography.
Chapter XV.—The gliding machine.
Chapter XVI.—Camping ideas.—Sleeping bags, pine beds, fireless cookers, iceless refrigeration, water-proof matches.
Chapter XVII.—The haunted house.
Chapter XVIII.—Sun dials and clepsydras.—Square faced dial, vertical dial, water clock.
Chapter XIX.—Fish tail propeller.—A new form of propeller for small boats.
Chapter XX.—Kite photography.—Triggers for

springing the camera shutter, telephone kite signals.
Chapter XXI.—Water kites and current sailing.—A removable keel, sailing with a drag.
Chapter XXII.—A canvas-covered wooden canoe.—Steam box for bending the ribs.
Chapter XXIII.—The bicycle sled.
Chapter XXIV.—Magic.—An Egyptian entertainment, sleight-of-hand tricks.
Chapter XXV.—The sail-boat.—Construction of a small sloop, leeboards.
Chapter XXVI.—Water sports.—Dredging a swimming hole, outdoor gymnasium, swimming sail, human fish, sea serpent.
Chapter XXVII.—The geyser fountain.—A siphon fountain, concrete basin.




CONCRETE POTTERY AND GARDEN FURNITURE

BY RALPH C. DAVISON

16mo. 196 Pages. 140 Illustrations. \$1.50 Postpaid

THIS work should appeal strongly to all of those interested in ornamental concrete as the author has taken up and explained in detail in a most practical manner the various methods of casting concrete into ornamental shapes. The titles of the thirteen chapters of which the book is composed will give a general idea of the broad character of the work. The first two chapters explain a most unique and original method of working pottery which has been developed by the author. They are entitled:

I. Making Wire Forms or Frames. II. Covering the Wire Frames and Modeling the Cement Mortar into Form. The remaining eleven chapters are as follows: III. Plaster Molds for Simple Forms. IV. Plaster Molds for Objects Having Curved Outlines. V. Combination of Casting and Modeling—An Egyptian Vase. VI. Glue Molds. VII. Colored Cements and Methods Used for Producing Designs with Same. VIII. Selection of Aggregates. IX. Wooden Molds—Ornamental Flower Pots Modeled by Hand and Inlaid with Colored Tile. X. Concrete Pedestals. XI. Concrete Benches. XII. Concrete Fences. XIII. Miscellaneous, including Tools, Waterproofing and Reinforcing. The chapter on color work alone is worth many times the cost of the book inasmuch as there is little known on this subject, and there is a large growing demand for this class of work. The author has taken for granted that the reader knows nothing whatever about the material, and has explained each progressive step in the various operations throughout in detail. These directions have been supplemented with half-tones and line illustrations which are so clear that no one can misunderstand them.



BOX FOR TURNING PLASTER

SEND FOR ILLUSTRATED PROSPECTUS

MUNN & COMPANY, Inc., PUBLISHERS
361 BROADWAY, NEW YORK

SEND FOR ILLUSTRATED PROSPECTUS

Messrs. MUNN & CO.
361 Broadway, New York.

Date.....

Enclosed please find { MONEY ORDER }
 { EXPRESS ORDER } for.....for which please send me the following:
 { DRAFT OR CHECK }

Handy Man's Workshop and Laboratory, \$2.00 Name.....

Scientific American Boy at School, 2.00 Address

Concrete Pottery and Garden Furniture, 1.50 State

Cross out the names of the books you do not desire.

(Concluded from page 361.)

Switzerland. The German cards were printed without the impression of a stamp until 1872, in which year also the first return post cards were issued, in Germany. At the postal congress which met at Berne in 1874, and at which 22 countries were represented, the international post card of the value of 10 pfennigs, 12 1/2 centimes, 1 penny, or 2 cents was adopted. The post card soon became popular and its use extended to other countries. Post cards are now issued in great numbers by 22 governments. In Germany alone more than 1,500 million post cards are used annually.

The private picture post card, which has attained such amazing popularity within the last decade, is nearly as old as the government post card. It is also of German invention and it owes its origin to the Franco-Prussian war. On July 16th, 1870, the first illustrated post card, bearing the picture of a gunner, was placed on sale by Schwartz, in Oldenburg. The manufacture of picture cards was afterward taken up by Brandt in Dresden. The industry, which is still carried on chiefly in Germany, has developed to gigantic proportions. Although many of the cards are striking examples of bad taste and vulgarity it cannot be denied that the best of the so-called art cards and the reproductions of famous paintings and statues have extended the love for the beautiful and that the landscape views have given to many persons some idea of the beauties of their own and foreign lands of which they would otherwise have remained in ignorance.

Expenditure of Muscular Energy in Bicycling.

Bulletin 208 of the U. S. Department of Agriculture contains a description of experiments made by Profs. Benedict and Carpenter, of Wesleyan University, on the expenditure of muscular energy in bicycling. The chief result of the experiments, which were conducted with the aid of the respiration calorimeter, is that in bicycling the muscles of the legs work with an efficiency of 20 to 22 per cent, or, in other words, for each unit of heat produced by the external work of the muscles about four units of heat are lost by radiation, in addition to the heat so lost when the body is at rest. The external work was measured by an ergometer, consisting of a bicycle, the rear wheel of which was replaced by a copper disk, which rotated between the poles of an electromagnet, forming an electromagnetic brake. By this means the work was consumed in the production of induced currents in the disk and was ultimately converted into heat, which was measured by inclosing the whole machine in the calorimeter. The rider was then inclosed, with the machine, in the calorimeter and the heat produced in a definite interval of time was again measured. This heat was made up of three parts: the heat generated in the body in consequence of its muscular activity, the heat which would be evolved in the same time by the body at rest, and the heat produced in the ergometer by the external work of the muscles. The last-named portion had been measured in the preliminary experiment already described, and the second portion was measured by inclosing the man at rest in the calorimeter. These portions having been subtracted from the total quantity of heat produced in the main experiment, the remainder represented the heat generated in the body in consequence of the activity of the muscles employed in bicycling. This remainder was found to be about four times the heat generated in the ergometer, whether the bicyclist worked moderately or strenuously and whether he was experienced or not. Training, therefore, appears to have little effect upon the thermo-dynamical efficiency. It has long been known that the human body is a highly efficient engine, but it should be noted that the high efficiency of 20 to 22 per cent, exhibited in these experiments, has been exceeded by the Diesel and some other highly developed motors.

WANTED.—One third-class mechanical draftsman at \$4.48 per diem. A competitive examination will be held November 19, 1909, to fill the above position. For further information address "Inspector of Ordnance in Charge, Naval Torpedo Station, Newport, R. I."

WANTED.—One first-class laboratorian at \$3.52 per diem. A competitive examination will be held November 22, 1909, to fill the above position. For further information address "Inspector of Ordnance in Charge, Naval Torpedo Station, Newport, R. I."

INVENTORS

We manufacture all kinds of Machine Novelties. Consult us as to developing, perfecting and marketing your patents. MACHINE ACCESSORIES AND NOVELTIES MFG. CO. PROVIDENCE, R. I.

CONSULTING ENGINEER.

ERNEST L. RANSOME Reinforced Concrete 11 Broadway, New York

SOUTHERN STAMPING & MFG. CO. Manufacturers of special and patented articles. R. S., Nashville, Tenn.

ICE MACHINES Corliss Engines, Brewers and Bottlers' Machinery. THE VILTER MFG. CO., 899 Clinton St., Milwaukee, Wis.

MASON'S NEW PAT. WHIP HOIST for Cuttler hoists. Faster than Elevators, and hoists direct from teams. Saves handling at less expense. Manfd. by VOLNEY W. MASON & CO., Inc. Providence, R. I. U. S. A.

THE GOLDMAN'S HANDIEST FASTEST CHEAPEST CONTOSTYLE PRACTICAL COMPUTING MACHINE SAVES TIME LABOR AND MISTAKES. RELIABLE GENERAL AGENTS DESIRED. BENJAMIN W. LEFFICER, BOSTON, MASS.

MODELS & EXPERIMENTAL WORK. Inventions developed. Special Machinery. E. V. BAILLARD CO., 24 Frankfort Street, New York.

RUBBER Expert Manufacturers Fine Jobbing Work PARKER, STEARNS & CO., 288-290 Sheffield Av., B'klyn, N. Y.

THE SCHWEDTLE STAMP CO. STEEL STAMPS, LETTERS & FIGURES. BRIDGEPORT CONN.


Magical Apparatus. Grand Book Catalogue. Over 700 engravings 25c. Parlor Tricks Catalogue, free. MARTINKA & CO., Mfrs., 448 Sixth Ave., New York

MODELS CHICAGO MODEL WORKS 179 E. MADISON ST. CHICAGO, ILL. ESTABLISHED 1867. WRITE FOR CATALOGUE OF MODEL SUPPLIES.

A MACHINE SHOP E. D'AMOUR 80 Cortlandt Street New York Good Work—Fair Prices

Experimental & Model Work. Adv. & advice free. Wm. Gardam & Son, 221 Fulton St., NY

MODELS & EXPERIMENTAL WORK, Gears, Dies, Tools, Novelty manufacture. M. P. SCHELL, 1759 Union Street, San Francisco



Copyright, 1909, by MUNN & Co., Inc.

With that object in view the Middle West Number will publish articles on the following subjects:

- I. The Chicago and Gulf Waterway.—An illustrated description of Chicago's drainage canal, an engineering work which stands without a parallel in the world.
II. Chicago as a Railroad Center.—Chicago is the greatest railroad center in the world.
III. The Wonderful Grain Trade of Chicago.—Chicago is an enormous wheat bin, into which much of the grain raised in the middle West is poured.
IV. Shipping on the Great Lakes.—Most of the iron ore that is now smelted in Pennsylvania is mined in the middle West. To transport it to the blast furnaces of the East at a cost which will enable American steel makers to compete with foreign steel makers, it has been necessary to devise a new kind of lake transportation. Ships of 10,000 and 12,000 tons burden have been constructed which convey ore at small cost through the Great Lakes, and which are without a counterpart anywhere in the world.
V. The Handling and Shipment of Iron Ore.—The above-mentioned fact that iron ore is mined in the middle West and smelted in the East, has necessitated not only the construction of special freight-carrying steamers, but also the designing of special machinery for loading and unloading the ore from the steamers.

The Middle West Number will be more than twice the size of the regular SCIENTIFIC AMERICAN. It will be lavishly illustrated. It will be contained in a colored cover which strikingly depicts Chicago's grain elevators at work. Order from your newsdealer or from MUNN & COMPANY, Inc., 361 Broadway, New York City

Grow Mushrooms For Big and Quick Profits. I can give practical instructions worth many dollars to you. No matter what your occupation is or where located, get a thorough knowledge of this paying business. Particulars free. JACKSON MUSHROOM FARM, 5875 N. Western Ave., Chicago

MOORE Builders of Special Machinery to Order. Inventions perfected. Models. Indian and Franklin Streets, Chicago, U.S.A.

FLY PAPERS.—FORMULAS FOR Sticky Fly Papers are contained in SCIENTIFIC AMERICAN SUPPLEMENT Nos. 1057 and 1324. Each issue contains several recipes. Price 10 cents each, from this office, and from all newsdealers.

Models, Novelties and Patented Articles Manufactured by contract. Punching Dies and Drawing Work NEW YORK FLATIRON CO. Belle Mead, N. J.

DIE MODELS SPECIAL WORK TOOLS MACHINERY NATIONAL STAMPING AND ELECTRIC WORKS 216-220 S. Jefferson Street, Chicago, Ill.

Schools and Colleges

TELEGRAPHY TAUGHT In the shortest possible time. The Omnigraph Automatic Transmitter combined with standard key and sounder. Sends you telegraph messages at any speed just as an expert operator would. Five styles, \$2 up; circular free. OMNIGRAPH MFG. CO. 39R Cortlandt St., New York

IF YOU WOULD BE SUCCESSFUL Stop forgetting THE KEY TO SUCCESS MEMORY THE BASIS OF ALL KNOWLEDGE You Are No Greater Intellectually than Your Memory Here is a valuable Book on Memory Training absolutely Free. The author, Prof. Dickson, is America's foremost authority on mental training. He explains how you can easily acquire those retentive faculties which contribute to all social, political and business success. How to remember faces, names, studies, develop will, concentration, self-confidence, conversation, public speaking. Highly recommended by Elbert Hubbard, Prof. David Swing, Dr. Latson, and thousands of others. Simply sign and mail coupon below, or send a letter or postal. PROF. DICKSON, 700 Auditorium Bldg., CHICAGO Send me your free book "How to Remember." Name..... Street..... City..... State.....

The Middle West Number of the SCIENTIFIC AMERICAN

On December 11th, 1909, the Scientific American will issue a number devoted entirely to the wonderful Middle West region of the United States, a number which will set forth broadly and lucidly not only the agricultural interests of that region, but also those larger engineering undertakings which are destined to transform the Middle West, in part at least, into a manufacturing territory.

- VI. Freightage on the Mississippi.—Freightage on the Mississippi is a more important industry than most of us may realize.
VII. The Steel Industry.—One of the greatest steel plants in the world is that which has been built at Gary.
VIII. The Freight Subway System of Chicago.—Chicago can boast of a rational system of handling freight by means of subways.
IX. The Water Supply of Chicago.—Chicago's source of water is Lake Michigan. The city is supplied with water by means of a tunnel which extends two miles out into the lake.
X. Reclaiming Arid Lands.—The United States Government has under way many irrigation projects for the purpose of reclaiming lands which are arid, but which will blossom if properly watered.
XI. Harvesting the Grain of the Middle West.—Farms that cover not acres but square miles, crops that aggregate not simply bushels but car-loads, have rendered it necessary to plant and harvest on an unprecedented scale in the middle West. The ingenious agricultural machinery which has been designed to cope with these peculiar conditions is described and illustrated.

Stemmer and raisin cleaner, cap, W. H. Noland 939,075
Stirrup, climbing, P. H. Speerstr. 938,905
Stock feeding device, automatic, L. A. Roggensack 938,608
Stone saw, J. Gillies 938,473
Storage battery, G. M. W. Goetting 939,006
Stove, E. W. Anthony 938,543
Stove, oil-gas cooking, O. E. V. Ericson 938,747
Stoves, oven for gas or vapor burning, W. Thompson 938,914
Straining, mashing, grating, and chopping machine, E. Hubert 938,766
Street indicating device, C. E. Greenfield 938,478
Superheater, steam, Foster & Primrose 938,568
Surgical instrument, J. W. Kolb 939,034
Syringe for hypodermic and intramuscular injections, R. Lombardo 938,597
Syringe, hypodermic, W. Ball 938,544
Syringe, hypodermic, F. D. Bell 938,951
Table safety device, round, A. F. Elkins 938,561
Tag holder, O. Anderson 938,946
Tanks used in skimming sillage from crucibles into water, cover for, W. H. Carpenter 938,555
Taper roughing tool, B. M. W. Hanson 938,484
Target trap, W. H. Hiestand 938,861
Telephone exchange, Anderson & Hagstrom 938,943
Telephone exchange calling device, Anderson & Hagstrom 938,944
Telephone exchange system, C. L. Zahn 938,541
Telephone line testing system, A. N. Chenoweth 938,974
Telephone pay station, automatic, F. X. Bee 938,949
Telephone transmitter, Egnor & Holmstrom 938,992
Telephone transmitter, W. V. Dean, reissue 13,035
Theatrical apparatus, Weingarden & Cummings 938,927
Therapeutic device, S. T. Yount 938,808
Thermostat, J. H. Brady 938,548
Thresher feeder carrier, J. W. Kennedy 938,871
Threshold machine, O. A. Amble 938,624
Tie lifter and holder, combined, P. Warren 938,528
Timber felling machine, E. S. Cuyler 938,559
Tire and tightening means therefor, vehicle, G. A. Krohn 939,037
Tire inflating device, E. Hayne 939,020
Tire protector anchor, S. C. Wolfe 938,537
Tire, vehicle, C. F. Fisk 938,999
Tobacco pipe, J. E. Irving 939,134
Tongs, J. L. Munsill 938,499
Tool, combination, T. B. Huestis 938,583
Tool holder, S. Lowe, J. H. Gorman 938,909
Tool holder, W. A. Peck 939,079
Tool holder, machine, H. O. Evans 938,905
Tool, pneumatic, H. Leineweber 938,774
Torpedo, railway, F. Dutcher 938,465
Toy, H. R. Graham, Jr. 938,844
Toy, A. Klink 938,874
Toy, G. Henery 939,022
Toy cannon, W. H. Cornford 938,982
Track inspector, automatic, T. Ellis, et al. 938,993
Tractor board, P. C. White, P. Warren 939,178
Traction-increasing device, A. Kintner 938,490
Train interlocker and cross bridge, J. Cooperstock 938,980
Train line coupling, automatic, J. W. Jackson 938,585
Transom lifter, A. C. Goethel 938,475
Transom ratchet, L. J. Berg 938,952
Transplanting implement, L. C. Doughty 938,651
Trap, C. Clark 938,743
Traveling bag, Lathrop & Chase 938,707
Trick lung tester, C. E. Herd 939,023
Truck, hand, Keyser & Ingold 938,872
Truck, hand, L. X. Truxler 938,917
Tube mill, etc., P. T. Lindhard 939,044
Tubes, forming metallic, L. D. Davis 938,646
Tubes, method of and apparatus for interiorly coating, E. James 938,480
Tubing, E. T. Greenfield 938,575
Tubing, sheet metal, W. P. Lawrence 939,039
Tuberculosis, preparing a preventive of, J. P. Rosenbach 939,097
Turn table, H. M. Verplanck 938,920
Twine cutter, safety, F. H. Haskell 939,129
Typewriter carriage return and line spacing mechanism, G. Trejo 938,801
Typewriter desk or table top, G. M. Crider 938,464
Typewriter paper roll attachment, A. F. McCulley 938,885
Typewriting machine, J. A. Hagerstrom 938,480
Typewriting machine, L. C. Myers 938,500
Typewriting machine, E. L. Pfunder 938,507
Typewriting machine, J. Eibel 938,562
Typewriting machine, J. H. O'Brien 938,690
Umbrella, folding, J. Edmondson 938,833
Umbrella frame, E. C. Beecher 938,950
Umbrella rib socket, C. Hoff 938,863
Vacuum cleaner, Weidemann & Templin 939,117
Valve, P. W. Knauf 938,491
Valve, air, F. C. Goff 939,196
Valve, automatic relief, N. Gambino 938,570
Valve, automatically closing, F. H. Goldsmith 938,574
Valve, lock, T. M. Swank 939,108
Valve, needle, J. Maas 938,601
Vehicle brake, G. Stables 938,720
Vehicle running gear, I. E. Palmer 938,782
Vehicle steering gear, J. A. Wilson, Jr. 939,180
Vehicle, trackless power driven, I. E. Palmer 938,783, 938,786, 939,077
Vehicle wheel, T. F. Scott 938,796
Vehicles, wheel, Dettelback & Powell 939,190
Vehicles, means for preventing rebounds in, S. Furnidge 938,733
Vending machine, G. F. Johnson 938,767
Vending machine, stamp or ticket, E. D. Schmitt 938,900
Veneering machine, T. Richardson 938,896
Veneers, gluing, A. A. Dennis, reissue 13,034
Ventilator. See Mine ventilator.
Vise and sharpening gage, combination tool, G. T. Cantara 938,969
Voting machine, construction, C. F. Currey 938,643
Wagon body, H. Wachtler 939,049
Wagon brake, Auth & Kettler 938,810
Wagon, dumping, H. L. Hazen 939,130
Wagon jack, R. C. Tucker 939,113
Wagon rack, revolving suspension, W. H. Martin 939,147
Walls, etc., reinforcement for brick, T. A. Weaver 938,925
Washing machine, rotary, W. B. Perry 938,506
Watch movement holder, G. W. Bowers 938,817
Watch setting device, J. H. Gorman 939,049
Watch setting mechanism, A. Plean 939,082
Watch stem winding mechanism, A. Plean 939,081
Watchmaker's roller replacing tool, G. W. Bowers 938,819
Water closet floor coupling, O. D. Wheeler 938,533
Water closet outlet connection, C. H. Moore 938,727
Wa to heater, D. W. Allman 938,473
Water heater, electric, P. P. Meyers 939,054
Water meter, self-registering, F. W. Hanna 938,859
Water motor, C. J. Duncan 938,778
Water purifier, J. W. Morrison 938,778
Water, purifying, J. W. Morrison 939,031
Water tube boiler, G. Kingsley 938,681
Wave motor, J. L. Matthews 938,502
Weaving, B. F. McGuinness 938,750
Weeder, G. Greene 938,592
Weevils, machine to destroy cotton boll, F. H. Lathrop 939,103
Weigher, liquid, E. F. Shue 938,990
Wheels, detachable spur for vehicle, E. E. Eastwood 939,160
Winding machine, M. Pipping 939,066
Windmill power saver, J. R. Byrnes 938,641
Window screen, J. H. Cornelison 938,842
Wire clamp, S. Gibson 938,488
Wire stretcher, E. F. Hopkins 938,563
Wire stretcher, combination, J. T. Ferguson 938,471
Wires, grounding device or terminal for line, W. R. Garton 939,014
Wood, coloring, W. A. Hall 939,015
Wood, coloring and graining, W. A. Hall 938,956
Wrench, J. D. Board 938,855
Wringer clamp, P. Helrich 938,855
Writing instrument, J. W. Dyches 938,654

A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in print issued since 1863, will be furnished from this office for 10 cents, provided the name and number of the patent desired and the date be given. Address Munn & Co., Inc., 361 Broadway, New York. Canadian patents may now be obtained by the inventors for any of the inventions named in the foregoing list. For terms and further particulars address Munn & Co., Inc., 361 Broadway, New York.

COLD GALVANIZING.
AMERICAN PROCESS. NO ROYALTIES.
 SAMPLES AND INFORMATION ON APPLICATION.

Established 1890.



NICKEL
 AND
Electro-Plating
 Apparatus and Material
 THE
Hanson & VanWinkle
 Co.,
 Newark, N. J.,
 28 & 30 S. Canal St.
 Chicago.

WORTH MORE THAN ALL OTHERS



Litholin Waterproofed Linen Collars and Cuffs

always keep their shape. "Others" wilt and fray. "Others" need to be washed, but "LITHOLIN," when soiled, can be wiped white as new with a damp cloth. "Others" soon wear out, but four Litholin Collars will last you a year. Have the correct dull linen finish, and made in all the latest styles,—same as you now wear. All "turn-downs" have a slip-easy space for the tie.

Collars 25c. Cuffs 50c.

Beware of imitations and substitutes.

If not at your dealer's, send, giving styles, size, how many, with remittance, and we will mail, postpaid. Styles booklet free on request.

The Fiberloid Co., Dept. 22, 7 Waverly Place, New York

STYLE **LITHOLIN** FIT
 ECONOMY COLLARS & CUFFS COMFORT

Buy Him a Calendar Watch



Registers the Second, Minute, Hour, Day of Week, Date of Month, and Phases of Moon. Changes Automatically. Stem-wind and set; jeweled pivot holes; expansion balance; accurate and reliable; richly decorated dial.

Price, \$7.45

Refunded if not as represented. Express Pre paid if remittance comes with order. Two or more, \$7 each. References: Com. Agencies, Chicago Banks or any Express Co.

FINE HOLIDAY GIFT.

Dellhart Makers & Traders, Ltd., 231 E. Jackson Bld. Chicago

Spencerian

STEEL PENS

are made of accurately tempered steel. Smooth, non-scratching, elastic, easy writers. There's one to suit you. Sample card, 12 different, for 6 cts. postage.

SPENCERIAN PEN CO., 349 Broadway, N. Y.


Curtiss Motorcycles

WORLD'S RECORD MOTORCYCLES

Low truss frame. Roller bearing engine. Light weight, great power.

Write for catalog and booklet "Achievements."

THE HERRING-CURTISS CO., Hammondsport, N. Y.



4 H.P. STATIONARY COMPLETE GASOLINE ENGINE \$69.00

10 H. P. Complete \$160

For Farmwork, Irrigation, Pumping, Electric Lighting or Factory use.

Perfectly governed, full power, guaranteed by a responsible concern.

Write for full description of 3, 4, 6 & 10 H. Stationary P. Engines

GRAY MOTOR CO., 121 Leib St. Detroit, Mich.

Salesman Wanted—Large Profits

Make \$300 a month selling Solar Lighting Systems for all purposes. Free catalog. Write today.

CHICAGO SOLAR LIGHT CO., 212-216 S. Jefferson St., Chicago, U.S.A.

GROBET Swiss Files

and other tools shown in "The Tool-Monger."

Sent free if you mention this paper when writing.

MONTGOMERY & CO., 109 Fulton Street, New York City

VENTRILOQUISM

Learned by any Man or Boy at home. Small cost. Send to-day 2-cent stamp for particulars and proof.

O. A. Smith, Room 1245, 825 Bigelow Street, Peoria, Ill.

HELMET OIL

LUBRICATES SEND FOR SAMPLE ANYTHING FREE

15-2 S. CLINTON ST. CH. BESLY & CO. PHILADELPHIA, U.S.A.

HAVE YOU

ever stopped to consider that

Judge

has for twenty-seven years been an honored guest of nearly every prominent club, every recognized men's organization, public library, reading room and hotel in the United States?

Have you ever stopped to consider that JUDGE is welcomed in every home, irrespective of its race, creed, religion or politics, and is agreeably welcomed by every member of the family? Men, women and children all find everything to amuse and entertain in its clean, bright columns and nothing to offend.

MR. ADVERTISER:

Be your product what it may, you are certain to find among the increased JUDGE family some large number of readers who are ready and waiting for your message with ample means for accepting it.

Consider too the long life of JUDGE. A single copy of JUDGE will pass through the hands of more readers than any other publication you can name and then will be preserved.

JUDGE has the largest circulation of any weekly of its class. It is not only a club paper, but a medium of national circulation, appealing to every member of the family, read and reread again.

Your advertisement, read during their leisure moments, is sure to secure the attention of the people you want to reach.

Advertising Department

LESLIE-JUDGE COMPANY

Western Office 1136-37 Marquette Building Chicago, Ill.

Fifth Avenue and Twenty-Seventh Street Brunswick Building New York

ELECTRICIAN AND MECHANIC

A finely illustrated monthly magazine publishing practical educational articles on all branches of electricity and mechanics. Complete directions and working drawings for making steam and gasoline engines, dynamos and motors, furniture, wiring instruction, wireless telegraphy, mechanical drawing, etc. Three months' trial, twenty cents. \$1.09 a year. Catalogue of electrical and mechanical books free.

SAMPSON PUBLISHING COMPANY, 1151 Beacon Building, Boston, Mass.

WORDY HORN BLOWER

Only \$2.00

Honk With Your Foot

Fits Any Horn-Tube On Any Car

Every automobile owner needs one. Increases honk 300 per cent. Throw away the rubber bulb and get a "Wordy." No trouble to put on car. Practically indestructible.

We Guarantee It for 5 Years

At Auto-supply Dealers or sent prepaid for Two Dollars. Satisfaction guaranteed or money refunded. Catalog free. Write today.

WORDINGHAM AUTO SUPPLY CO., Dept. G 803 Grand Avenue, Milwaukee, Wis.

BELLE ISLE Marine Engine

2 to 3 H. P. Bare Engine \$23

Swiftest, most powerful, efficient and reliable 2-Cycle engine of its size on earth—entirely new design, improved and perfected in every detail—makes speedy little launch from an ordinary row-boat. Catalog describing all sizes FREE.

New Belle Isle Motor Co., Dept. D, Detroit, Mich.

Try Kerosene Engine

30 Days Free

Gasoline Prices Rising.

You can't run a farm engine profitably on gasoline much longer. Price of gasoline going sky high. Oil Companies have sounded the warning. Kerosene is the future fuel and is now 6c to 10c a gallon cheaper than gasoline. The Amazing "Detroit" is the only engine that uses common lamp kerosene (coal oil) perfectly. Runs on gasoline, too, better than any other. Basic patent. Only 3 moving parts. Comes complete ready to run. We will send a "Detroit" on free trial to prove all claims. Runs all kinds of farm machinery, pumps, saw rigs, separators, churns, feed grinders, washing machines, Silo fillers and electric lights. Money back and freight paid both ways if it does not meet every claim that we have made for it. Don't buy till you get our free catalog. 2 to 24 h. p. in stock. Prices \$29.50 up. Special demonstrator agency price on first outfit sold in each community. 2000 satisfied users. We have a stack of testimonials. Write quick. (20)

The Amazing "DETROIT"


Detroit Engine Works, 127 Bellevue Ave., Detroit, Mich.

Salesmen Wanted

We receive calls for thousands of Salesmen and have assisted thousands of men to secure good positions or better salaries. Hundreds of them who had no former experience and who formerly earned from \$45 to \$75 a month, now earn from \$100 to \$500 a month and all expenses, and some even more than that. No matter whether you are a new beginner or an old hand at the game, our eight weeks course in Salesmanship, by mail will enable you to increase your earning power from two to ten times what it is at present. Our **FREE EMPLOYMENT BUREAU** will assist you to get a good position. Marshall Field, the great dry goods merchant of Chicago; Ex-Postmaster General John Wanamaker, the great merchant of New York and Philadelphia, and scores of other famous and wealthy men got their start selling goods on the road. Your chance is as good as theirs was. Thousands of Traveling Salesmen earn from \$2500 to \$10,000 and up as high as \$25,000 a year. If you are ambitious and want to enter the best paid profession on earth, fill out coupon, and send for our free book, "A Knight of the Grip," today. It will tell you how to do it. Address Dept. 465

National Salesmen's Training Association
 Chicago, New York, Kansas City, Minneapolis, San Francisco, U. S. A.

Name _____
 P. O. _____
 State _____ R. F. D. _____



Electrical Toys for Boys

EVERY boy can easily OWN an Electric railroad. For Christmas time our models of Electric Locomotives, Trains, Trolley Cars, Dynamos, Lamps, Electrical Novelties, etc., make splendid presents. Equipped with dry batteries. No acids or liquids. Safe and harmless. Catalog fully illustrated—quoting low prices—sent FREE.

THE CARLISLE & FINCH CO., 233 E. Clifton Ave., Cincinnati, Ohio

Jaeger

SANITARY GOODS

Unequaled for their curative and preventive qualities. If you are ill, you need them to make you well. If you are well, you need them to keep you so.

Recommended by leading physicians everywhere.

DR. JAEGER'S S. W. S. CO.'S OWN STORES:
 New York, 306 Fifth Ave., 22 Maiden Lane;
 Brooklyn, 504 Fulton St.; Boston, 228 Boylston St.;
 Phila., 1516 Chestnut St.; Chicago, 82 State St.
 Agents in all Principal Cities.

Cheaper than a Gasoline Engine or Windmill

for supplying running water in country homes is a

Niagara Hydraulic Ram

Will pump water from any stream just where you want it. Requires no attention and there is no cost for repairs. Write for illustrated catalogue and estimate. We furnish Caldwell Tanks and Towers.

NIAGARA HYDRAULIC ENGINE CO., 140 Nassau St., New York

Factory: Chester, Pa.

For Everybody

wishing to bore a hole in steel, iron or wood. We make drills in 9 sizes. Our large size will drill a 3/4-inch hole in steel. Our Electric Midget weighs only 4 pounds, and will drill in steel up to 3-16 inch. Great for manual training schools. We also make electric driven grinders. Let us send one on 10 days' trial. Send for catalogue.

THE CINCINNATI ELECTRIC TOOL CO., 650 and 652 Evans Street, Cincinnati, Ohio, U. S. A.

Pipe Cutting and Threading Machine

For Either Hand or Power

This machine is the regular hand machine supplied with a power bar, pinion, countershaft, etc., and can be worked as an ordinary power machine or taken from its base for use as a hand machine. Pipe 1/4 in. to 1 1/2 in. diameter handled easily in small room. Illustrated catalogue—price list free on application.

THE CURTIS & CURTISS CO., 6 Garden St., Bridgeport, Conn.

CRUDE ASBESTOS

DIRECT FROM MINES

PREPARED ASBESTOS FIBRE for Manufacturers use

R. H. MARTIN, OFFICE, ST. PAUL BUILDING, 220 B'way, New York.

Brighton Garters

in Christmas Boxes

From now until the holiday period you can get the famous Brighton Flat Clasp Garters in handsome Christmas boxes, specially designed and decorated for the gift season. No extra charge. At your dealer's—25 cents—or we will mail them direct to you.

Pioneer Suspender Company
 718 Market Street Philadelphia