


SOUNDING THE OCEAN OF AIR ABOVE US.

ATMOSPHERIC EXPLORATION.



The science of meteorology has so far progressed, that we know with considerable accuracy the nature, composition, and general properties of the lower air. If meteorology is to become anything like an exact science, in other words, if we are to predict the weather not only of to-morrow, but even of next week, with more accuracy than is now possible, we must have at our disposal data which will enable us to determine the condition of the upper layers as well and their effect upon the lower layers. In the interest of that investigation, we find that the modern meteorologist has been conducting for the last two decades investigations that will sooner or later bring together an enormous mass of facts, which the mind of some master meteorologist will some day whip into scientific correlation.

In this effort to discover the physical attributes of the upper layers of the air, barometers, hygrometers, thermometers, and wind gages are employed. The barometer measures the weight of the air; the hygrometer, its moisture; the thermometer, its heat; the wind gage, its velocity. These instruments, all of them well known in meteorological research, have been considerably modified for the study of the upper air, a modification necessary because they must be lifted to great heights by means which make it impossible to employ great weights. Hence it is that they are made of feathery lightness and are ingeniously combined. The combination is usually known as a "meteorograph." Thus the thermometer and barometer are merged into a meteorograph, specifically known as a baromethermograph, a contrivance which is provided with two automatic styles, one of which writes down the pressure of the air and the other its varying temperature. Sometimes the barometer, thermometer, and hygrometer are joined in a single instrument. which notes the humidity as well as the pressure and temperature. The records are made upon clock-driven cylinders covered with lamp black, because no ink has been found which will not freeze in the bitter cold of the upper air. At lower levels special inks and paper can be employed. The construction of these meteorographs has involved not a little ingenuity. Perhaps


the men who have contributed most in devising special forms of instruments are Mr. S. P. Fergusson and Mr. H. H. Clayton of the Blue Hill Meteorological Observatory in this country.

Fifty years ago, the experiment was made of intrusting instruments of precision to venturesome balloonists. Because a human being cannot live in the thin air of great altitudes, these experiments sometimes proved fatal. Hence it is that the meteorologist has adopted, in a measure, the methods of the marine biologist. In other words, he sounds the ocean of air at the bottom of which we live.

His sounding methods are dependent upon the employment of kites and free unmanned balloons. By their means it has become possible to elevate the delicate instruments which automatically record the physical condition of the upper air, and to bring to the earth an accurate account of atmospheric happenings many miles above the earth's surface. The men to whom most of the credit for this new means of investigation is due are Prof. A. Lawrence Rotch of the Blue Hill Meteorological Observatory, in this country; Dr. Richard Assmann, of Germany, and Teisserenc de Bort, of France.

The exploration of the upper air by kites has been carried to the greatest perfection by Prof. Rotch. It may safely be said that his study of the lower four miles of air is the most complete that has yet been made. The kites employed by him-and, for that matter, by almost every meteorologist-are of the open box type invented by Mr. Lawrence Hargrave. The kites often measure 9 feet in length. Such is the pull exerted by them, that it is impossible to employ muscular power to control them. For that reason, they are hauled in by engine-driven winches. Devices are employed which register the pull of the kite and the length of the line in use. Often it happens that as much as ten miles of line may be paid out. In spite of the great lifting capacity of such a kite, it could not attain any considerable height if it were held by hemp alone. A cord or rope would necessarily be so heavy and thick, that a kite would be severely taxed in pulling it up. Hence it is common to employ fine music wire, which is both strong and light. The elevation attained by a kite is determined in fair weather by means of theodolites. At night and in hazy weather the meteorograph readings themselves must be depended upon.

Four miles may be considered the maximum height that a kite is capable of attaining. To sound the reaches of air above that level, the free or unmanned balloon is employed, of which the most skillful use has been made by Teisserenc de Bort and by Dr. Richard Assmann. These free balloons are filled with pure hydrogen gas, which expands with increasing elevation. Since the degree of inflation obviously depends upon the height to be attained, considerable care must be taken not to fill the gas bag entirely. If the balloon is to reach a point where the air is one-half as dense as at the level of the sea, the gas bag is filled about one-half. If a height is to be attained at which the air density is one-fourth that at the level of the sea, the bag is filled about one-fourth. It is very evident that for the attainment of very great heights, the balloon's capacity must be great and the construction exceedingly light. This explains why instruments of feathery lightness must be employed. Originally, fairly large paper balloons were employed for the purpose, by Teisserenc de Bort, but the India-rubber balloons of Assmann have now taken their place. These India-rubber balloons vary in diameter from three to five feet. They have reached considerable heights. At the maximum elevation of the balloon, the expansion of the hydrogen gas eventually bursts the bag. In order that the instruments may not be dropped precipitously to the ground, they are checked in their descent by a parachute. Instead of a parachute, a slightly inflated auxiliary balloon may be employed, which does not explode, and which has sufficient buoyancy to prevent a too rapid fall of the instrument. Recently, S. Saul, of Aachen, Germany, has advocated the use of two balloons connected by an aluminium pipe provided with a valve. The weight of this pipe is much less than the netting generally applied to the balloon to carry the basket containing the recording instruments, and is certainly much lighter than a para-



Inflating a Saul double balloon.

One balloon inflated.

Both inflated,

The Saul double registering balloon.

SOUNDING THE OCEAN OF AIR.

NOVEMBER 27, 1909.

chute. The arrangement is such that when the double balloon reaches its maximum height, the one bursts, and the other, not having sufficient buoyancy to carry the whole weight of the apparatus, sinks slowly to the earth. At the same time it serves to attract the attention of the finder, because it floats a few feet above the ground. The balloons can be filled in the open air, even in windy weather, by one man, whereas special care must be taken with the ordinary system.

To every basket in which the instruments of a sounding balloon are contained, a printed notice is attached which offers a reward for their return. A very large number of the instruments which drop to the earth thus find their way back to the observatories.

Sounding balloons reach astonishing elevations, and travel at speeds varying from 40 to 80 miles an hour.


Scientific American

Although a large number of ballons-sondes were dispatched from St. Louis in 1904-7 under the direction of Prof. Rotch, none had been employed in the eastern States until last year. In May and July, 1908, four ballons-sondes were launched from Pittsfield, Mass., with special precautions to limit the time they remained in the air and so prevent them from drifting out to sea with the upper westerly wind. Three of the registering instruments have been returned to the Blue Hill Observatory with good records. The first instrument sent up on May 7th was not found for ten months, and the record is very interesting because it gives complete temperature data from the ground up to 17,700 meters, or 11 miles. This is 650 meters higher than the highest ascension from St. Louis. which, by a coincidence, was also the first one to be


made there. On May 7th a general storm prevailed, so that the balloon, traveling from the east, was soon lost in the cloud and its subsequent drift could not be followed, but the resultant course was 59 miles from the southwest, as determined by the place where the instrument fell two hours later. A paper balloon will reach its greatest height in about six hours; a rubber balloon, in three hours.

The air-exploring stations of the entire world have banded themselves into an association for the purpose of carrying on a systematic exploration of the upper air, on agreed dates. Thus we find that each year an "international week" of exploration takes place, in addition to the regular work of each observatory. These international weeks may fall in the spring, sum-(Continued on page 399.)


Sending up a pilot balloon.



Preparing for a balloon ascent.



A balloon ascent on Lake Victoria Nyanza.






A kite ascent on Lake Victoria Nyanza.



One of the box kites used.



Controlling a kite with a hand windlass.



Noting the course of pilot balloons with special theodolites. The pilot balloons are liberated to ascertain the direction and velocity of the wind before the liberation of registering balloons.

GERMAN METEOROLOGICAL INVESTIGATIONS IN EAST AFRICA.

Home-Made **Experimental Apparatus**

In addition to the following articles, the Scientific American Supplement has published innumerable papers of immense practical value, of which over 17,000 are listed in a carefully prepared catalogue, which will be sent free of charge to any address. Copies of the Scientific American Supplement cost 10 cents each.

If there is any scientific, mechanical, or en-gineering subject on which special information is desired, some papers will be found in this catalogue, in which it is fully discussed by competent authority.

A few of the many valuable articles on the making of experimental apparatus at home are given in the following list:

ELECTRIC LIGHTING FOR AMATEURS. The article tells how a small and simple ex-perimental installation can be set up at home. Scientific American Supplement 1551.

AN ELECTRIC CHIME AND HOW IT MAY BE CONSTRUCTED AT HOME, is described in Scientific American Supplement 1566.

THE CONSTRUCTION OF AN ELECTRIC THERMOSTAT is explained in Scientific Ameri-can Supplement 1566.

HOW TO MAKE A 100-MILE WIRELESS TELEGRAPH OUTFIT is told by A. Frederick Collins in Scientific American Supplement 1605. A SIMPLE TRANSFORMER FOR AMA-TEUR'S USE is so plainly described in Scien-tific American Supplement 1572 that anyone can

make it. A ½-H.-P. ALTERNATING CURRENT DY-NAMO, Scientific American Supplement 1558.

THE CONSTRUCTION OF A SIMPLE PHO-TOGRAPHIC AND MICRO-PHOTOGRAPHIC APPARATUS is simply explained in Scientific American Supplement 1574.

A SIMPLE CAMERA-SHUTTER MADE OUT OF A PASTEBOARD BOX, PINS, AND A RUBBER BAND is the subject of an article in Scientific American Supplement 1578.

HOW TO MAKE AN AEROPLANE OR GLID. ING MACHINE is explained in Scientific Ameri-can Supplement 1582, with working drawings.

can Supplement 1582, with working drawings. EXPERIMENTS WITH A LAMP CHIMNEY. In this article it is shown how a lamp chimney may serve to indicate the pressure in the in-terior of a liquid; to explain the meaning of capillary elevation and depression; to serve as a hydraulic tournique, an aspirator, and intermit-tent siphon; to demonstrate the ascent of liquids in exhaustive tubes; to illustrate the phenomena of the bursting bladder and of the expansive force of gases. Scientific American Supplement 1583.

HOW A TANGENT GALVANOMETER CAN BE USED FOR MAKING ELECTRICAL MEAS-UREMENTS is described in Scientific American Supplement 1584.

THE CONSTRUCTION OF AN INDEPEN-DENT INTERRUPTER. Clear diagrams giving actual dimensions are published. Scientific American Supplement 1615,

AN EASILY MADE HIGH FREQUENCY AP-PARATUS WHICH CAN BE USED TO OB-TAIN EITHER D'ARSONVAL OR OUDIN CUR-RENTS is described in Scientific American Supplement 1618. A plunge battery of six cells, a two-inch spark induction coil, a pair of one-pint Leyden jars, and an inductance coil, and all the apparatus required, most of which can be made at home. the apparatus made at home.

SIMPLE WIRELESS TELEGRAPH SYSTEMS are described in Scientific American Supp ments 1363 and 1381.

THE LOCATION AND ERECTION OF A 100-MILE WIRELESS TELEGRAPH STATION is clearly explained, with the belp of diagrams, in Scientific American Supplement 1622.

THE INSTALLATION AND ADJUSTMENT OF A 100-MILE WIRELESS TELEGRAPH OUT-FIT, illustrated with diagrams, Scientific Ameri-can Supplement 1623,

THE MAKING AND THE USING OF A WIRELESS TELEGRAPH TUNING DEVICE, illustrated with diagrams, Scientific American Supplement 1624.

HOW TO MAKE A MAGIC LANTERN, Scien-tific American Supplement 1546.

THE CONSTRUCTION OF AN EDDY KITE. Scientific American Supplement 1555.

THE DEMAGNETIZATION OF A WATCH is thoroughly described in Scientific American Sup-plement 1561.

HOW A CALORIC OR HOT AIR ENGINE CAN BE MADE AT HOME is well explained, with the help of illustrations, in Scientific American Supplement 1573.

THE MAKING OF A RHEOSTAT is outlined in Scientific American Supplement 1594.

Good articles on SMALL WATER MOTORS are contained in Scientific American Supplement 1494, 1049, and 1406.

HOW AN ELECTRIC OVEN CAN BE MADE is explained in Scientific American Supplement 1472.

THE BUILDING OF A STORAGE BATTERY is described in Scientific American Supplement 1433.

A SEWING-MACHINE MOTOR OF SIMPLE DESIGN is described in Scientific American Sup-plement 1210.

A WHEATSTONE BRIDGE, Scientific Ameri-an Supplement 1595. Good articles on INDUCTION COILS are con-tained in Scientific American Supplements 1514, 1522, and 1527. Full details are given so that the coils can readily be made by anyone. HOW TO MAKE A TELEPHONE is described in Scientific American Supplement 966. A MODEL STEAM ENGINE is thoroughly de-scribed in Scientific American Supplement, 1527. HOW TO MAKE A THERMOSTAT is explained in Scientific American Supplements 1561, 1563, and 1566. ANEROID BAROMETERS, Scientific American "uplements 1500 and 1554. A WATER BATH, Scientific American Supplement 1464. A CHEAP LATHE UPON WHICH MUCH VALUABLE WORK CAN BE DONE forms the subject of an article contained in Scientific American Supplement 1562.

CHEMISTRY OF SOLDERING AGENTS. (Concluded from page 389.) chloride preparations are very convenient in use and very reliable, causing the solder to adhere firmly. Even when the surfaces to be joined are greatly oxidized, a good joint can be made by a skillful workman. In order to prevent the possibility of injurious after effects, it is customary to wash the soldered joint with zinc chloride solution. Cable joints made with the aid of zinc chloride were opened and examined after the same intervals of time that were allowed for the joints made with ammonium chloride. Although the zinc chloride also penetrated between the wires the difference in the result was very great. The wires of the core were covered with a dry, wax-like dark green coating, and a substance resembling pitch was found in places where the other ingredients of the zinc chloride soap had been decomposed by overheating, but junctions which had been traversed by strong currents for long periods showed no appreciable increase in resistance.


The assertion that injurious effects are necessarily produced by hydrochloric acid separated by hydrolysis from the hygroscopic zinc chloride was also submitted to the test of experiment. Copper wires less than 1/250 inch in diameter were soldered together and the junctions were covered thickly with the zinc chloride mixture and inserted in an apparatus with which their resistance could be measured while a current was kept flowing through them. In a few days the mixture became moist, but it quickly dried and assumed the wax-like appearance described above. The wires were exposed freely to the air, but observations continued through a long period revealed no deterioration of the joint.

Hence it may be asserted, as the result of exhaustive researches continued for years, that zinc chloride is in every way superior to ammonium chloride as a soldering agent. The inference that ammonium chloride is safe because it is possible to obtain it unmixed with free acid. is a pure delusion, for the injurious action of ammonium chloride on metals is due, not to the comparatively harmless hydrochloric acid, but to the other causes mentioned above.

The extraordinarily good practical effect of zinc chloride preparations, however, still requires explanation.-Zeit. f. Ang. Chemie.

> SOUNDING THE OCEAN OF AIR. (Continued from page 393.)

mer, autumn, or winter. Kites and balloons have been sent up from almost every quarter of the earth. Perhaps the most recent of these investigations in an out-of-the-way quarter of the globe is the meteorological expedition to East Africa undertaken by the Royal Prussian Meteorological Observatory. The expedition was conducted by Prof. Berson and Prof. Elias. The chief object was to determine the origin of monsoons, an object which was not altogether attained, but on which much light was thrown. An ultimate aim was the prognosis of the rainy season in East Africa and India. On the coast and from a specially chartered steamer on the lake, ballons-sondes, pilot balloons, and kites were sent up. The observations over the equator, in the center of the continent, showed very low temperatures at great heights, as did the expedition of Teisserenc de Bort and Rotch on the equatorial Atlantic, but with the difference that over the African continent there was a trace of the permanent inversion layer. The vertical changes were as follows: adiabatic decrease of temperature to 13,000 meters, between 13,000 and 15,000 meters a small inversion, and above 17,000 meters isothermal conditions. Above the southeast monsoon the wind was south-southwest, and three times a westerly wind was observed between 15,000 and 18,000 meters, above the great equatorial current from the east which is supposed to prevail at all heights.



Peary's **Own Story** Of the Discovery of the North Pole

Commander Robert E. Peary has chosen HAMP-TON'S MAGAZINE as the medium through which he will tell the world his own remarkable story of the discovery of the North Pole.

This is without question the greatest feature ever offered by any publication. The whole world is tremendously excited—and is now profoundly interested—in the North Pole situation.

Only by reading Peary's own story in HAMPTON'S can you ever know the facts. As an intelligent man or woman you positively need to read this, the greatest adventure story of modern times. It will be richly illustrated with hundreds of remarkable photographs, and will appear during 1910 exclusively in



Admiral Evans' opinion of the Panama Canal is an especially valuable piece of analysis. He shows us our errors succinctly, gives us definite reasons why they are errors, and tells us how we may remedy these mistakes. His first Panama article will be published in January HAMPTON'S. Other articles on other subjects will follow, making of the Evans series one of the most valuable contributions to national thought that the year 1910 will bring forth. FREE: Sena your successful before January 1st and we will send you Nov-HAMPTON'S for 1910 will ember HAMPTON'S (containing 30 publish the biggest features that have ever appeared in any magazine. Send great pictures of Roosevelt's hunt) and the December number both FREE HAMPTON'S as a Christmas gift to For enclosed \$1.50 send me HAMPyour friends! TON'S for one year commencing with the January number, with the November

Each number of the Scientific American Supplement costs 10 cents by mail.

Order from your newsdealer or from

MUNN & CO., Inc., 361 Broadway, New York

It was feared that a very large per cent (Continued on page 400.)

Start your subscription NOW. \$1.50 a year.

HAMPTON'S MAGAZINE 66 West 35th Street, New York and December numbers FREE. Name..... Street City State.....

Please mention the SCIENTIFIC AMERICAN when writing to advertisers

of the balloons which fell on land would be lost, because of the nature of the country and the sparseness of the population, but on the contrary an astonishing proportion of them was recovered, owing to the keenness of vision of the natives. to whom a small reward was offered for every one returned.

What has been the result of this international aerial sounding? It has been discovered that all over the earth the air is stratified in three more or less distinct layers. The lowermost of these, the layer in which we live and which extends upward for two miles from the surface of the earth (at which height the freezing point is encountered) is a region of turmoil-warm to-day and cold to-morrow. This is the stratum of capricious winds, cyclones and anti-cyclones, of cool descending currents and warm ascending currents. All our weather forecasting is at present based on what can be learned from the general circulation of the air in this lowermost layer.

Above this first layer, which extends upward for perhaps two miles, begins the second layer, which is about six miles thick, and is less turbulent than the first. In it the air grows steadily colder and drier with increasing height. Temperatures as low as 167 deg. below the Fahrenheit freezing point have been recorded Whatever thermal irregularities here. there may be are caused by temperature changes on the surface of the earth and by the reflection of solar heat from clouds. The wind blows always in the same easterly direction; and the greater the height, the more ferocious is the blast.

ered lies above this. Originally revealed where. Your address on a postal secures by Teisserenc de Bort and Dr Richard this valuable book FREE. Send us your Assmann almost simultaneously, it was name and address to-day-We will do first known as the "isothermal stratum," because its temperature seemed to be stationary. Later, when it was found that the temperature, instead of remaining fixed, gradually increased, it was rechristened the "permanent inversion layer." The height of the inversion layer has not as yet been determined. It must not be supposed that, because its temperature rises, it is much warmer than in the second layer. As a matter of fact, its temperature must be placed somewhere between 122 deg. and 140 deg. below the Fahrenheit freezing point. This permanent inversion layer is puzzling in the extreme. In passing from the second to the permanent inversion layer, the wind is stilled to a breeze, the velocity decreasing from 25 to 80 per cent. The air blows no longer in a steadily easterly direction, but almost as capriciously as it does at the surface of the earth. Dryness, excessive dryness, is another characteristic of the permanent inversion layer. In summer time, the permanent inversion layer begins at a height of about 71/2 miles above the earth; the higher it lies, the colder it is; the lower it lies, the warmer it is. There is no bodily shifting up and down of warm and cold masses of air, so that a current ascending from the lower level spreads out when it encounters the permanent inversion layer, just as hot air which strikes the ceiling of a room.

Up to about 10 kilometers the decrease of temperature is almost adiabatic, then in the next 5 kilometers there is usually a rise in temperature of 8 deg. to 10 deg.



ONTAINS list of 3,000 magazines newspapers and Club offers. It is the handsomest and most complete magazine guide ever published. Printed throughout in two colors. It is crowded with profitableto-you suggestions. You cannot afford to be without it. The name HANSON is the accepted stamp of reliability and promptness in the magazine field. This Catalogue for 1910—FREE for the asking—will

Save You Magazine Money

We have the largest Magazine Agency The last of all the layers thus discov- in the world, and we are known everythe rest.

J. M. Hanson's Magazine Agency 240 Hanson Block, Lexington, Ky.

minded or not.



A DISCUSSION and analysis, from the business man's point of view, of the methods of business life, and the reasoning that underlies them. By imagination in business the author means the power to comprehend the instincts and prejudices of human nature,

16mo, Cloth, 50 cents net

and to depend upon human nature itself to carry them to success.

940,160 940,189 940,062 940,156 940,130 940,244 940,267 940,267 940,350 940,350 940,350 940,620 940,086 940,387 940,325940,235 940,285 940,381 940,013 940,116 940.564

C., with isothermal conditions up to at least 26 kilometers. The lower zone Teisserenc de Bort calls the "troposphere," and the upper one the "stratosphere." The former is a region of violent atmospheric disturbances, for it has been shown that cyclones do not extend above the cirrus clouds, though anti-cyclones persist to greater heights, and therefore the stratosphere is lowest in the cyclone and highest in the anti-cyclone, and its level sinks from the equator to the poles. The stratosphere is a region of interlaced currents and small vertical movements.

Up to the height of the permanent inversion layer, the temperature falls at an average of one degree C. per 100 (Concluded on page 401.)

The VALOR of IGNORANCE By HOMER LEA

 ${
m THIS}$ book is suited to the hour, and certain to arouse wide discus sion. Its object is to show the unpreparedness of the U.S. for Mr. Lea deals with conditions that render us liable to attack and discusses a plan by which the Japanese might seize and hold the Philippines, Hawaii, Alaska, and California.

Crown 8vo, Gilt Top, \$1.80 net

HARPER & BROTHERS

	Lubricator, R. C. Agner	940.572
	Magnetic separator. W. B. Moore	940.266
	Mail hag catcher, W. Wever	940.102
	Mail bag deliverer, H. J. Sanderson	
	Mail catching and delivering device for rail-	,
	ways, W. M. Moloney	940.180
- 1	Mail crane, H. J. Hedrick	40,152
- 10	Mail delivery car, rural, W. B. Yarberry	
	Mail marking machine, W. Barry	
- 0	Mailing tube, V. Guertin	
	Malt kiln, O. H. Luebkert	
-	Mantle, incandescent, O. Kaufmann	
-	Match safe, W. G. Monk	
	Match safe, J. E. Gearhart	
r	Matrices, producing, P. T. Dodge	30 088
-	Measuring device, chest expansion, C. W.	333,300
.,		940,256
• •		940,439
~	Measuring instrument, electric, A. H. Hoyt,	540,400
e	Measuring instrument, electric, A. II. 1109t, 940.318.	040 310
	Measuring tank, liquid, Smith & Meyer	
	Metal working machine, Sanford & Marshall.	
	Metal working machines, work support for,	540,013
	W. F. Zimmermann.	940,418
- 1	Metallic tie, M. F. Bonzano	
- 0	Meters, gearing for, A. F. Hintze	
- 1	Milk heater, A. H. Schlueter	
- 2	Mine, submarine, A. P. Broomell.	040 500
1	Minnor U Vardar	040 411
1	Mirror, H. Varder Mirror, portable, C. W. Angell	040 115
- 10	Mixtures, obtaining intimate, E. Dor-	010,110
1	Delattre	020 020
	Delattice	009,999

Please mention the SCIENTIFIC AMERICAN when writing to advertisers

meters (one degree F. per 182 feet). Be cause of the constant upheavals to which the air is subject in its lower levels, this average rate of temperature reduction as we ascend is not always observed. Sometimes it even happens that for a short distance the thermometer rises instead of falls, but ultimately the temperature drops at a uniform rate until it reaches a point lower than that recorded by any North Pole explorer.

The three layers of air which have been discovered by kites and balloons intermingle but slightly; one floats upon the other as oil floats upon water. Of the great ocean of air at the bottom of which we move and live, three-fourths lies below the permanent inversion layer. All our storms, our clouds or dust are phenomena of the lower two layers.

Treatment of the Eye by X-Rays.

(Continued from page 394.) cyclitous stages, a very moderate application of X-rays does not have an injurious effect upon the ocular tissues and is able, with the aid of local medication, to overcome the disease. In this connection I may cite a personal experience, in which one of my patients was afflicted with a serious ocular traumatism, perforation of the cornea, traumatic cataract, and plastic iridocyclite of fifteen days' standing. The case was brought to me for consultation on the 2d of February, 1907.

The eye was hypotonous, vision was extinct, hardly a sensation of light being preserved. The case seemed to be honeless, and in despair I made, in the course of one week, four applications of X-rays, extending from the 2nd to the 14th of February, and simply prescribed atropine.


On the 3d of April improvement was apparent, the eye resumed the normal tension, although there still remained perikeratic inflammation and only a very weak luminous perception.

A new radio-therapeutic treatment was effected the same day, and on the 5th of June all traces of the inflammation having completely disappeared a month previously, I was able to extract the cataract with complete success.

It is certain that one single case is not as safe to base conclusions on as is a series of observations on analogous cases. I have always thought, however, as a result of my experience in this case, that I would never have been able to obtain such a rapid improvement and radical cure without X-rays.

Since 1907 I have treated in this manner six cases of iridocyclite and a case of optic neurosis by the continuous rays. In the four initial treatments I have never applied irradiation too strongly, since the very first case (cataract and leucoma) revealed to me the danger of repeated treatments. The treatment has been considerably diminished in duration, and the cure is effected more rapidly than by ordinary medication. Irradiation of neurosis six times in the course of two months did not result in any improvement, but was terminated by optical atrophy.

This personal experience corroborates the conclusions of Cook and of Coover regarding the discontinuous effects of X-rays. The observations reported by the to intermittent X-rays, latter appiy which seem, in those cases where they have been utilized, to have a particular efficacy upon processes of cellular regeneration. The cases treated by Coover related to four ulcerous corneas, two iridocyclites, and three optical atrophies. The ulcers and the iridocyclites were cured in a few treatments: and as for the atrophies of the optic nerve, an improvement was achieved in one case after four treatments, in another after three treatments, and in the last case after seven treatments.



130 Fulton Street, New York



These really striking results, especially in cases as grave as optic atrophy, lead (Concluded on page 403.)

in transportation from the factory to store. Regular jewelers know how to find out and remedy such things, and they do before selling anyone a watch.

N. B.-When buying a Waltham Watch always ask your jeweler for one adjusted to temperature and position.

Please mention the SCIENTIFIC AMERICAN when writing to advertisers