Association, Boston, Mass,

It is four years since the Massachusetts Charitable Me chanic Association held their last industrial exhibition. The former triennial expositions were held at Faneuil Hall, Boston, but for the present exhibit, now open, special buildings have been erected that cover an area of two and a half acres, in close proximity to the depot of the Boston and Providence Railroad. The main building is constructed of wood, but the art building is of corrugated iron.

The exhibition as a whole is one of interest. The most prominent feature is the department of fine arts, where there is a good exhibition of oil and water color paintings, crayons, engravings, ceramics, statuary, architectural drawings, chromos, etc.; in the disposition of these good judgmenthas been shown. In the machinery department, though somewhat limited, there are some machines and mechanical contrivances in operation that for beauty of design and practical utility attract more than ordinary attention. Among these are the boilers and elevators by the Whittier Machine Company; a horizontal engine that drives the machinery in the main building, by C. H. Brown & Co., of Fitchburg, Mass.; looms by L. J. Knowles & Brother, Worcester, Mass.; and cotton spinning machinery by Davis & Furber, North Andover, Mass.

The boilers referred to are two in number, and furnish steam for the building. They are 54 inches in diameter, 16 feet long. Each boiler has 42 tubes, 4 ins. diameter and 15 feet long. The shell is 5-16 inch thick, heads 7-16 inch reason of the absence of the heat radiated from the gas-rethick. They are made of homogeneous steel plate from the Cleveland Rolling Mill Co., Cleveland, Ohio. These boilers are set with the Jarvis Furnace setting, and attract much attention, on account of the remarkable economy of fuel attained. After careful examination for three hours we found that steam at 60. lbs. pressure was maintained with fuel 80 per cent. of which was screenings and 20 per cent. of soft coal. At another stage of firing, pomace and screenings were used. There was no artificial draught, beyond the ordinary smokestack, which in this case is 55 feet high, and yet a bright, intensely hot fire was the result. The peculiar construction of the Jarvis Patent Gas-Consuming Furnace has already been fully described in this journal, and to this description we refer all who are interested.

The horizontal engine driving the machinery is one of the finest ever made by the manufacturers, and is admirable in workmanship, efficiency, and high finish. It is rated at 80 horse power. Cylinder is 16 inches diameter, stroke 42 inches. Band driving pulley is 12 feet diameter, with a face of 25 inches. The engine has Brown's variable cut-off, and makes 60 revolutions per minute.

The elevators, by the Whittier Machine Co., of Boston, Mass., are three in number, consisting of one steam and one hydraulic passenger elevator and one steam freight elevator. These are all in constant operation. The steam elevators are technically termed "double screw hoisting machines," and are operated by double upright reversing engines without links. The double upright hydraulic elevator is capable of lifting 3,000 lbs. at a time by the large cylinder, and 1,500 lbs. at a time by the small cylinder. These cylinders are made from the best loam castings, and fitted with the necessary piston, crosshead, guides for the crosshead, sheaves, and the inlet and outlet valves for the entrance and discharge of the water. The sheaves are grooved and bored in a lathe to insure accuracy of form. The piston, crosshead, and the sheaves, etc., attached to them, are counter-balanced by iron weights to render the consumption of water as small as possible, and to prevent the ropes from leaving their places on the sheaves, should the car in its descent meet an obstacle carclessly left in its path. There are two hoisting ropes, a shipping rope, and two counter-weight ropes, all of iron wire. The frame of the car or platwith plate iron, and fitted with Whittier's Patent Equalizing Sheave. The safety apparatus is so arranged that the breakage of either hoisting rope will operate it. The finish of the car is paneled and of good design. The car has an electric annunciator and a gas bracket with rubber tubing to steel as well as the fine granular appearance common to inconvey the gas to it. The size of the car is about 6 feet ferior steel. square. The machine has a register to record the amount of the shipping rope, to stop it when the car reaches the upper the new bar. The bar was then burned, and the pieces, Fig. landing, and specially designed to operate when the shipping | 2 and Fig. 3, broken off. Fig. 3 (one of the burned pieces) rope may get deranged or broken, and to protect the ma- was then heated and quenched in a compound manufactured

Exhibition of the Massachusetts Charitable Mechanic, twenty-four, working efficiently and noiselessly, the admira- and in fact every part of the boat, is different from those in tion of engineers and all visitors. The engine and pumps are elaborately finished in the highest style of mechanical art. The engine, boilers, and elevator were constructed by the Whittier Machine Company, of Boston, Mass., and have been under the charge of Chief Engineer M. G. Wood. The calms. same company have recently erected some fine machinery in the Orient Building, Wall street, New York.

Electric Lighting.

The advancement made of late in lighting by electricity is so full of promise, of such general interest and importance to the public, that we give, in order to call attention to some and never in the history of those regions have these convulbrief extract from a report from M. Delahaye to the Industrial Society at Rouen, referring to the lighting by electricity at the works of M. Manchon, an extensive cloth manufacturer.

"On entering M. Manchon's factory one is favorably impressed by a striking sense of intense brightness, excited that does not bring the news of some such gigantic action of more by the nearly entire suppression of shadows than by the brightness even of the light which pervades the shed. The workmen are very well pleased with the light obtained. The foremen, who, no doubt, are best able to form a comparison between the two lights, since they never quit the mysterious manner. The sea encircling the group was conbuilding, do not hesitate to declare that the electric light is much superior to the gas light, and that the women, like themselves, are much less fatigued after the long hours by flectors which were immediately over their heads. M. Manchon has also pointed out to me a considerable advantage in the new light, due to the well-known property of the electric light of not altering even the most delicate shades of color; the errors formerly fallen into by the workmen in renewing broken threads, or in refilling the shuttles, being thus prevented; the quality of the product is, in consequence, sensibly improved."

Comparative estimates of the cost for lighting on various the electric light over all other systems of lighting for equal powers would be shown.

Should electric lighting eventually supersede all other methods, as now seems very probable, it will, of course, seriously interfere with the consumption of coal and probably cause considerable reduction in its price, and will, happily, relieve the public from the too common oppressive monopolies of gas companies.

BAUER'S STEEL RESTORING AND REFINING COMPOUND.

Every one who has used steel tools sufficiently to become experienced as to their cutting capacity has discovered the



serious deterioration consequent to the least overheating in forging them, or the least defect in the quality of the steel. form is of ash, well ironed. Its crosshead is ash lined The use of burnt or inferior steel involves a serious loss of time and material.

> Mechanics generally can form a fair estimate of the quality of steel from the appearance of its fracture, and readily detect the coarse granular appearance accompanying burned

In Figs. 1, 2, and 3 are shown adjoining pieces of steel water used. It has also an automatic stop, independent of from the end of the same bar. Fig. 1 is a piece broken from chine and load from the injury which would without it be by the Steel Restorative Works, of 119 Greenwich avenue, likely to happen. The machine also has the shipping rope New York city. The grain of the latter is, it will be seen, considerably finer than the original steel. Of this compound Joshua Rose, M. E., says: "I have used it on a tool previously burned, and cut cast iron at 38 feet per minute, taking a The Economy of Good Workmanship and Material. heavy cut and coarse feed. I have tried it on burned steel of which a thin spring was subsequently forged, and the results were equally satisfactory." This compound is also used for annealing purposes, to remove the liability to warping or cracking, the steel being heated and then cooled in the compound, and then reheated

use. Captain Tucker is experimenting on some new principles which he thinks may be better than those in use. He will also put a steam boiler in this boat, for the purpose of forcing air underneath, which will be the power used in

Remarkable Earth Convulsions.

A correspondent of the San Francisco Chronicle, writing from Apia. Samoan Islands, under date of July 17, says that the most extraordinary convulsions of nature are taking place throughout the island groups of Southern Polynesia, of its advantages, which are not generally understood, a sions been so frequent as during the present year. There can be no doubt that raging fires of great vastness are now constantly active in the bowels of the earth all through these tropical latitudes, for daily new islands have been formed or old ones blotted out of sight, absorbed into the unknown by tremendous earthquakes. Scarcely a vessel arrives at Apia 'nature.

> Captain Hassenberg, master of the brigantine Matutu, lately arrived at San Francisco from the Ellisgroup, and reported that the earth had been acting in a very strange and stantly agitated, and vast quantities of pumice stone were being thrown to the surface. At the Island of Vaitupu it lay two feet thick upon the reef. When first upheaved it was hot, and occasionally mixed with lava. This phenomenon was believed to be the advance guard of a mighty eruption, and the natives were looking for such an occurrence daily. The group is of volcanic origin.

Reports of a remarkable convulsion of nature came from Tanna Island, and were vouched for by Captain Kilgour, master of the schooner Stanley. The phenomenon occurred on the 10th of January last. At that date a very severe shock of earthquake was experienced, and immediately afterward a body of land, estimated at 40 acres, situated at the systems might be given, from which the great advantage of north entrance of the harbor, slid into the sea, and was absorbed out of sight, as if it were a pebble.

> A New Zealand captain who reached Apia a few days before, brought the intelligence that a disastrous volcano eruption occurred at Blanche Bay, New Britain, in the early part of last February. An old crater that had been inactive during many years broke out with awful and alarming fury, destroying two villages, the natives of which fortunately escaped with their lives. The cruption was preceded by frequent shocks of earthquake, which alarmed the inhabitants, and taking a warning therefrom they fled just in time to save themselves. The shocks were very severe in New Britain, but were not felt on the Duke of York Island, only 20 miles distant. After the eruption it was discovered that great quantities of pumice stone had been thrown up from the sea, the extent being several miles in length and averaging half a mile in breadth. The pumice was spread in a crust of from three to five feet in depth. The old crater is still active and throwing up immense clouds of thick black smoke, accompanied by red hot stones and ashes. A loud roaring is distinctly audible for a distance of 20 miles from the crater. On the 3d of February a terrific shock rent portions of the coast of New Britain, and on the 4th two tidal waves swept with irresistible power along the shore, carrying with them fabulous bodies of earth. The whole face of nature has been changed by these convulsions.

> The British war vessel Sapphire, says the San Francisco Chronicle, touched at the island of Tongatabu. one of the Tonga group, in April, and leaving there on the 15th of the month steamed for the island of Vavau, a volcanic island which first made its appearance above the water in 1854 and has been constantly growing ever since, but as imperceptibly as a human being grows. The object of the officers of the warship was to note the changes of this growth in the years past. The captain of the ship John Wesley touched at the island in 1862, when it had reached a height of about 12 fect above the level of the sea. A few years later a Dutch captain estimated its elevation at 30 feet, and now it has attained an elevation of 111 feet as correctly measured by the Sapphire. Its summit was covered with sulphur, and large jets of steam and smoke issue slowly from the countless crevices. Except that no volcano is in sight, the ground is precisely like that adjacent to the great crater of Kilauea, on the Sandwich Islands, from which myriads of jets of steam are constantly ejected.

On the 11th of May, 1877, the waters of Apia harbor rose and fell with surprising rapidity. After a little while we had news of earthquakes and tidal waves on the American continent on May 10 of the same year. These waves must have traveled at a tremendous rate of speed. Since the 11th of May last the tides of Apia harbor have been remarkably low. Opposite Matafele the bank, or shoal, has grown considerably; in fact, all round the beach the land seems to have risen. ----

arranged to stop it automatically when the car reaches the upper or lower landings.

Five years ago a steam engine, six boilers and some elevating machinery were put into operation at the Boston Post Office. The engine, having the Rider cut off and a Norton ejector, a cylinder 14 inches in diameter, a stroke of 28 inches, a driving band pulley 8 feet in diameter and 18 inches face, working at low pressure of 25 lbs. per square and placed in sawdust. inch, and making 50 revolutions per minute, has not needed any repairs. Keys and screws have been adjusted, but for repairs there has not been an expenditure of one dollar. So with the boilers-48 inches in diameter, with shells of steel of Wiscasset, has lately launched a curious boat called 16 inch thick, each having 48 tubes, 3 inches diameter, and 15

A Queer Boat.

The Portland (Me.) Argus says that Captain R. H. Tucker, "Air Propeller." It is a diamond shape, 90 feet long and

How to Kill a Tapeworm in an Hour,

Dr. Karl Bettelheim, of Vienna, narrates, in the Deutsches Archiv, a heroic method and nearly sure cure in the short space of time of three quarters of an hour to two hours. It is this: He inserts a tube in the œsophagus, to the stomach,

and pours down from 200 to 400 grammes of a very concentrated decoction of pomegranate root, having previously had his patient fast for 24 hours. The worm is stupefied, feet in length-beyond careful cleaning, there have been no 15 feet wide in center; has flat bottom, five masts, covered and passed, head and all, to a certainty; the patient has no repairs. And yet this machinery for five years has been with very odd-shaped sails, which are three-sided, and every sickness of the stomach, and no naseous swallowing to do; in operation, on an average, twenty-one hours out of the alternate one is placed point down instead of up; the rudder, and the drug is cheap.—Med. and Surg. Reporter.