

(18) C. W. C. writes: I am fixing up a small mill to grind feed for my stock. It has a pair of sixteen inch burrs which run vertically. to be driven by a common 8 or 10 horse power with a 5/8 or 6 inch belt over a 10 inch pulley. What should be the length of the belt? A. We think the driving and the driven shafts should not be less than 12 feet apart.

(19) A. B. writes: I wish to make some mirrors, will you give me formula for depositing the silver? Have tried carefully the Siemens method described in SUPPLEMENT No. 105, but do not succeed. What is the trouble? A. You have probably neglected to clean your glass properly, or your aldehyde ammonia was not right. Try again, or use Chapman's process.

(20) J. J. C. writes: In receipt for cements in No. 9, current volume, you mention fresh beaten blood, etc., for Chinese cement; what kind of blood shall I use? A. Use such as may be obtained at slaughter houses. Beat it with an egg beater.

(21) G. B. writes: Some three weeks ago the town council engaged a man to dig a well for the public. He agreed to dig a 5 feet in diameter well for \$2 a foot in depth; owing to the nature of the ground he had to increase the diameter to 7 feet, which the council said they would receive, and pay him in proportion of above agreement. A dispute has now begun as to what it should be—the council say \$94 and his mathematicians say \$137.20. Who is right? A. The relative amount of earth removed will be as the square of two diameters; if the price for 5 feet diameter was \$2.00 per foot, then for 7 feet diameter it would be as the square of 5 to the square of 7 or as 25 to 49—49

300
25:9800
\$ 392x35 per foot and
3:92x35 feet=\$137.20

(22) J. W. writes: Please give an easy and practical method of setting a locomotive engine eccentric while on the road in case it should slip. A. If the position of the eccentric on the shaft is marked, as it should be, you have only to set the eccentric to the marks and fasten; if not marked, place the crank on the proper center, throw the valve gear into its proper position, and turn the eccentric around till the cylinder takes steam freely, and fasten. Whether you turn the eccentric forward or back, will depend upon whether it is the go-ahead or the backing eccentric.

(23) E. De N. asks: Will a crooked pipe of the same size and length, having same pressure (for water head), pass as much water as a straight pipe would? A. No: every bend you make reduces the quantity delivered.

(24) A. S. D. asks: Do the steamboat inspection laws prohibit the use of portable boilers in small boats, such as small ferry boats, when the boiler is made of wrought iron and the tubes put close together as they are in portable sawmill boilers? A. They do not.

(25) F. A. writes: In answer to A. W. H. (7), of February 14, 1880, No. (7), I would say that I obtained a fair copy from an electrotype by means of the gelatin pad by saturating a cloth pad with the ink, then pressing it on the electrotype, and, when dry, placing the same face down on the pad. If A. W. H. has a better method I will be obliged to him for instructions.

(26) J. W. C. asks: 1. Is tool steel better than machinery steel for magnets? A. Tool steel hardened and drawn to a yellow makes a good magnet if properly charged. 2. Will the Callaud battery answer as well as a Bunsen battery for a telephone? If not, why? A. Either will answer, but the Leclanche is considered the best battery for this purpose.

(27) R. H. G. asks: 1. What holds the smooth surfaces together that Professor Tyndall speaks of as being held as well in vacuo as in the open air? A. The force of adhesion. 2. Also of what is celluloid made? A. See p. 335, Vol. 39, SCIENTIFIC AMERICAN, query 46.

(28) M. J. L. asks: 1. What size should a boiler be (light as can be made) to raise and hold two or three pounds of steam, to run an engine not exceeding one horse power? A. To run a one horse power engine, it should have 12 to 15 feet fire surface. The thickness of metal may be 1-16 inch if the boiler is cylindrical. 2. How could the steam be gauged with perfect safety? A. Use both a pressure gauge and a safety valve, or if the pressure is not more than three or four lb. you can use a column of water as a safety valve.

(29) S. A. G. asks: 1. What makes the mark on sawed lumber. Does each tooth make a mark when a circular saw is used? A. If the teeth are evenly set, each tooth will make its own mark; but if not, some one projecting tooth will mark more distinctly than the others. 2. What would be the power required to run a boat 60 feet long and 20 feet wide—size of cylinders and boilers? A. For a stern wheel boat 66 feet by 20 feet wide, 2 engines, 10 inch cylinder and 30 inch stroke; one flue boiler 46 or 48 inches diameter and 18 feet long.

(30) C. B. G. asks: What is the best fire escape from a third or fourth story window that a lady could manage and carry in her trunk, and where could I get it? A. We think there is nothing better than a good strong knotted rope.

(31) P. A. H. asks how to make a strong battery out of a new pile Leclanche battery. A. The elements of Leclanche battery are not suitable for any other form. If you wish to make a strong battery see directions given in SUPPLEMENTS, No. 157, 158, and 159.

(32) R. E. M. writes: We have two saws, one 54 inches in diameter, the other 60 inches diameter. Now, if both run at the same speed, which will consume the most power in doing the same work? Both saws are alike in all respects but as mentioned. A. The larger one.

(33) E. J. C. asks: 1. Can I construct an induction coil of No. 36 wire and No. 16 or No. 24 wire? I have these sizes on hand. A. For a large induction coil, No. 16 will do for the primary and No. 36 for the

secondary. For small coils, use four or five layers of No. 18 or No. 20 for primary and No. 36 for secondary. 2. What size wire is generally used in sounders? I find 24 too large. A. Nos. 20 to 24 are used for local sounders, and for main line sounders Nos. 24 to 32, and in some cases wire as fine as No. 36 is used. The size depends entirely on the length or resistance of the circuit in which the instruments are used. 3. I constructed a telephone as shown in SUPPLEMENT, 142, Vol. 6, Fig. 4. It does not work as well as it should. Is it an exact representation of the Bell telephone? A. It is on the principle of the Bell telephone, and should work well if constructed according to the direction referred to.

(34) C. W. N. asks: How much will a 5/8 inch wire cable chain support? A. If you mean 5/8 inch diameter wire rope, about 14,000 lb.; if you mean chain of 5/8 inch diameter wire, about 26,500 lb. A safe working load is but one-fourth or one-fifth these weights.

(35) C. W. W. writes: A mechanical engineer of high standing claims that a pump will not draw water as high by running the pipe in a curve over a knoll as it would raise it vertically. As a proof of his assertion he states that it had been tried with a pump in good condition, to draw water out of a canal the bank of which was twenty-one feet eight inches above the level of the water. The pump was located about two hundred feet from where the pipe entered the canal. I claim that the pump or pipe must have been defective, as the only difference a curve would make would be what little additional friction the increased length of pipe, due to the curve, would have over a vertical lift equal to the highest point of the curve. I would state that the pipe in question was large enough to supply the pump under any condition. A. The curve makes no difference in the height the pump can lift, save only the increased friction, but the pipes must be tight; with the curved pipe as described, it is really a siphon in form, and if there be the slightest air leak, the air will collect at the top of the curve and thus stop the action of the pump. There should be a cock or valve at the highest point to let off the air.

(36) W. H. M. asks: 1. What are the requisite qualifications to become a locomotive fireman? A. Activity, faithfulness, sobriety, close observation, and a cool head. 2. Who are the proper persons to apply to for a situation? I don't think it is the master mechanic, as I have written to several and have received no answer. A. The master mechanic or superintendent. 3. In link motion, is it necessary for every hanger to be a little above or below the central line of motion? Will it not work just as efficient by being exactly upon the line of motion? A. It depends upon the proportion of the parts. 4. Which is the accepted mode of firing a locomotive boiler? A. There is no accepted mode, as the treatment differs with different fuel and different service; the best mode with any particular fuel and service is the result of experience.

(37) W. T. S. asks (1) whether 12 3/8 inch stay bolts are sufficient to stay the top sheet of a fire box 24x42 inch; one end of the bolts are turned into an eye, the other end running through a clevis with a nut on, steam pressure to be 120 lb. per square inch. A. No; you should have at least 30 stays, 3/4 inch or 7/8 inch diameter. 2. Would there be any objection in using steam from two boilers, by running a steam pipe from the smaller boiler into the larger one, running the pump on the smaller boiler to supply it with water? A. No.

(38) S. F. A. writes: We have a difference of opinion in the shop (U. P. R. R. machine shop) in regard to how a key should be fitted in a driving wheel. One party claims that the key should be fitted to bear the hardest, top and bottom; and the other party claims that it should be fitted to bear the hardest on the sides. A. The key should be a close fit at the sides, but have no draught; all the draught should be on top and bottom.

(39) W. H. D. asks how in using a "Richards" indicator for taking diagrams from steam engines, one is sure to have the proper spring inserted in the instrument. The indicator lent me has several springs all stamped with different numbers, which to an amateur like myself are very puzzling. I want to take diagrams from different engines, under varying pressures of steam, say with 20, 30, 40, 50 lb., and up to 100 lb. pressure in the boiler. I suppose I must change the springs for each rise or fall in pressure I work at, as the springs indicate such a course from some being stronger than others; 40 to 50 lb. will probably be what I will use most. A. The numbers on the springs are the number of pounds one inch in height of the cards made with that spring will represent. If you are using, say a spring marked 40, then in marking off the card, you will divide each inch in height into 40 parts, each part being one pound per square inch, and so with a spring marked 20, divide each inch into 20 parts, etc. There should be with the indicator a scale corresponding to each spring and marked 20 scale, or 30 scale, or 40 scale; these scales are to be used in measuring a card made by a corresponding spring.

(40) E. E. K. asks: 1. What is the weight of an ordinary locomotive without tender? A. For passenger engines 50,000 to 70,000 lb., for freight engines 70,000 to 80,000 lb. 2. What is the weight of the tender? A. Depends upon their capacity. 3. What proportion of the locomotive rests on the drive wheels? A. In passenger engines about two-thirds, in freight engines from four-fifths to the whole. 4. Is there any device in use to prevent drive wheels from slipping, outside of the use of sand? A. None successful that we are aware of.

(41) D. L. writes: I wish to locate two hydraulic rams to work together; the fall is 10 feet, and length of entry pipes 25 feet. The water is to be raised 80 feet through a pipe 1,000 feet long. Will they raise the same quantity of water through a tube of 2 inches diameter as through one of 1 inch diameter (outlet tube of course)? Would the rams work successfully in case the tube were 4 inches diameter? A. The rams will operate better through a 2 inch than a 1 inch pipe. No objection to the pipe being 4 inches diameter.

(42) H. S. asks: 1. What pressure will mercury flasks bear for a steam boiler, as in SUPPLEMENT, No. 182? A. We do not know the test to which mercury flasks are submitted; but they will undoubtedly

bear ten times the pressure usually carried on steam boilers. 2. How many flasks, and what size cylinder and propeller would it require for a Sharpie 26 feet long, 6 1/2 foot beam, to go eight to ten miles per hour? A. 20 flasks submitted to the fire, and 4 or 6 for steam reservoir; engine 4 inch by 4 inch stroke; propeller 24 or 26 inches diameter, and 33 to 38 inches pitch.

(43) P. H. asks: 1. Should in the speed of circular saws there be any difference for a cross cut and a rip saw? A. No difference of speed between a cross cut and rip saw. 2. What should be the speed of the cylinder of a planer (surfacer), and what the feed for soft wood work, such as general mill work, and what for hard wood work, such as furniture? A. For a planer, about 800 revolutions per minute; the feed must depend upon the character of the wood and condition of the knives. 3. What is the proper speed of a band and what for a scroll saw? A. Speed of band saw 6,000 feet per minute; speed of scroll saw if well constructed and balanced, from 800 to 1,000 strokes per minute.

(44) J. C. B. asks: Can you give me any remedy that will drive off or kill water bugs? Our house is becoming infested with them. A. Persian insect powder thoroughly blown into all the crevices at the wall, around the water pipes, and around walls will generally dislodge and kill them. The powder should be applied once a week for three or four weeks.

(45) J. G. S. asks: Can you tell me through the SCIENTIFIC AMERICAN how I can copper plate or silver plate small brass articles without a battery, or how to make a battery and liquid to do it as cheaply as possible? A. You will find on p. 409 (15), Vol. 40, of SCIENTIFIC AMERICAN, directions for making a silvering solution to be applied with a cloth, and on p. 219 (43), same vol., there are directions for coppering castings.

(46) J. S. B. writes: In your issue of March 20, under "Notes and Queries," your correspondent, B. S. (19) complains of the wasting away of copying pad in cleaning after use. There is no necessity for cleaning off the impression. If the pad is laid aside for 24 hours it will be found that the ink has been entirely absorbed, and a perfectly clear surface is left for another copy.

(47) S. B. G. asks: 1. Why was Cleopatra's monolith named a needle? A. Slender rock columns, whether natural or artificial, are commonly called "needles." 2. Has Cleopatra's needle reached New York yet? A. No. 3. In what part of the city will it be set up? A. Not decided. 4. Does the Cassiquari River in Brazil always flow in the same direction? A. No.

MINERALS, ETC.—Specimens have been received from the following correspondents, and examined, with the results stated:

G. W. G.—Nickeliferous pyrrhotine—worth an analysis.—J. M.—Quartz, with sulphide of iron—not valuable.—J. W. K.—Magnetite—magnetic oxide of iron—in gneiss rock.—J. B. G.—It is quartz rock—of no value.

COMMUNICATIONS RECEIVED.

Report of Weekly Meeting of Polytechnic Association. On the Iowa Meteorite. By A. W. B. Curiosities of the Key Board. By

OFFICIAL.]

INDEX OF INVENTIONS

FOR WHICH Letters Patent of the United States were Granted in the Week Ending March 9, 1880, AND EACH BEARING THAT DATE. [Those marked (r) are reissued patents.]

A complete copy of any patent in the annexed list, including both the specifications and drawings, or any patent issued since 1867, will be furnished from this office for one dollar. In ordering please state the number and date of the patent desired, and remit to Munn & Co., 37 Park Row, New York city.

Alcoholic vapors in water, apparatus for collect- 225,349
ing, M. Cziner.
Aluminous cake, making, C. V. Petraeus. 225,300, 225,301
Animal trap, T. Wilson 225,251
Audiophone, T. W. Graydon 225,364
Augers, operating earth, G. H. Wood 225,453
Axle box, car, G. W. Brownell 225,269
Axle box, car, T. Haynes 225,219
Baling press, A. M. Paxton 225,416
Barrel machine, L. Smith 225,303
Beastead, folding cabinet, A. W. & C. T. Kendrick 225,393
Belt fastener, R. McCully 225,405
Bicycle brake, S. Sawyer 225,239
Boiler furnace, steam, J. Mahony 225,402
Book for holding blank forms, A. J. Clark 225,343
Boot and shoe, J. T. Shaw 225,427
Boot and shoe, R. W. Witham 225,451
Boot and shoe sole burnishing machine, D. C. Mathews 225,228
Boot or shoe measure, G. H. Cushman 225,210
Boring machine, G. Gardner (r) 9,114
Boring tool, metal, L. C. Little 225,291
Bottle stopper, S. S. Newton 225,298
Bottlewashing machine, C. Michel 225,231
Brake lever, A. C. Fish 225,358
Brick machine, C. V. Hemenway et al. 225,283
Brick machine, J. A. Reeder 225,418
Building blocks, pottery shape for, A. Campbell 225,338
Bulletin board, Watkinson & Whelan 225,446
Burglar alarm, electric, C. H. Carter 225,271
Button, A. D. Jeffrey 225,288
Button holes, eyelets, etc., stitching, J. A. House 225,381
Car brake, L. S. Hoyt 225,382
Car center plate, railway, Bradley, Jr. 225,332
Car coupling, Myer & Skinner 225,410
Car door sill, grain, D. F. Van Liew 225,441
Car starter, A. Stewart 225,433
Cars, apparatus for delivering railway ties from, J. Pusey 225,236
Cars, implement for moving, J. M. Brown 225,336

Cars to moving trains, device for attaching, A. B. Chapin 225,272
Carpet stretcher, J. A. Dice 225,273
Carriage spring, W. H. Brace 225,334
Caster, furniture, C. Brinton 225,335
Chain guide, oscillating hand, A. Box 225,330
Chair, E. J. Smith 225,431
Charcoal kiln, W. A. Miles 225,296, 225,297
Clothes pounder, J. Keller, Jr. 225,392
Coffee or spice mill, W. Stow 225,243
Coke oven, beehive, S. Diescher 225,354
Cooking apparatus, steam, J. Ashcroft 225,317
Cooking vessel, W. Y. Thomson 225,246
Copy holder, A. Iske 225,356
Cornice, adjustable window, J. W. Campbell 225,339
Corset, abdominal, S. A. Cunningham 225,211
Corset steel fastening, L. Hill 225,375
Cotton chopper and cultivator, comb'd, W. S. Neal 225,411
Cradle, rocking, J. W. Mucks 225,233
Crank and wheel for machinery, comb'd, H. Young 225,454
Crimping machine, Stoddard & Field 225,431
Cultivator, A. Aker 225,264
Cultivator, A. Stauffacher 225,384
Cutlery, pocket, J. D. Frary 225,359
Dentaphone, T. W. Graydon 225,365
Dentist's chair, E. T. Starr 225,432
Dividers, J. F. Sullivan 225,436
Door check, C. Hopper 225,380
Dredging machine attachment, J. A. Ball 225,246
Dust pan, E. J. Riley 225,302
Dyeing and washing yarn, cloth, etc., apparatus for, H. P. & W. Gray, Jr. 225,363
Electric conductor, underground, A. T. Boone 225,278
Electro-magnetic motor, J. S. Lamar 225,395
Extinguishing device, F. E. Dallery 225,350
Fan, H. Clayton 225,346
Fan, fly, S. B. Odyke 225,413
Felly for wheels, metal, H. E. Lambert 225,225
Fermenting casks, ventilating valve for, H. Guth 225,368
Firearm, breech-loading, V. Sauerbrey 225,423
Fire lighter, B. Swift 225,244
Fuel burning apparatus, S. B. King 225,223
Furnace, T. M. Fell 225,357
Gag runner, R. W. Jones 225,391
Game apparatus, J. Miles 225,407
Gas, apparatus for enriching and economizing coal, G. T. Strong 225,435
Gong alarm, C. F. West 225,447
Grain binder, J. Bingham 225,335
Grain decorticating and cleaning apparatus, U. Boucher 225,329
Grain separator, J. Grube 225,367
Grain separator, H. E. Wright et al. 225,263
Grate bar, R. Reilly 225,419
Grater, vegetable, F. Wittenmeier 225,313
Grinding mill for grain, millings, etc., Higginbottom & Hutchinson 225,374
Gun wad, J. Neimeyer 225,412
Hair pin, A. J. Shipley 225,428
Hair pin, J. R. Smith 225,430
Hammering draw plates, machine for, C. D. Rogers 225,238
Harness, T. Boardman 225,328
Harrow, J. & G. E. Waggoner 225,444
Harrow, wheel, F. Brammer 225,331
Harrow, wheel, C. La Dow 225,394
Harvester and thrasher, comb'd, C. J. F. Wilkins 225,449
Harvester reel, W. H. H. Freeman 225,360
Hat punching and shaving machine, J. B. Brown 225,270
Hat, ventilating, H. Pearce 225,235
Hay press, L. B. Lathrop 225,396
Headlight, signal, M. Nicholson 225,299
Hog trough, W. G. Vincent 225,309
Hoop bending machine, J. W. Jones 225,222
Horn and shell goods, making, L. Tillinghast 225,247
Horse power, R. C. Wade 225,445
Horse rake, F. E. Kohler 225,290
Horseshoe, J. R. Williams 225,260
Horseshoe bending machine, J. R. Williams 225,257
Horseshoe blanks, creasing machine for, J. R. Williams 225,253
Horseshoe blanks, machine for cutting off, J. R. Williams 225,252
Horseshoe blanks, machine for trimming, J. R. Williams 225,254, 225,255
Horseshoe blanks, making, J. R. Williams (r) 9,111
Horseshoe swaging die, J. R. Williams 225,258
Horseshoes, die for forming toe clips in, J. R. Williams 225,256
Horseshoes, manufacture of, J. R. Williams 225,259
Hose, applying bands to, T. Earle 225,216
Hose, cut, J. Bigelow (r) 9,113
Hydraulic elevator, J. R. McPherson 225,294
Hydro-pneumatic apparatus, T. A. Martin 225,293
Ironing table, G. W. De Mott 225,322
Journal bearing for shafts, C. C. Klein 225,224
Key blanks, manufacture of, P. Mathes 225,227
Kite, J. Thompson 225,386
Lamp, J. G. Greene 225,366
Lamp, electric, E. Weston 225,312
Lantern, signal, R. W. Lewis 225,397
Lead and crayon holder, J. Hoffman 225,379
Lead, preparation of metallic, A. K. Eaton 225,356
Lifting, carrying, and lowering heavy bodies, apparatus for, J. C. Moore 225,408
Loom let-off mechanism, J. D. Cottrell 225,348
Mashing machine, A. Dieryckx 225,213
Meat and vegetable slicer, A. & A. Iske 225,287
Meat hook, B. F. Clark 225,245
Mechanical movement, J. D. Wright 225,262
Medicine case, Barnett & Hurlburt 225,320
Metal bending tool, S. Patterson 225,415
Millings purifier, A. R. Guilder 225,218
Millstone dressing machine, E. H. C. A. T. Vulpius 225,442
Moulded articles of manufacture, composition of matter for making, G. F. Woodward 225,261
Moulding apparatus, G. Woolnough 225,314
Motion, device for converting, Hitchcock & Wake-man 225,372
Mower and bearing, lawn, E. F. Morse 225,236
Nail plate feeder, A. Trumbour 225,438
Netted fabrics, frame for drying, H. Dewaele 225,212
Nut punching machine, W. Shields 225,429
Packing for piston rods, metallic, T. Tripp 225,307
Packing, piston, T. Tripp 225,308
Packlog, F. W. Mix 225,406
Pantaloons, J. W. Lingard 225,299
Paper bag machine, E. Bennett 225,32
Paper box, J. B. Parker 225,414
Paper cutting machine, E. R. & T. W. Sheridan (r) 9,115
Paper for detective purposes, treating, N. J. Heckmann 225,292
Paper, preparation of bank note, H. Hayward 225,279
Paper pulp, machine for separating the fibers of wood for, P. & G. C. Rose (r) 9,110
Paper, repulping, C. Coon 225,347
Peach stoner, J. K. Hogan 225,378
Peg cutter, E. Holmes 225,284, 225,285
Pen, stylographic fountain, C. W. Livermore 225,401
Pencil case, C. L. Downes 225,214
Phototype plates, producing, E. Jacobi 225,339
Pianoforte key pedal, T. H. Knollin 225,289
Pipe joint, flexible, A. Bataille 225,287

Advertisements.

Inside Page, each insertion --- 75 cents a line.
 Back Page, each insertion --- \$1.00 a line.
 (About eight words to a line.)
 Engravings may head advertisements at the same rate per line, by measurement, as the letter press. Advertisements must be received at publication offices early as Thursday morning to appear in next issue.

The publishers of this paper guarantee to advertisers a circulation of not less than 50,000 copies every weekly issue.

DEAFNESS.
 Dr. JUDGE'S easy and pleasant method of treatment for Deafness, Catarrh, Asthma, Consumption, Bronchitis, Coughs, Colds, Nervousness, and lung complaints is well deserved of success. Send for pamphlet or call and see letters from all parts of the country. Trial free at our office. No charge for consultation by mail or in person. Sent by express everywhere. Dr. J. D. JUDGE & Co., Physicians, 79 Beach St., Boston, Mass. Ladies' entrance to Parlors, 79 1/2, opposite United States Hotel.

Wanted in every Family.
 Splendid combination. Step ladder, height, 5 feet; clothes bars, 20 feet; best ironing or skirt board, all neatly combined in one compact, durable article. Can be carried in one hand. Weighs only 25 lbs. Customers say, "Well pleased." Send for sample. Price \$2. Agents' terms a bonanza. Rights for sale. Address J. H. MARTIN, Hartford, N. Y. See illustration in SCIENTIFIC AMERICAN, March 20, 1880.

WANTED.—A SECOND-HAND STEAM HAMMER, 70 lb. or upward. Give price and name maker. A. MATTISON, 324 S. Halsted St., Chicago, Ill.

THE BLAKE "LION AND EAGLE" CRUSHER,
 A patented improvement of the former "New Pattern" Blake machine. Has greater strength and much greater efficiency than the old. It is about half the power to drive, and is transported at much less expense (the size most used weighing 5,000 lb. less than the unimproved machine). It requires less than half the time in oiling and other manipulation, and less than half the expense for repairs. Address E. S. BLAKE & CO., Pittsburg, Pa., Sole Proprietors and Manufacturers.

STEAM PUMPS.
 HENRY R. WORTHINGTON,
 239 Broadway, N. Y., 83 Water St., Boston.
 709 Market St., St. Louis, Mo.
 THE WORTHINGTON PUMPING ENGINES FOR WATER WORKS—Compound, Condensing or Non-Condensing. Used in over 300 Water-Works Stations.
 WORTHINGTON STEAM PUMPS of all sizes and for all purposes.
 Prices below those of any other steam pump in the market.

WATER METERS. — H. METERS.
BEECHER & PECK,
 Successors of MILO PECK, Manufacturers of PECK'S PATENT DROP PRESS.
 Regular sizes Hammer from 50 to 2,570 lb. Special attention given to making of Drop Dies, Drop and Machine Forgings.
 New Haven, Conn.

WANTED, ONE FOREMAN MACHINIST and one Pattern Maker and Draughtsman. Address I. C. HALTEMAN & Co., Manufacturers of Steam Engines and Mill Machinery, 161 South 3d Street, St. Louis, Mo.

PROGRESS OF INDUSTRIAL CHEMISTRY.—By J. W. Mallet. The latest and most approved processes, and the latest experimental results in the manufacture of the following important commercial products: Nitric Potassium Chloride, Potassium Sulphate, Potassium Chlorate, Pyro-Chromate, Potassium Ferro-cyanide, Potassium Cyanide, Sodium Chloride, Sodium Nitrate, Sodium Sulphate, Borax, Ammonium Chloride, Calcium Chloride, Calcium Chlorate, and Magnesium Sulphate. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 214. Price 10 cents. To be had at this office and from all newsdealers.

The Premium DUC'S IMPROVED ELEVATOR BUCKET.
 Made in sizes from 3 1/2 to 20 inches. For use in FLOUR, GRAIN, MALT, CORES, COAL, BROKEN STONE, SAND, DRUGS, SPICES, PLASTER, etc., etc. These buckets are struck out from the best charcoal iron, and are almost indestructible. No corners to catch. No seams to burst. Run with great ease and fill full every time. No interior corners to clog up.
 T. F. ROWLAND, Sole Manufacturer, Brooklyn, N. Y.

WANTED,
 A competent and reliable man as "Time Keeper" in a general machine shop and foundry employing 30 to 400 men. Must be thoroughly experienced. Address: I. W. Box 773, New York.

ELECTRO-MAGNETS,
 1 1/2 in. long, 3/4 in. diameter. silk wound wire, by mail, 25 cents.
 J. H. HINGLE, Rutherford, N. J.

AN EASILY MADE SMALL, STRONG, AND CHEAP BOILER for little Steamboats. By H. K. Stroud. With an engraving. This excellent little boiler is made of wrought iron mercury flasks, which may be readily obtained, ready for use. Seven flasks are screwed together with ordinary gas fittings. This boiler has been used for a year past, with much success, in the steam Sloop yacht Mangelita. Length of boat, 16 ft. 5 in.; beam, 4 ft. 6 in.; propeller, 16 inches diameter. For further description of boiler, boat, and engine, with method of securing the propeller shaft in stern post, see SCIENTIFIC AMERICAN SUPPLEMENT, No. 182. Price 10 cents. To be had at this office and of all newsdealers.

\$10,000. SAFETY LAMP.
 Mailed Free for 35 Cts. \$10,000 will be paid to any person who can reproduce a lamp fitted with our PATENTED SAFETY ATTACHMENT. May use any lamp or burner. Prevents dripping and heating. Send for samples, with size of collar and depth of your lamp. S. S. Newton's Safety Lamp Co., 13 West Broadway, New York. Factory and Office, Binghamton, N. Y.

Steel Castings
 From 1/2 to 15,000 lb. weight, true to pattern, of unequalled strength, toughness, and durability. 15,000 Cast-Steel Shafts and 10,000 Gear Wheels of this steel now running prove its superiority over all other Steel Castings. Send for circular and price list. CHESTER STEEL CASTINGS CO., 407 Library St., Phila., Pa.

Forster's Rock & Ore Breaker and Combined Crusher and Pulverizer.
 The simplest machine ever devised for the purpose. Parties who have used it constantly for six years testify that it will do double the work of any other Crusher, with one-third the power, and one-half the expense for keeping in repair. The smaller sizes can be run with Horse Power. Address TOTTEN & CO., Pittsburg, Pa.

WE MAKE a Good Strong STEAM ENGINE,
 Cylinder 12x15 inches; 35 Horse Power; with Fly Wheel or Pulley and Governor. All complete. New. Price, \$600. Address W. P. DUNCAN & CO., Bellefonte, Pa.

FIRE BRICK AND CLAY RETORTS ALL SHAPES
 BORGNER & O'BRIEN
 23 1/2 ST. ABOVE RACE, PHILADELPHIA.

WANTED.—A Second-hand Upright Boiler, 2-horse power. NIMS & BEACH, Lexington, Mich.

Ammoniacal Liquor and Coal Tar.
 Sealed Proposals will be received at the office of the Cincinnati Gas Light and Coke Company, Cincinnati, Ohio, until 12 o'clock noon, May 1st, 1880, for the Ammoniacal Liquor produced at the works of said Company, extending over a period of five (5) years from July 1, 1880. The Liquor will be delivered in car-tanks on sidetrack, in tank-barges on the river, or at any point on the line of the Gas Company's premises. The strength to be of the same average as at present. The strength to be of 2,000 pounds of coal carbonized. Payments to be made monthly. Security in the sum of \$10,000 will be required. The Company reserves the right to reject any and all bids. It is desired by the successful bidder, arrangements can be made for the purchase of the Coal Tar produced during the same period. Address ROBERT BROWN, JR., Sec'y, Cincinnati Gas Light and Coke Co., Cincinnati, O.

SPY GLASSES
FIELD GLASSES,
MICROSCOPES,
JAMES W. QUEEN & CO.,
 924 CHESTNUT ST., PHILADELPHIA, PA.
 Catalogues sent on application.
 Part 1.—Mathematical Instruments.
 Part 2.—Optical Instruments.
 Part 3.—Magic Lanterns.
 Part 4.—Philosophical Apparatus.

STEAM PUMPS.
THE NORWALK IRON WORKS CO.,
 SOUTH NORWALK, CONN.
 SCIENTIFIC AMERICAN SUPPLEMENT.
 Any desired back number of the SCIENTIFIC AMERICAN SUPPLEMENT can be had at this office for 10 cents. May also be had or ordered through booksellers and newsdealers everywhere. MUNN & CO., Publishers, 37 Park Row, New York.

VALUABLE MACHINERY.
 Large Rolling Mill in East St. Louis, Ill. for sale at retail—consisting in part of rail train, muck train, squeezers, punches, slotlers, rail straightener, roll lathe and fixtures, engines and boilers. Address early. POPE IRON & METAL CO., St. Louis, Mo.

SUPERINTENDENT WANTED—FOR A 16-Set Woolen Mill. Only those thoroughly competent need apply. Give references, experience, and salary expected. Address Box 1,926, Post Office, New York.

Jobbing in Wood Work.
 Fine machinery used, and the best of workmen. C. C. SHEPHERD, 204, 206, and 208 W. Houston St., New York.

NEW ILLUSTRATED CATALOGUE, 1880, on Foot Lathes, Machinists' Tools, Gear Cutting Attachment for Lathes, Improved Work Holder, Twist Drills and Chucks, etc. Tyson Vase Engine—small Steam Motor; no boiler; no danger. Suitable for running Light Machinery. Address JACKSON & TYLER, 27 German St., Baltimore, Md.

WATCHES From \$2 up; other goods FREE in proportion. Mammoth Illustrated Catalogue. E. NASON & CO., 111 Nassau Street, New York.

Shafts, Pulleys, Hangers, Etc.
 Full assortment in store for immediate delivery.
 WM. SELLERS & CO.,
 79 Liberty Street, New York.

TRADE MARKS.
 Button card, G. P. Farmer 11,671
 Buttons, J. Rowbotham 11,675
 Carpet, H. Horan 11,674
 Clock frame, L. B. Tuttle 11,676
 Flush bolt, H. Jaworski 11,673
 Hanakerchief, A. Tilt 11,673
 Knit fabrics, S. Conde 11,669, 11,670
 Scarf pin, J. Paxton 11,672
 Vase and pedestal, W. Bayley 11,677

DESIGNS.
 Button card, G. P. Farmer 11,671
 Buttons, J. Rowbotham 11,675
 Carpet, H. Horan 11,674
 Clock frame, L. B. Tuttle 11,676
 Flush bolt, H. Jaworski 11,673
 Hanakerchief, A. Tilt 11,673
 Knit fabrics, S. Conde 11,669, 11,670
 Scarf pin, J. Paxton 11,672
 Vase and pedestal, W. Bayley 11,677

English Patents Issued to Americans.
 From March 5 to March 9, 1880, inclusive.
 Boiler, steam, W. M. Fisher et al., Cincinnati, O.
 Bolting machine, C. J. Shuttleworth et al., Springville, N. Y.
 Disinfecting apparatus, E. J. Mallett, Jr., N. Y. city.
 Hoisting blocks, R. L. Shute, Cincinnati, O.
 Iron fenders, manuf. of, E. J. Lasius, Jersey City, N. J.
 Knitting machinery, W. H. McNary, B'klyn, N. Y.
 Lacing apparatus for boots, etc., W. H. Ducker, New York city.
 Lamp, electric, J. H. Guest, Brooklyn, N. Y.
 Motor, E. L. Brady, New York city.
 Organs, etc., apparatus for playing by electricity, J. Y. Smith, Pittsburg, Pa.
 Spinning mules, H. Hendry, Newark, N. J.
 Umbrellas, A. H. Ege, Mechanicsburg, Pa.
 Vessels for aerial navigation, A. L. Blackman, Nashville, Tenn.
 Vehicles for carrying grain in bulk, T. T. Prosser, Chicago, Ill.
 Wringing and mangling machine, J. Cherk, N. Y. city.

MAGNETIC REACTIONS.—BY THEO. du Moncel. An interesting and instructive paper, by one of the most eminent of French electricians, demonstrating that the effects of magnetism, like those of electricity, are of two different natures, according as magnets act as currents or as charges in the static state. Static action and dynamic action defined. How static magnetism is distributed in a simple magnetic system shown by magnetic phantoms. The effects which result from reactions exchanged between a magnet and its armature. Apparatus for showing this. Magnetism, from a static point of view, shown to behave like electricity in a condenser. Magnetic condensation. Remanent Magnetism, and how it differs from Condensed Magnetism. Illustrated with 11 figures. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 217. Price 10 cents. To be had at this office and from all newsdealers.

PIANOS \$150 TO \$400.—All strictly first-class.—Sold at Wholesale factory prices. Highest Honors at Centennial Exhibition. Mathews's Scale for Square Grand. Finest of lights in America. \$2,000 in use. Catalogue of 48 pages, free. **JUBILEE ORGANS,** the best in the world. An 8 stop organ only \$65; (12 stop) \$85. Circular free. All sent on 15 days' trial freight free if unsatisfactory. Factory, 57th St. and 14th Ave. SHEET MUSIC at 1/3 price. Catalogue of 300 choice pieces sent for 3c stamp address. **ORGANS** MENDELSSOHN PIANO CO., Box 2058, N. Y.

Universal Hand Planer, Judson's Patent. Model makers, jewelers, and metal workers generally, find this tool of great value. Prices reduced. Send for illustrated catalogue of Planers, Iron Cutters, Shears, Punches, Universal Ratchet Drills, etc. Manufactured exclusively by OLD COLONY RIVET CO., Kingston, Mass.

COMPARATIVE VALUE OF GAS AND COAL.—By Geo. S. Dwight. An interesting paper giving numerous speculations about the waste of coal due to the extravagant methods now in vogue in all civilized centers in obtaining the thermal effects of this fuel; showing how a reformation of so glaring an evil may be effected, and how the losses may be reduced; and pointing out the advantages to be derived from the use of water-gas, which the author believes is destined to become the "fuel of the future." Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 216. Price 10 cents. To be had at this office and from all newsdealers. The same number contains a valuable article on the "Heating Power of Coal Gas," by Dr. Wm. Wallace.

A MANUFACTURER WANTED TO make Selxas' Patent Weighted Horse Shoe, as described in this Journal Feb. 14th. Address J. S. BROWN, Galveston, Texas.

CAVEATS, COPYRIGHTS, LABEL REGISTRATION, ETC.
 Messrs. Munn & Co., in connection with the publication of the SCIENTIFIC AMERICAN, continue to examine Improvements, and to act as Solicitors of Patents for Inventors.
 In this line of business they have had OVER THIRTY YEARS' EXPERIENCE, and now have unequalled facilities for the Preparation of Patent Drawings, Specifications, and the Prosecution of Applications for Patents in the United States, Canada, and Foreign Countries. Messrs. Munn & Co. also attend to the preparation of Caveats, Registration of Labels, Copyrights for Books, Labels, Reissues, Assignments, and Reports on Infringements of Patents. All business intrusted to them is done with special care and promptness, on very moderate terms.
 We send free of charge, on application, a pamphlet containing further information about Patents and how to procure them; directions concerning Labels, Copyrights, Designs, Patents, Appeals, Reissues, Infringements, Assignments, Rejected Cases, Hints on the Sale of Patents, etc.
Foreign Patents.—We also send, free of charge, a Synopsis of Foreign Patent Laws, showing the cost and method of securing patents in all the principal countries of the world. American inventors should bear in mind that, as a general rule, any invention that is valuable to the patentee in this country is worth equally as much in England and some other foreign countries. Five patents—embracing Canadian, English, German, French, and Belgian—will secure to an inventor the exclusive monopoly to his discovery among about ONE HUNDRED AND FIFTY MILLIONS of the most intelligent people in the world. The facilities of business and steam communication are such that patents can be obtained abroad by our citizens almost as easily as at home. The expense to apply for an English patent is \$75; German, \$100; French, \$100; Belgian, \$100; Canadian, \$50.
Copies of Patents.—Persons desiring any patent issued from 1836 to November 26, 1877, can be supplied with official copies at reasonable cost, the price depending upon the extent of drawings and length of specifications.
 Any patent issued since September 11, 1836, at which time the Patent Office commenced printing the drawings and specifications, may be had by remitting to this office \$1.
 A copy of the claims of any patent issued since 1836 will be furnished for \$1.
 When ordering copies, please remit for the same as above, and state name of patentee, title of invention, and date of patent.
 A pamphlet, containing full directions for obtaining United States patents sent free. A handsomely bound Reference Book, gilt edges, contains 140 pages and many engravings and tables important to every patentee and mechanic, and is a useful hand book of reference for everybody. Price 25 cents, mailed free.
 Address **MUNN & CO.,**
 Publishers SCIENTIFIC AMERICAN,
 37 Park Row, New York.
 BRANCH OFFICE—Corner of F and 7th Streets, Washington, D. C.