would be more free buyers abroad, but the imports of the last year only figure for \$40,796,007, against \$51,377,633 the year preceding, while our exports advanced from \$17,551,322 to \$19,165,321 during the same period. This, it will be remembered, is our largest industry (next to agriculture), and great as are England's advantages, we think it no overconfidence to expect a steady increase in the exports, especially in stationary and locomotive engines, boilers, car wheels, edge tools, fire-arms, and general machinery, in all of which there has been a healthy growth in our foreign trade the past year.

The percentage of imported to home manufactures consumed, taking the figures of the last census for the latter, shows in a most gratifying way how small comparatively many of our imports are when considered in connection with the great and varied demands of our people. In agricultural implements, while producing to the value of nearly seventy million dollars, we imported nothing, and exported last year \$3,940,509, an increase of about one million on the preceding twelve months. In beer, ale, and porter, with production over a hundred million dollars, imports were only 0.74 of one per cent. In carriages, carts, etc., while producing \$76,971,137, the imports were 0.12 of one per cent, with exports last year of \$1,607,502. In railroad cars we import nothing, but last year exported \$1,900,903. In outton manufactures and mixed textiles we imported 8.78 per cent of our consumption, exporting not quite half as much. In jewelry, etc., with manufactures of \$33,896,910, night or by day. the imports were only 0.85 of one per cent, and the exports of last year were \$422,854. In leather we are still considerable purchasers of fine calf and kid skins, and with a total production exceeding two hundred million dollars in value, imported 3.62 per cent of our consumption, exporting about an equal value in heavy sole leather. In paper and stationery, while manufacturing to the value of \$180,179,380, we used 0.99 of one per cent of foreign, and our exports last year were \$1,589,908. In plated ware, printing presses and types, scales and balances, and a thonsand lesser articles, we imported nothing, although there is hardly an article in the list of which we do not export to some extent.

In the whole outlook of our business, as affected by imports and exports, there is but one point on which the eye can rest with serious dissatisfaction, and that is in remembering that nearly all of our carrying trade with foreign ports, both imports and exports, is done by vessels built and owned abroad. We sold last year to foreigners only \$169, 209 in both steam and sailing vessels, or only about one tenth the value of an ordinary Atlantic liner, so that our shipbuilders can only find employment in working for the coasting trade or in an occasional government contract. rican hands we should undoubtedly experience a great augmentation of our exports of manufactures, and be able to compete with foreign producers on far better terms in the markets of South America, Australia, on the Indian Ocean and elsewhere.

ECONOMY OF STEAM.

The suggestion was recently made that power might be economized in the use of steam engines by employing the steam, not as the direct motive force in driving whatever machinery was involved, but rather by causing it to expend its energy in forcing air into a suitable reservoir, this compressed air cylinder furnishing then the active agent for pro pulsion. The object at that time was that wind wheels might come in as coadjutors to the steam engine, by yield ing their own quota to the stock of compressed air, and thus saving precisely so much of steam power, which means of course fuel.

But if this method of using steam could be brought into practical service, economy could be secured in a totally different direction, to which our attention is called by the title above given.

Whenever, and wherever, a steam engine is at work, it must be kept at its full working head of steam, nearly up to the very close of its service. Just before a steamer reaches her wharf, or before the six o'clock bell is about to ring for the shutting down of mill or factory work, if the engineer has a surplus of power, he can afford to bank his fires, and economize a trifle by working down a few pounds of his extra steam. But it is only a very little, for he must of course retain enough to drive the engine at its working gait fully up to the last minute. And when the bell rings Bank, off the Capes of the Delaware. d he shuts off steam for the end of the trip or the close of the day's work, his gauge shows a pressure but a few portion thus: siren, 9; whistle, 7; trumpet, 4; and as to therefore is now a reservoir of power which is practically to 3; and trumpet, 1. There are 66 fog signals now on our be wasted. He either "blows off steam," or he does not, coasts operated by steam or hot air. according to circumstances, but in either event the greater! proportion of that power is lost for service. The dissipation liable to be upset when most needed, costly to build, hard of heat which necessarily takes place before the hour comes to handle, and difficult to keep in repair, has been superfor starting again measures precisely the amount of energy wasted, for the vapor of water owes its efficacy only to the heat of recent importation. Without the heat its elasticity is gone. Can we not possibly substitute for it a gas whose elasticity does not depend on recent heat, but is a permanent quality at all temperatures, notwithstanding the fact that an increase of temperature gives an augmented elastic

Compressed air furnishes us exactly what we need to answer our purpose. Were the force of the steam used mediately, through an air tank, and not directly, it would be an extremely simple matter to utilize the heat remaining in use in this country, one of which is on Brown Shoal, Dela-the other the substance, of healthful exercise."

should be wasted. One turn of a switch would connect the \$1,000 each. steam power at once with pumps which would go on forcing air into the air tank so long as any power remained. ball, say 22 feet in diameter, with a tube 20 inches across No attention would be needed. When the power was ex- and 40 feet long running through it. The water in the tube quiet till required for use. The air thus condensed would with a retaining valve, and to expel it through a 10-inch be a given amount of active energy ready for application on whistle, making a shrill moaning sound, which can be call, and the efficient service of the engine for the next day | heard several miles. Its dimensions have recently been would have just that amount furnished to its credit, with reduced, without decreasing its power. As its action deno expense added; that degree of expense would be saved. pends on rough water, it is only used in open water. They How much this would actually economize must depend on the circumstances, but it would in any case be no insignificant item. Inquiries made of steamboat engineers show that in their judgment it would be sufficient to run the boat from five miles to ten, according to her size and speed. Some go much higher than that. And with a large ocean steamer there can be scarcely a doubt that it would decidedly exceed this. Surely this is a wasted power, which is of these bells. They weigh from 300 to 3,000 pounds each, worth saving. A.

Fog Signals.

Connected with the Light-house Service is the system of warnings by "fog signals," which comes in use in what the sailors call "thick weather;" that is, when mist or fog prevents the lights and landmarks from being seen either by

The principal fog signals used in this country are the siren, the steam-trumpet, the steam-whistle, the whistling buoy, the bell-boat, the bell-buoy, and heavy bells rung by clock-work. The siren is sounded by driving steam through a flat, circular disk, containing a number of slits, the disk being fixed in the throat of an immense trumpet. Behind this is a revolving plate, having in it a similar number of openings. The plate is revolved by steam 2,400 times each minute. Whenever the slits in the plate coincide with those in the disk a jet of steam escapes through each opening, under great pressure, into the trumpet. If there are 10 openings, there will be 24,000 screams each minute. These combined in the trumpet give a single, strong shriek in deafening volume and of great range. The sound can generally be heard at a distance of 20 miles, and can readily be distinguished from all noises at sea. The siren is the furthest reaching fog signal yet produced, but it is the most expensive to build, the most difficult to run, and the most costly to keep going. One of these machines was on exhibition at the Centennial Exposition in 1876, where it made such a nuisance of itself that it was restricted from sounding except at the opening and closing hours, and then it was

is connected with the light-house at Cape Henlopen, at the mouth of Delaware Bay, opposite Cape May, where in fog it gives a blast 6 seconds long after an interval of 39 seconds. These instruments have done so well on our coasts that other countries have procured numbers of them. Great Britain has more than twenty of them now in operation on

The Daboll fog trumpet is made like a monster clarinet, and is sounded by air condensed in a reservoir by machinery driven by a hot-air engine. The largest trumpet is 17 feet long, with a mouth 38 inches across and a throat 31/2 inches in diameter. Its reed of steel is 10 inches long, 21/2 wide, an inch thick at its fixed end and half that at the other. The Ericsson engine that drives it has a 32-inch cylinder, which, at 20 pounds pressure, can give a five-second blast every minute. The Daboll trumpet is, however, going out of favor because of its liability to accident and the difficulty of getting it repaired. The nearest one to us is in Long Island Sound, at Execution Rocks Light Station.

The most frequently used fog signal of this general class is the locomotive steam whistle, with a diameter varying a pressure varying from 50 to 100 pounds. By intervals of are obliged to review the Patent Office work and defog signals, and these intervals automatically produced by having an engine take steam from the same boiler and open and close its valves at fixed times, when the steam is shut off or let on as desired. These instruments do not easily get out of order and they are readily operated. The whistles are used on light-ships as well as at light-houses. There is

The power of these fog signals can pounds below that at which he regularly runs. His boiler cost of running them they stand as follows: siren, 9; whistle,

The bell-boat, which is at best a clumsy contrivance, seded by Brown's bell-buoy, which was invented by an officer of the Light-house Service. The bell is mounted on the bottom section of an iron buoy, which is decked over and fitted with a frame-work of 3 inch angle iron, 9 feet high, to which a 300 pound bell is rigidly attached. A concentric grooved iron plate is made fast to the frame under the bell and close to it, and a cannon ball is allowed to roll on this plate. As the buoy rolls on the sea the ball rolls on the plate, striking one side of the bell at each roll. The should have their halters taken off, the bars let down, and be signal is always at work, and the heavier the sea the louder turned loose like young colts. "Calisthenics may be very the sound of the bell. There are 24 of these bells now in genteel, and romping very ungenteel, but one is the shadow,

the boiler, furnaces, etc., so that scarcely any portion of it ware Bay. They cost, with their mooring, not far from

The "whistling buoy" consists of an iron pear-shaped pended the engine would stop moving, and all would remain acts as a piston to draw in the air through a hole covered now cost, with their moorings, about \$1,200 each. There are 25 of them on our coasts, 5 of which are in our immediate waters. The whistling buoy recently placed on the outer Hatteras shoal, just off the pitch of the Cape, is of the greatest use to our coasters.

> The bell fog signal most in use is the bell struck by machinery and moved by clock work. There are about 120 though not many weigh more than 1,000 pounds.—Phil. Ledger.

PASSAGE OF THE NEW BRITISH PATENT LAW.

After prolonged discussion and many amendments the new patent bill for Great Britain has passed both houses of Parliament, has received the royal assent, and will come into force January 1, 1834. We have not yet received the full text of the law, but we are advised by our London correspondent that among its principal features are the following:

A material reduction has been made in the cost of applications for patents, which we roughly calculate will not exceed \$100 for the complete patent, including both agency and government fees for the provisional and final specifications. It is difficult, of course, to say, definitely, what the incidental expenses will be until we can by practical experience ascertain exactly the amount of work involved by reason of the various objections and requirements which may be made by the examiners in each particular case, but we think that the amount named will cover all ex-

Another feature is the extension of provisional protection to nine months, also to substitution of annual taxes in lieu of the £50 and £100 stamp duties now charged, the same total amount being, however, payable; but the first annual tax not being payable until the fourth year after the grant of the patent. These provisions also apply to patents now in course of application, and also to patents already granted on which he £50 and £100 taxes fall due after January 1st

comme es se will readily de the new act will give a great impetus to the taking out of patents in Great Britain, for it may be fairly calculated that a proportion of the patents taken out in the United States and in ther countries will also be secured in Eng-

It is not proposed, under the new law, to follow the system of examination as in the United States and Germany, but to adhere to the practice hitherto prevailing in England; that is to say, to issue the patent to the applicant without examination, at his own risk. It is, nevertheless, proposed to create a body of examiners whose principal duties will be to see that the invention described and claimed in the final specification is the same as that described in the provisional. and that the scope of the patent is strictly limited to a single

This is an excellent provision, and ought to be adopted in our law. Onr present system of official examination is, practically, a hinderance and an annoyance to the inventor, not a benefit. It delays the issue of his patent, and in many cases involves him in expensive and harrassing interference contests, which after all decide nothing, as the courts blast and silence it can be differentiated from neighboring Canada, and Germany are now almost the only countries that pretend officially to examine. In other countries the patent is always granted, and the inventor examines for himself. If he chooses to pay the fees he may take out a patent, but if it should afterward appear that the invention was lacking in novelty or utility, then the patent is wortha 12-inch whistle on each of the light ships on Five Fathom all countries where it is in vogue; its adoption here would less. This is a straightforward system, and works well in be a decided improvement in favor of inventors; it would lighten the duties of our Patent Office examiners, and enable them to do better work in respect to those necessary features of examination which the new English law contemplates.

> Another important provision of the new Euglish law is that power is taken to conclude international arrangements, so that the publication in England of the foreign specification for a period of six months shall not invalidate a patent applied for during that period; furthermore, the duration of the patent will always be fourteen years, notwithstanding the lapsing of a previous foreign patent of a shorter term.

> DR. H. F. HAMILTON says that at least once a day girls