Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors. PUBLISHED WEEKLY AT

No. 261 BROADWAY, NEW YORK.

A. E. BEACH.

TERMS FOR THE SCIENTIFIC AMERICAN.

Clubs .- One extra copy of THE SCIENTIFIC AMERICAN will be supplied gratis for every club of five subscribers at \$3.20 each additional copies at same proportionate rate. Postage prepaid.

Remit by postal order. Address MUNN & CO., 261 Broadway, corner of Warren street, New York.

The Scientific American Supplement

is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT Is issued weekly. Every number contains 16 octavo pages, uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, \$5.00 a year, postage paid, to subscribers. Single copies, 19 cents. Sold by all news dealers throughout the country

Combined Rates. - The Scientific American and Supplement will be sent for one year postage free. on receipt of seven dollars. Both papers to one address or different addresses as desired.

The safest way to remit is by draft, postal order, or registered letter.

Address MUNN & CO., 261 Broadway, corner of Warren street, New York.

Scientific American Export Edition.

The SCIENTIFIC AMERICAN Export Edition is a large and splendid periodical, issued once a month. Each number contains about one hundred large quarto pages, profusely illustrated, embracing: (1,) Most of the plates and pages of the four preceding weekly issues of the SCIENTIFICAMERICAN, with its splendid engravings and valuable information; (2. Commercial, trade, and manufacturing announcements of leading houses Terms for Export Edition, \$5.00 a year, sent prepaid to any part of the world. Single copies 50 cents. IF Manufacturers and others who desire to secure foreign trade may have large, and handsomely displayed an nouncements published in this edition at a very moderate cost

The SCIENTIFIC AMERICAN Export Edition has a large guaranteed circulation in all commercial places throughout the world. Address M UNN & CO., 261 Broadway, corner of Warren street, New York,

NEW YORK, SATURDAY, OCTOBER 6, 1883

Contents.

(Illustrated articles are marked with an asterisk.)

Agricultural inventions 218	Inventions, new 218
Amer. laboratories for instruct 213	John C. Trautwine 210
Another electrical boat 210	Lancet fish, the* 215
Artificial nourishment 210	Mechanical inventions 218
Boiler explosion at Topeka 213	Meehan's car axle* 211
Brewing, uses of microscope in 214	Micro organisms in water 212
Business and personal	Microscope in brewing 214
Car ax e*	Motors for balloons 216
Carbonic acid in the air 208	Mr. C. Fleetwood Varley, F. R.S 216
Cement for milk glass 214	Natural refrigerator 214
Cholera, how bred and spread 211	New books and publications 218
Clark and Standfield's dry dock*. 207	Nickel crucibles 217
Comet, the approaching 209	Notes and queries 219
Conversion of light into electri'y 213	Old steel pens
Cultivator, improved* 216	Oscillation of the sea 209
Davis' quilting frame* 210	Phila. international elec. exhib 211
Decorating zine articles 207	Quilting frame, improved* 210
Depositing dry dock* 207	Recent inventions 217
Dollar weights and measures, 213	Remarkable ice well 211
Elevators. safety stop* 211	Rival to the Carson footprints 217
Engineering inventions 218	Self-imposed risks 208
English railways 210	Soaps as a vehicle for medicine 212
Fast steamer. a 209	Solubility of uric acid 216
Forging by pressure 208	Sorghum sugar manufacture 210
Green Mountain Railway 208	Star nosed mole, the* 215
Hamilton's life-boat*	Surveyor's leveling rod* 210
Head net for horses* 217	Sulphate of iron, new prop 217
Honigmann's fireless locomotive. 216	United States life saving service. 209
Imitation amber	Vitality of dried willow germ 213
Imported matches 214	Wasps and grapes
Index of inventions	West Shore and Ontario R. R.* 212
Inspectors of steam boilers 214	Whitely's safety stop* 211
Intestinal parasites in fowls 212	Wrought iron framing, cost of 214

TABLE OF CONTENTS OF

THE SCIENTIFIC AMERICAN SUPPLEMENT

No. 405,

For the Week ending October 6, 1883.

Price 10 cents For sale by all newsdealers

I. CHEMISTRY .- Method for Determining the Quantity of Gluten

- In Flour.
 Formation of Fat from Fat Acids
 New Method for the Determination of Nitrogen. By J. KJELDAHL..... II. ENGINEERING AND MECHANICS.—Mr. Eads' Ship Railway for the American Isthmus.—Description and two full pages of engaging the American Isomius.—Description and gravings.

 Train Resistance.—Showing causes of the resistances which impede the movement of a train of cars, and powernecessary to overcome them.—I figure.

 Elastic Steel Railway Wheel.—3 engravings
 Opening of the Caracas Railway.
 Improved Floating Breakwater.—Full description and four engravings 6456 6458 gravings
 Test Trials with a new Whitworth 20-Ton Gun—Description of
 gun, and table showing character of charge, velocity, and results
 ilurinchon's Multiple Template.—Several figures.

 Hurnon of the state of the st
- ing.—Manner of producing colors.—Annine curois not leather dyeling.

 The Manufacture of Cement in Ulster County. N. Y.—Giving a description of the quarries, processes of manufacture, and apparatus used.—Full page of illustrations
- IV. ELECTRICITY.—The Static Telephone.—Discussion of a paper read before the American Association by Prof. A. E. DOLBEAR....
 History of the Electric Telegraph.—In which the telegraphic systems and apparatus of different inventors are described.—With engravings of Alexander's telegraph. Gauss and Weber's current producer, Gauss and Weber's receiving apparatus, Schilling's needle telegraph, Schilling's call bell, Schilling's telegraph apparatus.
 Cook's telegraph apparatus.
- VI. ARCII EOLOGY.—Are the Ruined Monuments of Yucatan Ancient or Modern? By Dr. AUGUSTUS LEPLONGEON.—An interesting paper, in which the probable relation between the inhabituats of Egypt and those of Yucatan is shown by expenantions and representations of the inscriptions on the ruins of Yucatan... 6468

VIII, BIOGRAPHY.-Cromwel: Fleetwood Varley, the Electrician... 6465 longer but is absolutely safe.

FORGING BY PRESSURE.

The Collins Company, Collinsville, Connecticut, make the adz shaped heads of pickaxes by pressure instead of by percussion. A square bar of Norway iron, one and threeeighths inches diameter, is heated to a softening red heat, placed between clamping jaws forming a matrix of the shape and dimensions of the ax head, and a punch propelled by an eccentric and lever moves forward and forces the iron into the mould, or matrix, the punch being the size and shape of the handle hole. The action of the punch, or movable die, is not rapid-no more so than the movement of ordinary punching presses or cutting shears for boiler plate-it is a pushing or pressing movement, and in no sense a blow. The effect, however, is to form from the inch and three-eighths bar a head two and a half inches deep with a lozenge-shaped eye three by one and an eighth inches. The longitudinal fibers of the iron are not broken, but are bent so as to follow the contour of the projecting portion of the head. The advantages of this method, in this instance, are that no appreciable portion of the iron is wasted by forging down from a wide bar and punching the eye from the solid, a saving of labor, and a gain of strength by preserving the continuity of the fibers of the iron. There may be many other instances in which the forging by pressure would be preferable to forging by percussion.

THE GREEN MOUNTAIN RAILWAY.

This road leads from the shore of Eagle Lake to the summit of Green Mountain, on the island of Mount Desert, Me. The survey was made last winter by Alden F. Hilton, C.E. and the construction was carried forward under the super vision of Warren Nickerson, C.E. For the most part the roadway is constructed upon the solid ledge, to which the string pieces are secured by 1¼ inch iron bolts every six Where the stringers are above the surface, bed ties are used every six feet; and back of every tie on all the ledges two and three 1¼ inch bolts are set into the ledge.

All longitudinal timbers are bolted to the bed ties, and every timber resting on the ledge was carefully fitted to its inequalities. The track ties are six inches square by six feet long, and are laid upon the stringers two feet apart, center to center. The ties are grooved to prevent lateral motion and are bolted to the stringers by two 1/8 inch bolts.

The ordinary T-rail is used, the gauge being 4 feet 71/2 inches. The rails are coupled by the common style of fish set of rolls, so as to insure uniformity. They are held be-sired. tween two angle iron plates, which are secured to the ties by the descent is made by allowing a reduction of pressure to been recognized. take place, the engine being always set to go forward. The grades. As additional safety appliances there are two band brakes that can be instantly applied by the engineer.

pany, and have floors adjusted to the average grade, the ahead by the engine It is provided with double hand brakes, two cog wheels, and a pawl and ratchet capable of by rain. holding the car on the steepest grade if the engine should get away.

SELF-IMPOSED RISKS.

vicinity to a railroad depot, which is occupied by two im- all the world over. VII. GEOLOGY.—The Early History of the North American Association.—Relation of geography to geology.—Different theories of the formation of the crust of the earth, primitive land, volcanes, etc.

The continent first composed of three basins.

Tet the use of the track is in now iscussed.

I preferent she of the sea; and Muntz and land, 420 meters above the level of the sea; and Muntz and law, that shall be enforced, compels these riskers of life and Aubin, on the top of the Pic du Midi, in France, 2,877 meters above the sea, 2 86 as an average of 14 determinations.

In many of our railroad stations—"union depots"—several trains on different roads meet, or else they pass with only a moment's interval. Crossing from side to side of such a station is very common; sometimes by persons carrying loads of baggage. Miscalculating the speed of a locomotive, even at its slowing-up pace, perhaps gauging its velocity by that of a horse, they are overtaken unexpectedly, and if not killed are seriously hurt.

The getting on to cars when in motion is another method of risking limb and life without proper cause. The feat of swinging on to a railroad car in motion, which looks so easy and so graceful when practiced by an agile conductor or an ambitious brakeman, is one difficult to the occasional traveler; and yet there are plenty of men who think it shows a sort of independence to wait until the train starts before saying good-by to friends.

Probably the foolish practice of jumping from an arriving train before it comes to a stop is the occasion of a large number of vexatious if not of serious accidents. It is still practiced, however, by those who learn nothing either by experience or by observation. On this subject the National Car

"We are not in favor of excessive precautionary measures, such as locking people in cars when traveling, or fettering the free movement of a thousand sensible persons in order that one person with no sense may be kept from burting himself. The desired end could be reached by subjecting the one foolbardy and stupid individual to a light penalty rather than give inconvenience and trouble to a vastly greater number who need no protection."

CARBONIC ACID IN THE AIR.

The composition of the atmosphere was one of the first problems which scientific chemistry, in its origin more than a hundred years ago, set itself to solve; so far from being definitely settled, this problem offers to-day a field in which the accumulated knowledge and invention of a century finds ample room for its exercise in investigation.

The study of this apparently simple question has involved the settlement of so many related points, that the science of chemistry may almost be said to have been built up about it.

More than one hundred years ago the foundations of chemistry as a science were laid by Black, Priestley, and Lavoisier, in applying exact methods to the study of the composition of the air; and their successors have handed plate, and fastened to the ties by spikes, two in each end of down a record of determinations of oxygen, increasing in acevery tie. The cogs are of 11/2 inch iron, made in the same curacy until those of Regnault seem to leave little to be de-

Apart from oxygen and nitrogen, the chief components of lag screws 51/2 inches long, 14 screws being in every section the air, there is but one other substance in dry air which we of 12 feet. If a locomotive set in the "forward gear" be are at present warranted in regarding as a necessary and pulled backward, the cylinder acts as an air pump, constant component, namely, carbonic acid or carbon dioxide forcing air into the boiler. This fact is made use of on this (CO2). Small as its proportion is, bowever, in the air, its road. The ascent is made by steam in the usual way, but relation to animal and vegetable life on the earth has long

All gases occurring in the air, except those already menengine (built by the Manchester Locomotive Works) has tioned, are either accidental in their occurrence or are subfour cylinders, two cog wheels, and two driving shafts, so | ject to such variation and occur in such minute proportions, that the breaking of one part would still leave a reserve. Ithat their relation to the air or the laws which govern their There is an intermediate gear between the shafts and axles variations have never been clearly made out. Ozone and of the cog wheels. On the cog wheel axles are two ratchet peroxide of hydrogen, oxides of nitrogen, ammonia, and its wheels on which two pawls are constantly dropping, either salts, all resulting by natural process from the normal comof which is strong enough to hold the train on any of the ponents of the air, may appear and disappear, but the detection and measurement of them has yielded, thus far, data too meager to permit of generalization. Sulphureted hydro-The cars were built by the Hinckley & Egery Iron Com- gen, sulphurous acid, hydrochloric acid, and hydrocarbon gases may pass into the air by natural processes, or escape side being open to permit observation. The car is pushed from the chimneys of factories, but they are either destroyed by chemical action or washed down to the earth again

With regard to carbonic acid, however, the case is different. Being much more soluble in water than either oxygen or nitrogen, and being required in enormous quantities to supply the vegetation of the world, it might be expected to Railroads are built for a well defined, specific purpose, vary in its proportion in different parts of the world, at which does not include their use for pedestrianism. This different altitudes, or with other changes of condition. But principle is so well recognized in Europe that it is made by the fact of its constancy in proportion, so far as earlier law a penal offense—in England and in some Continental methods could demonstrate it, was known almost as soon as countries-for persons to walk on the tracks. In this coun- its part in the economy of nature was understood; and the try there are portions of railroad tracks, particularly in the possibility of its variation even within very narrow limits vicinity of manufactories, that are so constantly trodden that is a question which has been left for the present generation the earth has become almost as solid as a pavement. The of chemists to decide. It is interesting to note, however, the railroad managers put up warning signs, but they are disre- gradual improvement which has been made in dealing with garded, and once in a while "an awful accident" horrifies the small proportions which this gas represents in the the community; a man or a woman walking on the track is air. For many years chemistry was content with the statetorn to pieces by the remorseless locomotive, one track hav- ment that it represented from 4 to 6 parts by volume in ing a train coming in one direction and another track one 10,000 of air; many works on chemistry still give 4 parts in going in the other direction, a step on to either track being 10,000, but there is the best reason for believing, at present, probably fatal. There is a curve under a high bank, in close that the average proportion is slightly below 3 parts in 10,000

portant railroads with their network of tracks, and at no From a number of European observers has come during hour of the day are all these tracks clear. This curve leads ten years past a mass of information upon the question of to large manufactories, and the roadbed is the common route carbonic acid in the air, which at present may be said to of at least two thousand workmen twice if not three times a well nigh exhaust the subject. Angus Smith found in the air day. On account of the killing of two persons who were over the moors of Scotland 3:36 parts in 10,000 by volume; walking the track, the railroad companies were blamed and Farsky found 3:43 as the mean of 295 observations; Henthe managers put up warning signs—as far as they could go , neberg, 3:20; Hasselbarth and Fittbogen, 3:24 in Germany in prohibition, in the lack of law, with its penalties and enfor inland districts, and 2.92 near the sea coast. Reissler forcements. Yet the use of the track is in nowise abated for found 3.035 as the mean of a year's observation in Switzer. a pedestrian route, and it never will be abandoned until a land, 420 meters above the level of the sea; and Muntz and law, that shall be enforced, compels these riskers of life and Aubin, on the top of the Pic du Midi, in France, 2.877 me

To the observers Muntz and Aubin, and to Reiset, we