

SCIENTIFIC AMERICAN

[Entered at the Post Office of New York, N. Y., as Second Class Matter.]

A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. LV.—No. 16.
[NEW SERIES.]

NEW YORK, OCTOBER 16, 1886.

Price 10 Cents.
\$3.00 per Year.

EXPERIMENTS WITH THE SCIENTIFIC TOP.

BY GEO. M. HOPKINS.

A scientific top and a few experiments adapted to it were described in the last issue of this journal. Several other experiments, possessing more or less interest, are illustrated by the annexed engravings.

The ability of the heavy top to run for a long time and maintain an equable motion renders it particularly serviceable in experiments requiring uniformity of action.

Two experiments in sound are illustrated: Fig. 1 showing the adaptation of a simple siren to the top, and Fig. 2 Savart's wheel. The siren consists of a disk of pasteboard, having four concentric rows of $\frac{3}{8}$ inch holes, there being 12 holes in the inner row, 15 in the next, 18 in the next, and 24 in the outer row. The disk is varnished with shellac to render it waterproof. It is mounted on a chuck fitted to the tapering hole of the top spindle. When the disk is rapidly rotated by the top, and a jet of air is blown upon either row of holes through a flexible tube provided with a small glass or metallic nozzle, a musical sound will be produced by the air pulsations caused by the interruptions of the air jet by the perforated disk. The sounds produced by the different rows of holes are those of the perfect major chord. A large number of experiments with this simple siren are described in Prof. A. M. Mayer's interesting little book on sound. Savart's wheel is simply a toothed disk fitted to the chuck and adapted to be rotated by the top. When the disk is turned very slowly, with the edge of a card held against the teeth, a series of little taps are heard, which do not at all resemble a musical sound; but when the wheel is revolved rapidly by the top, the contact of the card with its periphery produces a sound that may fairly be called musical, the sound being composed of the rapidly repeated taps.

In Figure 3 is shown a disk similar to that used for the siren, but having double the number of holes in each circular row. The holes are $\frac{1}{2}$ inch in diameter. The disk is blackened to render the effects more conspicuous, and the hole in the center of the disk is eyeleted to prevent wear. A metal disk, secured to a tapering spindle fitted into the top spindle, carries a crank pin $\frac{1}{8}$ inch from the axis of rotation. The eyelet of the disk is placed loosely on this crank pin, and when the crank is revolved by the top the disk is gyrated; every part of its surface being made to travel in a circular path $\frac{3}{8}$ inch in diameter, when

sufficient friction is applied to it to prevent it from rotating with the top. In this case each perforation of the disk forms a circle, and the circles formed by

twisted chainwork. Occasionally one part of the figure will appear to turn in one direction while another part turns in the opposite direction. Some of these figures are shown in Figs. 4 and 5. A similar experiment, developed in a different way, is shown in Fig. 7. The black cardboard disk is provided with a central eyelet, which receives the crank pin, as in the case of the perforated disk. On each of two diametrical lines crossing each other at right angles are formed pairs of holes, in which are cemented silvered glass beads or bright spherical steel buttons. The latter were used on the disk illustrated. They are symmetrically arranged, so that the inner four may follow each other in the same path, and the outer four may follow each other in a path of their own.

By treating this disk after the manner of the perforated disk above described, many brilliant and surprising effects may be produced.

By holding one edge of the disk lightly between the thumb and finger, so that it will not revolve, but will be made to gyrate by the little crank, each button will describe a $\frac{3}{8}$ inch circle, or a small oval, or an ellipse, as shown in Fig. 7. By allowing the disk to slip slowly between the thumb and finger, a series of double scrolls will be produced, as shown in Fig. 8.


By varying the speed of rotation by the application of more or less friction to the disk, a great variety of intricate and beautiful figures are produced. Examples are shown in Figs. 9, 10, and 11. The effect shown in Fig. 11 is secured by allowing the edge of the gyrating disk to strike the finger once during each gyration. The luminous curve in this case appears to have a slow retrograde motion.

In Fig. 16 is shown a cardboard disk mounted loosely on the top spindle and provided with two series of black radial bars, the inner series having 13 bars, the outer series having 12 bars. To the chuck inserted in the spindle is secured a black disk having four radial slits.

When the top is revolved and the lower disk is retarded, some very curious illusions will be produced. At times one part of the lower disk will appear to remain stationary, while the other part will appear to revolve. Again, the two series of radial bars will appear to rotate in opposite directions. Viewed in another way, they appear curved.

By replacing the slitted disk with the perforated disk (Fig. 3), and arranging the perforated disk so that it may be retarded by the friction of the finger, some curious effects will be seen. The different rows of holes will appear to advance and recede


(Continued on page 244.)



THE CHAMELEON TOP.

the entire series of holes interlace, appearing like so many chain links interlocked. By allowing the disk to revolve at different speeds very complicated figures are produced, sometimes like lacework, sometimes like

10, and 11. The effect shown in Fig. 11 is secured by allowing the edge of the gyrating disk to strike the finger once during each gyration. The luminous curve in this case appears to have a slow retrograde motion.



EXPERIMENTS WITH THE SCIENTIFIC TOP.

Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors.

PUBLISHED WEEKLY AT

No. 361 BROADWAY, NEW YORK.

O. D. MUNN.

A. E. BEACH.

TERMS FOR THE SCIENTIFIC AMERICAN.

One copy, one year, postage included... \$3 00
One copy, six months, postage included... 1 50
Clubs.—One extra copy of THE SCIENTIFIC AMERICAN will be supplied gratis for every club of five subscribers at \$3.00 each; additional copies at same proportionate rate. Postage prepaid.

The Scientific American Supplement

is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT is issued weekly. Every number contains 16 octavo pages, uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, \$5.00 a year, postage paid, to subscribers. Single copies, 10 cents. Sold by all newsdealers throughout the country.

Scientific American Export Edition.

The SCIENTIFIC AMERICAN Export Edition is a large and splendid periodical, issued once a month. Each number contains about one hundred large quarto pages, profusely illustrated, embracing: (1) Most of the plates and pages of the four preceding weekly issues of the SCIENTIFIC AMERICAN, with its splendid engravings and valuable information; (2) Commercial, travel and manufacturing announcements of leading houses.

NEW YORK, SATURDAY, OCTOBER 16, 1886.

Contents.

(Illustrated articles are marked with an asterisk.)

Table listing various articles such as Anaconda, large; Balloon trip from Cherbourg to London; Books and publications, new; Business and personal; Cabbage flies and worms; Carriages, care of; Cloths, waterproofing; Coal formation, new theory of; Cocoa palms as lightning conductors; Electric lamps for mines; Engines of the paddle steamer; Ozone; Fearless, the; Foolhardiness; Game carrier, Stevens; Highways, public, use of; Home, a, the incentive to own; Inventions, agricultural; Inventions, engineering; Inventions, index of; Inventions, miscellaneous; Lamps, electric, for coal miners; Looms, stop motion for; Mining experiments, submarine; Mortar, monster; Nitrate of soda; Natural history notes; Noble forehead fallacy; Nature the great teacher; Notes and queries; Ore concentrator, Channell's.

TABLE OF CONTENTS OF SCIENTIFIC AMERICAN SUPPLEMENT No. 568.

For the Week Ending October 16, 1886.

Price 10 cents. For sale by all newsdealers.

Table listing detailed contents by page number, including sections like I. ASTRONOMY, II. CHEMISTRY, III. ELECTRICITY, IV. ENGINEERING, V. GEOLOGY, VI. MATHEMATICS, VII. MECHANICS AND TECHNOLOGY, VIII. MISCELLANEOUS, IX. NAVAL ENGINEERING, X. PHYSIOLOGY, XI. PHYSICS.

THE "FERE" MONSTER MORTAR.

Some details have come to hand concerning the new Fere gun from which the French expect so much. It is, we learn, a mortar of unusual size, throwing twelve shells with more than ordinary precision for its type. The shells are a trifle over three feet in length, and contain an explosive said to possess extraordinary power of destruction.

The noise from the explosion of these shells is said to be terrific; and while, heretofore, the bark of the mortar shell has been regarded as worse than its bite before earthworks or heavy masonry, the Fere gun would seem to reverse this order of things, its sting being even more direful than its song. The reader will recall the great promise and little performance of Admiral Porter's mortar flotilla before Forts Philip and Jackson, in the Mississippi, during the civil war.

Now, the Fere gun, it is alleged, is far more destructive than the ordinary mortar, but, like the latter, its range is short, and this will naturally tend to restrict its use. If the enemy would considerably abstain from using his big field pieces while it was in play, it might, perhaps, do great execution; but should he, while out of range of its projectiles, let drive at such a battery, it could not, save under peculiarly advantageous conditions, be worked at all.

It will be remembered how great was the disappointment of the French in 1870 with the performance of the mitrailleuse. It was a terrible engine of execution at close quarters, but these conditions were not always present; and when they were, the destructive work of the German long-range field pieces preceding the actual onset often resulted in rendering them valueless.

The Century's Rise of Wages.

Discussing wages, in one of his lectures before the students of Harvard University, Professor Thompson gives many facts of curious interest. In 1793 the Schuylkill and Susquehanna Canal Company advertised for workmen, offering \$5 a month for the winter months, and \$6 for summer, with board and lodging. The next year there was a debate in the House of Representatives which brought out the fact that soldiers got but \$3 a month. A Vermont member, discussing the proposal to raise it to \$4, said that in his State men were hired for \$18 a year, or \$4 a month, with board and clothing.

A strong boy could be had at that time in Connecticut at \$1 a month through those months, and he earned it by working from daybreak until eight or nine o'clock at night. He could buy a coarse cotton shirt with the earnings of three such months. The farmers could pay no better, for the price they got for produce was wretched. Butter sold at eight cents a pound, and when it rose suddenly to ten cents, several farmers' wives and daughters went out of their minds with the excitement.

By a day's hard work at the spinning wheel a woman and girl together could earn twelve cents. As late as 1821 the best farm hands could be had for twenty-five cents a day, or twice as much in mowing time. Mathew Carey, in his letters on the Charities of Philadelphia

(1829), gives a painful picture of the working classes at that time. Every avenue to employment was choked with applicants. Men left the cities to find work on the canals at from sixty to seventy-five cents a day, and to encounter the malaria, which laid them low in numbers. The highest wages paid to women was twenty-five cents a day; and even the women who made clothes for the arsenal were paid by the Government at no high rates.

Nature the Great Teacher.

In his new book, "Nature's Teachings," the Rev. J. G. Wood has discussed a subject not before handled at length. Its object is to show how man's implements and mechanical devices have been anticipated in nature. He asserts that there is no invention of man which is not anticipated, that all his mechanical devices have been used in nature for countless centuries.

The burr stones of mills are a copy of molar teeth. The hoofs of a horse are made of parallel plates like a carriage spring. The finest file made by man is a rough affair when compared with a Dutch rush used by cabinet makers. The jaws of the turtle and tortoise are natural scissors. Rodents have chisel teeth, and hippopotami have adz teeth, which are constantly repaired as they are worn.

In laying its eggs on the water, the gnat combines them in a mass shaped somewhat like a lifeboat. It is impossible to sink it without tearing it to pieces. The iron mast of a modern ship is strengthened by deep ribs running along its interior. A porcupine quill is strengthened by similar ribs. When engineers found that hollow beams were stronger than solid ones, they only discovered a principle which had been used in nature for centuries before the creation of man.

The ship worm feeds on wood, and gradually tunnels its way through any submerged timber. It also lines its burrow with a hard, shelly coating. Brunel, taking a hint from this, was the first to succeed in subaqueous tunneling. The Eddystone Lighthouse is built on the plan of a tree trunk, and fastened to the rock in a manner somewhat similar to the way a tree is fastened to the soil.

Mr. Wood gives an interesting account of the origin of the plan for the Crystal Palace. Mr. Paxton, a gardener, having noticed the structure of the great leaves of the Victoria Regia, a plant which had been introduced into England a few years previous, struck the plan of copying in iron the ribs of the leaf and filling the remaining space, which corresponds to the cellular portions of the leaf, with glass.

Remarkable Tree Growth after Girdling.

M. E. S. writes that on his farm in Vermont, in June, 1884, he attempted to kill a poplar tree by girdling. He removed a strip of bark about three inches wide entirely around the tree, at a place about four feet from the ground, scraping off the pulp that had formed between the wood and bark that year. The wood thus left bare seasoned over that summer, but the tree did not die, and has continued to grow till the present time, above the place where the bark was removed, but has not grown any below that.

PHOTOGRAPHIC NOTES.

To Prevent the Curling of Prints on Albumen Paper.—In the October number of the *St. Louis Photographer* we find the following practical hints on the above subject, suggested by Mr. John Vansant:

The great and forcible contraction which occurs in prints made on sensitized albumen paper, when they are dried after having been wet, can be prevented by the following very simple means: After having the prints fixed and all the hyposulphite sodium removed by sufficient washing, drain them well and press the water well out, then immediately immerse one by one in a solution of pure glycerine in distilled water, about 1 part of glycerine to 5 parts of water. Let them soak in this till thoroughly saturated; then remove them separately, and absorb the superfluous fluid by gentle pressure between clean sheets of white blotting paper. They can then be laid out flat, where they will dry without much shrinking, and be found smooth, soft, and with little or no tendency to curl.

These prints can then be mounted dry with paste or gelatine, and burnished as usual. The cards will remain perfectly flat.

To Remove Yellow Discoloration from Bromide Prints.—Should it occur after oxalate of iron development, I have found the best agent to be oxalic acid, about 3 grains to an ounce of distilled water. After fixing and washing out all the hyposulphite of sodium, soak the prints for a few minutes, or until the whites are bleached, in the oxalic acid solution. Then wash again thoroughly to remove the acid. This acid seems to have very little effect on the dark parts of the picture, and it can be applied in solution as above stated, successfully, to bleach the prints even after they have been dried.

Retouching Negatives.—In the same journal, J. H. Farmer gives the following advice on retouching:

Many photographers are in the habit of grinding their negatives. It is a great mistake. It is not necessary to either varnish, grind, or prepare your negative in any way. Simply use a metallic lead, and work right on the gelatine surface. The very finest effects can be obtained in this way.

To Change a Blue Print to Black.—Dissolve a bean of caustic potash in 5 ounces of water, soak the blue print therein until it fades to pale yellow. Wash. Dissolve a heaped teaspoonful of tannic acid in half a pint of water. Put in the yellow prints. Leave in until darkened to the color desired. Then wash thoroughly.

Phosphorescent Photography.*

In observing Mont Blanc after sunset, in the beginning of September, 1883, M. Ch. Zengler was impressed with the fact that the greenish blue light could be perceived as late as 10 h. 30 m. P.M. This led him to think that the ice on the summit, mixed with the debris of carbonate of lime, emitted a light similar in color to that of the water of Lake Lemane, and that it would be possible to fix the image of the mountain, during the night time, by the phosphorescent light of the ice, which ice he found to be a highly actinic body.

On his return he performed an experiment consisting in projecting images by a photographic camera and lenses upon a plate of glass covered with Balmann's luminous paint, spread evenly over the surface, as if a photographic plate was to be covered with collodion.

After an exposure of a few seconds' duration, he took the plate from the camera into a dark room and placed it in contact with a photographic dry plate. After one hour's contact in darkness, he found that the image of the object appeared in all its detail, just as in the case of an ordinary exposure.

From his observations in Geneva, M. Zengler thought that carbonate of lime that had received the rays of a bright sun during the day might emit invisible, but very actinic, rays. Following out this order of ideas, he performed an experiment during the night of May 17, 1884, the sky being clouded. An exposure of the plate, about midnight, upon the terrace of the Astronomo-Physical Observatory of Prague, for a period of fifteen minutes, gave reasonably good images of towers and surrounding buildings, after a contact of the phosphorescent plate with the photographic plate, prolonged up to the morning of the following day. From this the author concluded that radiations were emitted, even by isolated bodies, that at midnight were quite actinic in the absence of all other light.

M. Zengler repeated, later, these experiments, using printed paper which he had exposed during the daytime to strong sunlight. After an hour's exposure, he placed it in contact with ordinary sensitized paper in the camera. In a few hours the impression of the paper was effected in such a way that development was not required, fixing alone being necessary, the letters appearing in plain black. M. Zengler has applied this method to copying printed notes.

These experiments led to the conclusion that light

* Paper presented at the seance of the Academy of Sciences, Paris, August 30, 1886, by M. Ch. V. Zengler.

could be absorbed and slowly radiated afterward, and that images of bodies invisible in darkness could be fixed by simple contact or by photographic apparatus. The question then arose whether a number of the heavenly bodies, which are illuminated during greater or less periods, did not radiate back this light when they were immersed in darkness, in the form of actinic light, just as walls illuminated in the daytime gave up during night the light absorbed. If this surmise was correct, celestial chart makers could take advantage of it, for with a telescope of 8 inches aperture and 41 inches focus, a few seconds would suffice to print the phosphorescent plate, and to show stars even of the ninth degree of magnitude, when in darkness the phosphorescent plate thus acted on was brought into contact with a gelatino-bromide plate.

Quite recently the author has experimented with fluorescent bodies and with bodies sensitive to actinic light, such as uranates and nitrates of uranium; he thus obtained latent images that could be developed after several months had elapsed, provided that during this period they were kept in darkness and in perfectly dry air.

In conclusion, the images of many bodies can be obtained in darkness when, like carbonate of lime paper, etc., they possess the property of slowly giving out light absorbed during an exposure. Thus objects can be reproduced which up to the present time remained quite invisible to the eye, by making long exposures with lenses or mirrors of very short focus upon plates covered with phosphorescent or fluorescent substances, and by printing in darkness and for a long enough time upon a more or less sensitive bromide plate, either collodion or emulsion coated.

The Fearless.

This vessel, which is at present being fitted out by the Barrow Shipbuilding Company, from whose yard she was launched in March last, is the first of a very formidable type of torpedo cruisers which are being built for the English navy. The Fearless is expected to be ready for active service about November next. The vessel is 220 feet between perpendiculars, 34 feet extreme breadth, and 19 feet 9 inches depth of hold. Her displacement is 1,430 tons on a mean draught of 13 feet 6 inches, when completely equipped with armament, stores, and coal on board. She is propelled by twin screws, each screw being driven by an independent pair of engines of the collective power of 1,600 horses, giving an aggregate indicated horse power of 3,200 horses for both pairs of engines. The speed indicated by the Admiralty when the vessel was designed was 16½ knots, but the builders are confident that a much higher rate of speed will be attained during the forthcoming trials.

The gun armament consists of four 5 inch B. L. R. guns, mounted on Vavasseur's central pivoted carriages, eight Nordenfelt machine guns, and two Gardner guns. The torpedo armament consists of eleven torpedo tubes, or air guns, one fitted on the bow under water, and the others ranged along the upper deck. The gunners, when working the guns, are protected by shields revolving with the carriages, and those working the torpedo tubes are protected by steel plating in way of each torpedo port. Four air-compressing engines are fitted in the vessel for supplying motive power to the torpedoes, and for ejecting them. There are also two electric search lights of 20,000 candle power, supplied by a dynamo. The Fearless being unarmored, her safety as a war cruiser is secured by the engines, boilers, steering arrangements, magazines, and other vital parts being placed below the load water line in watertight compartments with a protective steel deck fitted over them. She can be steered from three different places, and, when in action, all her men can be put out of sight. The vessel is built of steel, and particular care has been taken to combine strength with lightness.

The Care of Carriages.

The editor of the *Wagon Maker* in a recent interview with a prominent Chicago carriage builder gained the following information relative to the care of all painted vehicles.

The Jehu's Decalogue or Ten Commandments, as he terms his ten "Don'ts," runs as follows:

1. Don't forget that the preservation of the colors of painting and lining of a carriage depends in a great measure upon the way in which it is housed. The barn should be airy and dry, with a moderate admission of light, otherwise the colors will be affected. Do not let the vehicle be rolled near a brick wall, as the dampness of the wall will fade the colors and destroy the varnish. Direct sunlight should not strike upon it through the windows, which should therefore be curtained or otherwise screened. The coach house should not be connected with the stable or next the manure pit, since the ammonia fumes rising from the stalings will do more to crack and ruin varnish, and ruin colors of paint and lining, than all other causes put together.
2. Don't be in too great a hurry to use your vehicle when you have it delivered—either at first or after it has been revarnished. The change of temperature from

the factory to your coach house may—especially if you have been in a hurry to get possession of it—affect the varnish. Let it stand unused for some few days, washing it with cold water, drying off carefully, and letting it stand in the shade where cold air will circulate freely. This will insure the hardening and brilliancy of the varnish.

3. Don't use the same sponge and chamois leather for washing the panels and under parts and wheels of a carriage. When washing a carriage, keep it out of the sun. Take care not to wet the linings, if cleaning off with a hose. For washing the body panels use a large, soft sponge, well saturated, which squeeze over the panels, so that the dirt will flow off with the water as it runs down. Use a second sponge for the under parts and wheels, and carefully dry each part with its special chamois.

4. Don't allow mud to dry on a new or newly varnished carriage: spots and stains will be the invariable result if you do.

5. Don't use a spoke brush for cleaning the wheels and under parts of vehicles, even when you are tolerably confident that all mud has been removed. If any grit is left on either wheel or brush, it will scratch off the varnish and spoil the gloss as badly as if sandpaper had been used to do the work.

6. Don't allow water to dry of itself on a varnished surface, as this will produce stains. Remove all moisture with the chamois leather only, after the soft sponge has been used.

7. Don't use hot water or soap on a varnished surface.

8. Don't let leather-top carriages lie long unused with the top down, but raise it occasionally, taking off the strain on the leather and web-stay by slightly "easing" the joints. Frequently unroll the aprons also. If the leather is enameled, it may be washed occasionally with weak, soapy water—not first scrubbed with wetted soap—and the lather then removed with the hose.

9. Don't omit to take precaution against moths in cushions and linings. In the case of a close carriage, set a saucer of spirits of turpentine and camphor on the floor, draw up all the glasses and close the doors. This will prevent moths from doing damage, and often cure when neglect has to be remedied.

10. Don't neglect to examine the axles frequently. See that they are well oiled, and that the washers are in good order. When they require oil, use sperm oil, such as is always in the sewing machine drawer. Sweet oil will gum up, and should never be used. When putting on the axle nuts, be careful to fit the thread properly, not crossing or straining it. Occasionally inspect the entire vehicle. If a bolt or a clip seems getting loose, tighten it up at once with the wrench. If the tires of the wheels slacken, so that the joints of the felloes can be seen, have them shrunk at once; and whenever any little repair becomes necessary or even advisable, have it done at once, and by some one who knows how to do it.

Fast Steamers at Low Cost.

A new company has been formed to run steamers between Liverpool and the Isle of Man. The island is distant about 75 miles from Liverpool, and about equidistant from England, Ireland, and Scotland, and has of late years become one of the most important seaside resorts in the United Kingdom, the passenger traffic having increased to such an extent that there are frequently four or five boats dispatched with passengers from Liverpool to the island the same day. The company has arranged a conditional contract for two first-class screw steamers, handsomely fitted and furnished, having triple expansion engines of about 1,500 horse power, and to be fitted with bilge keels, which prevent rolling to a great extent. The dimensions will be: Length, 225 ft.; breadth, 30 ft.; depth, 13½ ft.; which dimensions and power are largely in excess of the present screw steamers on this station, and the company further intend building a first-class winter or spare boat of smaller dimensions.


Messrs. Russell & Co., of Port Glasgow and Greenock, commenced the first steamer on the first of October, and she is to be ready for her station by next Easter. As an example of the low prices at which steamers may be had now, we may state that the contract price for the large steamers, which are to be built according to Lloyd's highest class as well as to the Board of Trade requirements, and to steam at 17 to 18 miles an hour, is only £18,500 each, subject to any alterations that may be considered necessary by the directors, and the price of the spare or winter steamer, the plans and specifications for which are now being prepared, will be about £10,000.

What Makes Vinegar Sharp.

George Adams, in 1747, said that some people have imagined that the sharpness of vinegar is occasioned by the eels striking their pointed tails against the tongue and palate; but it is very certain that the sourness of vinegar has none of those eels, and that its pungency is entirely owing to the pointed figure of its salts, which float therein.

INSTRUMENT FOR OBTAINING LENGTHS AND BEVELS OF RAFTERS.

This instrument consists of a rectangular frame, A, hinged to which is the board, G, and the straight edge, H, and attached to which is the protractor, E. These parts are arranged and graduated as shown in the engraving. The instrument is used for obtaining the length of rafters—for instance, for a building 8 feet wide—by placing a square on the graduation, *b*, at 4 feet, which is the distance from the center of the building to the outside, and adjusting the board, G, to the desired pitch of the roof on the protractor, E. Where




CONLEE'S INSTRUMENT FOR OBTAINING LENGTHS AND BEVELS OF RAFTERS.

the square touches one of the lines, *d*, on the board, the distance from there to zero indicates the length of the common rafter; and by following the respective line, *d*, across the board to the straight edge, which is set say at 45°, then the intersection of the lines, *d*, at the graduation, *e*, of the straight edge gives the length on the scale, *e*, of the hip rafter. By following the line, *c*, which intersects the line, *d*, and scale, *e*, down to the scale, *a*, then the latter indicates the length of the jack rafter. The instrument is also adapted for accurately and quickly obtaining the bevels for jack, common, and hip rafters, and for obtaining the bevel across the face of the staff for splay or hopper work, and also the miter across the edge of staff for splay or hopper work.

This useful instrument is the invention of Mr. Harrison Conlee, of Petersburg, Ill.

ORE CONCENTRATOR.

The object of this invention, which has been patented by Mr. John D. Channell, of Nevada City, California, is to provide an ore concentrator simple in construction, and which will effectively concentrate the heavy and light particles of the precious metals. The main driving shaft extends along one side of the machine, and at each end is provided with a beveled gear engaging with a similar gear on an upright shaft. At the upper ends of these shafts are cranks and pins, to which are attached rods securely fastened to the frame carrying the belt. The belt frame hangs on four swings, and is easily given a rotary motion. At the lower ends of these swing rods are screws, whereby the belt frame can be adjusted up or down, so as to bring the belt perfectly level. There are four large and twelve



CHANNELL'S ORE CONCENTRATOR.

small rollers over which the belt travels. The one at the head of the machine drives the belt by means of a screw gear and vibrating connection. The next roller carries the belt down into a box containing water, where the gold and other metals are washed off. The next roller acts as a tightener and also raises the belt higher than the end one, so that the sand and water will not run back under the machine. The fourth large roller is at the rear of the machine. The twelve small rollers are placed under the belt on top of the frame, to give a smooth surface to the belt.

The machine is run by a driving pulley placed at

about the center of the main shaft. The feed gear is worked by means of a belt on cone pulleys, as shown in the engraving.

The pulp or sand from the battery is delivered to the machine through a hole in the center of the distributor, and is spread evenly over the belt. The water distributor on the front furnishes an extra supply to more effectually wash out the sand.


Each edge of the rubber belt is provided with a rubber tube or hose, of such size as to prevent the water and sand from running off. This construction insures durability, as the flexibility of the belt allows it to easily pass over the rollers without danger of breaking.

It will be seen that this concentrator is simple in construction, and does not require a thoroughly experienced person to operate it. The easy rotary motion of the belt carries gold sulphurets and all heavy metals to the bottom, and holds them there while the sand is washed away. As this rotary motion is smooth and continuous, the belt can be run faster than in those machines having a vibrating movement, while it washes the sand away quicker and saves lighter and finer dust. It also requires a minimum amount of power to work it. Tests have shown the advantages of this machine in the quantity of metal saved, the rapidity of its operation, and small power required.

RAILWAY TRACK SYSTEM.

The object of this invention is to obviate, by means of a simple and efficient system of railway track construction, the difficulties which arise in maintaining the rails of a track, as ordinarily constructed, in proper surface and to correct gauge. The ends of the main rails are turned outward where splice rails are laid, as represented in Fig. 1. The splice rails are beveled at the ends, so as to lie closely to the inner sides of the main ones, and form therewith continuous rails, and are located at places where the accumulation of the "waves"—which cause "creeping"—in the rails would reach a dangerous limit, as at crossings at grade, at the base of heavy inclines, and at frogs and draw bridges. The ends of the main rails are set close together, no separation being made to allow for expansion, as in the usual construction, and are connected by fish plates which do not allow for lengthwise movement of the rails. The spikes are not driven as far as possible, a space of about half an inch (Fig. 4) being left between their heads and the rail flanges, which are not notched to receive the spikes. The splice rails have notches in their flanges through which spikes are driven so that their heads

may be compressed by a properly arranged screw. The recess of the grip is a little wider than the rail base, so that, when the pin is forced inward by the screw, the grip will be turned to cause diagonally opposite edges to clasp the rail and prevent its backward movement, while allowing a forward movement. To release the rail for any purpose, the recess in the




NOONAN'S RAILWAY TRACK SYSTEM.

grip can be brought about parallel with the rail by properly turning the screws. The ties are entirely covered with dirt, as shown in the background of Fig. 1. This covering does not interfere with the lengthwise movement of the rails, while it holds the ties solidly in the roadbed. Although this system is especially intended for use with dirt roadbeds, it may be adopted when the ties are ballasted with sand, stone, or other material.

This invention has been patented by Mr. Philip Noonan, of Edgard, La.

RIVETING TOOL.

The construction of this tool is very clearly shown in the figure herewith presented. On one end of the shank or body portion is a punch about the size of an ordinary copper rivet, and on the other end is a suitable boss to receive the blows of a hammer. One end of the head piece has a concavity shaped to give a proper form to the upset end of the rivet, and at the other end is a boss for striking upon. To use the tool, the parts to be united by rivets are first pierced by the punch, when the rivet is inserted and the usual washer put on. The projecting end of the rivet is then placed in the hole in the shank of the tool, when the stroke of a hammer forces the washer down tightly to the work. The concavity is then placed over the end of the rivet, which is then upset and given a neat convex finish by blows delivered upon the opposite end of the head piece. The punch may be made removable, and the hole in the shank may be formed in a removable sleeve, to adapt the tool for use in setting rivets of various sizes.



STEVENS' RIVETING TOOL.


This handy riveting tool is the invention of Mr. James H. Stevens, of Grover, Col.

Aluminum Tin.

The applications of aluminum are now considerable, and M. Bourbouze, a French physicist, has added to their number by employing an alloy of the metal with tin for the internal parts of optical instruments in place of brass. The alloy he employs consists of 10 parts of tin and 100 parts of aluminum. It is white, like aluminum, and has a density of 2.85, which is a little higher than that of pure aluminum. It is, therefore, comparatively light, which is an advantage for apparatus where lightness is desired. It can be soldered as easily as brass, without special means, and it is even more unalterable than aluminum to reagents.

IMPROVED TOBOGGAN.

The slats forming the bottom of the toboggan are made with their middle parts raised longitudinally and rounded, and with flat flanges along their side edges, forming a ribbed surface. The slats are secured to the cross pieces by nails, screws, or rivets passing through the side flanges as shown in the cross sectional view, Fig. 2. The slats may also be held by screws passing through the cross pieces and into their thicker middle parts. The forward ends of the slats are curved to give the usual shape to the front end



CLAPP & AINSWORTH'S IMPROVED TOBOGGAN.

of the toboggan. The hand rails are supported by projections on the upper sides of the end parts of the cross pieces. The forward ends of the side bars are left free to give the requisite elasticity to that end of the toboggan. The front corners of the toboggan are connected with the side bars by cords in the ordinary way. This construction forms a bearing surface free from screw or rivet heads or countersinks to cause friction and scratch the ice, and will polish easily and quickly. It is claimed that this toboggan will run faster and wear longer than those made in the usual manner. This invention has been patented by Messrs. B. W. Clapp and S. Ainsworth, of 75 Putnam Street, Saratoga Springs, N. Y.

GAME CARRIER.

Mr. James H. Stevens, of Grover, Colorado, has recently patented an inexpensive device by which game can be conveniently and safely carried from an ammunition pouch or belt. It consists essentially of a heavy steel wire, bent as shown in the engraving. The edge of the holder or pouch is secured to the inner part of the carrier in any approved way. The ends of a strap, by which the combined carrier and holder is swung from the shoulder of the sportsman, are attached to eyes formed by the upper parts of the wire. These eyes are large enough to allow the heads of game to be passed through them into the spaces between the wires, which are small enough to hold the game by their necks. About at the middle of each side of the carrier is a hook, which, when closed, serves as a brace for the sides of the carrier and also as a support for a small quantity of game, which is thus held as high as possible from the ground, to prevent it dangling about the sportsman's legs. By slightly modifying the construction, this carrier can be applied to an ordinary cartridge belt.

Rankin & Blackmore have hitherto designed their diagonal framings of cast iron, box section, but in this case they are of solid forged malleable iron, with round flanges at the cylinder end, and T heads for attachment to the main framings, which, by the way,



STEVENS' GAME CARRIER.

ENGINES OF THE PADDLE STEAMER OZONE.

We give a perspective view, from *Engineering*, of the engines of the paddle steamer *Ozone*, constructed by Messrs. Rankin & Blackmore, of Greenock.


The *Ozone* was built to the order of the Bay Excursion Company, of Melbourne. The *Ozone* is 260 feet long between perpendiculars, and has a moulded breadth of 28 feet, and a depth of 11 feet 2 inches, with a plate keel, and the accommodation on her three decks is so arranged that she could, on a push, carry the enormous number of 3,000 passengers.

The engines of the *Ozone* are of the direct-acting diagonal compound type, and are of 314 nominal horse power (Clyde rule), having two cylinders 47 inches and 85 inches in diameter, the stroke being 5 feet 6 inches. In designing these engines, Messrs. Rankin & Blackmore's effort was to make the machinery as light as possible, consistent with ample strength, and to this end the almost universal exhaust steam jacket round the high pressure cylinder was dispensed with, a jacket being substituted, thus effecting a considerable saving of weight. The exhaust pipe from the low pressure cylinder to the condenser is also made of copper, as against the usual practice of cast iron; and the condenser itself is a cylindrical casting with light malleable iron doors lying snugly beneath the diagonal framings. Messrs.

are connected to the cylinders at their bases by box-section tie pieces of cast iron.

The connecting rods are of the double jawed type at the piston rod end, and are coupled to the crank pins by solid single jaws fitted with gun metal bushes having extra large surface. The valve motion differs from that of most paddle engines in having double plate links in lieu of the usual open quadrants, and the eccentric rods have forked ends with large adjustable bushes. The high pressure cylinder is fitted with a single-ported, and the low pressure cylinder with a double-ported, valve. The reversing is performed by one of Brown's steam and hydraulic engines of the newest design, working horizontally from the bed plate of the main engines, and occupying very little space. The starting lever of this reversing engine, along with those of the throttle (showing conspicuously on the high pressure cylinder in our perspective view) and starting valves, are conveniently brought together on the engine platform, so as to be easily handled by one man.

There are two single-acting air pumps (fitted with Kinghorn's patent metallic valves), which, with the



COMPOUND ENGINES OF THE STEAMER OZONE.

feed and bilge pumps, are worked from the piston rod cross heads by means of drag links and bell cranks arranged so that the various buckets and plungers serve to counterbalance, to a considerable extent, the weight of the high and low pressure cylinder pistons, thus practically doing away with the unpleasant jerk so noticeable in many paddle boats. The water for condensing the exhaust steam is circulated through the condenser tubes by one of Gwynne's "Invincible" pumping engines, capable of discharging over 3,000 gallons per minute.

The paddle shafting is all forged of "double wrought" iron for extra strength, and the paddle wheels are of the ordinary description, each having nine feathering floats of wood. The diameter of the wheels is 21 ft. 10 in. over all, and $47\frac{1}{2}$ revolutions were easily obtained; but owing to the unusual severity of the specified trial (viz., four consecutive runs between the Cloch and Cumbræ lights, 15.744 statute miles), and the firemen not being accustomed to forced draught, the average number of revolutions on the trial trip was half a revolution less, viz., 47, and resulted in a clear mile of additional speed over the 20 miles guaranteed; for the time taken to run the "lights" was exactly a mean of 45 minutes, or as nearly as possible 21 miles per hour, the engines indicating 2,680 horse power.

This gratifying result was very much due to the saving of weight effected by the adoption of the "navy" boilers in conjunction with forced draught supplied by two of Capell's fans driven by Chandler's high speed engines, which worked very quietly and satisfactorily, giving an air pressure equal to $1\frac{1}{2}$ in. of water with ease, but on trial $\frac{1}{8}$ in. only was required, thus leaving a liberal margin for the inferior Australian coal, which from their extensive colonial connection Messrs. Rankin & Blackmore have found requires much larger boiler power than is necessary with our own good steam coal.

There are six steel boilers in the Ozone, 7 ft. 9 in. in diameter and 15 ft. long, with a working pressure of 90 lb.

Scientific Women.

An agreeable illustration of the capacity of the feminine mind to grapple with the abstractions of science was afforded in the recent annual meeting of the American Science Association, whose proceedings were illuminated by the personal participation of several lady members. A paper by Mrs. Nuttall Pinart was read, in the section of anthropology, containing some analyses of Mexican inscriptions. The novelty of her interpretation consists in interpreting the Mexican symbols as phonetics and not as ideograms, thus completely revolutionizing the previous conceptions on this subject. Her method has been applied to the deciphering of calendar and sacrificial stones of Mexico, and was suggested by the presence on these of phonetic symbols occurring in picture writings. This so-called calendar stone Mrs. Pinart believes to be the market stone of the city of Mexico. It regulated the time of holding the market days; and perhaps the division of the Mexican year rested upon these times. It also gives evidence to the existence of a communistic government.

In the section of chemistry, Mrs. Helen C. De S. Abbott read a paper upon the proximate composition of a bark from Honduras, known as "chichipati," which contains a new camphor and a yellow coloring matter, chichipatin, apparently of value as a dye and substitute for fustic. The same lady also presented some considerations of the relations of the chemical constituents of plants to their morphology and evolution, maintaining that the chemical constituents follow parallel lines with the evolutionary course of plant forms. In the section of economic science, a paper was read, written by Mrs. John Lucas, of New Jersey, upon silk culture; and finally, in the section of mathematics and astronomy, Anna Winlock's views were read on "the limitations in the use of Taylor's theorem for the computation of the precessions of close polar stars."—*American Analyst.*

The Incentive to Own a Home.


The *Manufacturer and Builder* thinks that the man who is working to secure a small piece of property substitutes a new and distinct ambition for a remote and vague one. Day dreams about large estates and princely incomes may be very amusing, but they are not half so profitable as a vision of a lot 100 by 200, with a snug little dwelling house upon it. With this before him, a man will rise early and retire late, turning his hand cheerfully to any and every kind of work. He will have a motive for rigorous economy which will make it a pleasure. He will have the vision of the last payment before him as a perpetual motive to moderation in passions, economy in expenses, abstinence from expensive pleasures and from expensive companions. Thus it will come to pass that a judicious debt, incurred at the beginning of a journeyman's or laborer's career, will become his good genius, watching over him, inciting him to all industry and to self-government. Every laboring man ought to own his house. The first duty of the workingman should be to convert his earnings into real estate.

EXPERIMENTS WITH THE SCIENTIFIC TOP.

(Continued from first page.)

in a very erratic way. Figs. 12 to 15 inclusive illustrate the well known and very interesting toy known as the chameleon top. This top is shown in this connection, as the beautiful experiments which have been adapted to it may be transferred with great advantage to the heavier top. Fig. 12 shows the top itself, with the black sector lifted out of its normal position to show the colored segments on the face of the top.

When the top is spun with the black sector resting on its face, a great variety of changes of hue may be produced by retarding the sector, by touching the metallic radially ribbed disk attached to its center. This operation causes it to shift its position on the top, and expose the different colored segments in suc-



RADIAL DISKS.

cession. Persistence of vision causes the segments to appear as circular bands of color, which constantly change.

When the colored paper ellipses shown in Fig. 13 are thrown upon the top and touched by the finger, the colors are curiously blended.

The tricolored disk shown in Fig. 14 is to be supported loosely on one of the wires shown in Fig. 15. This disk, when revolved, yields some very pretty effects. The wires shown in Fig. 15, when inserted in the hollow top spindle and revolved, produce the figures shown in the upper portion of the engraving, appearing like phantom vases, bowls, etc.


When this experiment is adapted to the large top, the wires are replaced by thin nickel plated tubes, inserted in wooden pins fitted to the spindle of the top. The tubes are provided at their upper ends with small spherical knobs.

In addition to the experiments described, there are of course many others of equal interest which may be performed by means of a heavy top.

The spinning device shown and described in the first paper has been adapted to a large gyroscope.

A STOP MOTION FOR LOOMS.

The invention herewith illustrated provides a construction by which the belt is automatically shifted and the loom stopped in case the shuttle fails to leave the box. Fig. 1 shows a front view of the lay of the loom, or the swinging frame, by the movement of which the weft threads are laid parallel to each other



MEGSON'S STOP MOTION FOR LOOMS.

against the cloth previously woven, Fig. 2 being a cross sectional and Fig. 3 a plan view of the lay; Fig. 4 showing a plan of the under side of the breast beam. The lay, A, is mounted to swing between the side pieces of the base frame in the usual manner, toward and from the breast beam, also secured on the base. On the upper part of the lay is the shuttle race, C, with the boxes, C', for receiving the shuttle, D, the front of each box being formed by a curved lever, E, pivoted at

the outer end of the lay in such a manner as to swing toward and from the back of the lay, the lever being pushed inward by a spring, F'. In lugs on the front of the lay is journaled the shaft, J, the middle of which is supported by a forked piece, J', between the prongs of which projects a dagger, K, that acts against the bunter, O, and a supplementary bunter, N. Arms, L, project upward from the shaft, their heads resting against the outer swinging ends of the levers, E, and springs, I, being coiled around the ends of the shaft, each having one end resting against the adjacent arm in such way as to press the arms against the levers. E. From the under side of the breast beam, B', jaws, M, project downward, to which the supplementary bunter is pivoted, a spiral spring, P, being secured to the supplementary bunter.

In operation, should the shuttle fail to enter the box, one of the prongs of the dagger, K, will strike the ordinary bunter in such way that the belt will be shifted and the loom stopped. By the previous method of construction, if a shuttle of a single-shuttle loom should fail to leave its box while a pattern was being formed by the harness, and the loom was allowed to run, both the take-up and the pattern chain would require adjusting, and with a loom employing more than one shuttle the warp threads would be broken.

This invention has been patented by Mr. John Megson, of Adams, Mass.

Nitrate of Soda.

Extensive deposits of nitrate of soda exist at Antofagasta, Taltal, and other places in the desert of Atacama, but the chief center of production is the newly acquired province of Tarapaca, which is described as one immense bed of this valuable salt. At the present time the nitrate business appears to be passing through a series of crises which is the result of two distinct causes. A commission appointed by the United States Government to inquire into the industrial and commercial condition of the Central and South American States, writing on the subject of the nitrate deposits, says that, in 1875, the Peruvian Government appropriated the nitrate deposits of Tarapaca, and compelled the proprietors of works to hold them under leases from the Peruvian Government, and to produce nitrate subject to the payment of a royalty, but the production was limited to a certain specified quantity per annum. The object of the Peruvian Government in appropriating the nitrate deposits, and in limiting the production, was to prevent nitrate competing with guano as a fertilizer.

When Chili took possession of Tarapaca, the works belonging to the Peruvian Government were sold, those which had been seized, but not paid for, were restored to their rightful owners, and the production of nitrate was declared to be free. A considerable impetus was thus given to the production, which was already in excess of the demand, when, rather more than a year ago, a sudden collapse in a large consuming market brought about a crisis in the nitrate business. About three years ago the beet growers commenced to use nitrate as a fertilizer. The roots attained an enormous size, and the quantity produced per acre far exceeded that obtained by any other fertilizer. Experience, however, soon demonstrated that, although the beet roots attained an unprecedented size under the influence of nitrate as a compost, it was at the expense of the saccharine matter contained in the root, and it was also discovered that the salt had a deleterious effect upon the sugar in the act of granulation, and even upon the sugar itself.

The result of this discovery has been the refusal of the best sugar producers to purchase roots to which nitrate had been applied. To meet this altered condition of affairs, the nitrate producers combined not to produce more than 10,000,000 quintals per annum; and with the object of finding a new outlet for their production, the owners of nitrate works agreed to offer a prize of £1,000 to the discoverer of a new use for nitrate, and they also purposed distributing among agricultural societies, institutes, and schools 500 tons of salt for experimental purposes. A considerable quantity of iodine, for which practically there is an unlimited market, is obtained from nitrate, but as it is a residual product, the quantity obtained obeys the laws of production of nitrate. The iodine is held in solution in the water in which the nitrate earth is boiled and washed, and the reagent used is sulphuric acid. The total value of the nitrate of soda exported in 1883 amounted to £6,409,000, of which the United Kingdom took £5,878,000, and the United States £168,000. The total value of the iodine exported in 1883 was £597,000, of which £90,000 went to the United States and £355,000 to the United Kingdom.

REFERRING to a carpenter who was seriously injured from the falling of an insecure scaffold, the *American Builder* adds: "It seems too bad, with the genius this country affords, that it cannot find some one who will invent a scaffold which will prevent the fearful loss of life which is daily occurring through the carelessness of those who build the ordinary joist and board affair."

Cabbage Flies and Worms.

From the address of President William Saunders, before the Entomological Society of Southern Ontario, we learn that the cabbage crop has been materially injured by the ravages of the cabbage *Anthomyia*, *Anthomyia brassicae*, a two-winged fly, which in the larval state burrows in the center of the stem of the young plant and causes its death. This cabbage insect is a native of Europe, is very troublesome in Britain, and has been known as a very destructive insect in this country for about thirty years, but nothing is known either of the date or the method of its introduction. The flies appear in the spring, and deposit their eggs upon the stems of the young cabbages about or a little below the surface of the ground. The eggs hatch in about ten days, when the young larvæ usually bore into the interior and work their way down toward the root; sometimes they merely gnaw grooves on the outer surface of the stem, and by this find their way to the roots, on which they feed. When full grown they change to yellowish red chrysalids in the earth, from which the flies shortly escape, the whole period of their life history, thus briefly traced, occupying about eight weeks. Usually, the plants attacked soon wilt and finally die. It is believed that there are two or three broods of these insects during the year.

Several remedies have been recommended, such as dipping the roots and stems of the young plants in strong lye, or a mixture of earth and cow dung diluted with water, or a thick mixture of soot and water. Any bitter or alkaline substance which would adhere well to the outer surface would probably deter the flies from depositing their eggs. Lime added to the soil, in the proportion of 100 to 150 bushels to the acre, after plowing, and well harrowed in so as to keep it near the surface, has proved a very effectual preventive measure; or even where the insects are at work upon the plants, if the earth is scraped away from about the stem of each, and a handful of lime dusted around it, and the soil again drawn up to the stem, the plants will sometimes recover. Coal dust, gas lime, and stimulating artificial manures have also been recommended.

The cabbage has also suffered from injuries caused by the common cabbage worm, the green caterpillar of the cabbage butterfly, which feeds upon the foliage, and often disfigures it to such an extent as to render it unmarketable. The habit of this caterpillar, feeding as it does among the folds of the leaves, makes it extremely difficult to reach with any sort of poison without at the same time rendering the cabbage unfit for use.

PYRETHRUM, OR INSECT POWDER.

Pyrethrum, or insect powder, which is the powdered flowers of *Pyrethrum cinerariaefolium*, has been used with good effect, either dusted on the plants or mixed with water and applied to them with a syringe, and this remedy is not in any way objectionable or poisonous. The pyrethrum plant is in my experience quite hardy in Ontario, has stood the severe cold of the past two winters without injury, and flowered freely. It is easily raised from seed, and being a perennial species, when once established it will continue to flower for an indefinite number of years. The flowers, collected when just about to expand, dried, and powdered, are very efficient as a general insecticide.

During the past year or two, many interesting experiments have been made and valuable results obtained in the way of artificially introducing disease among communities of caterpillars, a sort of caterpillar plague or pestilence, which carries them off by thousands. There is a very fatal disease which appears from time to time among silkworms, the larvæ of *Bombyx mori*, when bred for the production of silk, a disease which spreads so rapidly that it frequently destroys entire broods of caterpillars within a few days. So destructive has it been, that it is estimated that the silk crop in Europe is injured to the extent of many millions of dollars annually. During the past ten years it is believed to have reduced the income of silk breeders twenty-five per cent, and in 1879 was said to be the main cause of the great falling off in the silk crop of that year, which was only about one-fourth of the amount ordinarily produced. The celebrated Pasteur investigated this disease, and found it to proceed from the presence of an exceedingly minute form of bacteria, so excessively small that it has been estimated that it would require eight millions of them to cover the head of an ordinary pin. When water containing these minute organisms is sprinkled on the leaves on which the silkworms are fed, they are found to be rapidly infected and capable of communicating this pestilential disease to others with which they are associated. The bacteria may be preserved in a torpid condition without loss of effectiveness for at least a year, probably for several years, and that without any particular care, and when required for use can be rapidly propagated in a suitable fluid.

In my address to you last year, I referred to a similar form of disease which had occurred among cut worms, so abundant in clover fields in the Ottawa district; and in 1878 and 1879 to a similar trouble among

the forest tent caterpillars, at that time so abundant. Now, I am glad to be able to report a similar disease among the cabbage worms, and to indicate to you some practical results arising from investigations regarding its nature and mode of operation.

Throughout most of the State of Illinois and in some parts of Michigan, it was observed last autumn that a large proportion of the cabbage worms sickened and died. Hundreds of their bodies were to be seen rotting on the cabbage leaves, or shrunken and dried to a blackened fragment. This was soon brought under the notice of the State Entomologist of Illinois, Professor S. A. Forbes, a most careful and indefatigable observer, who at once proceeded to investigate the cause of this caterpillar plague. He found the disease at first to be very unevenly distributed, some isolated fields showing no trace of it, while others not far distant were fairly reeking with death and decay; but as the season advanced it spread in every direction, until in some districts almost every worm perished. He says: "We can conceive something of the significance of this disease if we imagine the terror and dread which would seize mankind if such a plague should suddenly assail human life. Whole towns would be depopulated, and the dead would rot in the streets by hundreds. There would be no escape for any, because the contagion would be conveyed by the very food and drink by which life was sustained."

On dissecting specimens of the dead caterpillars, the microscope showed their intestines to be full of undigested food, and swarming with a species of *micrococcus*, which appeared in the form of excessively minute spheres about one twenty-five thousandth of an inch in diameter, sometimes single, sometimes in pairs, and occasionally in strings of from four to eight. He found that these minute organisms could be readily cultivated in beef broth, and that a single drop of fluid from a diseased worm introduced into a vessel of such broth would in two or three days render the whole contents milky with myriads upon myriads of these microscopic organisms, precisely the same as those taken from the diseased larvæ. He also found by experiment that the disease could be communicated to other species of caterpillars. Experiments continued during the present year have shown that by propagating this form of bacteria in the manner described, and mixing a pint of a well charged culture with a barrel of water, and syringing cabbages with this fluid, the disease may be introduced, thus furnishing us with another means of defense against some of these injurious insects.

Telephonic Induction.

Mr. Preece's paper on "Induction between Wire and Wire," lately read before the British Association, revealed a somewhat alarming extent of electrical induction. In Gray's Inn Road a telegraph wire suffered induction from a telegraph cable 80 feet below in the ground. The complaints induced Mr. Preece to arrange experiments on a larger scale. In Newcastle, induction was noticeable at 3,000 feet distance. Experiments on the Durham-Darlington lines, and two other parallel lines, the one 10¼ miles east, the other 5¼ miles west, proved that on a Sunday when all other traffic was stopped, a peculiar signal given on the central wires of 18 miles length could distinctly be heard at the four corners of the two other parallel wires, and, moreover, Morse signals were heard which could only come from a line 40 miles away. Two other lines were therefore selected; one from Newcastle 55 miles long, with 10 wires, the other from Gretna, 40 miles long, with 17 wires, the two being about parallel and 40 miles distant from one another. The wail produced by intermittent increasing and decreasing currents by means of a special commutator in the one line was sadly audible in the other. Mr. Preece did not consider these tests conclusive evidence of induction, because earth was used as return lead, although the respective line terminals were most carefully insulated. Another series of experiments is, therefore, now being carried on, with gutta percha wires bent so as to form squares, of a side of ¼ mile length. Two such squares have been placed on the ground ¼ mile apart; and what is intrusted to a telephone inserted in the one closed circuit can be listened to in the other. If facts of this kind become known, the telephone will not gain in favor. Cables are not much better, perhaps; signals given in the one cable to the Scilly Islands have been heard in the other cable half a mile away. It is further intended to carry a special double line of copper wire to Wales. Professor Silvanus Thompson objected to the term induction, which has become the household explanation for a good many different troubles. As the earth was used in Mr. Preece's tests, and perfect insulation is a practical impossibility, the lines of force tapped at any two points must necessarily indicate current variations. Mr. Preece protested against having characterized the phenomena as induction phenomena. It was remarked that at the electrical tramway line at Giant's Causeway, a telegraph wire is only 28 feet from the conductor rail, and no induction effects have ever been complained of,

although the postal authorities had to be satisfied about a great many points before agreeing to have the two lines so near one another. A test experiment was further suggested. Let us take three parallel wires, the one for the signals, the other two on the same side of the first for listening with the telephone at the one terminal; if we have to deal with induction, it cannot make any difference whether or not we join the two other wires by auxiliary wires, so that they form one complete telephone circuit; if it is induction, a difference must result.

Mr. Preece further related how he had found a piece of a needle, suspected of being in his daughter's hand, when Professor Hughes' induction balance and Bell's contrivance, with which he localized the bullet in President Garfield's body, had failed. Mr. Preece strongly magnetized a steel needle of the same size as the one which had broken in his daughter's hand. Suspending this by a paper stirrup, he observed a deflection when the needle was near the hand, and succeeded in localizing the steel piece in the palm, so that an operation could be performed a fortnight after the accident, yielding a piece of the refractory needle ½ inch long.

New Theory of Coal Formation.

The *Bulletin de la Ceramique* points out that the theory enunciated by M. De Grand' Eury is opposed to the idea that large trees and shrubs produced coal; and in further support thereof it is stated that the carboniferous flora consisted of plants deficient in substances necessary for producing coal—the investigation of M. Gaston de Saporta on this point indicating that this vegetation consisted of a relatively thin circle of wood and of a large quantity of a softer substance. Brogniart and Elie de Beaumont attribute the formation of coal to the transformation of the close herbaceous vegetation which surrounded the larger forest trees and plants. Similar opinions have been expressed by M. Ponchet and other savants; so that M. Grand' Eury has more or less eminent authorities for his statement that a calculation of the accumulation of trees, etc., necessary for the conversion into even a thin coal bed of a forest suddenly buried under water, or gradually letting its residue gather on the ground, leads to an evidently erroneous result, so greatly is it necessary to exaggerate either the mass of vegetable matter or the duration of the process of coal formation. Even admitting for a moment that coal is produced by the decomposition of trees, M. Grand' Eury asks how it can be maintained that wood, in losing its moisture, has become liquid. Wood is known to contain a good deal of water, and coal has only traces of it. While he regards it as certain that coal was at one time liquid, and gradually assumed a solid shape, he considers that coal beds were formerly beds of naphtha and bituminous petroleum, produced by the decomposition of inferior aquatic vegetation under the influence of heat and dampness. As a proof of this assertion, he quotes the fact that the porous minerals found at the bottom of coal pits are impregnated in their pores with naphtha and petroleum. This is at once detected by their odor; and it is therefore argued that this naphtha could only have been absorbed during the first state of coal formation. It is further remarked that this theory serves to explain the formation of petroleum, asphalt, and other bituminous springs, which are found at various depths, and even at the bottom of some lakes. A porous soil would allow of filtration; and hence M. Fongas has remarked that in calcareous districts the coal found is usually of somewhat poor quality.

Photo Printing on Silk.

In the *Photographische Mitarbeiter* the following recipe for preparing silk for printing from is given:

No. 1.
Tannin..... 40 grammes.
Water..... 1,000 c. cm.

No. 2.
Salt..... 40 grammes.
Arrowroot..... 40 "
Acetic acid..... 150 c. cm.
Water..... 1,000 "

No. 1 is mixed with No. 2, well shaken, and filtered. The older the mixture, the better it is for use. In this bath the silk is thoroughly immersed, and allowed to remain for three minutes, when it is taken out and hung up to dry.

Sensitizing solution is composed of a silver one to ten, acidified with nitric acid.

Toning Bath.

No. 1.
Chloride of gold..... 1 gramme.
Water..... 200 c. cm.

No. 2.
Sulphocyanide of ammonium..... 20 grammes.
Water..... 500 c. cm.

No. 1, after shaking, is mixed with No. 2. In a few days the mixture will become clear, when it is ready for use. It is preferable to dilute with from two to four times the quantity of water. Fixing and washing as usual.

A CHEAP TYPE WRITER.

The accompanying engraving represents an improved type writer, which is remarkably simple in construction and easy to operate. The paper enters at the front, passes under spring fingers, over a rubber feed roll—one end of which is provided with a milled head, by which it may be turned—and then over a flat type bar. Just above this bar is a rod formed on its upper surface with teeth spaced to correspond with the spacing of the printed letters. Sliding upon this rod are two lugs, formed upon a thin cast plate, whose outer segmental portion is marked with the letters of the alphabet, numerals, and punctuation marks. In the center of this segment is pivoted a second one, carrying a curved rubber strip, formed with letters, etc., upon its under surface. This segment is also formed with holes, which are radially in line with the rubber letters. Pivoted to the plate is a lever, pivoted at its outer end to an arm provided with a horizontal pin adapted to enter between the teeth of the rod. The lever also carries two downwardly projecting pins, one of which, when the lever is depressed by means of a finger bar mounted upon the outer ends of the rod and extending across the machine, forces the letter under it down upon the paper, while the other, whose point is conical, enters one of the holes and serves to guide the first pin.

This simple construction prevents the rubber between the letters from being forced down, and, at the same time, renders unnecessary the accurate stopping before any particular letter of the pointer which is attached to and by which the type plate is moved. This pointer moves over the segment having the characters marked upon it, and can be rapidly shifted from letter to letter by one hand of the operator, the other hand pressing down the finger bar as each letter is indicated, this movement also shifting the type along the distance of one space. By pressing upon a thumb piece attached to the left hand end of the finger bar, the type can be moved along one space without any type making an impression. The striking of a bell notifies the operator that the end of the line has been reached. The free end of the plate is then elevated, when it can be moved back to begin another line, the paper being advanced any desired distance by turning the feed roll. Attached to the plate are two inking pads, upon which the type segment bears. The constant movement of the type over these pads insures the thorough inking of each character.

Provision is made for easily regulating the length of the printed lines. The machine has extremely few parts, not one of which is delicate or liable to get out of order. Further particulars concerning this type writer may be obtained from World Type Writing Machine Company, 113 Prospect Street, Boston, Mass.

IN Egypt an engine specially constructed to use petroleum as fuel is drawing trains on the railway between Alexandria and Cairo.

IN Egypt an engine specially constructed to use petroleum as fuel is drawing trains on the railway between Alexandria and Cairo.

IN Egypt an engine specially constructed to use petroleum as fuel is drawing trains on the railway between Alexandria and Cairo.



A CHEAP TYPE WRITER.

stone built on columns of brickwork which are supported on platforms, each constructed on four wooden piles. The side of the building is covered with Cameret tin and white pine sheathing, matched and planed on both sides and double beaded. Rendle's system of glazing is used for all the extensive skylights, and the main front of the building is covered in with ornamental galvanized iron.

The construction of the roof is shown in our engraving of the sectional view. The main and side trusses are stiffened longitudinally with trussed purlins and latticed struts, and the roof is covered with tin laid on 1 1/4 in. yellow pine boards.

All the tin is painted with one coat of paint on the felt side and two coats on the outside, and the

wood work is finished in three coats of olive green.

The passengers' depot, which will be shortly erected, will have a handsome elevation overlooking the river. It will be provided with two baggage rooms, office, two express rooms, restaurant and kitchen, emigrants' waiting room, and a general waiting room measuring 66 ft. x 100 ft. On the upper floor are to be the company's offices, arranged to be approached from a gallery extending around the general waiting room, which will reach the whole length of the building to the roof.

It is calculated that the total cost of the two buildings will be about \$150,000, of which \$75,000 will be expended on the train shed.

Cocoa Palms as Lightning Conductors.



In a recent article the *Ceylon Observer* refers to the power of the cocoa nut palm to conduct lightning. Sir Emerson Tennent long ago pointed out that this tree acts as a conductor in protecting houses from lightning, and in one instance 500 palms were struck in a single plantation during a succession of thunder storms, in April, 1859. But the trees themselves suffer terribly in the process, for however slightly they may be touched by the electric fluid, they die. Sometimes only the edges of the branches are singed, at others a few leaves turned brown alone show where the tree was touched, yet however slight the apparent effect, in course of time the tree withers gradually and dies.

In conclusion, the journal quoted inquires why it is that cocoa nut palms which have merely had their external parts, their foliage, almost imperceptibly singed, should be as much doomed to death as those which have had their vital parts permeated by the lightning, the fatal result being only protracted in the one case, while it is instantaneous in the other.

NEW PASSENGER DEPOT OF THE ERIE RAILROAD.

The extensive passenger train shed and depot shown in the engraving are now in course of erection for the New York, Lake Erie, and Western Railroad on the Pavonia Avenue, Jersey City. The work is carried out from the designs of the company's architect, Mr. G. E. Archer, under the superintendence of Mr. C. W. Buchholz, the Chief Engineer of the department of Bridges and Buildings.

The train shed is 600 feet long and 140 wide, and is constructed in an unusually substantial manner. Iron standards or columns forming the main support of the structure are erected at distances apart of 25 ft., being bolted with 3/4 in. bolts to large blocks of blue-



THE NEW PASSENGER DEPOT OF THE ERIE RAILWAY JERSEY CITY.

The "Noble Forehead" Fallacy.


It is popularly supposed that the high forehead is essential to a good brain, and intellectual superiority is usually associated with the conception of a "two-storied brow." Dr. Wm. H. Mays ably combats this idea in the *Western Lancet*. He says:

"The size of the forehead depends much on the line of growth of the hair that limits it. A man may have what is called a low forehead; but if the hair could be removed to the height of four or five inches, the same individual would present as fine a specimen of the traditional "noble forehead" as could be wished, a perfect "dome of thought," particularly if the frontal sinuses happened to be large or protuberant. Again, a low forehead has ever been held a sign of beauty in woman, and has certainly never been regarded as an impeachment of her mental capacity. The truth is, the front part of the brain has very little to do with the intellectual process. It is the posterior lobes of the brain with which the higher faculties of the mind are associated. Gower assigns to the frontal lobes, excepting their lower and hinder portions, a negative position as regards psychical importance. Only man possesses posterior or occipital lobes; they are the latest achievements in the long line of cerebral development. In the higher apes they may be found in a very rudimentary condition; the lower mammals possess frontal or anterior lobes only. In the lower savages, and in congenital idiots, the occipital lobes are often ill developed, approaching the brute type, giving a flattened appearance to the back of the head. In the Stockton Asylum are several interesting idiots, some of whom, while possessing quite respectable foreheads, show a striking deficiency of back head. The neck and back of the head are in one line, and it is worth remarking what a foolish appearance such a contour gives an individual. When you see a lack of the rounded sweep or projection of the back of the head above the neck, you will find with it a low order of intellect. The idea that a high forehead is, taken alone, the index of mental superiority is as baseless as any of the exploded propositions of phrenology, with which pseudo-science it deserves to be classed."

EXPERIMENTS IN PNEUMATICS WITH A STEAM VACUUM.

T. O'CONNOR SLOANE, PH.D.

From the two preceding articles in this series it will be seen that several experiments usually performed with an air pump can by simpler apparatus be shown almost or equally as well. It is proposed in the present paper to extend the list. After such a series as given has been followed in this work by the experimenter successfully, he will have little difficulty in going still



CARTESIAN DIVER IN VACUO.

further, and by a little ingenuity will be able to execute a full set of vacuum experiments.

The existence of air in the pores of wood has already been shown. Striking as the experiment is, the air and its movements are unseen until it enters the water. It is interesting to watch the expansion and expulsion of air from a transparent vessel. A test tube is nearly filled with water and inverted in the cylinder or bottle that held the piece of wood in the former experiment. The cylinder should be almost completely filled with water. Under these conditions the inverted test tube sinks to the bottom, and rests there, with a small bubble of air in its upper end. The boiling flask is connected and a vacuum produced. As the vacuum grows greater the small residue of air in the test tube ex-

pands, the tube grows lighter, and suddenly, when enough water has been expelled by expansion of the air, ascends to the surface.

The air continues to expand, and begins to bubble out of its lower and open end. This is the action that takes place in the pores of the wood, and, just as in that case, a surprising volume of air will escape. On the readmission of air the test tube fills again, preserving a still smaller air space, and sinks at once. Each pore within the wood acts as the test tube does, and the latter experiment may be accepted as a magnified representation of the first one. As a further illustration of the expulsion of air from porous bodies, a piece of chalk may be placed in water and a vacuum produced. Air will escape from it, just as from wood.



POROSITY OF WOOD. BOILING POINT. EXPANSION OF AIR.

The porosity of wood may be illustrated by the use of the flask alone. A round stick is thrust through a short piece of rubber tubing, so as to make a tight joint in the neck of the boiling flask. The latter contains a little water, and is boiled, and while boiling the stick is introduced with its end under the water, the rubber making a tight joint between it and the neck of the flask. As the steam condenses, air will begin to steam through the stick from the outer atmosphere, and out of its lower end into the flask. After all is cool, the stick can be easily withdrawn. The ease with which it comes out shows how the vacuum has been destroyed by the air thus drawn in.

To illustrate the effect of a reduction of pressure on the boiling point, a small flask should be three-quarters filled with water, which is to be heated to a temperature a little short of boiling. All is quiescent until a vacuum is produced by connecting the boiling flask to it, and operating as described. As soon as the reduction of pressure has gone far enough, the water in the small flask begins to boil.

In many of the experiments, the close observer will notice the appearance of minute bubbles in the water in the cylinder of the experimental vessel. These must not be confounded with the steam bubbles seen in this last experiment. The minute bubbles are not steam, but are due to dissolved gas—nitrogen, carbonic acid, and probably somewhat less oxygen.

Another example of the expansion of air may be executed by the aid of the small flask. It is fitted with a tube that protrudes to a length sufficient to reach nearly to the bottom of the boiling flask when inverted over it. The small flask is thus inverted while empty, the tube passing through the cork of the boiling flask. The cork of the latter has its plug removed, otherwise all is tight. The water in the lower flask is boiled, and, after full expulsion of the air, is plugged. As the vacuum begins to be felt, the air bubbles out of the immersed end of the tube with great rapidity. When all has come that will, the plug is withdrawn. The water immediately rushes into and partially fills the upper flask. This condition is shown in the cut. A second vacuum is produced. As this is more than the preceding, more air will be withdrawn from the upper flask. By repeating this often enough, almost all the air may be expelled from the inverted flask.

The balloon already used may be borrowed, to show the elasticity of air. Most of its contents are expelled, and it is suspended from a rod or sealed tube passed through the cork of the boiling flask. It is sufficient to drop the balloon into the flask. Its attachment to the tube is a matter of convenience for its extraction. In either case its neck is tightly tied, so as to make it air tight. All being arranged, the water is boiled, the cork is plugged, and the vacuum is produced. The balloon slowly expands, and assumes a globular shape. When air is readmitted by withdrawing the plug, it suddenly collapses. When inflated, it will be much larger than the neck of the flask, and might be cited as a parallel case to the apples in the dumping.

The last experiment illustrated is the familiar one in acoustics. The transmission of sound through space is dependent on the existence of some material sub-

stance. In the case of its transmission, waves are formed by the vibrations of the sounding body, and these waves affect the organs of hearing. Solids, liquids, and gases convey sound. A solid, to act thus, must be elastic and tense or solid.

A short piece of India rubber tubing is slipped over the end of the glass rod or sealed tube used in the last experiment. A bell, small enough to pass through the neck of the boiling flask, is attached to the end of the tube by a pin. The other opening in the cork is plugged. The water is boiled, the cork is slowly placed in the neck, and the lamp removed. As soon as cool, the bell may be rung by shaking the flask. No sound whatever will be heard if the boiling was long enough and hard enough to expel the air. The India rubber, though elastic in one sense of the word, is too loose or limp to convey sound waves.

In the future some more examples of this class of experiments may be given. By consulting text-books, more especially the older ones, hints for experiments in pneumatics may be found. An egg, by a large rubber tube, may be cushioned in the neck of the flask, a pin hole having previously been made in its inner end. Before resting it there, the water must be boiled. If the fit is good enough to hermetically close the flask, so that a vacuum is produced, and if the smaller end be placed downward, its contents will be expelled partially, at least, by the expansion of the air bubble. If a second pin hole is made in the upper end, the contents will be driven out much faster. A sharp edged metallic tube, fitted to the neck by a large rubber tube, will core an apple. While the water is boiling, an apple is screwed down on it; and if the vacuum is good enough, the core will be drawn violently down into the flask. The tube protruding from the flask must be long enough to go completely through the apple.


No difficulty will be encountered in these experiments if good rubber corks are used and rubber tube joinings between separate glass tubes are avoided.

Points on Patents.

One of the most common errors that inventors fall into is the mistaking of mere mechanical skill for invention; and one of the most puzzling things the examiner in the Patent Office and the judge on the bench are confronted with is the necessity of determining just where mechanical skill ends and invention begins.

Another error prevailing very commonly among inventors and others is that an individual or corporation has the right to manufacture a patented article, provided it is for their own use, and not made for sale. This is not so. The law gives the patentee the exclusive monopoly for seventeen years to make, use, and vend.

Another error of inventors, although not so common as those above, is that the object for which a machine is constructed, or the use to which it is to be put, is what the patent is granted for. This may be true, to a very limited extent, where the article thus produced is a new article of manufacture; but, generally, the patent is for the mechanical arrangement



BALLOON IN VACUO. ACOUSTIC PARADOX.

whereby the desired result is obtained, and not for the result itself, and the use of such patented machine for an entirely different purpose is an infringement of the patent. The granting of the patent carries with it the exclusive use of the machine, no matter for what purpose.—C. N. Woodward, in *Wood and Iron*.

Waterproofing Cloths.

The following mixture is given by a correspondent in *L'Industrie Textile* as suitable for waterproofing all kinds of woven fabrics: Linseed oil, 77.0; acetate of lead, 1.845; litharge, 10.0; amber earth, 0.4; vegetable wax, 1.3; soap powder, 1.2; Manila gum, 0.7; lamp black, 4.0; essence of turpentine, 2.0; India rubber varnish, 1.555; total, 100.

A Large Anaconda.

An anaconda, 15 feet long, the largest, it is said, that ever came hither, arrived last week, and was almost immediately dispatched to the Philadelphia Zoological Garden, where it now is. Mr. Frank Thompson, the dealer in wild animals, who imported it, exhibited it to the writer in his headquarters at 411 East 56th St. An attendant knocked off the top of a large box which lay upon the floor, and the monster was seen in his entirety, the great folds of the body, of a light brown color, marked with dark circles, lying tier upon tier from the bottom to the top of the box. No sooner was the light let in upon him than he began to move his head from side to side and shoot out his forked tongue threateningly.

"I want to examine his mouth," said the dealer, "to see if there is any appearance of canker, for it is of such corroding humors that these reptiles usually die." Saying this, the dealer eyed the monster for a moment intently, and the latter returned the look with interest. Suddenly the dealer, a powerful man, thrust forward his right hand and seized the huge neck with an iron grip, and the great mouth was opened wide in anger. There was no appearance of cancerous growth, and the wary dealer, letting go his hold, dodged to one side, and the blow aimed at him by the reptile fell short. Before he could get ready for another, the top of the box was jammed down upon him. It was curious to note the effect the sight of the anaconda had upon the kangaroo, and other animals in the adjoining cages. They seemed beside themselves with fright, jumping hither and thither; the eyes of the former almost starting from the sockets.

The anaconda is found almost exclusively about the Amazon watershed, and is essentially a water snake, living in or near the water. The boas come from the same locality, but are distinctly land animals. Wallace and Bates (the latter is now secretary of the Royal Geographical Society), in their voyage up the Amazon, some forty years ago, had their chicken coop, which hung over the stern of the vessel, torn to pieces and robbed by an anaconda one night while they lay at anchor, and they aver that this reptile will take any kind of an animal off a vessel's deck if he can reach it.


He lies hid in the water where animals are wont to come at night to drink, and when a favorable opportunity presents itself, darts his head forward, seizes his prey with his teeth, and then, dragging it into the water, he winds himself around, crushes, and then devours it.

THE "SADDLE SULKY."

The essential feature in the construction of the sulky represented in the accompanying engraving consists in so curving the axle as to admit the rear of the horse between the wheels, thus permitting the horse to turn upon his center of motion, thereby making riding in such a vehicle very safe. In many respects it is like riding in a saddle on wheels, as it is to all intents and purposes a part of the horse. The inventor claims that a vehicle of this nature will be of marked value, particularly for riding over rough roads, or where ordinary vehicles cannot be used, as there would be absolutely no danger. From the engraving it will be seen that the front of the seat of the sulky is supported upon a spring perch, rising and curving backward from the shafts, the rear portion being held upon flat springs secured to the curved bow uniting the ends of the shaft. This construction especially promotes the comfort of the rider, and avoids the unpleasant motion usually experienced in two-wheeled vehicles. The sulky is very light, and at the same time exceedingly strong, since the axles are firmly secured to the continuous shaft, and well braced.

The sulky here shown is intended for exercising horses, but we are informed that a still lighter model for trotting purposes is made, similar to the small diagram, wherein the axle makes a continuous arch under the seat over the rear of the horse. This form, the inventor claims, prevents very largely the slewing usually experienced in turning around the curves of a track, thereby tending to increase the speed of the horse and lower the record.

This sulky has been recently patented by Charles F. Stillman, M.D., of 142 Broadway, New York City, and is being manufactured by Brewster & Co., of Broadway and 47th Street.


**STILLMAN'S "SADDLE SULKY."**

for the purpose of keeping the streets open to free and uninterrupted travel. But the legislature had not the power, neither had the municipal authorities, as against the adjoining owner, to confer upon any person the right to make use of the highway for any other purpose than to pass and repass, without the consent of the owner of the fee.

takes a pride in showing his fearlessness in the pursuit of his vocation under all circumstances. Sensible people call it foolhardiness. It has cost the life of many a good fellow, and we really believe that whenever a man exhibits unmistakable symptoms of this form of mental obliquity, he should be discharged from positions involving danger to himself or others.

IMPROVED VIBRATING STETHOSCOPE.

The engraving represents a stethoscope provided with vibrators or sound-augmenting diaphragms, arranged to act on the sounding board principle, to increase the efficiency of the instrument. The vibrators are thin disks of metal, skin, rubber, or other suitable material, placed in the ear tips and in the receiving tube. As here illustrated, the tips and receiving tube are each provided with four diaphragms held in a thimble inserted in the tips and tube in such manner as to form a sounding board chamber for each diaphragm by the relative position of the thimbles, the diaphragms, and the material of the receiving tube and the tips. Four diaphragms are preferably employed in the receiving tube, and air chambers are provided in the upper edge of each thimble.

**BLODGETT'S IMPROVED VIBRATING STETHOSCOPE.**

It is claimed that by this arrangement of vibrating diaphragms and air chambers the effect of the sound waves in their passage through the tubes over the diaphragms is vastly augmented, and the efficiency of the instrument to detect the most subtle and feeble sounds within the human body is increased in a remarkable degree. As shown in the engraving, the letters, E E, indicate sectional views of the vibrating diaphragms inserted in the receiving tube, O, and the letter, D, indicates sectional view of vibrating diaphragms inserted in rubber tips, A A. These diaphragms may be applied to all stethoscopes now in use.

This stethoscope is the invention of Dr. F. M. Blodgett, of No. 207 West 34th Street, New York city.

Use of Public Highway.

According to a late decision of the New York Supreme Court (*McCaffrey v. Smith*), neither the State legislature nor a village can confer authority on a person to occupy part of the public street as a hack stand as against the adjacent lot owners. The court said: The legislature undoubtedly had the power to authorize the village authorities to pass ordinances and by-laws (which they might enforce) limiting and restricting the use which the public might make of the streets beyond their rights of travel—ordinances which could be enforced as against the adjoining owners themselves

Patent Rights as Property.

The *Weekly Law Bulletin* reports the following decision:

Section 14 of chapter 222, Pub. Stat., provides that execution may issue against the body of the defendant in an action of assumpsit, whenever, among other things, the defendant has been guilty of fraud "in the concealment, detention, or disposition of his property;" and an order for the execution may be granted on an *ex parte* hearing without notice to him. A judgment debtor who has a valuable patent right is not entitled to withhold it from his creditors upon the ground that it is an incorporeal or intangible right; such a right is not exempt from attachment by law, and one having property not exempt, which he detains for his own use, refusing to apply it to the payment of the judgment against him, is guilty of fraud in the detention.—*Re Samuel D. Keene*, S. C. R. I. II. New Eng. Rep., 505.

Submarine Mining Experiments.

Extensive submarine mining experiments were carried out near Portsmouth on September 14, with the view of testing the efficiency of the present system of firing mines, the system, owing to the weakness of the detonating charges, having broken down at the recent naval review. Two experiments were made. The first was with observation mines, which consisted of a line of six mines, each containing 500 lb. of gun cotton, so arranged as to blow up an enemy's ship should it have crossed the line. The mines were at the bed of the channel, covered with 10 fathoms of water, and connected by an electric tube in which was inserted at each mine a charge of fulminate of mercury. On a key being pressed, four out of six mines were exploded, and each sent up a huge volume of water, 400 feet high. Gunboats were stationed 600 yards off, and after the first violent shock the sensation was as though the boats were bumping heavily on rocks. These mines were laid on a mud bottom, large quantities of which, together with tons of fish, were blown up with the water. The next experiment was with a line of 12 countermines, supposed to be laid over an enemy's mined channel, and these also each weighed 500 lb., and were 180 feet apart. On the key being pressed, 11 out of the 12 mines exploded; but, owing to these being laid on a sandy bottom, the shock was no greater to the gunboats than in the first experiment. The tests were carried out on a point of land eight miles from Portsmouth, where the effect of the shock was not felt.

Foolhardiness.

To one who is familiar with the carelessness exhibited by persons who have served a long time in dangerous occupations or in close proximity to dangerous machines, the wonder is not that so many accidents happen, but rather that so few fatal casualties occur. A young man of exceptionally steady and cautious habits was employed some time ago by one of our leading woodworking establishments. His steady, cautious nature led to promotion, and a part of his duty required his presence where there are many rapidly revolving pulleys and belts.

It was noticed that he gradually got to "fooling" with the belts, and he was warned of the danger by some of the old hands. The other day there was a sudden jar and a stoppage of a part of the machinery. An examination revealed a broken belt and the mangled corpse of the young man. The cause was evident to the coroner's jury—pure carelessness. Every week we read of accidents to carpenters, painters, etc., and no wonder. The recklessness of this class of men in trusting themselves on rickety scaffolds is incomprehensible. The other day we saw a painter at the top of a long light ladder, the foot of which rested on a frail pine goods box on a sideling pavement. On a close calculation there was not more than an inch, or at most two inches, of "center of gravity" that prevented his receiving a terrible fall. And this man, like hundreds of others,

A BALLOON TRIP FROM CHERBOURG TO LONDON.

A young and already celebrated aeronaut, Mr. F. Lhoste, has twice in the past made a trip through the air from Boulogne to England, but these interesting expeditions could have been successful only through his alternate utilization of superposed currents. These circumstances put it into his head to cross the English Channel, from Cherbourg as a starting point, through a S.S.W. wind, which is one that is well established and frequent in these quarters. He and his traveling companion, Mr. J. Mangot, succeeded in their very first ascent in putting into execution the bold project that they had previously announced. Among the means employed by these explorers for traveling in a balloon over the sea, we consider as very important the use of a float for converting the balloon into a captive one, and the use of a cone anchor, permitting of the reception of water hoisted up from the ocean with a pail, since the sun at daybreak tends to cause the balloon to rise into the higher regions, and to make it lose, through expansion, a portion of the gas that it contains. With these several methods of anchoring one's self to the sea and taking in ballast, it is not impossible to undertake long balloon trips over the ocean. Messrs. Lhoste and Mangot have been good enough to give us a complete account of their fine voyage, and we shall allow them to do the talking, but not before offering them all the congratulations that they merit:

On the 29th of July, the wind being favorable, the inflation of our balloon, the *Torpilleur*, was begun at Cherbourg, at 6 o'clock in the evening, and was finished at 11. The arranging of the paraphernalia took half an hour. These comprised (as explained by one of us at a meeting of the Congress of Learned Societies on the 29th of April, 1886, presided over by Mr. Faye) the following: (1) A helix placed under the car, and revolved by the aeronauts; (2) a triangular sail, that started from the center and extended to a yard 15 feet in length, fastened horizontally to our ring; (3) a guide rope, 260 feet in length; (4) a cylindro-conical float, 5½ feet in length and 8½ inches in diameter; (5) a conical reservoir of a capacity of 85 gallons, and capable of serving as an anchor; (6) two pails attached to an endless rope, 525 feet in length; (7) a sheathing of cork around the car, to render the latter unsinkable; (8) ten bags, each containing 44 pounds of sand; and (9) all the necessary instruments.

At half past 11 we gave the signal for starting, and rose slowly to an altitude of 1,300 feet, which we succeeded in keeping until half past two o'clock in the morning. Scarcely had we left the roadstead when we saw that the navy was making efforts to follow our balloon by means of the Mangin electric light projector.

Despite the skill of the officers who had this important experiment in charge, we have learned with pleasure that the rays that swept the heavens never once met with us. Such want of success of men who are used to looking for torpedo boats shows how advantageous balloons would prove for approaching a given point.

The amount of ballast thrown out during the first four hours of our trip was 130 pounds, our route remaining perfectly regular. During this part of the voyage, the sky was remarkably clear around the balloon; but the horizon, on the contrary, was

full of large black clouds. The brilliancy of the stars, as well as their oscillation, was very remarkable. The Milky Way gave enough light to allow of the barometer being read. We were at the end of the period of from the 26th to the 29th of July, given by the *Annuaire du Bureau des Longitudes* as corresponding to the occurrence of an abundant flight of meteors,

gators. In addition to these apparitions, we ascertained the presence of a radiant corresponding to the star Beta of the Swan, which was situated upon the limit of the zone covered by our balloon.

A large number of stars emanated from this center, and in an irregular manner. The phenomena lasted for a quarter of an hour. These stars were seen with difficulty, so that it was almost impossible to get at the number of them. Some of them shot forth at the same moment, and we saw seven or eight simultaneously.

We did not see Venus until more than an hour after she had risen. The aurora was very intense, but the brightness of the coming day worked no prejudice to the effect produced by the planet. Her aspect was truly admirable. Her brilliancy was comparable to that of an electric beacon, and much exceeded that of the Isle of Wight.

Well knowing that the appearance of daylight would give us a dangerous increase of ascensional force, we maneuvered from half past 3 o'clock in the morning to circumvent the sun's influence. For the purpose of getting to the surface of the sea, we set the helix in motion. Despite the inconvenience of operating it, the balloon was brought within 160 feet of the waves without the loss of the least amount of gas.

The float was at once let down to the surface, and as soon as it filled with water, through the orifices with which it was provided, the tension that it exerted upon its cable rendered the maneuvering easier. So we took advantage of this to set our sail.

It was then that, to our great satisfaction, we saw that we were approaching the Isle of Wight with a velocity of nine knots an hour. The resistance of the float had made us lose a notable portion of our speed, and for the purpose of making this up and obtaining a lateral direction, we trimmed our sail. The latter at once belled, thus proving that it was acting despite its dimensions, which were small relatively to the perpendicular section of the balloon. We soon perceived that the heat of the approaching day was producing so perceptible an inflation that our float, notwithstanding its weight of 130 pounds, was skipping over the waves. Now was the moment to put in execution the last part of our plan, and to take sea water aboard as supplementary ballast. This maneuver permits of lowering the balloon at will, and bringing it within a few yards of the surface of the sea, as shown in Fig. 2.

Upon approaching the coast, our float was hauled up, after first emptying it by means of the inverting rope. Thanks to such lightening of the balloon, we rose to a height of 3,200 feet, and entered England to the west of the city of Bognor, at forty minutes past four in the morning. The limpidness and transparency of the water not far from the coast were surprising. The bottom, which was formed of rocks strewed over sand, partially covered with long seaweeds, could be seen very distinctly.

The effect of our sail had been sufficient to cause us to deviate from the course taken in the first part of the voyage; but, when given its liberty again, the balloon had resumed its first route in slightly ascending toward the north.

The sun having finally made its appearance, we rose to an altitude of 4,200 feet. As it was our intention to proceed to London, we looked attentively in the direction N.N.E. to see whether we




Fig. 1.—ROUTE TAKEN BY MESSRS. LHOSTE AND MANGOT IN THEIR BALLOON TRIP FROM FRANCE TO ENGLAND.

with centers of emanation distributed over all parts of the celestial globe. In fact, we saw several quite brilliant shooting stars start from various points of the firmament. These sporadic meteors were white, and their mean brilliancy was that of stars of the second magnitude. We saw seven of them. The last, toward 2 o'clock in the morning, was the most brilliant of all. It left a luminous train, from which seemed to start several brilliant points, as would do the various fragments of a single sphere falling to the surface of the globe. This fire ball remained in sight for at least four seconds, and must have dropped over the ocean, so that there is little chance of its fragments having been collected. But the light was observed by a few navi-




Fig. 2.—THE BALLOON *TORPILLEUR*, WITH ITS FLOAT TRAILING IN THE WATER.

could distinguish either Westminster Palace or the dome of St. Paul's, which is 350 feet in height. We soon recognized the outlines of these gigantic structures. It was about 5 o'clock in the morning. Soon afterward, we saw outlined in the distance the immense course of the Thames, from its mouth as far as to beyond Windsor Castle. Keeping ourselves in the right path, we preserved our horizontality as far as to the Crystal Palace, which we left to the right.

Fearing that we might miss London and ascend toward the sources of the Thames, we opened the valve in order to bring ourselves toward London Bridge through a lower current.

This maneuver was thoroughly successful, and the great river was crossed at an altitude of 800 feet in the vicinity of the Tower. Having reascended to an altitude of 1,100 feet, we allowed ourselves to be carried along by a S.S.W. wind, which caused us to cross the city near St. Paul's, the Artillery Grounds, Victoria Park, and the entire north part of the city.

Seeing that we were leaving London, we began to descend, and, despite the violence of the wind, found it possible to stop without accident in a beautiful meadow on the banks of the river Lee. We were at Totenham Station, a charming village to the north-east of the metropolitan district.—*La Nature*.

Electric Lamps for Coal Miners.

The London *Colliery Manager* strongly urges the adoption of electric lanterns in place of the ordinary mining safety lamps. A portable electric lamp can now be made, possessing the following features: Weight, about three pounds only; illuminating power, five candles; size and shape, similar to present lamps; duration of light, ten hours; cost of repairs, charges for battery and materials, one penny for ten hours. It will be seen that in these respects there is nothing to prevent its immediate adoption, and the entire displacement of the present lamps, and even candles, in many mines where they are still in use.

A strong argument in favor of the continued use of candles in slightly gaseous mines is that they give a better light than the safety lamps, and throw a stronger light on the roof. But this argument is entirely overthrown by the electric lamp, for its illuminating power is some fifteen or twenty times as much as a Clanny lamp, and about ten times that of the ordinary miner's candle.

The small globe which contains the incandescent arc can also be placed on the top of the lamp, throwing its light all around as easily as in any other position.

The electricity in this lamp is supplied by a primary battery.

While it is satisfactory to hear that the weight is only three pounds, and therefore but little heavier than present lamps, which are generally about 2½ pounds, it would surely be a mistake to allow that consideration to stand in the way of the adoption of a lamp which offers so many and great advantages, and we should not hesitate to waive the objection if the weight were six pounds, though it would certainly be less convenient to carry for firemen and others who have much walking in the mine.

It has been said that the cost of a number of lamps would not exceed twenty shillings each, and that, if manufactured in very large quantities, the cost would be considerably less.

In respect to the consequence of breaking a lamp in gas, there is admittedly a spark exposed at the precise moment of breaking the vacuum globe; but this immediately dies out, and electricians anticipate no danger from it, in even the most explosive atmosphere.

The present lamps may receive many jars and shocks, and even be dropped to the ground, without serious injury, and frequently without putting out the light; but it is to be doubted whether their future rival, the electric, will be equally obliging, although, in this respect, much may possibly be done by constructive modifications.

The heat of the portable electric lamp is quite inconsiderable, and to hold it aslant or to splash it with water will in no way damage it. These are valuable features, and there are many others. Its light will neither affect nor be affected by the purity of the surrounding air, and it must very much increase the comfort and health of miners to remove from a large mine several hundreds of the present lamps, which, burning not only a large quantity of oil daily, but many of them also burning a large quantity of fire damp, though then giving less light rather than more, have an effect on the atmosphere which may not be noticeable with a thermometer or a chemist's appliances, but that much reduces the comfort and health of the miners, and would be gladly dispensed with by men working in hot places.

The electric lamp has also all the advantages which attach to a superior light. Nearly every kind of work may with it be more efficiently performed, especially the cleaning of the coal before loading. The dangers of hanging roofs and sides are brought into promi-

nence, and thus great advances are made in both safety and economy.

It must be said for the present lamps that their light gives warning of the presence, in dangerous quantities, of noxious gases, and thus wards off a possibility of suffocation; and that when the existing chief security for pure air is removed, the maintenance of an adequate ventilation may be neglected, and injury to health caused thereby to the miners. But though a very convincing witness of impure air be then silenced, another will yet remain, for happily the fire damp of mines is usually accompanied by a smell which the practiced miner can readily distinguish. And, further, it must be conceded that if it is thought necessary to retain in a mine a few "safety lamps" in the hands of the firemen, the chance of an explosion emanating from a safety lamp will be lessened in at least the same proportion as the number of such lamps. But for our part, we would go to the full extent, and not retain one of the present lamps except as gas indicators for use in shot firing, and then only failing the practicability of other indicators.

We believe the adoption of electric lamps will not give rise to neglect of ventilation, but quite the reverse, for, as we have suggested, the necessity of limiting the maximum velocity of the air currents will be removed, and in the majority of large mines very large air roads have been formed, and only an increased water gauge will be needed to circulate a much larger ventilation. This may well be the next step in the onward march of the mining art.

Let us see, then, the picture which is conjured up by these thoughts for the morrow. A mine most brightly illuminated, which has not the odor of burning oil, which has no lamp stations, no lamp keys, no caution boards, but with an increased ventilation and higher air velocities, which imply no danger, but cause a purer and cooler atmosphere, and are the result of more powerful ventilating machinery without outlay on the already large airways. To complete the pleasant prospect, one thing is needed, the economical substitute for present explosives, which shall be without danger in the midst of coal dust or fire damp. The causes which lead to devastating explosions and the wholesale slaughter of the workers will then, we may hope, be altogether overcome, and each man will feel free from the incubus which now ever threatens him, and will know that his safety depends much more than formerly on his own watchfulness. The chief agencies through which a slight flaw at some point or the gross carelessness of some one man may now jeopardize hundreds of lives will then be in great measure counteracted.

NATURAL HISTORY NOTES.

Two large dog-faced baboons (*Cynocephalus anubis*, F. Cuv.) arrived at Central Park recently, and are now on public exhibition in the monkey house. They come from Nubia, Abyssinia, and are very rare. The mythological symbol called "Anubis," one of the Egyptian deities, representing a man with a dog's head, is taken in part from this species of baboon. They are even larger than Remus Crowley, the chimpanzee; and with a view of making a pleasant break in his life of solitude by the introduction of agreeable companions, the dog-faced baboons were brought up to the door of his cage. Mr. Crowley was seated at his table eating his porridge, with a napkin neatly tied around his neck, as is his custom when at meals, and was in the act of conveying a tablespoonful of the porridge to his mouth when he caught sight of the visitors from Africa, who, seated in a movable cage, were regarding him with looks of polite surprise. In an instant, he wrapped his arms around the bowl of porridge, leapt from his arm chair, and fled to the further corner of his cage, where, with the big wooden spoon held aloft, he assumed a threatening attitude. This inhospitable conduct on the part of Mr. Crowley was responded to with fierce barks by the baboons without, who showed their teeth savagely and gave other evidence of a desire to make Mr. Crowley's nearer acquaintance. Under the circumstances it was thought best to put the baboons in a separate cage.

Two very large cranes (*Grus americana*), not before seen here, have been placed in the sea lion pen. They are about 4½ feet in height, and hence larger even than the sand hill crane. One is in full plumage and white, while the other is of a beautiful light brown.

A pair of mule deer (*Cervus macrotis*) are the most recent arrivals in the deer park. Their great ears, coarse hair, and big-jointed limbs give them a striking appearance. They are dark gray in color and the tips of their tails are black, while that of the Virginian deer is white. When full grown, these deer will stand nearly five feet high at the withers. The first deer of this variety ever in Europe reached the London Zoological Gardens in 1879, being sent thither through Mr. Conklin, the superintendent of the Central Park menagerie.

The copperhead snake (*Ancistrodon contortrix*) has now with her a litter of young copperheads curiously spotted and striped.

A pair of caique (*Caique melanocephala*), a species of "parakeet," as the parouquet is now called by naturalists, was recently presented to the city, and are now to be seen in the parrot house. This is the first time they have been on public exhibition here. Their coloring is very striking; head black, throat lemon colored, back of neck orange, breast white, back and tail green. Their habitat is Demerara; and sitting, as they constantly do, close together on the perch, they keep up a constant chatter.

A pair of Upland geese (*Bernicla magellanicus*) have also arrived. These geese are found only near the Straits of Magellan and the Falkland Islands, which regions being colder than this, no trouble is anticipated in acclimating them. The male is white, with breast and under parts barred with black, while the female is brown with black bars. They breed freely while caged, differing in this respect from most wild birds.

Six pythons, each ten feet long, recently came here from India, and, though intended for the Central Park collection, could not be accepted through lack of funds, and four of them were lately sent to the Philadelphia Zoological Garden. They are of the class *Pythonida molurus*, the same as that supposed to have been slain by Apollo. It is the same description, too, which Virgil describes as attacking Laocoon, the Trojan priest of Apollo, who urged his comrades not to admit the wooden horse of the Greeks through the walls of Troy, which in reality contained a band of armed men, and led to the discomfiture of the Trojans.

Professor Torrey, in his "Theory of the Fine Arts," complains that the famous statue of "Laocoon," representing Laocoon and his two sons within the folds of two pythons, as pictured by Virgil, is defective because of the misconception by the artist of the instincts of the python in biting. Mr. Frank Thompson, on the other hand, who imported the pythons recently shipped to Philadelphia, and who has hunted them in Africa and India, tells the writer that Professor Torrey is in error as to this. Taking one from a box at his headquarters at 411 East 56th Street, recently, he exhibited its teeth, or rather the python did it for him. Both jaws were seen to contain a myriad of serrated teeth, and Mr. Thompson's right hand, which is now gashed about the thumb, is a striking illustration of the fact that the python can and does bite. He bites to secure his prey, and holds on until his folds are securely wrapped about it. Then he kills it by constriction. The python is not difficult to capture, and he tells the following story of his last hunt for it in Java: The Malay attendant having found a hole among the rocks where he believed a python lay hid, filled his turban with sand, which he spread out before it. The next morning, the sand showing the monster to have gone out and returned, a trap was made of bamboo and placed immediately against the mouth of the lair, and the following night a great python crept in and was easily secured.

Petroleum V. Nasby on Socialism.

I hate a capitalist, no matter how he becom one. I hate the meenspirited, grovelin retch wich will work ten or more hours a day, deprivin hisself uv beer, and terbacker, and cards, and bilyards, and hos racin, and sich, savin peny by peny til he hez ground enough out of the world to hev a shop uv his own, and to employ other men to slave fur him, and thus go on akumulatin til he owns things. Such men are monopolists, and the enemies of labor, and grinders.

I hold that the possession of a ten dolar bil makes a monopolist, and al sich shoold be crushed. Ez hevin a ten dolar bil makes a man a monopolist, his monopolism increases jist in proporsen to the ten dolar bills he hez. The owner of a factory is a enemy to the human raze, and ez for the man who bilds a railroad, he

"Is a monster uv such hidgus meen,
That to be hated needs but to be seen."

My hatred of railroad managers is intens. It comenst with the first time I wuz dropped off the hind platform uv a trane for not payin fare, and hez increst with every repetishun uv the ofense, which generally happens every time I want to go anywhere. I lothe the ralerode monopolist.

A grindin monopolist is any man wich has anything. Whenever a man hez saved anything, he becomes a capitalist, and ez capitalists are dangerous to labor, he should be made to divide it up so ez to be on a ekality with them wich never saved nothing.

The mechanic or workingman wich saves so ez to own a house or a farm becomes a capitalist, and consequently a grindin monopolist, and ez accumulashens are dangerous to labor, wat he hez shud be confiskated and divided up among us wich hezn anything. Property is a crime.

I ain't jist shoor that I hev got the socialistic doctrine down fine enuff, but I think these definishuns will do, espeshly when you howl em under a reg flag to luvvers uv humanity wich is chuck full of stale beer.

ENGINEERING INVENTIONS.

A cable grip has been patented by Mr. Lewis B. White, of New York city. It is operated by compressed air, a piston from the cylinder containing which operates a rod having lateral projections, and connected with cable gripping jaws, constructed after a novel plan, that is calculated to grip and release the cable rapidly, and hold it firmly and securely.

A steam engine has been patented by Mr. Herman Knebel, of Birmingham, Ala. It is a rotary engine, with a shaft provided with a piston having a head, with steam channels opening at their inner ends, on opposite sides of the head, and extended thence outward in opposite directions, making an engine which may be revolved in either direction, and which avoids dead centers by causing the crank pin or eccentric portion to serve as a piston head.

AGRICULTURAL INVENTION.

A plow has been patented by Mr. Jonathan M. Woodley, of Clio, S. C. The invention consists in an adjustable and reversible wedge-shaped block for use with an adjustable breast part which carries the sweep or shovel, the whole forming a plow gauge adapted to suit plows of different lengths, and serving to regulate the angle or pitch and depth of entry of the sweep or shovel into the ground.

MISCELLANEOUS INVENTIONS.

An ore separator has been patented by Mr. Henry C. Krause, of Lake Linden, Mich. Its construction is such as to allow a graduated supply of water to the pan, and in such way that the valuable mineral will be separated or graded into different sizes, the machine being economical in the use of water, and being simple and not expensive.

A clothes line pulley has been patented by Messrs. John S. Collins and Edmund J. Lyons, of Brooklyn, N. Y. A forked bracket attached to a base plate carries a larger and smaller pulley, the line passing around the former and over the latter, which are so controlled by a crank that the line will be held securely and can be readily put up and taken down.

A coffin platform for graves has been patented by Mr. Seth Baker, of Colorado Springs, Col. It consists of a frame with sockets, and standards with transverse sockets, etc., whereby coffins can be readily placed over and conveniently lowered into the graves, while at the same time hiding the open mouths of the graves.

A spool holder for sewing machines has been patented by Mr. Friedrich Neuhaus, of Belleville, Ill. It is a friction device intended to prevent the spool from revolving more rapidly than is required, thus preventing the undue unwinding of the thread, it being adapted to be placed upon the spool spindle with the spool resting upon the fabric layer.

An alarm for poison receptacles has been patented by Mr. Oscar F. Frost, of Monmouth, Me. It has a clamping plate and loop supporting a bell, which is hung in such way that when the bottle or package to which it is attached is taken in hand an alarm will be rung that will give notice of the dangerous nature of the contents.

A coffee pot has been patented by Mr. Joseph M. Lawrence, of Houston, Texas. It has a false bottom and tubes extending upward therefrom and communicating with the upper parts of two chambers, with other novel features, whereby the water heated will be forced up through the tubes and discharged continuously into the receptacle containing the coffee.

A wagon bed hoist has been patented by Mr. James S. Jones, of Crutchfield, Ky. It consists of a windlass provided with a clamp, by which it may be temporarily secured to the wagon bed or bottom of the wagon box, with sheaves secured to the ceiling or upper floor joists of the carriage house, for receiving rope in hoisting the wagon bed.

A hog pen has been patented by Mr. Lewis F. Chenoweth, of Millerton, Kan. The invention covers an improved construction in various parts and details, whereby water or fluid feed may be placed in the trough from the outside, and whereby the animals in different compartments can feed from the feed box and trough without disturbing each other.

A process of and apparatus for coating fabrics has been patented by Mr. Edward G. Sparks, of Brooklyn, N. Y. The invention provides for coating the material by projecting upon one or both sides a fine spray of the coating material, as wax, paraffine, etc., and maintaining the apparatus and material in a heated condition to insure uniform spraying over the entire surface.

A fruit evaporator has been patented by Mr. Arthur C. Penniman, of San Jose, Cal. The construction is such that the fruit trays are subjected to more intense heat at the bottom of the oven, and are then carried by wheels to a cooler upper part, to give the desired degree of evaporation, then removed through a door at the end of the revolution, where fresh trays are inserted.

A nut lock has been patented by Mr. Aaron C. Vaughan, of Shane's Crossing, O. The body portion of a nut is cut entirely through with a slit parallel to the axis of the bolt, and a portion of the part thus cut is depressed so as to act as a stout spring to bear against the other nut when screwed up, causing a strain to exist between the two nuts that prevents their turning off together.

An electric motor and generator has been patented by Mr. William Hansell, of Nevada, Iowa. They are mounted on a base common to both, and have their armatures both carried by the same shaft, with fixed pole pieces and removable electro or permanent magnets, arranged so they may be changed for others, the apparatus being intended for demonstration in schools, for medical use, and a variety of purposes.

Business and Personal.

The charge for insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in next issue.

Second-hand Tools For Sale by Poole & Hunt, Baltimore, Md.—One planing machine, will plane 35" wide, 27" high, and 18' 6" long; one planing machine, will plane 30" wide, 26" high, and 5' 6" long; one planing machine, will plane 24" wide, 22" high, and 5 feet long; one double geared chasing lathe, will swing 24" dia., 8' 6" long; one drill grinding machine; one small punching and shearing machine, with flywheel and clutch starting arrangement.

Magic Lanterns and Stereopticons of all kinds and prices. Views illustrating every subject for public exhibitions, Sunday schools, colleges, and home entertainment. 136 page illustrated catalogue free. McAllister, Manufacturing Optician, 49 Nassau St., New York.

Equatorial Mountings, Reflecting Telescopes, etc. Reasonable prices. Gardam & Sons, 96 John St., N. Y.

"Of earthly goods, the best is a good wife; A bad, the bitterest curse of earthly life."

How many wives who to-day are almost distracted because of their many ailments, all tending to make home unhappy, would become the best of all earthly goods if they got rid of their troubles by using Dr. Pierce's "Favorite Prescription," which is an unfailing remedy for those diseases and weaknesses which afflict the female sex! Send ten cents in stamps for Dr. Pierce's complete treatise on these diseases, illustrated by numerous wood cuts and colored plates. Address World's Dispensary Medical Association, Buffalo, N. Y.

Agents wanted all over the United States to sell patent spool holder for sewing machines. Sample and circular sent to any address on receipt of 20 cents. Address F. Neuhaus, Belleville, Ill. P. O. box 534

A Mussulman gentleman, resident of Lucknow, India, wants employment in America. He is a matriculated scholar of English, a professor of Persian and Arabic philosophy and religion. A poet of his own language (Urdu). For full particulars and testimonials apply to Mirza Mohamed Hadi Katra Azam Beg-Nakhas, P. O. Mansurnagar, Lucknow.

For Sale.

The powerful hydraulic dredge boat G. W. R. Bayley, now lying at Port Eads, La. Capacity, 2,000 cubic yards of sand or 4,000 of mud in 10 hours. Also two powerful tug boats. All in perfect order. Inquire at Room 709 Mutual Life Building, No. 34 Nassau St., New York.

Woodworking Machinery of all kinds. The Bentel & Margedant Co., 116 Fourth St., Hamilton, O.

Foreman for machine tool department of a large stationary and portable engine works. Must be a draughtsman and familiar with valve movements and high speed automatic engine work; must understand handling men. To the right person there is an opportunity to secure the position of superintendent of the establishment. Address, stating age, T. E. J., P. O. box 773, New York

Eureka scroll sawing machine for sale; been run for 15 days; taken for debt; good as new. Price, \$62, spot cash. Address "Eureka," Worcester, Mass.

Blake's Improved Belt Studs are the strongest and best fastening for Leather and Rubber Belts. Greene, Tweed & Co., 83 Chambers St., New York.

Engines and boilers, 1/2 to 4 H. P. Washburn Engine Co., Medina, O.

For Sale—The machinery, tools, plating apparatus, and raw material of a manufacturing establishment, now working on orders in brass and other metals. Very low rent, including steam power. Address Manufacturer, P. O. box 285, New Brunswick, N. J.

A Catechism on the Locomotive. By M. N. Forney. With 19 plates, 227 engravings, and 600 pages. \$2.50. Sent on receipt of the price by Munn & Co., 361 Broadway, New York.

Concrete Apparatus, etc. Ernest Ransome, S. F., Cal.

The Knowles Steam Pump Works, 44 Washington St., Boston, and 93 Liberty St., New York, have just issued a new catalogue, in which are many new and improved forms of Pumping Machinery of the single and duplex, steam and power type. This catalogue will be mailed free of charge on application.

Presses & Dies. Ferracute Mach. Co., Bridgeton, N. J. Machinery for Light Manufacturing, on hand and built to order. E. E. Garvin & Co., 139 Center St., N. Y.

Guild & Garrison's Steam Pump Works, Brooklyn, N. Y. Pumps for liquids, air, and gases. New catalogue now ready.

Nickel Plating.—Sole manufacturers cast nickel anodes, pure nickel salts, polishing compositions, etc. \$100 "Little Wonder." A perfect Electro Plating Machine. Sole manufacturers of the new Dip Laquer Kristaline. Complete outfit for plating, etc. Hanson, Van Winkle & Co., Newark, N. J., and 92 and 94 Liberty St., New York.

Iron Planer, Lathe, Drill, and other machine tools of modern design. New Haven Mfg. Co., New Haven, Conn.

Curtis Pressure Regulator and Steam Trap. See p. 142.

Send for catalogue of Scientific Books for sale by Munn & Co., 361 Broadway, N. Y. Free on application.

Timber Gaining Machine. All kinds Wood Working Machinery. C. B. Rogers & Co., Norwich, Conn.

Iron and Steel Wire, Wire Rope, Wire Rope Tramways. Trenton Iron Company, Trenton, N. J.

Supplement Catalogue.—Persons in pursuit of information of any special engineering, mechanical, or scientific subject, can have catalogue of contents of the SCIENTIFIC AMERICAN SUPPLEMENT sent to them free. The SUPPLEMENT contains lengthy articles embracing the whole range of engineering, mechanics, and physical science. Address Munn & Co., Publishers, New York.

Iron, Steel, and Copper Drop Forgings of every description. Billings & Spencer Co., Hartford, Conn.

Rubber Belting, all sizes, 77 1/2 per cent regular list. All kinds of Rubber Goods at low prices. John W. Buckley, 156 South Street, New York.

We are sole manufacturers of the Fibrous Asbestos Removable Pipe and Boiler Coverings. We make pure asbestos goods of all kinds. The Chalmers-Spence Co. 419 East 8th Street, New York.

Universal & Independent 2 Jaw Chucks for brass work, both box & round body. Cushman Chuck Co., Hartford, Ct.

Steam Hammers, Improved Hydraulic Jacks, and Tube Expanders. R. Dudgeon, 24 Columbia St., New York.

Safety Elevators, steam and belt power; quick and smooth. D. Frisbie & Co., 112 Liberty St., New York.

60,000 Emerson's 1886 Book of superior saws, with Supplement, sent free to all Sawyers and Lumbermen. Address Emerson, Smith & Co., Limited, Beaver Falls, Pa., U. S. A.

Emery, Walrus Leather, English Bull Neck and Polishers' Supplies. Greene, Tweed & Co., 83 Chambers St., New York.

"How to Keep Boilers Clean." Send your address for free 88 page book. Jas. C. Hotchkiss, 93 John St., N. Y. Stewart's Anti-Incrustation Solution. See next issue.

Astronomical Telescopes, from 6" to largest size. Observatory Domes, all sizes. Warner & Swasey, Cleveland, O.

Split Pulleys at low prices, and of same strength and appearance as Whole Pulleys. Yocum & Son's Shafting Works, Drinker St., Philadelphia, Pa.

NEW BOOKS AND PUBLICATIONS.

THE AGE OF ELECTRICITY. By Park Benjamin, Ph.D. New York, 1886. Chas. Scribner's Sons. Pp. 381. Illustrated.

The general supposition with regard to a book on this subject at the present day, when so many electrical works are on the market, would be that it is not needed. Yet on perusal it at once is evident that a useful and attractive work is presented. The first chapters are devoted to the history of the subject, the honors being distributed with a very impartial hand. The day has gone by for all progress in the science to be attributed to one or two investigators. The theory of the chemical and mechanical generation of electricity is next taken up with the relation between electricity and magnetism. This comprises about one-fourth of the book. The economical applications are next considered, such as the electric light, motors, electrolysis, telegraphy, and telephony. A chapter on the induction coil, and another on applications of electricity to war, medicine and railways etc., concludes the text. The work ends with a short index. Designed for popular use, the matter summarized above is treated in a lighter style than usual. By varied allusions to history, mythology, and literature, the book is made much more interesting than is usual in its class. The most recent curiosities and novelties are described, and hold the attention. The cuts and illustrations are numerous. Some are new, and some we recognize as very old acquaintances. The treatment of the subjects of potential and of different arrangements of battery cells, the illustrations being derived from vessels of water, and his allusion, also illustrated by cuts, to Gilbert's (of Pinafore fame) "Silver churn and the magnet," are worthy of full commendation. Some minor points are not so well disposed of. The description of Volta's pile seems far from clear. The great magnet of Professor Henry is said to have had a core 728 feet long—evidently meaning coil. We should have been pleased also to have seen the parody on Tennyson's Bugle Song attributed directly to its author, most amiable as well as most profound of philosophers, J. Clerk-Maxwell. The author's allusion to Daniel Drawbaugh, and indeed his whole treatment of the Bell telephone controversy, is characterized by a due degree of moderation, when his own part in the telephone suits is borne in mind.

Notes & Queries

HINTS TO CORRESPONDENTS. Names and Address must accompany all letters, or no attention will be paid thereto. This is for our information, and not for publication. References to former articles or answers should give date of paper and page or number of question. Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and though we endeavor to reply to all, either by letter or in this department, each must take his turn. Special Written Information on matters of personal rather than general interest cannot be expected without remuneration. Scientific American Supplements referred to may be had at the office. Price 10 cents each. Books referred to promptly supplied on receipt of price. Minerals sent for examination should be distinctly marked or labeled.

- (1) L. J. M. writes: I am using a varnish on small pocket memorandum books which require from twelve to fifteen hours to dry; when dry and packed together, they adhere, which is very objectionable. Is there anything that I can put in the varnish to make them dry quickly? A. Use 6 oz. mastic, in drops; 3 oz. coarsely powdered glass, separated from the dust by a sieve; 22 oz. spirits of wine of 40°. Place the ingredients in a sand bath over a fire, and let them boil, stirring well. When thoroughly mixed, introduce 8 oz. spirits of turpentine, boil for half an hour, remove from the fire, cool, and strain through cotton cloth. Great care in manipulation is requisite to avoid a conflagration. Use a closed fire and watch incessantly.
- (2) H. B. asks: Are the sections of a Gramme electric machine's armature wound on back and forth the same as in winding wire on electro magnets? A. All sections are wound in the same direction.
- 2. Please give me the approximate surface speed of dynamo armatures, and does it differ in large and small machines? A. It varies from 100 feet up to several thousand feet per minute. It is greater in large machines. 3. What is the best mode to adopt in charging a Leyden jar with an induction coil? A. Attach the ball to one terminal and the outer coating to the other, and carry a wire from the outer coating to within a few inches of the ball. This distance will determine the striking distance.
- (3) A. B. C. asks: Will a magnet be proportionately stronger with a given battery power if the layers of magnet wire are largely increased in number? Is a voluminous or intense current required? Is sulphide of calcium all that is necessary to make a luminous paint? A. The number of convolutions should be in proportion to the battery. Too long and

fine a wire will oppose such resistance as to reduce the current. Also the outer layers will have less effect than the inner, owing to their remoteness from the core. The current should be strong, which is a function of intensity and resistance. Sulphide of calcium properly prepared is the basis of luminous paint.

TO INVENTORS.

An experience of forty years, and the preparation of more than one hundred thousand applications for patents at home and abroad, enable us to understand the laws and practice on both continents, and to possess unequaled facilities for procuring patents everywhere. A synopsis of the patent laws of the United States and all foreign countries may be had on application, and persons contemplating the securing of patents, either at home or abroad, are invited to write to this office for prices, which are low, in accordance with the times and our extensive facilities for conducting the business. Address MUNN & CO., office SCIENTIFIC AMERICAN, 361 Broadway, New York.

INDEX OF INVENTIONS

For which Letters Patent of the United States were Granted, September 28, 1886, AND EACH BEARING THAT DATE. [See note at end of list about copies of these patents.]

Table listing various inventions and their patent numbers, including items like Advertising medium, Alarm, Amalgamator, Arm rest, Automatic sprinkler, Axle box, Axle lubricator, Bag, Baking furnace, Baling press, Ball, Bandage, Barrel, Bed bottom, Bench dog, Blast furnaces, Boiler, Boiler cleaner, Boiler deflector, Boot and shoe crimping machine, Boring cylinders, Bottle stopper, Box, Bracelet, Bracket, Brake, Brake lever, Brick kiln, Brooch or badge for clubs, Broom, Brush, Burner, Button, Button fastener, Buttonhook, Cable grip, Can, Car brake, Car cable railway, Car coupling, Carriage seat, Carriage steps, Cart, Cartridge loader, Cash system, Caster, Caster, Casting compound ingots, Castrating instrument, Cellars, Cereals, Chair, Check or ticket register apparatus, Cheese knife, China firing apparatus, Churn, Churn dasher, Cigarette tubes, Clamp, Clasp, Cleaner, Clock, Cloth, Cloth machine, Cloth tentering machine, Coffee, Coffins, Collar fastener, Compasses, Corn and cotton sweep.

Cornstalk cutter, W. R. Stafford.....	349,822	Lamp and lantern attachment, Swett & Brace.....	349,765	Shaft coupling, B. F. Applegate.....	349,676
Corset, J. A. Anderson.....	349,969	Lamp post, electric, Doubleday & Lyman.....	350,046	Shawl strap, J. B. Perkins.....	349,899
Cotton gin, F. D. Child.....	349,692	Lamp protector, electric arc, G. Jeffery.....	349,999	Sheet metal scroll cutter, Kittredge & Leavitt.....	349,722
Coupling. See Car coupling. Hose coupling.		Lamp shades, ornament for, W. A. Hull.....	350,058	Shelf bracket, J. H. Bacon.....	350,081
Shaft coupling. Thill coupling.		Lamps, hanger for extension, G. E. Sovereign.....	349,909	Shipping cases, cover fastening for, J. B. Thompson.....	349,863
Crushing and grinding mill, J. G. Kirker.....	350,064	Lantern for use on railways and steam and sailing vessels, automatic signal, F. Watson.....	349,828	Shirts, S. Mendelsohn.....	350,070
Cuff holder, Richardson & Barkeley, Jr.....	349,902	Lantern, signal, C. H. Angle.....	350,029	Shoe heel, I. Sommerfeld.....	349,862
Cultivator, wheel, A. C. Baker.....	349,972	Lantern, tubular, J. H. Stone.....	349,763	Shoe upper splitting machine, G. W. Sleeper.....	350,084
Cultivators, harrow attachment for, W. H. Hobson.....	349,795	Lathe for turning journals of car axles, H. J. Small.....	349,908	Shovels, manufacture of, Long & Fischer.....	350,067
Cutter. See Cornstalk cutter. Feed cutter.		Letter box, A. S. Cook.....	350,041	Show frame, revolving, W. H. Genung.....	349,883
Cutting holes in wood or other materials, machine for, H. Weichert.....	349,772	Lifting jack, J. W. Donohoe.....	349,698	Shutter worker, H. H. Wesler.....	349,865
Damper, R. S. T. Cissel.....	349,921	Lifting jack, W. F. Morell.....	350,071	Signal. See Railway car signal. Railway signal.	
Detector. See Time detector.		Link, W. Mild.....	349,949	Slasher, C. H. Howard.....	350,054
Digger. See Potato digger.		Lint machine, J. W. Johnson.....	349,845	Sled, O. Unzicker.....	349,827
Dish, soap, G. H. Laxton.....	349,890	Liquids from solids, apparatus for separating, Gallet & Huet.....	349,990	Sliding and swinging gate, T. C. Curtis.....	349,925
Display rack for parasols, etc., S. V. Hendryx.....	349,938	Lock. See End gate lock. Nut lock. Seal lock.		Sliding gate, W. S. Brown.....	349,920
Door hanger, sliding, B. G. Wedd.....	349,829	Loom, J. W. Emsley.....	349,933	Snap hook, G. M. Hubbard.....	350,055
Door sealer, J. E. Buckingham.....	349,688	Loom picker staff check, B. F. Carter.....	349,979	Sower, broadcast seed, S. S. Speicher.....	349,820
Doubling machines, stop motion mechanism for, J. Holroyd.....	349,989	Loom shedding mechanism, J. Hinchliffe.....	349,794	Spark arrester and consumer, W. Hogan.....	349,796
Drawers, W. R. Standen.....	349,910	Lubricator. See Axle lubricator.		Spindle and fier, J. Good.....	349,709
Drilling machine, E. L. Mansfield.....	349,728	Mainsprings, winding stop for, C. Morlet.....	349,896	Spinning machines, spindle bearing for, J. E. Tynan.....	349,826
Drum, heating, J. W. Davis.....	349,695	Manacle, N. Davis.....	349,696	Spinning machines, spindle support for, E. J. Carroll.....	350,038
Dust collector, W. Ince.....	350,059	Mat. See Water closet mat.		Spinning machines, spindle support for, W. T. Carroll.....	350,039
Egg beater, G. H. Thomas.....	350,023	Measuring tank, W. Neil.....	349,734	Spittoon, adjustable fountain, J. M. Fletcher.....	349,704
Egg box, E. C. Bowler.....	349,919	Meat, preservation of, C. Marchand.....	349,852	Spooling machines, stop motion for, G. P. Bosworth.....	350,033
Electric machine, compound wound dynamo, E. Thomson.....	349,912	Mechanical movement, A. A. Rheutan.....	349,981	Spring. See Vehicle spring.	
Electric machine, dynamo, J. Jenkins.....	350,000	Medicating water, apparatus for, C. C. Harker.....	349,884	Sprinkler. See Automatic sprinkler.	
Electric machine, dynamo, R. Kennedy.....	350,008	Mill. See Crushing and grinding mill. Rolling mill. Windmill.		Squares, adjustable head for, T. E. L. Deane.....	349,697
Electric motor, E. T. & D. Higham.....	349,715	Mining machine, S. McCarter.....	349,731	Squares, weatherboarding attachment for, try, W. F. Seargeant.....	349,905
Electric motor, R. Vogler.....	350,025	Mould. See Ingot mould.		Steam and gas engine, Frisbie & Lockwood.....	349,705
Electric motor, dynamo, E. T. & D. Higham.....	349,716	Moulding machine, R. Savage.....	349,815	Steam boiler, magazine, W. B. Dunning.....	349,699
Electric subway, J. M. Jagel.....	349,797	Motion, device for converting, W. H. Wood.....	349,775	Steam boiler, sectional, D. L. Adams.....	349,918
Electrical conductors, coupling device for, C. G. Perkins.....	349,809	Motor. See Electric motor. Vacuum motor.		Steam engine, H. Knebel.....	349,888
Electrical conductors, underground conduit for, C. G. Perkins.....	349,739	Water motor. Weight motor.		Steam engine indicator, F. R. Low.....	350,069
Elevator, Frisbie & Lockwood.....	349,706	Motor engine, G. Daimler.....	349,983	Steam engines, reciprocating balance for, C. Louque.....	350,068
Elevator buckets, making, C. C. Scaife.....	349,754	Mowing machine, J. Pine.....	349,740	Steam generator furnace, Palmer & Ewart.....	349,737
Elevator indicator, E. Marshall.....	349,729	Necktie fastener, A. J. Ash.....	349,832	Stirrups for beams, etc., machine for making, W. McPherson.....	349,946
Embroidering machine, C. Guttinger.....	350,053	Nut and bolt, expandable, A. T. Lorme.....	349,851	Stone slabs, press for making artificial, F. Schilling.....	349,861
End gate lock, wagon, D. D. Whitney.....	349,965	Nut lock, E. E. Kyle.....	349,724	Stones, machine for gathering, N. Botsford.....	349,885
Engine. See Gas engine. Gas motor engine. Motor engine. Steam engine. Steam and gas engine. Traction engine.		Oil can, G. Trubel.....	349,768	Stopper. See Bottle stopper.	
Engine frame jig, L. Skinner.....	349,757	Overflow gate for reservoirs, W. Halley et al.....	349,712	Stove attachment, gasoline, C. Stockstrom.....	350,094
Envelope counting machinery, A. A. Rheutan.....	349,745	Package, Andrews & Gillingham.....	349,970	Stove, gas, J. W. Baker.....	349,779
Excelsior and material for wood pulp, manufacturing from wood, J. E. Goodwin.....	349,992	Packing for pistons, metallic, W. H. Lank.....	350,004	Stove, gasoline, L. Stockstrom.....	350,087
Extension handle, J. A. Ackley.....	349,917	Packing the joints of gas pipes, etc., composition of matter for, Rowand & Hunzeker.....	349,751	Strap. See Shawl strap.	
Fan, rotary, P. Murray, Jr.....	349,855	Paint, manufacture of, G. W. Holley.....	349,885	Straps, loop or band for, T. L. Ribers.....	350,081
Feed cutter, F. Hamacheck.....	349,718	Pantograph, J. A. Wang.....	350,027	Street cars, driving mechanism for, N. Rogers.....	350,017
Fence, W. Kelly.....	349,940	Paper bag, W. C. Fageley.....	349,888	Streets and removing dirt therefrom, apparatus for sweeping, C. F. W. Seidel.....	349,816
Fence gate, wire, T. Ruediger.....	350,082	Paper box, J. B. Duke.....	349,736	Sulphur from hydrogen sulphide, obtaining, C. F. Claus.....	349,981
Fertilizer distributor, J. Hilliard.....	349,717	Paper fastener, F. C. Hamilton.....	349,993	Suspenders, etc., metallic spring for, J. M. Sander.....	349,904
Fertilizer, root, J. Buhner.....	349,874	Passenger recorder, Torrey & Casey.....	349,767	Suture instrument, W. Gibboney, Jr.....	349,791
Fiber machine, J. Kennedy.....	350,063	Pattern for garments, H. Moschowitz.....	350,073	Switch. See Bell switch. Telephone switch.	
File, bill, J. Gottschalk.....	349,792	Pen, fountain, M. H. Kerner.....	349,721	Table. See Toilet table.	
Fire and burglar alarm, Thomas & Wood.....	349,911	Pen, fountain, G. H. Sackett.....	349,752	Tank. See Measuring tank.	
Fire escape, T. B. Woodward.....	349,870	Pen, stylographic, O. Bussler.....	350,057	Telegraph, quadruplex, W. Mayer, Jr.....	349,945
Fire escape ladder, J. P. Dunn.....	350,047	Pen, holder, J. Trebentscheck.....	349,914	Telephone exchange system, automatic, J. H. Bickford.....	349,975
Fire guard burner and extinguisher, safety, F. W. B. Smith.....	350,021	Piano action, upright, F. M. Lawson.....	350,006	Telephone switch, J. F. Mehren.....	349,947
Fireplace front, J. H. Sams.....	349,813	Piles, preserving, J. Cass.....	349,835	Telephonic apparatus, P. Gannon.....	349,889
Frame. See Show frame.		Planter, T. J. Savage.....	349,860	Temperature regulation, system of, W. S. Johnson (r).....	10,768
Furnace. See Baking furnace. Blast furnace. Hot air furnace. Steam generator furnace. Vapor burning furnace. Warm air furnace.		Planter, W. S. Strother.....	349,823	Tennis nets, pole for lawn, Brathwaite & Lane.....	349,986
Gaff clamp, C. W. Brink.....	349,834	Planter and fertilizer distributor, J. S. Jenkins.....	349,739	Thill attachment, vehicle, D. W. Dudderar.....	349,930
Gas runner and rosette fastening, combined, E. Covert.....	350,048	Planter, corn, O. J. Colton.....	349,836	Thill coupling, D. D. Whitney.....	349,964
Garment clasp, D. Rosado.....	349,903	Plow, F. Rothmunt.....	349,750	Thill tip, anti-friction, R. W. Simpson.....	349,817
Gas as a fuel, utilizing natural, L. P. Rider.....	349,811	Plow, J. M. Woodley.....	349,916	Ticket holder, D. F. Crofut.....	349,924
Gas engine, A. L. Riker.....	349,858	Plow attachment, S. A. Stienbarger.....	350,085	Time detector, watchman's pneumatic, C. D. Bernsee.....	349,780
Gas motor engine, N. A. Otto.....	350,077	Plow, sulky, Brown & Bragg.....	350,066	Tire for vehicle wheels, ice, T. B. Williams.....	349,778
Gasoline vapor conductor, Porter & Daly.....	349,958	Plowing, pulverizing and cultivating machine, steam, J. Q. A. Newson.....	349,807	Toboggan, J. C. Leslie.....	350,066
Gate. See Fence gate. Overflow gate. Sliding gate. Sliding and swinging gate.		Polishing machine, pinion leaf, E. A. Marsh.....	349,944	Toilet table, infant's, H. Crocker.....	349,875
Gate actuating mechanism, W. R. White.....	349,869	Potato digger, W. H. Tuttle.....	349,961	Tongue support, wagon, L. E. Hastings.....	349,714
Governor, J. Judson.....	349,847	Preservation of food substances, A. R. Roosen.....	350,018	Tool box, G. E. Richards.....	350,016
Gun, cane, F. A. Wardwell.....	349,864	Preserving food, composition for, W. Radam.....	349,900	Tool holder, J. Crabtree.....	349,923
Gunpowder press, E. Du Pont.....	350,048	Press. See Baling press. Gunpowder press.		Torpedo boats, gas heating chamber for, Haight & Wood.....	349,711
Hame, J. Letchworth.....	349,891	Printing machine, B. Huber.....	350,056	Towel rack, folding, C. G. Udell.....	349,769
Hame attachment, J. Letchworth.....	349,892	Printing machine sheet delivery apparatus, J. Brooks.....	349,781	Towel roller, C. G. Udell.....	349,770
Hammer, drop, F. M. Leavitt.....	349,007	Protector. See Hose protector. Lamp protector.		Traction engine boiler, W. B. Kurtz.....	349,889
Handle. See Extension handle.		Pulley, holsting, H. Butters.....	349,691	Truck, hand, A. Kell.....	350,001
Harness, loop bar for, N. A. Gardiner.....	349,707	Pump, Patten, Jr., & Anderson.....	349,951	Tubes, uniting, O. Mussinan, Jr.....	350,075
Harrow or cultivator tooth, F. F. Wolgamuth.....	349,967	Pump piston, W. H. Wheeler.....	349,830	Tubing, apparatus for corrugating metal, Hollerith & Metcalf.....	349,718
Harvester binder, Harris & Lucas.....	349,994	Pump, pneumatic, R. Adlung.....	349,777	Tubing, machine for making metal, D. A. Ritchie.....	349,748
Harvester, cotton, C. E. Wright.....	349,776	Pump, submerged force, L. A. Kelly.....	350,002	Turntables, center bearing for, E. Samuel.....	349,956
Harvester reel, F. G. Becker.....	349,973	Pumps, vent hole closer for, E. S. Babcock.....	349,680	Turning rolls, apparatus for, J. McIntosh.....	349,806
Harvesters, bundle carrier for self-binding, C. F. Morgan.....	349,895	Pyroxyline or analogous substances upon a mandrel, process of and apparatus for mounting, J. B. Edson.....	350,049	Umbrella, M. Apfelbaum.....	350,030
Harvesting and binding machine, grain, J. F. Gordon.....	349,842	Rack. See Display rack. Towel rack.		Vacuum motor, R. Solano.....	349,758
Harvesting and binding machine, grain, W. Schwingen.....	349,967	Rails, circuit closer for, W. Daves.....	349,826	Valve gear, J. H. Pendleton.....	349,898
Harvesting machine, R. Emerson.....	349,932	Railway, E. C. Jones.....	349,846	Valve, straight-way, E. Lunkenheimer (r).....	10,769
Hat brims, machine for folding or curling, R. Eickemeyer.....	349,701	Railway car signal, R. Solano.....	349,959	Vapor burner, C. A. & L. Stockstrom.....	350,086
Hay rake and tedder, combined, M. P. Denney.....	349,928	Railway frog, J. J. Billingsley.....	349,978	Vapor burning furnace, J. M. Shephard.....	349,906
Hay rake, wheeled, C. Eastman.....	349,837	Railway frog, E. Campbell.....	349,783	Vehicle brake, J. I. Freasier.....	350,050
Hay stacker, J. Locher.....	349,804	Railway rail, D. S. Tutthill.....	350,089	Vehicle running gear, E. Fair.....	349,988
Heel, convolute spring, G. W. Bridle.....	349,688	Railway rail, S. P. Sharrer.....	349,968	Vehicle spring, B. A. Treat.....	349,960
Heel making machine, C. W. Glidden.....	350,051	Railway signal, Rathburn & Burgess.....	349,964	Vehicle, two-wheeled, G. C. Bovey.....	350,034
Hinge, lock, M. G. Kuhn.....	349,850	Railway signal, electric, W. Daves.....	349,927	Vehicle wheel, D. H. Rice.....	349,746
Holder. See Cuff holder. Pencil holder. Rein holder. Ticket holder. Tool holder.		Railways, conduit for cable, L. B. White.....	349,868	Velocipede, H. A. King.....	349,802
Hook. See Button hook. Snap hook.		Railways, grip for cable, L. B. White.....	349,867	Velocipede, W. Phillips.....	350,080
Horseshoe blank bars, machine for rolling, H. C. Osterbind.....	349,950	Railways, part of the permanent way of, J. H. & W. Tozer.....	349,913	Ventilator, G. R. Buffham.....	349,782
Hose coupling, E. E. Gold.....	349,991	Railways, ship rail frog for, Burnett & Follitt.....	349,689	Vessel, iron marine, R. A. Reed.....	349,857
Hose protector, D. P. Dieterich.....	349,929	Railways, traction device for cable, J. H. Pendleton.....	350,078	Vessels, device for stopping leaks in, D. Jarvis.....	349,719
Hot air furnace, G. L. Niehaus.....	350,076	Rake. See Hay rake. Horse rake.		Wagon gear, platform spring, W. L. Rayment.....	349,743
Hot air furnace, A. Ormsby.....	349,736	Rake, H. Fisher.....	349,703	Walls, compound for protecting, F. M. Ruschhaupt.....	350,083
Ice chamber, movable, I. Allegretti.....	349,831	Reamer, H. R. Tillison.....	349,766	Warm air furnace, W. H. Turner.....	349,825
Ice machine, G. R. Jarman.....	349,738	Recorder. See Passenger recorder.		Washboard, J. M. Petree.....	350,015
Incubator, F. Rosebrook.....	349,749	Reel. See Harvester reel.		Washing machine, A. G. Brown.....	350,065
Indicator. See Elevator indicator. Steam engine indicator.		Register. See Check or ticket register.		Washing machine, J. W. Ricker.....	349,747
Ingot mould, compound, J. Illingworth.....	349,996	Rein holder, N. McGoldrick.....	349,733	Washing machines, lid and beater mechanism for, D. G. Benger.....	349,682
Inhaler and respirator, S. H. Brown.....	349,687	Remedial appliance, G. Kugler.....	349,849	Watch, D. T. Garcia.....	349,880
Injector, E. P. Howe.....	349,997	Return ball, J. A. Groeninger.....	350,052	Watchmaker's eyeglass, J. R. Lawrence.....	350,005
Insole, A. P. Rindskopf.....	349,859	Roller. See Towel roller.		Watch, stop, H. A. Lugin (r).....	10,770
Insulator, N. T. Fitch.....	349,788	Rolling mill, Martin & Beavis.....	349,750	Water closet, J. Uprichard.....	349,962
Insulator for electrical conductors, S. F. McGill.....	349,883	Roof, portable, C. M. Keeler.....	349,887	Water closet mat or toilet protector, S. J. Cox.....	349,784
Iron by means of oxides of iron, dephosphorizing, J. Reese.....	349,744	Roofing, metallic, A. Wightman.....	349,986	Water conductor and receiver, W. H. McKenzie.....	349,894
Jack. See Lifting jack.		Rubber to leather, mould for vulcanizing, G. F. Butterfield.....	349,690	Water motor, P. Murray, Jr.....	349,856
Journal boxes, attachment for, Griswold & Bradbury.....	349,937	Salol, production of, Nencki & Seifert.....	350,012	Weather strip, J. W. Farr.....	349,787
Kiln. See Brick kiln.		Salt grinding apparatus, J. M. Duncan.....	349,931	Weather strip for windows, etc., G. W. Everett.....	349,877
Kiln, L. Simpson.....	349,755	Salt to stock, device for supplying, J. Gushart.....	349,843	Weighing and registering apparatus, grain, G. E. Baird.....	349,971
Knife. See Cheese knife.		Sap calls, device for supporting and protecting, C. O. Freer.....	349,789	Weight motor, T. J. Blagg.....	349,872
Knitting machine, J. H. Osborne.....	349,808	Sash balance, J. H. Corbie.....	349,922	Wells, expansion drill for boring, J. F. Dye.....	349,700
Knitting machines, counting apparatus and pattern card for, P. P. Olsson.....	350,013	Saw, chain, B. F. Asper.....	349,833	Wheel. See Car wheel. Vehicle wheel.	
Knob attachment, G. Van Winkle.....	349,915	Saw, drag, J. P. Cyphers.....	349,876	Wheelbarrow, W. Benjamin.....	349,681
Label, cabinet, E. Gabriel.....	349,740	Saw, drag, W. W. Smith.....	349,819	Windmill, S. H. Radway.....	349,742
		Saw setting device, O. G. Franks.....	349,989	Window casing, A. B. Holmes.....	349,995
		Saws, guard for gin, J. C. Wallace.....	350,026	Wire stretcher, J. C. De Witt.....	349,986
		Sawing machine, Demoss & Pearce.....	349,984	Wire stretcher, W. N. Huling.....	350,057
		Seal, lead and wire, E. J. Brooks.....	349,873	Zylonite and other plastic compositions to form sheets, reduction of, J. B. Edison.....	349,997
		Seal lock, S. F. Allen.....	349,871		
		Seal lock, D. Ferris.....	349,702		
		Seat. See Carriage seat.			
		Securer. See Door securer.			
		Seeding machine, broadcast, S. S. Speicher.....	349,821		
		Sewing machine, W. F. Dial.....	350,044		
		Sewing machine, Harlow & Angell.....	349,844		

DESIGNS.

Badge, J. K. Davison.....	16,913
Clock case, W. C. Camp.....	16,912
Counter or table leg, J. Hoffman.....	16,916
Fabric, J. Phillips, Jr.....	16,919
Gimp, I. H. Leiter.....	16,918
H	

The Best and Most Complete Book on Electro-Metallurgy in any Language.

Wahl's Galvanoplastic Manipulations

RECENTLY PUBLISHED. Galvanoplastic Manipulations. A Practical Guide for the Gold and Silver Electroplater and the Galvanoplastic Operator.

By mail free of postage to any address in the world. A full descriptive and illustrated circular of the above work sent free of postage to any one who will apply.

HENRY CAREY BAIRD & CO., INDUSTRIAL PUBLISHERS, BOOKSELLERS & IMPORTERS 810 Walnut St., Philadelphia, Pa.

IMPORTANT WORK ON THE LABOR QUESTION

Studies in Modern Socialism and Labor Problems. By T. EDWIN BROWN, D.D. One vol., 12mo, cloth. Price, \$1.25.

This volume contains a brief history of Socialism and Communism, a careful exposition of what the advocates of these theories claim, an acknowledgment of what is just therein, and a searching criticism of their defects.

SENT BY MAIL POST PAID, ON RECEIPT OF PRICE BY THE PUBLISHERS. D. APPLETON & CO., 1, 3 & 5 Bond St., New York.



40 page illustrated price list, 30 page book of banjo stories, and a copy of the Banjo and Guitar Journal, containing new music, all sent for 10 cents.

SLATE ROOF COVERINGS.—BY JOHN SLATER. Characteristic of good slate, sizes of slate, laying slate. Contained in SCIENTIFIC AMERICAN SUPPLEMENT No. 495. Price, 10 cents.

Mineral Lands Prospected. Artesian Wells Bored. Superior Stationary Engines, specially adapted to Electric Light purposes.

DRAWING INSTRUMENTS.

Illustrated catalogue sent on application to WM. T. COMSTOCK, 6 Astor Place, New York. 2 to 25 H. P. CHARTER'S GAS ENGINE.

BALL UNIPOLAR System of Electric Lighting is cheapest and best for Arc or Incandescence. For information, guarantee and estimates, address NOVELTY ELECTRIC CO., 5th & Locust Sts., Philadelphia.

FOREIGN PATENTS. Their Cost Reduced.

The expenses attending the procuring of patents in most foreign countries having been considerably reduced the obstacle of cost is no longer in the way of a large proportion of our inventors patenting their inventions abroad.

CANADA.—The cost of a patent in Canada is even less than the cost of a United States patent, and the former includes the Provinces of Ontario, Quebec, New Brunswick, Nova Scotia, British Columbia, and Manitoba.

ENGLAND.—The new English law which went into force on Jan. 1st, 1885, enables parties to secure patents in Great Britain on very moderate terms.

OTHER COUNTRIES.—Patents are also obtained on very reasonable terms in France, Belgium, Germany, Austria, Russia, Italy, Spain (the latter includes Cuba and all the other Spanish Colonies), Brazil, British India, Australia, and the other British Colonies.

PATENT SHUTTER WORKER FOR SALE, or would sell State rights. The cheapest and best ever offered for sale. Easy to put on without cutting frame or shutter.

U.S. COOK STOVE DRIER. Handiest, Cheapest, Best. Agents Wanted, 12 sq. ft. of Trays, Weight, 25 lbs. Circulars Free. AM. MFG. CO., Waynesboro, Pa. Box 47R.

MILL OWNERS. Price of Burnham's Improved Standard Turbine is cost of manufacturing. Pamphlet free. Address York, Pa.

PERFECT NEWSPAPER FILE

The Koch Patent File, for preserving newspapers, magazines, and pamphlets, has been recently improved and price reduced.

MUNN & CO., Editors and Proprietors of THE SCIENTIFIC AMERICAN, cordially invite all persons desiring any information relative to patents, or the registry of trade-marks, in this country or abroad, to call at their offices, 361 Broadway.

Address, MUNN & CO., Publishers and Patent Solicitors, 361 Broadway, New York. BRANCH OFFICES: No. 622 and 624 F Street, Pacific Building, near 7th Street, Washington, D. C.

SOLID VULCANITE EMERY WHEELS. All other kinds Imitations and Inferior. Our name is stamped in full upon all our standard BELTING, PACKING, ROPE, and WHEELS. Address for new circular, NEW YORK BELTING & PACKING CO., Warehouse: 15 Park Row, opp. Astor House, New York.

THE "ALLARD" SPIRAL SCREW DRIVER. FOR LIGHT AND RAPID WORK. For Machinists, Gun and Lock Smiths, Cabinet Makers, and others. The greatest labor saving tool extant. Saves its cost in a very short time. Best quality of material. Superior workmanship.

Hall Type Writer. Price \$40. Interchangeable rubber type; 15 styles of type in English, also Greek, Italian, Norwegian, Swedish, Danish, French, Spanish, Russian, etc.

THE CHEAPEST AND BEST PHOTO ENGRAVING CO. 67 PARK PLACE, NEW YORK. ENGRAVING FOR ALL ILLUSTRATIVE AND ADVERTISING PURPOSES.

PULLEYS. Order from our "Special List." THE JOHN T. NOYE MFG. CO., BUFFALO, N. Y.

VOLNEY W. MASON & CO., FRICTION PULLEYS CLUTCHES and ELEVATORS PROVIDENCE, R. I.

"25c. POLYGRAPH. 25c." Greatest drawing instrument ever invented. Source of endless instruction and amusement.

HARBACH ORGAN CO., 809 Filbert Street, Philadelphia, Pa.

MICRO-ORGANISMS OF POTABLE WATERS.—A paper by Dr. T. Leone, showing that atmospheric oxygen is not an element necessary for the increase of microbia in potable waters.

THE IMPROVED POPYROGRAPH. Best duplicating process in use. Over 1,000 perfect facsimiles of any writing or drawing, executed with an ordinary steel pen, may be printed in Black or colors.

ROCK BREAKERS AND ORE CRUSHERS. We manufacture and supply at short notice and lowest rates, Stone and Ore Crushers containing the invention described in Letters Patent.

ICE & REFRIGERATING. Machines, York Patent. YORK MFG. CO., York, Pa.

ARTESIAN. Wells Oil and Gas Wells, drilled by contract to any depth, from 50 to 3,000 feet. We also manufacture and furnish everything required to drill and complete same.

PRESERVATION OF TIMBER.—Report of the Committee of the American Society of Civil Engineers on the preservation of timber. Presented June 25, 1885.

FOR SALE. A complete set of Tools for Drilling Artesian Well. Have been used for well at Glen Island. Drills are for 10 inch bore. Address J. H. STARIN, Pier 18 N. R., N. Y. City.

PROGRESS IN ASTRONOMICAL Telescopes.—By W. R. Warner. How the first telescopes were constructed. Galileo's telescope. Herschel's modifications.

Moss Engraving Co. 535 PEARL ST. NEW YORK. OUR SPECIALTY—FINE ILLUSTRATED CATALOGUES BY OUR NEW MESS-TYPE PROCESS.

ELECTRICITY APPLIED TO THE manufacture of varnish.—Description of Messrs. Nuthel & Lutcke's process and apparatus for the manufacture of varnish from oils that have been treated by gases previously submitted to the action of electricity.

CONCRETE AS A BUILDING MATERIAL. A paper by Thomas Potter, calling attention to some of the less generally known, but most vital points in connection with the production of good concrete for building purposes.

OTTO GAS ENGINE. GUARANTEED TO CONSUME 25 TO 75 PER CENT. LESS GAS THAN ANY OTHER GAS ENGINE. PHILADELPHIA and CHICAGO.

TO THE STEEL MANUFACTURERS OF THE UNITED STATES OF AMERICA. UNITED STATES NAVY DEPARTMENT, WASHINGTON, D. C., Aug. 21, 1886. The attention of all steel manufacturers of the United States is hereby invited to the requirements of the Navy Department in the way of armor-plates and heavy gun forgings, for the prosecution of work already authorized by Congress.

This advertisement invites all domestic manufacturers of steel to specify, in competition with each other, upon what terms they will engage to produce for the production of and produce the forgings and armor-plate required for modern ordnance and armored ships; and no bids will be considered except such as engage to produce within the United States either all the gun-steel or all the armor-plate (or both) specified in this advertisement; nor will any bid be accepted unless accompanied by evidence satisfactory to the Department that the bidder is in possession of, or has made actual provision for, a plant adequate for its fulfillment.

Bids are hereby invited for supplying this Department with the under-mentioned material: About 1,310 tons of steel gun-forgings, of which about 328 tons will be for guns of six inches caliber, 70 tons for guns of eight inches caliber, and 912 tons for calibers between ten inches and twelve inches (both inclusive).

These forgings are to be delivered rough bored and turned, and when in that state the heaviest forging which enters into the construction of a gun of each of the desired calibers will be about as follows:

Table with 2 columns: Diameter (6-inch, 8, 10, 10 1/2, 12) and Weight (3 1/4 tons, 5, 9 1/2, 12 1/2).

All these forgings must be delivered within the following times from the closing of a contract, viz.: For 6 inch guns, 28 within one year, and the remainder within 18 months.

For 8 inch guns, within two years. For 10 inch and larger guns, within 2 1/2 years. Preference will be given for earlier deliveries.

Also, about 4,500 tons of steel armor-plates, to be of the best material and manufacture, shaped accurately after patterns to fit the form of each vessel for which intended, and of such sizes as may be required, varying somewhat as follows:

20 feet by 8 feet by 12 inches thick. 17 1/2 feet by 6 feet by 17 inches thick. 11 1/2 feet by 4 1/2 feet by 6 inches thick. There will also be thinner plates.

For information concerning shapes and weights of the gun forgings and armor-plates, what parts must be manufactured in sets, time of delivery of each set, the chemical, physical, and ballistic tests, which the metal must sustain in each case, and for all other particulars, apply to the Chief of Bureau of Ordnance, Navy Department, Washington, D. C.

Each bid upon armor-plate must specify the time within which the bidder will engage to make delivery; and preference will be given to earliest proposed deliveries.

Proposals must be in duplicate, sealed and addressed to the Secretary of the Navy, Navy Department, Washington, D. C., the envelopes indorsed "Proposal for steel gun-forgings and armor."

They will be received at the Navy Department until 12 o'clock M. on the 10th day of December, 1886, at which hour the opening of the bids will take place.

The right is reserved to waive defects in the form of, and to reject any or all bids. Ten per cent. of the contract price will be retained from the payment for each article delivered, until the contract, as far as it relates to articles of that class, shall have been completed.

Separate bids may be submitted for the gun steel and for the armor, if any manufacturer so desires; but bids covering both will receive preference, other things being equal.

Bids will be compared in two classes. First. Gun forgings. Second. Armor-plate. And the total sum for which, and the time within which the whole of the material covered by each class will be produced and delivered will be alone considered.

WILLIAM C. WHITNEY, Secretary of the Navy.

HOW TO REDUCE and maintain an even steam or water pressure is a question asked by every engineer. Our new Reducing Valve is perfect for this purpose. MASON REGULATOR CO., 22 Central Street, Boston.

THE PHILOSOPHY OF TWIST.—Why twist is put in yarns for broadcloths, and the effect that it has on different classes of goods. Illustrated with two engravings. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 490. Price 10 cents. To be had at this office and from all newsdealers.

WORKSHOP RECEIPTS. For the use of Manufacturers, Mechanics, and Scientific Amateurs. The best late collection published of such a wide variety of information.

FIRST SERIES.—Bookbinding; Candles; Drawing; Electro-Metallurgy; Engraving; Gilding; Japans; Photography; Pottery; Varnishing, etc. 450 pages, with illustrations, \$2.00.

SECOND SERIES.—Industrial Chemistry; Cements and Lutes; Confectionery, Essences, and Extracts; Dyeing, Staining, and Coloring; Gelatine, Glue, and Size; Inks; Paper and Paper Making; Pigments, Paint, and Painting, etc., \$2.00.

THIRD SERIES.—Alloys, Electrics, Enamels and Glazes, Glass, Gold, Iron, and Steel, Lacquers and Lacquering, Lubricants, Mercury, Nickel, Silver, Tin, Vanadium, Zinc, etc. 450 pages, 183 illustrations, \$2.00.

FOURTH SERIES.—Waterproofing; Packing and Storing; Embalming and Preserving; Leather Polishes; Cooling Air and Water; Pumps and Siphons; Dedicating; Distilling; Emulsifying; Evaporating; Filtering; Perculating and Macerating; Electrotyping; Stereotyping; Bookbinding; Straw-plaiting; Musical Instruments; Clock and Watch Mending; Photography, etc., \$2.00.

Send for our complete Catalogue of books, free to any address. In ordering single volumes, be particular to mention the "series" wanted. Sent postpaid by MUNN & CO., 361 Broadway, New York, on receipt of price.

CONSUMPTION CURED AND LUNG AFFECTIONS. Home Treatment. A late discovery by a celebrated German Physician. Is a POSITIVE remedy in Every Stage. Treatise with directions sent FREE to any sufferer. Dr. W. F. G. Noelling & Co., 460 East Hampton, Conn.

THE RESOURCES OF ALASKA.—An interesting paper by Frederick Schwatka. Timber lands. Yellow cedar and its value. The salmon industry and salmon canneries. Whale fishery. Scenery of Southeastern Alaska. The fur industry. Mineral resources. Agriculture. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 496. Price 10 cents. To be had at this office and from all newsdealers.

CURE FOR THE DEAF. PECK'S PATENT IMPROVED CUSHIONED EAR DRUMS Perfectly Restores the Hearing, and perform the work of the natural drum. Invisible, comfortable, and always in position. All conversation and even whispers heard distinctly. Send for illustrated book with testimonials, FREE. Address or call on F. HISCOX, 863 Broadway, New York. Mention this paper.

PERFUMES.—A PAPER BY JACOB JESSON, describing various articles used in perfumery, and the mode of preparing essences therefrom, stating the amount and cost of material required, and giving over thirty formulas for handkerchief extracts, with the cost of each. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 472. Price 10 cents. To be had at this office and from all newsdealers.

Advertisements.

Inside Page, each insertion --- 75 cents a line. Back Page, each insertion --- \$1.00 a line.

THE ALIQUANT. LIFE-SHORT WRITE UP THE WAY. Address: The American Writing Machine Co., Hartford, Conn., New York Office, 237 Broadway.

ASBESTOS ROOFING. FIRE AND WATER-PROOF BUILDING FELT, FIRE-PROOF PAINTS, STEAM PACKINGS, BOILER COVERINGS, ETC. Samples and descriptive Price List free by mail.

HEATING BUILDINGS BY STEAM.—By J. H. Bartlett, M. Inst., M. E. A description of the Holly system of generating steam at a central point, transmitting it by mains to suitable distances, and utilizing it for heat or power by means of mechanical devices.

The only Real Treatise on the Subject. The Windmill as a Prime Mover. Comprehending everything of value relating to Windmills, their Use, Design, Construction, etc.

HUB FRICTION CLUTCH. The Ideal Friction Clutch will transmit any power. May be applied at any speed without a jerk.

THE DISCHARGE OF ELECTRICITY from clouds. Description, by Mr. Loudon, of a pretty experiment to illustrate some of the phenomena of thunder storms.

WITHERBY, RUGG & RICHARDSON, Manufacturers of Patent Wood Working Machinery of every description. Facilities unsurpassed. Shop formerly occupied by R. Ball & Co., Worcester, Mass.

INTERNATIONAL INSTITUTE FOR Liquefied Carbonic Gas. O. BRUNLER, 857 Broadway, New York.

ON THE LIQUEFACTION OF GASES and other effects of extreme cold, and on some phenomena of high tension. By J. J. Coleman, F.C.S. Physical conditions of various liquids and gases dependent upon temperature.

WM. A. HARRIS, Providence, R. I. (Park St.) Sixminutewalk West from station. Original and Only Builder of the HARRIS-CORLISS ENGINE.

PATENTS.

MESSRS. MUNN & CO., in connection with the publication of the SCIENTIFIC AMERICAN, continue to examine improvements, and to act as Solicitors of Patents for Inventors.

PATENT RIVETED MONARCH RUBBER BELTING. Best in the World. Specially adapted for PAPER MILLS, SAW MILLS, and THRESHING MACHINES. THE CUTTA PERCHA and RUBBER MFG. CO., New York, Chicago, San Francisco, Toronto.

PATENT JACKET KETTLES, Plain or Porcelain Lined. Tested to 100 lb. pressure. Send for Lists. HAND, BURR & CO., 614 and 616 Market St., Philadelphia, Pa.

CARY & MOEN. STEEL WIRE OF EVERY DESCRIPTION AND STEEL SPRINGS. 234 W. 29 ST. EVERY & STEEL SPRINGS, NEW YORK CITY.

Columbia Bicycles and Tricycles. CATALOGUE SENT FREE. The POPE MFG. CO., 597 Washington St., Boston. Branch Houses: 13 Warren St., New York; 115 Wabash Ave., Chicago.

ENGINEERING INVENTIONS SINCE 1862.—Address of Sir F. J. Bramwell before the Institution of Civil Engineers.—Bridge construction, pneumatic foundations, tunnels, canals, and river improvement. Appliances for military engineering. Uses of cement. Wood preservation. Iron and steel. Bronze. Compressed steel. Steam boilers. Gas engines. The soda boiler. Sun and tide motors. Aerial navigation. Water supply. Transmission of power. Illumination. Liquid and gaseous fuels. Agricultural engineering. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 488 and 489. Ten cents each. To be had at this office and from all newsdealers.

TIGHT & SLACK BARREL MACHINERY AND A SPECIALTY JOHN GREENWOOD & CO. ROCHESTER N.Y.

BARREL, KEG, AND STAVE MACHINERY. Over 50 varieties manufactured by E. & B. HOLMES, BUFFALO, N. Y.

JENKINS STANDARD PACKING. TRADE MARK.

DRAINAGE.—A SERIES OF VERY excellent directions for draining railways, roads, etc., by Mr. Charles Faine. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 468. Price 10 cents. To be had at this office and from all newsdealers.

A BIG OFFER. To introduce them, we will Give Away, 1,000 Self-Operating Washing Machines. If you want one send us your name, P. O. and express office at once. The National Co., 23 Dey St., N. Y.

MODERN BRONZE ALLOYS.—A Paper by P. F. Nixey, C.E., presenting some valuable data concerning such bronzes as are being usefully employed for engineering purposes. The bronze of the ancients. Composition of bronzes. Phosphor bronze and its applications. Silicon bronze. Manganese bronze. Delta metal. Phosphor-copper. Phosphor-manganese bronze. Phosphor-lead bronze. Phosphor-tin. Aluminum bronze. Silveroid. Cobalt bronze. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 465. Price 10 cents. To be had at this office and from all newsdealers.

THE "ACME" Automatic Safety Engine. 1, 2, and 4 horse power. Always ready. No engineer. No dirt. No noise. Cheap, reliable, economical. Rochester Machine Tool Works, Rochester, New York.

THE CONVERSION OF HEAT INTO useful work.—A series of interesting lectures by Wm. Anderson, Inst. C.E., presenting the modern views connected with the conversion of heat into useful work. I. Laws of motion, the principles of work and energy, and the laws of impact. II. Theories of oscillation and vibration. III. Properties of gases and vapors. IV. Transfer of the invisible molecular motion of heat, and its change into the coarser and apparent motion of mechanical work. V. How the waste of heat in furnaces is prevented by the Siemens regenerator. The principle further illustrated. Copper stoves. The gun as a converter of heat. VI. Heat engines proper. Illustrated with 58 engravings. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 498, 499, 500, 501, 502, 503. Price 10 cents each, or 60 cents for the series. To be had at this office and from all newsdealers.

CLARK'S NOISELESS RUBBER WHEELS. No more Splintered Floors. Different Styles. Catalogue Free. GEO. P. CLARK, Windsor Locks, Ct.

THERAPEUTICAL EFFECT OF THE Internal Administration of Hot Water in the Treatment of Nervous Diseases.—By Ambrose L. Ranney, M.D. Rules for administration. The effects of the treatment. Theory of the action of hot water. Points in its favor. Conclusions. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 463. Price 10 cents. To be had at this office and from all newsdealers.

HYDRAULIC FLANGED HEADS, OF IRON OR STEEL, FOR BOILER AND TANK MAKERS. Unequaled for Strength and Uniformity. THE DICKSON MANUFACTURING CO. SCRANTON, PA. 96 Lake Street, Chicago. 57 Oliver Street, Boston. 112 Liberty Street, New York.

HARTFORD STEAM BOILER INSPECTION AND INSURANCE CO. CONN.

MALLEABLE CASTINGS FROM SPECIAL THOMAS DEVLIN & CO. FINE FINISHING JAPANING PATTERNS LEHIGH AVE. & AMERICAN ST. PHILA.

Plummer's Fruit Evaporators, Five hundred first premiums. (All sizes.) Over six thousand machines now in use. Send for catalogue.

PATENTEES and others desiring specialties manufactured, will find unequal facilities and low estimates by applying to THE JEWEL MANUFACTURING CO., Toledo, Ohio.

Barnes' Foot-Power Machinery. Complete outfits for Actual Workshop Business. Read what a customer says: "Considering its capacity and the accurateness of your No. 4 Lathe, I do not see how it can be produced at such low cost. The velociped foot-power is simply elegant. I can turn steadily for a whole day and at night feel as little tired as if I had been walking around." Descriptive Catalogue and Price List Free. W. F. & JOHN BARNES Co. Address 1399 Main St., Rockford, Ill.

Use the JENKINS STANDARD PACKING in the worst joint you have, and if, after following directions, it is not what we claim, WE WILL REFUND THE MONEY. Our "Trade Mark" is stamped on every sheet. None genuine unless so stamped. Send for Price List. JENKINS BROS., 71 John Street, N. Y. 79 Kilby Street, Boston. 13 So. Fourth Street, Phila.

ELECTRIC LEATHER BELTING best and most reliable Belt ever introduced. Made by C. A. SCHIEREN & CO., 47 Ferry St., New York; 418 Arch St., Philadelphia; 86 Federal Street, Boston.

GOLD MEDAL, PARIS, 1878. BAKER'S Breakfast Cocoa. Warranted absolutely pure Cocoa, from which the excess of Oil has been removed. It has three times the strength of Cocoa mixed with Starch, Arrowroot or Sugar, and is therefore far more economical, costing less than one cent per cup. It is delicious, nourishing, strengthening, easily digested, and admirably adapted for invalids as well as for persons in health. Sold by Grocers everywhere. W. BAKER & CO., Dorchester, Mass.

COPPER TUBES, SHEET BRASS, BRASS WIRE. SEND FOR CATALOGUE TO 175 N. LAKE ST. CHICAGO.

THE COPYING PAD.—HOW TO MAKE and how to use; with an engraving. Practical directions how to prepare the gelatine pad, and also the aniline ink by which the copies are made; how to apply the written letter to the pad; how to take off copies of the letter. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 438. Price 10 cents. For sale at this office and by all newsdealers in all parts of the country.

REGENERATIVE GAS FURNACES.—A new method of heating, by Frederick Siemens. Contained in SCIENTIFIC AMERICAN SUPPLEMENT No. 472. Price 10 cents. To be had at this office and from all newsdealers.

THE BEST STEAM PUMP. Van Duzen's Patent Steam Pump. Incomparable in cheapness and efficiency. Needs no care or skill; cannot get out of order; has no moving parts. A Superior Fire Pump. Instantaneous and powerful, ever ready. Available, wherever steam pressure can be had, for pumping any kind of liquid (hot, cold, sandy, impure, etc.). We make ten sizes, prices from \$7 to \$75. Capacities from 100 to 20,000 gallons per hour. State for what purpose wanted and send for Catalogue of "Pumps." Van Duzen & Tift, Cincinnati, O.

THE AMERICAN BELL TELEPHONE CO. 95 MILK ST., BOSTON, MASS.

This Company owns the Letters Patent granted to Alexander Graham Bell, March 7th, 1876, No. 174,465, and January 30th, 1877, No. 186,787.

The transmission of Speech by all known forms of Electric Speaking Telephones infringes the right secured to this Company by the above patents, and renders each individual user of telephones not furnished by it or its licensees responsible for such unlawful use, and all the consequences thereof, and liable to suit therefor.

PUMPING MACHINERY.—BY E. D. Leavitt, Jr. Historical notes on machinery for mine pumping. Styles of pumps used in various well-known mines. Direct acting steam pumps. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 492. Price 10 cents. To be had at this office and from all newsdealers.

Established 1837. Machine Knives, L. & I. J. WHITE, BUFFALO, N. Y. Planing, Moulding, Shingle and Stave, Hoop and Vener. Plated Stock and Blanks for Moulding Cutters. Other Machine Cutters to Pattern. Moulding Cutters can be ordered by number from Universal Moulding Book.

PROSPECTUS OF THE Scientific American FOR 1886.

The Most Popular Scientific Paper in the World. Only \$3.00 a Year, including Postage. Weekly. 52 Numbers a Year.

This widely circulated and splendidly illustrated paper is published weekly. Every number contains sixteen pages of useful information and a large number of original engravings of new inventions and discoveries, representing Engineering Works, Steam Machinery, New Inventions, Novelties in Mechanics, Manufactures, Chemistry, Electricity, Telegraphy, Photography, Architecture, Agriculture, Horticulture, Natural History, etc.

Terms of Subscription.—One copy of the SCIENTIFIC AMERICAN will be sent for one year—52 numbers—postage prepaid, to any subscriber in the United States or Canada, on receipt of three dollars by the publishers; six months, \$1.50; three months, \$1.00.

Clubs.—One extra copy of the SCIENTIFIC AMERICAN will be supplied gratis for every club of five subscribers at \$3.00 each; additional copies at same proportionate rate. The safest way to remit is by Postal Order, Draft, or Express Money Order. Money carefully placed inside of envelopes, securely sealed, and correctly addressed, seldom goes astray, but is at the sender's risk. Address all letters and make all orders, drafts, etc., payable to MUNN & CO., 361 Broadway, New York.

THE Scientific American Supplement.

This is a separate and distinct publication from THE SCIENTIFIC AMERICAN, but is uniform therewith in size, every number containing sixteen large pages. THE SCIENTIFIC AMERICAN SUPPLEMENT is published weekly, and includes a very wide range of contents. It presents the most recent papers by eminent writers in all the principal departments of Science and the Useful Arts, embracing Biology, Geology, Mineralogy, Natural History, Geography, Archaeology, Astronomy, Chemistry, Electricity, Light, Heat, Mechanical Engineering, Steam and Railway Engineering, Mining, Ship Building, Marine Engineering, Photography, Technology, Manufacturing Industries, Sanitary Engineering, Agriculture, Horticulture, Domestic Economy, Biography, Medicine, etc. A vast amount of fresh and valuable information pertaining to these and allied subjects is given, the whole profusely illustrated with engravings.

The most important Engineering Works, Mechanisms, and Manufactures at home and abroad are represented and described in the SUPPLEMENT. Price for the SUPPLEMENT for the United States and Canada, \$5.00 a year, or one copy of the SCIENTIFIC AMERICAN and one copy of the SUPPLEMENT, both mailed for one year for \$7.00. Address and remit by postal order, express money order, or check. MUNN & Co., 361 Broadway, N. Y., Publishers SCIENTIFIC AMERICAN.

To Foreign Subscribers.—Under the facilities of the Postal Union, the SCIENTIFIC AMERICAN is now sent by post direct from New York, with regularity, to subscribers in Great Britain, India, Australia, and all other British colonies; to France, Austria, Belgium, Germany, Russia, and all other European States; Japan, Brazil, Mexico, and all States of Central and South America. Terms, when sent to foreign countries, Canada excepted, \$4, gold, for SCIENTIFIC AMERICAN, one year; \$9, gold, for both SCIENTIFIC AMERICAN and SUPPLEMENT for one year. This includes postage, which we pay. Remit by postal or express money order, or draft to order of MUNN & CO., 361 Broadway, New York.

PRINTING INKS. THE "Scientific American" is printed with CHAS. TENEU JOHNSON & CO.'S INK. Tenth and Lombard Sts., Phila., and 47 Rose St., opp. Duane St., N. Y.