

Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors.

PUBLISHED WEEKLY AT

No. 361 BROADWAY, NEW YORK.

O. D. MUNN.

A. E. BEACH.

TERMS FOR THE SCIENTIFIC AMERICAN.

One copy, one year, postage included... \$3 00
One copy, six months, postage included... 1 50
Clubs.—One extra copy of THE SCIENTIFIC AMERICAN will be supplied gratis for every club of five subscribers at \$3.00 each; additional copies at same proportionate rate. Postage prepaid.

The Scientific American Supplement

is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT is issued weekly. Every number contains 16 octavo pages, uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, \$5.00 a year, postage paid, to subscribers. Single copies, 10 cents. Sold by all newsdealers throughout the country.

Scientific American Export Edition.

The SCIENTIFIC AMERICAN EXPORT EDITION is a large and splendid periodical, issued once a month. Each number contains about one hundred large quarto pages, profusely illustrated, embracing: (1) Most of the plates and pages of the four preceding weekly issues of the SCIENTIFIC AMERICAN, with its splendid engravings and valuable information; (2) Commercial, trade, and manufacturing announcements of leading houses.

NEW YORK, SATURDAY, NOVEMBER 13, 1886.

Contents.

(Illustrated articles are marked with an asterisk.)

Blind, dreams of the... 312
Boiler explosion, recent, at Charlotte, N. C. ... 304
Books and publications... 314
Business and personal... 315
Coment, slag... 308
Clock, electric, Garcia's... 307
Cold and tobacco smoking... 312
Converters, Bessemer, in the U.S. ... 312
Cylinder cock, Stoffel's... 306
Dental carries in bakers... 308
Dietetic fallacies... 305
Dynamo Colossus at work... 307
Earthquake at Savannah, an incident pertaining to... 309
Earthquake, Charleston, the... 308
Exhibition, industrial, at Venice... 309
Fair, annual, American Institute... 308
Fence, railroad, Cooley's... 306
Flour chest and sifter... 307
Gapes in fowls... 306
Grease spots, cleaning, mixture for... 306
Gun, 5-inch ton, new... 308
Hippopotamus, new... 308
Park, New York... 313
Inventions, agricultural... 314
Inventions, engineering... 314
Inventions, index of... 315
Inventions, mechanical... 314
Inventions, miscellaneous... 314
Kite, gigantic, Maillet's... 310
Mantel adapted to a noble apartment... 318
Maps, railway, large... 309
Monument, interesting... 312
Mowers and reapers, cutting apparatus for... 306
Natural history notes... 313
Navy, new, the... 305
Notes and queries... 315
Ore separator, Krause's... 306
Patents, decisions relating to... 309
Pipes, feed water, should have valves... 313
Preservative wanted... 309
Pump, measuring, Sims'... 307
Railway accident, remarkable... 304
Rock borers... 312
Sleigh, improved, Beswick's... 307
Smelting of iron sand... 306
Switch, frogless, Culp's... 307
Target, revolving, Adams's... 307
Telegraph, phonetic, House's... 303
Telephone, Bell, patent probably broken... 304
Telephone, Royal E. House's, of 1868... 303
Torpedo cannon ball... 309
Tunnel, new, Königgratz, Berlin... 310
Volcanic dust... 309
Engines, triple expansion, economy of... 311
Fluids, equilibrium of, experiments by... 311
Siphon, pressure of... 311
Siphon, suction of... 311
Turtles, longevity of... 311
Water drop... 311
Wood, fireproofing... 311

TABLE OF CONTENTS OF SCIENTIFIC AMERICAN SUPPLEMENT No. 567.

For the Week Ending November 13, 1886.

Price 10 cents. For sale by all newsdealers.

I. ASTRONOMY.—The Solar System.—A complete resume of the latest determinations of the sizes, distances, periods, and other data of the planets and their satellites; the modern theories of comets. 9061
II. ENGINEERING.—Accidents due to the Use of Macnesian Cements in Masonry.—By MM. LEON DURAND-CLAYE, Chief Engineer, and DELRAY, Engineer (Ponts et Chaussées).—An interesting account of some very remarkable ruptures of bridge-work by the swelling of the mortar used in laying the stones; magnesia proved to be the source of trouble.—4 illustrations. 9056
Progress of the Corinth Canal.—The engineering details of this work in its present state; methods of removing material, and disposition of the same; physical characteristics of the Montenegrin workmen; of popular as well as scientific interest.—4 illustrations. 9047
The Construction and Maintenance of Macadamized Roads.—The original methods of Macadam and Telford contrasted; the modern practice of road builders. 9090
The Tendencies of Modern Engineering.—By WOKLEY B. COXE, of Drifton, Pa.—Sibley College lecture in 1886-57 course.—The differentiating processes of modern engineering; the increased attention to details; the preparation of architectural detail for the consumer in Pennsylvania; specialization of engineering practice. 9049
III. GEOLOGY.—Cause of Earthquakes.—A recent lecture by Prof. JOSEPH LE CONTE.—Proposed establishment of seismic stations in California; unsuspected frequency of earthquakes; association with volcanoes; the electric theory. 9062
IV. MATHEMATICS.—Radii of Curvature Geometrically Determined.—By Prof. C. W. MACCORD, Sc.D.—No. VI.—The ellipse.—Continuation of this important series of articles. 9057
V. METALLURGY.—Silver and Lead Smelting in Colorado.—The recent development of this industry in Colorado.—The location of plants and furnaces.—Description of the smelting works of the Colorado Smelting Works, South Pueblo. 2 illustrations. 9063
VI. MISCELLANEOUS.—A Year's Centenarians.—Twelve months' record of accredited centenarians.—Remarkable instances of longevity and of vigor of its possessors. 9058
Home Made Wines and Drinks.—Manufacture of drinks from farm and garden materials, including elder flower and elder berry wine, elder beer with ginger, mead, sack mead, and American mead, balm, bilberry, and cranberry wines; ratafia, a flavoured extract from peach or apricot kernels. 9059
How to Ship Apples to Europe.—The increasing demand for apples in Europe.—The packing and selection of fruit for export.—How to fill the barrel. Heading and marking.—Method of shipment.—Period of returns. 9060
Physical Exercise.—By CARL H. HORSCH, M.D.—A systematic scheme of calisthenics for development of the various muscles of the human frame.—8 illustrations. 9060
VII. NAVAL ENGINEERING.—Petroleum Carrying Steamers.—By Mr. B. MARTEL.—On the carriage of petroleum in bulk on overseas voyages.—Immense extent of the export of petroleum.—The present methods of shipment in barrels and tin boxes.—Losses in carrying capacity due to these methods.—The question of leakage.—The advantages of bulk shipments.—Proposed plans a description of vessels actually built and employed in this traffic.—19 figures 9061
VIII. TECHNOLOGY.—Description and Theory of the Motions in Bobbin Frames.—Elaborate treatment of this subject.—The mechanism and mathematics of the subject.—Determination of the profile of the cones.—7 illustrations. 9064
Ramie.—Valuable properties of this fiber.—Difficulties encountered in its treatment.—M. Favre's treatment of the stalks by a purely mechanical process.—His machine and its capacity.—1 illustration. 9057
The French African Cable.—Note on its progress. 9066

THE BELL TELEPHONE PATENT PROBABLY BROKEN.

The claims of the Bell patent as at present construed by the courts cover the art of transmitting speech electrically. In the face of the famous Morse decision, a construction of claim fully as broad as that refused to Morse has been contended for and obtained by the Bell advocates. It is construed to cover the transmission of speech by the "undulatory current." By this current the diaphragm of a receiving instrument is assumed to be kept under permanent control of the diaphragm of a transmitter. It is all theory, but as accepted by the courts as a standard for judging of mechanical constructions, has a most important bearing on the extent of protection afforded by the Bell patents. It makes this protection absolute for all and every imaginable electric telephone.

The scope conceded to this claim is quite incompatible with the state of the art as illustrated by the Reis device alone. If any one had affirmed a few years ago that from the records of the American Patent Office a complete anticipation of this broadly interpreted patent of Bell would be exhumed, none would have credited the assertion. Yet this has now been done. A telephone far superior to Bell's crude and inoperative device of 1876, or the somewhat better one of 1877, is illustrated in our columns elsewhere. It is an exact reproduction of a device patented by the early telegraphic inventor, Royal E. House, in 1868. His name is one of the best known in connection with the early history of the art. He was the first inventor of a printing telegraph. He stands side by side with Prof. Morse and Prof. Bain in the history of electric progress. To-day, nearly eighty years old, he still lives, connecting the past with the present.

Royal House, in 1865, patented what he termed an Improvement in Electro-phonetic Telegraphs. No relay was used in this system; by increasing its sensibility, he hoped to avoid the necessity for one. In this way Morse's claims would not be infringed. Not satisfied with his progress, a second improvement under the same title was patented three years later, and the new device was a telephone.

This 1868 patent describes a perfect telephone, designed to work as a telegraph receiver. The loud and very disagreeable clicking that a telephone under certain circumstances produces is familiar to all. It works as a sort of magnifier of sound. To make the sound produced by the make and break of a weak current acting on an armature more audible, Royal House availed himself of this telephonic principle. He invented a sounder that could work with very weak currents, because it was a telephone. It possessed a diaphragm and tube adapted for listener or speaker, just as the Bell telephones in his patents of both 1876 and 1877 did. The instrument may be adjusted so that changes in current will produce blows upon the diaphragm, or by adjusting screws the production of blows may be prevented and changed into that of impulses only. When this change is made, the apparatus for production and use of the "undulatory current" appears. According to the description of the House patent, a minute change in the adjusting screws will effect this. He contemplates a motion of the armature of only one hundredth of an inch. An adjustment to this extent by screws shown in the patent drawings is therefore enough to prevent the hammering.

That this species of adjustment came within the literal scope of the patent is not only evident from the presence of the adjusting screws, but is proved by the following very remarkable clause in the specification: "I have found, by experiments, that when the force of an armature of a receiving magnet is expended on limiters, F', F'', by limiting the motion of the armature a distinct, audible sound is produced, even when the electrical power is only sufficient to produce motion."

The inventor, in other words, had tried the effects of reducing the play of the armature, and there is no doubt that eight years before the invention of Bell, Royal E. House had heard the impulses of a telegraphic current audibly reproduced telephonically by the "undulatory current." The inventor, it is true, did not realize the full powers of his invention. Two of these instruments actuated by a battery or by their residual magnetism will operate as well, or better, than a pair of the modern Bell telephones. Prof. House did not specially claim or describe them as speaking instruments in his patent. Neither did Bell do so in his 1876 patent with reference to his instruments. But a device is protected by letters patent for all possible uses, and some very curious results may yet follow if suits are brought against the Bell Company under this patent.

An interesting confirmation of our views so frequently expressed as to the Bell claim is afforded by this patent. It overshadows, in importance, the Reis inventions, as it is so much their superior in efficiency. Neither is it a crude and impracticable telephone, like the earlier Bell devices. On the contrary, by legitimate inventive work, Royal E. House, the contemporary of Morse, constructed a telephone as good as the instrument in use at the present day.

One fortunate circumstance in connection with this instrument, as concerns its use in litigation, is that all the facts can be so concisely proved. The patent, in a

clear drawing and description, shows what the instrument is. A simple inspection shows that it is a telephone. By connecting two of them in a circuit they will talk, thus practically showing that they are telephones. The date of the invention is far enough back to remove all danger of claims of priority of invention on Bell's part. The bearing of this invention on the extravagant claims of the telephone monopoly would seem very evident. If it can ever be brought before the courts, it will be an entirely new matter and will justify a new decision by a circuit judge. At present these judges are governed by decisions already rendered. But this new matter in the shape of a prior patent, the most convincing of all proof, must certainly force a new decision that will limit the Bell claims. An attempt is now to be made to bring it before the circuit court on a final hearing.

Interesting in the abstract as this case may be as a feature in the history of the invention of the telephone, it assumes great importance in view of the aspect that the Bell controversy has recently acquired. Charges affecting the integrity of the methods of the Patent Office have been recently made an issue in government proceedings against the Bell patents. It is alleged that the Bell patents were fraudulently granted, that Bell was given access to Gray's caveat, and that corruption marked the whole of the proceedings in the matter of his 1876 patent. So serious were these allegations that the government suit mentioned above was instituted solely on their account, and is now in progress to determine their truth or falsity. The confirmation afforded them by this discovery falls little short of absolute proof. The examiner must have known of the House patents. Their inventor's name was famous. The subjects of the Bell and House patents were similar or almost identical. The drawings resemble each other closely. Interpreted by the specification, Bell's device is anticipated by a vastly superior apparatus. It is unfortunately a matter hardly susceptible of doubt that the contents of the House patent were known to the authorities when the Bell patent was granted. For the general public this patent will seal the condemnation of the Patent Office proceedings. The matter should have a great effect on the government suit.

Meanwhile, some of the old cases are beginning to appear in the Supreme Court of the United States. On the first of the present month motion was made in that court to advance and hear together, immediately after the February recess, all the telephone suits on the docket. Twenty-five thousand printed octavo pages are in the records of these suits. The argument on the united cases is expected to occupy a week. They include the Dolbear, the Molecular, the Clay Commercial, the People's (or Drawbaugh), and the Overland suits.

Progress in these suits will be watched by all with much interest. Unfortunately, none of the cases represents the full proofs, as they are all burdened with concessions, or characterized by omissions of some parts of the facts in the case. More results may reasonably be looked for from the House telephone than from the Supreme Court.

THE RECENT BOILER EXPLOSION AT CHARLOTTE, N. C.

In our issue for October 30, we gave an account of the explosion of a boiler at the Cotton Compress Works, Charlotte, N. C., in which our correspondent stated that it was an Abendroth & Root boiler that gave way. The boilers of this firm are well known throughout the world as safety boilers, the water being contained in small, strong tubes, which alone are exposed to the fire, and are capable of enormous resistance. The principle of construction is such that only by gross mismanagement could the boiler proper be made to explode. We are therefore not surprised, on receiving additional particulars, to learn that it was not the boiler proper that caused the mischief; but it was an old, worn out steam drum that exploded, and which the cotton press people had caused to be constructed and attached to the boiler, wholly without the advice or knowledge of the boiler makers. We have seen a letter from Mr. H. W. Edwards, superintendent of the Charlotte Cotton Compress Company, who positively certifies to the above effect, and it settles the question.

We deem it only just to Abendroth & Root Mfg. Co., and to their many customers in all parts of the country who have their boilers in use, to make the above facts known.

A REMARKABLE RAILWAY ACCIDENT.

A recent accident at Perkasio, Pa., tunnel shows the importance of their ventilation. The above tunnel is about half a mile long. Repairs are being made therein. On the 3d inst. some fifty men were at work near the center of the tunnel, when a freight engine, unable to draw its train through the tunnel, became "stalled" near the place where the men were at work. Fresh coal was put in the locomotive furnace, and the fan blast set in motion. Soon the train started, when it acted as a piston in a cylinder, driving the gases from the furnace before it; and when the gases struck the men who were working in the tunnel, they nearly all

fell as if dead. With no premonition, about forty of them became almost instantly unconscious, and fell as they stood.

One of the men, only partially affected, made his way to the tunnel entrance and gave the alarm. A gravel train, with flat cars, happened to be standing there. It was run in to the place of the accident, and the bodies of the fallen men were dragged upon the cars and taken out to the fresh air. All were supposed to be dead, but, to the surprise of the rescuers, the recently dead men soon began to show signs of life, and in a short time all were themselves again, except one poor fellow, who died, and who, in his fall, sank into a pool of water, and probably was drowned.

One of the unconscious men was found hanging on a ladder, head downward, suspended by his feet.

THE NEW NAVY.

The recent expression of opinion, by naval authorities here and abroad, as to the needs of our navy and how far the types of the new ships are likely to meet them, furnishes us with important data. By far the major part of the testimony confirms the view frequently expressed in these columns that small, fleet-footed cruisers are more to be desired than ponderous, unwieldy fighting ships, and that torpedo boats are necessary to an effective defense. While it can scarcely be said that the new ships, as far as constructed, are altogether satisfactory, eminent authorities on both sides of the water seem to be agreed that, we have made, at least, a good beginning; that, under the circumstances, it is not surprising that mistakes have been made or that errors, at first insignificant, should have multiplied as the work of construction progressed. It is only by such practical experience, they say, that anything like perfection can be attained in so difficult and undertaking as that of trying to combine the good qualities of various novel constructions.

In order to better understand the recent criticisms on what has already been accomplished by our naval constructors, and what they have proposed to themselves, it is necessary to have the list of new ships before us. Here it is:

	Displacement.	Guns, Breech Loading Rifles.	Speed.	Condition.
Amphitrite	3,815	4 10-in.	12	Incomplete.
Monadnock	3,815	4 10-in.	12	Incomplete.
Terror	3,815	4 10-in.	12	Incomplete.
Miantonomoh	3,815	4 10-in.	12	Incomplete.
Puritan	6,000	4 10-in.	18	Incomplete.
Dolphin	1,500	1 6-in.	15	Complete.
Boston	3,000	2 7-in.	14	Armament incomplete.
Atlanta	3,000	6 6-in.	14	do.
Chicago	4,500	4 8-in. 2 5-in.	15	Incomplete.
Gunboat No. 1	1,700	6 6-in.	16	Not commenced
Gunboat No. 2	870	4 6-in.	12	Not commenced
Newark	4,000	12 6-in.	18	Not commenced
Charleston	3,730	2 10-in. 6 6-in.	18	Not commenced
Baltimore	4,400	4 8-in. 8 6-in.	19	Not commenced
Armored cruiser	6,000	4 10-in. 8 6-in.	16	Not designed.
Armored battle ship	6,000	12 12-in. 6 6-in.	16	Not designed.
Pneumatic dynamite gun ship	—	—	20	Not designed.
One first class torpedo boat	—	—	—	Not designed.

The Dolphin is a dispatch boat, not intended for fighting, nor fast enough to overhaul modern merchant steamers. The Atlanta has made 13 knots over the measured mile—a test always made under favorable circumstances—which places her, in point of speed, scarcely ahead of the ancient Iroquois, now 30 years old. Like the Boston, the Atlanta is a nondescript. Each has a battery consisting of two 7 inch and six 6 inch guns, and hence, with their limited speed, frail sides, and inability to carry heavy batteries, have neither the power to fight, the strength to stand assault, nor the ability to run away. Of the Chicago, which is larger than either the Atlanta or Boston, and has not yet been tried, Admiral Porter says: "She contains an absurd mass of machinery. The engines are of the type known as side levers—a cumbrous, friction-generating kind, unfit to put in the hold of a man-of-war. I take upon myself credit for having a change made in the valve arrangement which will better things somewhat. I succeeded in having the plans for poppet valves altered and slide valves substituted. The clanking of the side levers will be like the noise of a chain gang. I know of a merchant steamer with a single screw, plying between New York and New Orleans, that has a side lever engine. She is under repairs more than the other ships of the line, although she is fast. For a man-of-war, the Chicago's engines are as bad as can be."

It is but fair to say here that it is not the contractor, as the public is inclined to believe, who is responsible for this kind of work. He only carries out the design placed in his hands. It is the Bureau of Steam Engineering, quoting again from the Admiral of the Navy: "An ax to grind here, a pet hobby there, a patent arrangement yonder, and there you have it. I would not allow the Bureau of Steam Engineering to touch a plan or alter an engine provided by a contractor. It is the incompetency of the de-

signers of the engines, to call it no worse, that leads to such direful results as we have seen."

The Admiral and other authorities who have recently spoken upon the subject believe that private firms should be called upon to design the engines. In other words, they should be expected to furnish engines which would give a certain speed. The rest is easy. If the required speed is not obtained, the ship is not accepted. But when the engines are designed by the department, and the contractor expected to get speed out of them, disaster usually follows. All seem agreed that, to be efficient, a fleet should be composed of three classes: First, commerce destroyers—fleet-footed unarmored vessels, carrying two or three heavy guns; second, armored fighting ships; third, torpedo boats. As to how many of each are required, or the proportion of one class to the other, opinions differ; the majority, however, believing our requirements would be best served by torpedo boats and light-footed, unarmored cruisers. The National Line's steamer America is thought to be a good type of what these cruisers ought to be. She is much broader than the Oregon type, and can steam 17 knots an hour, not only on the measured mile, but continuously through the day's work. The English cruiser Inconstant, also of 17 knots speed, is an admirable specimen of this class, but is thought to be altogether too large and, consequently, too costly for our needs. What would our 13 and 14 knot unarmored ships do in the presence of an Inconstant, which could always choose her target and the most favorable firing point, and get away when the odds were against her? The general opinion of the two 4,000 ton unarmored ships is that they are too large, or, rather, needlessly large.

John Herreshoff, the ship builder of Bristol, Rhode Island, is perhaps as good an authority on speed as there is to be found. He designed and built the Stiletto, undoubtedly the simplest steam yacht afloat. He pins his faith on swift-moving torpedo boats as a main reliance. He says that torpedo boats built on the same lines as the Stiletto, but of steel, instead of wood, and of 150 feet length, could be made to steam a speed of 30 miles an hour. The Stiletto has made 27.

That the swift-moving torpedo boat is likely to take a very important part in the future naval war there can be little doubt. Even the French Admiral Aube and Sir Spencer Robinson, Sir Edward Reed, George Mackron, of the Thames Ship Building Company, Mr. Watts, the constructor at Elswick, and ex-Chief Constructor Warren, of the Chatham Royal Navy Yard, were all spoken to recently on this subject, and either expressed confidence in the efficiency of torpedo boat attack or, if not affirming the proposition, were unwilling to deny its truth.

In view of this, it seems strange that the naval board should have contented itself to advise the construction of "one first-class torpedo boat."

THE DYNAMO COLOSSUS AT WORK.

BY WM. H. HALE, P.H.D.

An account of the newly invented process of smelting by the Cowles system of electric furnace was given in the SCIENTIFIC AMERICAN of May 22, 1886 (p. 328). The dynamo Colossus, the most powerful ever constructed, was illustrated and described in the SCIENTIFIC AMERICAN of August 28 last.

On the 16th of September, I had the good fortune to pay a visit to Lockport, N. Y., just in time to find the dynamo engaged in smelting its first run of metal, which was an alloy of aluminum and copper.

Although the process of electric smelting is capable of reducing the most refractory ores, and securing many costly metals, such as potassium, sodium, magnesium, and the like, besides metalloids, boron, silicon, etc., yet the company now aim especially to secure aluminum in large quantities, because of the many valuable properties of that metal and its alloys, and the almost infinite variety of uses and inexhaustibility of demand for them at the reduced price which this process renders possible.

Both the Cowles brothers, Eugene H. and Alfred H., the joint inventors of the electric furnace, were present—the latter having only the day before returned from Europe, where he had been exhibiting specimens of product as previously obtained by smaller dynamos at Cleveland, having secured, among other fruits of his trip, an order from Whitehead, manufacturer of torpedo boats, for 6,000 pounds of the 10 per cent aluminum and copper alloy. No other visitor was present. The big dynamo was running at 380 horse power, though capable of 500 horse power when required. It was making 420 revolutions per minute, and, as the electricity was drawn off, it scintillated in a brilliant and continuous fusillade of sparks varying in color from white to emerald green, and occasionally flashing out in a burst of unusual splendor, yet perfectly controlled and free from danger to the spectators.

The dynamo is driven by water power. The waterways were constructed by Holley, and are replete with ingenious appliances for utilizing all the power there is, and for keeping the water at a uniform level. The water wheels used are double turbine with horizontal

shaft, each turbine being eight feet in diameter. The dynamos—for there is also a smaller one—occupy a room by themselves intermediate between the turbine wheel room and the furnace room.

Passing to the furnace room, we see where the energy of the dynamo is being expended. The furnaces are built larger for the Colossus than those used with smaller dynamos, and are charged with 60 pounds granulated copper, 60 pounds corundum, and 30 pounds coarse charcoal, besides the pulverized lime-coated charcoal used as packing. This mixture contains over 32 pounds of aluminum or about 54 per cent of the corundum. Into the furnace thus charged pours the current from the Colossus, fusing the almost infusible corundumlike wax, causing its molecular structure to be broken up into its elements, and raising the temperature of the entire mass to a very high heat. Vent holes are left in the covering of the furnace, through which escape the liberated gases and some of the volatilized aluminum, the whole glowing with a bright flame which sometimes darts up to the height of many feet. The amperemeter on the wall shows with what force the current is flowing, and the attendant must watch it closely to keep it at the desired gauge. A force of 2,000 to 2,400 amperes is generally preferred. As the index approaches the higher limit, the carbon electrodes are from time to time drawn asunder, till at last they stand wide apart, and the current flows freely through the entire furnace. The process of reduction takes about two hours.

Returning to the dynamo room, we find at the end of the run that the bearings of Colossus are not raised to the temperature of blood heat; and it proves to be the case that it may be run continuously without becoming overheated, thus demonstrating the excellence of its construction under the personal supervision of Mr. Brush. The bane of dynamos is overheating.

What do we find in the furnace at the end of the reduction? The products of the electrical furnace have furnished the theme for several papers already before scientific societies, and will supply a probably fruitful field of research for time to come. Since the first run of the dynamo, I have on several other occasions visited the works and seen the charges with drawn from the furnace. The product appears in the form of a fused mass of metal embedded in the surrounding carbon. Most of this mass is an alloy of copper and aluminum, varying much in the proportion of the two. Mostly it exceeds the 10 per cent of aluminum which gives the alloy of maximum strength, and is a brittle white metal, which is again fused with the addition of more copper to such an alloy as may be required.

But the furnace gives many other products. Sometimes there are found small fused rubies and sapphires. The sub-oxide of aluminum—never found in nature, and never before known to exist or to be capable of formation—is always present in larger or smaller quantities. I have also seen specimens of beautiful, white, fibrous alumina. With other charges, sub-oxides of silicon and titanium are found—very curious products indeed. The intense heat even partially fuses the carbon, and the electrodes are converted into graphite.

The rush of visitors has been so great that the company have been compelled to restrict facilities for admission latterly.

Important economical as well as scientific results have been already attained by the dynamo. The price of aluminum alloys has been reduced to a scale adopted by reckoning the value of the contained aluminum at \$2.50 a pound, previous sales of that metal having been at the rate of 75 cents an ounce.

The 10 per cent alloy is said to be the strongest metal known, though alloys of a less per cent have great utility, being tougher, but not so strong. Krupp cannon require a tensile strength of 70,000 pounds per square inch of wrought steel, the labor on which raises its cost to 75 cents or a dollar a pound. Some specimens of the alloys made by the Colossus, which are simply cast, not wrought, have recently shown the phenomenal strength of 131,000 pounds per square inch.

Since writing the above, I notice the statistics of production of different metals in the United States for 1885, as given in the SCIENTIFIC AMERICAN for Nov. 6, 1886. In that table the whole amount of aluminum produced during the year is stated as 3,400 oz., aluminum being then regarded as a precious metal.

The capacity of the Colossus will enable it to reduce a larger amount than this, in the alloy with copper, within the period of twenty-four hours.

Alloy of Aluminum and Tin.

A useful alloy of aluminum and tin has been obtained by M. Bourbouze, by melting together 100 parts of the former metal with 10 parts of the latter. This alloy is whiter than aluminum, and has a density of 2.85, a little greater than that of the pure metal, so that it is not too heavy to replace aluminum in instruments requiring great lightness of their parts. It is less affected by reagents, etc., than is aluminum, and also is more easily worked. Another of its merits is that it can be soldered as easily as brass without any special preparation.