

Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors.

PUBLISHED WEEKLY AT

No. 361 BROADWAY, NEW YORK.

O. D. MUNN.

A. E. BEACH.

TERMS FOR THE SCIENTIFIC AMERICAN.

One copy, one year, for the U. S. or Canada.....\$3 00
 One copy, six months, for the U. S. or Canada..... 1 50
 One copy, one year, to any foreign country belonging to Postal Union, 4 00
 Remit by postal or express money order.

Australia and New Zealand.—Those who desire to receive the SCIENTIFIC AMERICAN, for a little over one year, may remit £1 in current Colonial bank notes. Address

MUNN & CO., 361 Broadway, corner of Franklin Street, New York.

The Scientific American Supplement

is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT is issued weekly. Every number contains 16 octavo pages, uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, \$5.00 a year, for U. S. and Canada. \$6.00 a year for foreign countries belonging to the Postal Union. Single copies, 10 cents. Sold by all newsdealers throughout the country.

Combined Rates.—The SCIENTIFIC AMERICAN and SUPPLEMENT will be sent for one year, to any address in U. S. or Canada, on receipt of seven dollars.

The safest way to remit is by draft, postal order, express money order, or registered letter.

Australia and New Zealand.—The SCIENTIFIC AMERICAN and SUPPLEMENT will be sent for a little over one year on receipt of £2 current Colonial bank notes. Address MUNN & CO., 361 Broadway, corner of Franklin Street, New York.

NEW YORK, SATURDAY, MARCH 10, 1888.

Contents.

(Illustrated articles are marked with an asterisk.)

Aphengescope, mammoth.....	149	Incanescent electric lamp, minor phenomena of.....	144
Boils and carbuncles, new treatment for.....	149	Insurance company, life, a solid.....	145
Books and publications.....	151	International Geological Congress.....	153
Boomerang, mystery of the.....	146	Inventions, agricultural.....	154
Business and personal.....	151	Inventions, engineering.....	154
Calcium and its varied uses.....	147	Inventions, index of.....	155
Car coupling, improved*.....	149	Inventions, miscellaneous.....	154
Ceiling, defective, in Capitol at Albany*.....	143, 148	Kerosene emulsion for scale insects.....	144
Coreoran, W. W., death of.....	145	Laboratory, Loomis, opening of.....	145
Cloud indications.....	147	Lard, what made of.....	145
Crazy? who is never.....	145	Military notes.....	145
Disease, communicability of, from animals to man.....	152	Natural history notes.....	155
Eagle, sea*.....	153	Notes and queries.....	155
Engines of the S.S. Courier*.....	146, 147	Scale, weighing, improved*.....	149
Eyes, care of.....	149	Ships, modern war, tests for.....	144
Fox, cunning of.....	153	Swamp, cypress, how to utilize.....	152
Floors, hardwood, waxing.....	149	Technology, Architectural Review.....	145
Flour, production.....	150	Telegraph circuit of over 10,000 miles.....	146
French Exhibition of 1889*.....	150	Timber forests in Siam.....	147
Glass and china manufacturers.....	152	Tower, great, of French Exhibition*.....	150
Gun, dynamite, for Italian government.....	152	Trade mark difficulties.....	150
Gun, great, bursting of.....	147		

TABLE OF CONTENTS OF SCIENTIFIC AMERICAN SUPPLEMENT No. 686.

For the Week Ending March 10, 1888.

Price 10 cents. For sale by all newsdealers.

I. CHEMISTRY.—Test for Aniline Colors in Wines or Fruit Juices.—A simple test for this form of adulteration of food or beverage.....	10166
The Chemistry of Substances Taking Part in Putrefaction and Antiseptis.—By JOHN M. THOMPSON, F.R.S.E.—The second of these important lectures, giving a peculiarly exhaustive review of their recondite subject.....	10164
II. ELECTRICITY.—Cooper's Thermo-magnetic Motor.—A simple motor of 1884, the invention of Mr. W. B. Cooper, of Philadelphia.—1 illustration.....	10160
Magnetism Produced by Steam.—A most interesting and simple experiment in magnetism illustrated and described.—1 illustration	10160
The Last Model of the Aron Electric Meter.....	10160
The Position and Prospects of Electricity as Applied to Engineering.—By WILLIAM GEPEL.—An exhaustive practical view of the practical applications of electricity to industrial uses.....	10157
III. ENGINEERING.—Rigg's High Speed Revolving Steam Engine.—A new and ingenious type of four cylinder engine, capable of attaining 2,000 revolutions per minute.—2 illustrations.....	10156
The New Dufferin Bridge, Benares.—A recent iron railroad bridge crossing the Ganges.—Dimensions and cost of the structure.—4 illustrations.....	10157
Work on the Panama Canal.—A full description of the work now in progress on the Isthmus.—9 illustrations.....	10151
IV. ENTOMOLOGY.—A Curious Form of Caterpillar.—Description and illustration of an Indian caterpillar and its curious attitudes.—4 illustrations.....	10166
V. MISCELLANEOUS.—The Necessity for a Patent System, and the advantages to be derived therefrom.—By GEO. O. G. COALE.—An enlightened review of this question, and the opinion of inventors and others concerning it.....	10163
The Universal Exhibition at Barcelona in 1888.—The opening of the Barcelona exhibition.—The grounds and palace of industry.—2 illustrations.....	10163
Two Puzzles.—A pair of interesting geometrical puzzles.—2 illustrations.....	10163
VI. NAVAL ENGINEERING.—The First Atlantic Steamship.—By HOWARD FULLER.—An interesting account by the great-grandson of the navigator of the first steamer that crossed the Atlantic, with characteristic entries from her log book.....	10163
VII. ORDNANCE.—Dynamite Shells Fired from Ordinary Guns.—The recent experiments with Lieut. James W. Graydon's high explosive shells.—Their effects upon a turret segment.—3 illustrations.....	10154
The Pneumatic Dynamite Gun.—The English view of the Zalski gun.—A eulogistic lecture by Capt. HAIG before the United Service Institution of Great Britain.....	10155
VIII. PHOTOGRAPHY.—New Direct Platinotype Process.—Full account with formulas of the new process.....	10162
IX. TECHNOLOGY.—An Inverted Diamond Lamp.—An application of the regenerative principle to this well known incandescent burner.—1 illustration.....	10160
Dietsch's Kiln for the Continuous Burning of Cement Limestone and other Materials.—An improved furnace and the results obtained by its use.—Comparison with other recent forms.—1 illustration.....	10162
Moulder's Tools.—The tools of the foundry moulder and their uses.—With illustrations of the different implements.—5 illustrations.....	10161
Wool Bleaching with Hydrogen Peroxide.—Details of the application of this new process.....	10162

MINOR PHENOMENA OF THE INCANDESCENT ELECTRIC LAMP.

The incandescent electric lamp has already been cited as giving an illustration of irradiation. When in full action, it presents no longer to the distant eye a simple loop of glowing carbon. By irradiation the outline is lost, and it resembles a gas flame. The same object illustrates very perfectly some of the phenomena of persistence of vision. The old example of the whirling ember, the thaumatrope and many other scientific toys, could be cited that are based upon this principle. It is also well known that if a spot of specific color is looked at intently for some time and the eye is then turned upon a white surface, the complementarily colored spectral image of the spot will appear. The nerves of the eye, it is assumed, become fatigued for the original tint, and hence, receiving white light, are affected by the residual colors. This is the reverse effect of persistence of vision. By the latter, properly speaking, the true image retains its effect. But the two are intimately related, as opposite effects so often are in the world of nature.

If an incandescent burner is gazed at while near the eye, the filament can be distinctly seen. Now, if the eye is closed, the image of the filament remains, and appears in clear outline in a purplish or violet color. The characteristic shape of the particular filament is especially distinct. If, in looking at it, particular care is taken to avoid remembering its appearance (and this disciplining of the mnemonic faculty is not difficult), the spectral image seen with the closed eye will vividly portray the filament and its peculiarities. Sometimes it seems as if the effects of irradiation could be partly overcome; as if the image of a distant lamp could be reproduced free from the glow of irradiation. To a degree this may be possible, but a fully ignited and distant lamp always gives a confused spectral image to the closed eye.

The filament of the high resistance lamps illustrates elasticity very well. Surrounded by a vacuum, so as to be free from the damping effects of the air, no object more sensitive to vibrations or shocks can be found. The least tremor of the wall to which the lamps are attached makes the loop vibrate for a long period. This only takes place when they are cold. When the current is passing and they become red or white hot, they are no longer so elastic, and cannot be made to vibrate as before.

By the same vibrations sound is often produced. The vacuum of the globe prevents the sound from being heard by atmospheric transmission. But the filament is in solid connection with the globe and socket. If it is set in strong vibration, and the lamp is held pressed against the ear, a ringing metallic sound will be heard. This cannot be done with all burners. A certain size is naturally essential, as the sound is at best a weak one.

It would seem possible that a visual seismograph of extreme sensitiveness could be made on the general lines of an incandescent burner. It is probable that a filament could be obtained in this way more affected by external vibrations than is the most sensitive device now used.

TESTS FOR MODERN WAR SHIPS.

Admiral Fremantle, R. N., had some valuable experience recently, when, in a sham battle, he tried to break through the lines established by Admiral Hewitt, in the Irish Channel, and it is for this reason mainly that his paper on "Speed as a Factor in Naval Warfare" has a special value. Once more the man of action shows the mistakes of the theorist. Once more figures that are said never to lie are shown to be at least capable of deceiving. In not a single case, it seems, have the big war ships fulfilled the promises made for them by their builders; for though apparently within the power of the mathematician to calculate what speed can be got out of a certain shape and weight with engines of a certain power, when tried in smooth water and under favorable circumstances, they are apparently wholly unable to estimate what this mass can accomplish under other and less favoring conditions, and this inclines the old sailor, like Admiral Fremantle, to look upon all their computations with suspicion. In the recent experiences in the Irish Channel and North Sea, when the seas were heavy and the winds high, many of the ships set down on paper as the fastest fell sadly behind, and those which had been recommended for steadiness and mobility, to make up for their want of speed, often refused to answer their helms.

Admiral Fremantle has learnt, he says, that the best way to test a modern ship is to send her to sea and let her go her best for say 1,000 miles. This will show what she is good for in all weathers as to speed, how she minds her helm in a beam, quartering, fair, and head wind, the length of time her bunkers are capable of supplying her with coal, and the distance she can get over without recoaling. Such cruises would, of course, run up large coal bills, but, as he says, they would pay in the end, because furnishing reliable data of what can really be expected from each individual ship.

After explaining how important speed is in working

ships, the Admiral proceeds to look with favor upon many of the ships which gave such a poor account of themselves in the recent maneuvers, because they are, in his opinion, well enough in their class. He says: "The ironclads of the 'Admiral' class and the belted cruisers designed by Sir N. Barnaby form groups of the fastest vessels in the world of their respective classes." But it has been and is a subject of controversy whether or no some of these classes are useless because wholly unable to serve the purpose for which they were designed. If, for instance, there is any service to which the slow belted cruisers with small batteries can be put, the same has not yet been shown. There are ships twice as powerful now afloat, which are fast enough to overhaul them when it comes to speed. They are not heavy enough to resist the guns of a modern fortress, and have not sufficient stability to carry heavier batteries.

Naval Constructor White, who is quoted by the Admiral, throws every other condition aside and demands speed first of all. He says: "Wide differences of opinion exist on many if not most of the features of war ship design, but there is almost absolute agreement that high speed is of primary importance in all classes. It has been well said that, in future naval actions, speed will be the equivalent of 'weather gauge' in the past. The swiftest vessels have the power of choosing their range and relative position, forcing or avoiding an action."

In other words, in the general action of the future no one will stop to learn if such or such a ship is really fast "for her class;" if she cannot stand the pace she must fall behind, or if too slow to get away from heavier batteries, she must go down before them. This is the practical principle which Naval Constructor White is pressing to the attention of the British Admiralty, and it would seem a sound one for us to keep in view in building our new navy. Another interesting study for us will be found in these coming long distance tests of the several classes of British war ships, if they are really made. Admiral Fremantle says: "We want practical trials as to the possibility of turret ships keeping the sea and making a passage at speed in dirty weather in the bay. Are the barbette vessels better sea boats and better able to steam fast? Have the echeloned turret ships any advantages at all?"

The answer to these questions we may await with quite as much impatience as the British, for until we have them, we cannot proceed with naval construction with open eyes and proper precaution.

THE KEROSENE EMULSION FOR SCALE INSECTS.

A paragraph is going the rounds of the agricultural press entitled "Remedy for Scale Insects," quoting Professor Riley as having had the best results in fighting scale insects with kerosene emulsion prepared after the following formula: "Take the white of two eggs, three tablespoonfuls of sugar, three-quarters of a quart of water, and one quart of kerosene. Mix thoroughly, by working them together by means of a force pump and cyclone nozzle for five or ten minutes. The emulsion so produced can afterward be diluted with water to any desired amount."

This is in reality, as we have reason to know, quite misleading. What Professor Riley has said in reference to this matter is contained in the introduction to his last annual report as United States entomologist: "In connection with the subject of kerosene emulsion, I may put on record here an important discovery made last spring, in carrying on further experiments at the office in emulsifying this oil. It is that the white of eggs with a little sugar may be used as a satisfactory substitute for milk where this is not accessible.

"If the white of 2 eggs, about 3 tablespoonfuls of sugar, ¾ quart of water, and 1¼ quarts of kerosene are worked through a force pump and cyclone nozzle for from 5 to 10 minutes, a cream-like emulsion is produced, which can be diluted with water to any desired amount without any separation of the oil; provided that the emulsion is not allowed to stand for any length of time."

This method of emulsifying kerosene oil is, as will be seen, suggested only as a substitute for milk where that is not accessible. The formula that Professor Riley has from the beginning recommended, and which is frequently attributed to others, is really that found to be most satisfactory in experiments made under his direction by Mr. G. H. Hubbard, in 1881. It is as follows:

Kerosene.....	2 gallons	=67 per cent.
Common soap or whale oil soap.....	¼ pound	}=33 per cent.
Water.....	1 gallon	

Heat the solution of soap and add it boiling hot to the kerosene. Churn the mixture by means of a force pump and spray nozzle for five or ten minutes. The emulsion, if perfect, forms a cream which thickens on cooling, and should adhere without oiliness to the surface of glass. Dilute before using, 1 part of the emulsion with 9 parts of cold water. The above formula gives 3 gallons of emulsion, and makes when diluted 30 gallons of wash.