ENGINEERING INVENTIONS.

A car coupling has been patented by Mr. Jacob Rhule, of Pittsburg, Pa. This invention covers an improvement on a former patented invention of the same inventor, to adapt the coupling for use with dray heads of different lengths, and to strengthen and stiffen the draught plate and the angular brace by which it is sustained.

A guide bar for stub switches has been patented by Mr. Frank Nemacheck, of Appleton, Wis. The guide bar has a cylindrical body, with flattened apertured ends, two of them being employed with each switch rail, and so attached that the rails will be positively guided in alignment with the main rails, and the switch be prevented from clogging.

A locomotive boiler has been patented by Mr. Middleton G. Fuller, of Ten Mile Hill, S. C. This invention embraces a live steam pipe for each engine, having a throttle valve, the valves being detach ably connected to a single operating lever, so that with one throttle valve the engineer is able to supply steam simultaneously to both engines, or to only one when the other engine is disabled.

-----AGRICULTURAL INVENTIONS.

.....

A double shovel plow has been patented by Mr. William R. Craig, of Columbia, Tenn. This invention covers a novel construction and combination of parts constituting a double shovel plow not liable to the lock being especially applicable for use on poet become choked with rubbish, and of which the handles can be readily adjusted at any desired height.

A lever for sulky plows has been patented by Mr. Earl W. Drake, of Poynette, Wis. Combined with a main or lifting lever is a spring-actuated auxiliary lever pivoted to the main lever and adapted to carry the plow, whereby it is designed a sulky plow will do as good or better work in stony ground than can be done with the ordinary walking plow.

MISCELLANEOUS INVENTIONS.

A sash fastener has been patented by Mr. John F. Pool, of Mount Carmel, Ill. The invention provides for the use of catch locks on the sashes and hook catches on the window frame, making a fastening which is automatic, and dispenses with the necessity of sash weights and cords.

A gate hinge has been patented by Mr. James H. Davis, of Danville, Ky. It is a hinge adapted for a gate to be opened by a person approaching it from either side, the invention covering certain novel features of construction, making such hinger capable of more general use.

A flower stand has been patented by M. Herbert L. Starks, of Preston, Conn. This inven tion covers a novel construction of stand for flowers of house plants, designed to set before a window and made to revolve for more conveniently caring for the plants the shelves being held to rotate in a free and level manner.

A combination bracket washstand has been patented by Messrs. Gayger D. Tolman and Lorenzo D. Roberts, of Shawano, Wis. It has a folding wash bowl support, consisting of a rod bent to form a circle and secured to a sleeve, with a removable pitcher shelf, and other novel features, making supports for various toilet articles.

A kitchen table and cabinet have been patented by Mary S. Brack, of El Paso, Texas. The cabinet is attached to one end of the table, and forms an integral part thereof, the whole being designed as a piece of furniture with which invalids or weak persons may accomplish considerable work without inconvenience or fatigue.

A window screen has been patented by Mr. George H. Gould, of West Lebanon, Me. This invention covers certain novel features of construction and combinations of parts in a simple and inexpensive screen, which may be quickly applied to or removed from a window frame, and is adapted to fit windows of different widths and heights.

A flash light signal has been patented by Mr. William H. Thompson, of Richmond, Va. This invention is designed to provide a simple and efficient visual signaling apparatus for use for fire alarm or police signals, and consists in a novel construction and arrangement of parts in connection with operative electrical devices.

A vehicle forms the subject of a patent issued to Mr. Wilbur H. Weston, of Newburg, N. Y. The invention consists of a carriage body having the front part of its sides inclined inward, and doors fitted on the inclined parts, making an improved vehicle, permitting easy ingress and egress, without danger of soiling the dress on the carriage wheels.

A mast hoop has been patented by Mr.

consists of a spindle having a shoulder or collar and with a screw thread, a roller screwing on the threaded part of the spindle and against the hub or cross bar of the balance wheel, making a simple and durable spindle for carrying the balance wheel, and facilitating an ac curate and quick adjustment or removal thereof.

A combined artificial flower and perfume receptacle has been patented by Mr. Christopher Watson, of New York City. Any suitable form of bottle serves as a support for the flower structure, the petals being suitably arranged and secured by paste or glue to the sides or neck of the bottle, there b a wrapping around the lower portion of the bottle, with moss-like fiber applied over the wrapping.

A propeller has been patented by Mr. Louis Greget, of New York City. The vessel is constructed with twin hulls, suitably spaced, combined with two series of paddles operated alternately, each series by two crank shafts, the blades of the propellers having a pitch designed to obviate back pressure, and the construction being calculated to give a high rate of speed.

A permutation lock has been patented by Messrs, Conrad A, and Syend E, Johannesen, of Erie, Pa. Combined with two dials and tumblers arranged in connection therewith, a spring plate and ratchet are arranged between the lock case and the outer dial, and an inversely arranged spring pawl plate and ratchet between the dials, with other novel features, office boxes, as well as safes and doors.

A combined water tower, extension ladder, and fire escape has been patented by Messrs. Achilles Kalinski, Edwin Crippen, and Marcus T. Cashen, of New Orleans, La. It has telescoping pipes which carry ladders, the whole, when at place of operation, to be operated by hydraulic or pneumatic pressure or by chemical gas, the apparatus to be mounted on a truck and adapted to be run quickly to a fire either by horse or steam power.

SCIENTIFIC AMERICAN BUILDING EDITION. AUGUST NUMBER.-(No. 34.)

TABLE OF CONTENTS.

- 1. Elegant plate in colors of a dwelling at Glen Ridge, N. J., with floor plans, sheet of details, etc. Cost, eight thousand five hundred dollars.
- 2. Plate in colors of a fire engine house of moderate cost. Details and floor plans.
- 3. Perspective view and floor plans of a residence at Black Rock, Conn. Cost, six thousand dollars. 4. Sketch of an uptown block of attractive residence
- New York City. 5. Floor plans and perspective elevation of two Queen
- Anne cottages, lately completed at Bath Beach, Long Island. Cost, four thousand dollars each
- Design and floor plaus for a two thousand dollar 6. house lately built at Bridgeport, Conn.
- Perspective and floor plans of an attractive resi-7. dence lately built at Bridgeport, Conn. Cost, two thousand eight hundred dollars.
- 8. A six hundred dollar cottage built lately at Bridgeport, Conn. Perspective and floor plans.
- 9. Plans and perspective view of a seaside cottage lately erected at Bath Beach, Long Island. Cost three thousand five hundred dollars.
- 10. Engraving and floor plans of a neat little double house lately erected at Bridgeport, Conn., costing one thousand eight hundred dollars.
- 11. A country residence in France. Perspective and plans.
- 12. Engraving of the palatial stables of Mr. D. Edgar Crouse, Syracuse, N. Y.
- Plans and perspective for a carriage house, barn 13. etc. Cost, two thousand two hundred dollars.
- Elevation and floor plans for a double house cost-14. ing complete four thousand two hundred dollars. 15. New Congregational Church at Beckenham, Kent,
- England 16. Page of designs of New England residences
 - Miscellaneous contents: Vegetable glue,-Fourth of July fires .- The slag water closet .- Rust in water pipes.—Laying out the joints of an ellipti-cal vault, illustrated.—The tulip and other trees. _Architectural school houses.-Hanging baskets. -To estimate the power of a stream .- Manufacturing progress in the South .- How to grow quinces.-Mixed wheats.-New ceiling for the Assembly chamber of the New York State Capitol.-Transplanting large pines.-Galveston artesian wells .- Poisonous wall paper and carpets .-The testing of Portland cement.-The humming

Business and Personal.

The charge for Insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in next issue.

Valuable patents and copyrights, my own inventions, for sale. Inventions perfect. John Meyer, Covington, Ky. For Sale-U. S. Patent, No. 383, 597, and Canadian

patent, No. 29,315, on shingling gauge. M. Slane, La Cinta, N. M. A System of Easy Lettering. By J. H. Cromwell, 26

. Price, 50 cents. E. & F. N. Spon, 12 Cortlandt St., nlotos New York. Catalogue of Books on Civil, Mechanical, and Elec-

trical Engineering. Arts, Trades, and Manufactures, 118 pages, free. E. & F. N. Spon, 12 Cortlandt St., New York. Steam Launches.--New catalogue (free) by

Chas. P. Willard & Co., 236 Randolph St., Chicago

Iron Planer, Lathe, Drill, and other machinetools of modern design. New Haven Mfg. Co., New Haven, Conn. Pratt & Letchworth, Buffalo, N. Y.,

ialties requiring malleable gray iron, brass, or steel castsolicit correspondence relative to manufacturing specings.

For the latest improved diamond prospecting drills, address the M. C. Bullock Mfg. Co., Chicago. 111.

The best Coffee roasters, coolers, stoners, separators polishers, scourers, glossing apparatus. milling and peaberry machines: also rice and macaroni machinery, are built by The Hungerford Co., 69 Cortlandt Street, New York.

Nickel Plating .- Manufacturers of pure nickel an odes, pure nickel salts, polishing compositions, etc. \$100 "Little Wonder." A perfect Electro Plating Machine. Agents of the new Dip Lacquer Kristaline. Complete outfit for plating, etc. Hanson, Van Winkle & Co., New-ark, N. J., and 32 and 34 Liberty St.. New York.

Perforated metals of all kinds for all purposes. The Robert Aitchison Perforated Metal Co., Chicago, Ill. The Railroad Gazette, handsomely illustrated, published weekly, at 73 Broadway, New York. Specimen copies free. Send for catalogue of railroad books.

The Knowles Steam Pump Works, 113 Federal St., Boston, and 33 Liberty St., New York, have just is-sued a new catalogue. in which are many new and im-proved forms of Pumping Machinery of the single and duplex, steam and power type. This catalogue will be mailed free of charge on application.

Link Betting and Wheels. Link Belt M. Co., Chicago. Presses & Dies. Ferracute Mach. Co., Bridgeton, N. J.

The Holly Manufacturing Co., of Lockport, N. Y., will send their pamphlet, describing water works machinery, and containing reports of tests. on application.

Lockwood's Dictionary of Terms used in the practice of Mechanical Engineering, embracing those current in the drawing office, pattern shop, foundry, fitting, turn-ing, smith's and boiler shop, etc., comprising over 6,000 definitions. Edited by a foreman patternmaker. 1888. rice, \$3.00. For sale by Munn & Co., 361 Broadway, New York.

Supplement Catalogue.-Persons in pursuit of inforation of any special engineering, mechanical. or scientific subject, can have catalogue of contents of the Sci-ENTIFIC AMERICAN SUPPLEMENT sent to them free The SUPPLEMENT contains lengthy articles embracing the whole range of engineering, mechanics, and physical science. Address Munn & Co., Publishers, New York. Steam Hammers, Improved Hydraulic Jacks, and Tube

Expanders. R. Dudgeon. 24 Columbia St., New York. Safety Elevators, steam and belt power; quick and smooth. The D. Frisbie Co., 112 Liberty St., New York.

Veneer machines, with latest improvements. Farrel Fdry. Mach. Co., Arsonia, Conn. Send for circular.

"How to Keep Boilers Clean." Send your address for free 85 page book. Jas. C. Hotchkiss, 120 Liberty St. N. Y.

Lather for cutting irregular forms. Handleand spoke lathes. I. E. Merritt Co., Lockport, N. Y.

For best quality, order your steel castings from the Buffalo Steel Foundry, Buffalo, N. Y.

Automatic taper lathes. Heading and box board machines. Rollstone Machine Co., Fitchburg, Mass.

"New Drill Chuck," holding straight taper or square shanks. Address Standard Tool Co., Cleveland, O. mfrs. of twist drills, reamers, and special tools.

Duplex Steam Pumps. Volker & Felthousen Co., Buf falo, N. Y.

Split Pulleys at low prices, and of same strength and appearance as Whole Pulleys. Yocom & Son's Shafting Works, Drinker St., Philadelphia, Pa.

Send for new and complete catalogue of Scientific and other Books for sale by Munn & Co., 361 Broadway, New York. Free on application.



atmosphere, or, if desired, into another holder? A. No such method is known. See Brin's process, described in Scientific American Supplement, No. 623, which we can send you for ten cents. 2. If the covered holder, thus containing the pure oxygen gas only, be sunk or rests in a tank of water, in same manner as illuminating gas in an ordinary holder, which latter rises or falls when the gas fills or empties it through pipes, would the oxygen in question escape through the water in the tank? A. Not to any appreciable extent. 3. What is the specific gravity of oxygen gas, and of atmospheric air, and of common illuminating gas, and of water, fresh and salt, respectively? A. Oxygen gas 1.10563, air the standard for gases 1.000, illuminating gas 0 4 25 to 0.700. Water is generally taken as a new standard for solids and liquids and is called 1,000. Then salt water of the ocean would be about 1.0274. Water is 816 times heavier than air.

(2) S. H. B. writes: I want to make transparent some thin bond paper to use for tracing drawings; is there any liquid that will do the work and not leave the paper in a greasy state? A. Equal quantities of turpentine and Canada balsam or mastic varnish, or a mixture of spirits of turpentine 6 parts, resin 1 part, boiled nut oil 1 part, by weight, may be used to

(3) S. O. N. asks how to make platinum sponge and platinum black, and can they be purchased in market, and where. A. Platinum sponge is made by adding to a solution of platinum chloride some chloride of ammonium and an equal volume of alcohol. The precipitate is filtered out and ignited. Platinum black is made by warming platinum chloride with caustic potash and alcohol, or by dipping the platinum solution into a boiling mixture of three volumes glycerine and two volumes caustic potash solution (sp. gr. 1'08). Dealersin chemicals can supply both forms of platinum

(4) H. P. B. asks for a formula for silvering the inside of small glass balls. A. Melt together 1% ounce lead and 1% ounce tin, immediately add 1% ounce bismuth, skim off the dross, remove from fire, and before it cools add 5 ounces mercury, and stir well. Keep in a clean glass. To use strain through a linen rag and pour into globe, and move around so as to coat its whole surface. The globe must be perfectly clean. Or, make an alloy of 3 ounces lead, 2 ounces tin, and 5 ounces bismuth. Put into globe and melt over a spirit lamp, moving the globe in all directions so as to coat the entire surface. Finally pour off the excess

(5) F. C. L. asks: 1. In what portion of the United States are the common dust or heat whirlwinds most numerous ? Where do they attain their largest size, and how large? A. In Kausas and Colorado they are most numerous and probably of greatest severity. 2. Do they ever become of dangerous or destructive strength? A. They are very destructive both of life and property. 3. Have any photographs of our tornadoes ever been taken, and if so where can they be obtained ? A. For full treatment of the subject and reproductions of instantaneous photographs of tornadoes, we refer you to John P. Finley's most interesting book on "Tornadoes," which we can send you for **\$**1.

(6) W. H.-Beeswax alone may be used for polishing handles, etc., in the lathe. It may be tempered to any degree of softness by heating with turpentine. This must be done with great care to avoid conflagration.

(7) H. P. R. asks for a recipe for a cement to use in fastening the glass bottom in a photographer's developing dish, one that will withstand the action of chemicals. A. Use sealing wax, melted over the joints with a hot iron, and apply the glass hot.

(8) R. C. says he has negatives which have begun to crystallize. Others have an olive green color in the shadows. The crystallization is due to hyposulphite in the film, which has not been sufficiently washed out. Wash the plates in cool changing water for an hour. The olive green color may arise from the use of an old fixing bath or in not sufficiently washing out the developer. Try soaking the plates in the following :

Alum	 	· · · · · · · · · · · · ·	2 oz.
Citric acid	 		1 oz.
Water	 		10 oz.

for about five or ten minutes. It may clear the shadows, (9) E. C. R. asks: 1. If the speed of an rmature is increased above its critical speed, does the current increase in quantity as well as tension? Which the most? A. The current increases in tension; its increase in quantity follows the same ratio. 2. What is the horse power of the S. E. motor, using 8 cells, plates 5 x 7? A. About one-thirtieth horse power. 3. Can I make the motor do twice as much work by supplying it with twice as many amperes of current? A. Yes, provided you do not overheat the wires, 4. I have an induction coil composed of a bundle core!(No. 18 soft iron) 51/2 inchestlong and 1/4 inch in diameter, which is surrounded by 4 layers of C. C. No. 22. The secondary is of 18 layers, 10 of No. 32 aud 8 of No. 38, about 4,000 feet in all. coil is 11% inches in diameter. It is wound carefully with layers of shellac between each layer of wire. Would you please inform me from these data what size spark I can get from it? Also whether a condenser increases the size of the spark? A. The condenser increases the size of the sparks. You should get a spark 14 to 1/2 inch in length. Use about 1 square foot of tin foil in your condenser. It will not be dangerous. 5. If in using the S. E. motor as a dynamo, I should turn the armature at the rate that 16 cells should turn it as a motor, would it give the quantity of current that 8 cells of the same size would give if I should use the same machine for both purposes? A. There is no necessary relation between the speeds when used as a motor and generator. (10) F. M. D. writes : 1. I have a biromate battery of six cells, the carbon plates are $2 \ge 5$ in, and zincs are the same size, how large an incandescent lamp ought it to run? A. About 4 candle power. 2. Can I charge a storage battery with this battery ? A. Yes. 3. Please describe how to make a

Thomas Clapham, of Roslyn, N. Y. It is a detachable open mast hoop, consisting of a spring-metal rod bent upon itself to form an approximately open circle or hoop, making a hoop which can be readily attached to or detached from a sail, and the latter be conveniently unbent or bent.

A blanket clasp has been patented by Mr. Donald Walker, of Caledonia, N. Y. It is made of a piece of spring wire bent upon itself in novel form, to be quickly applied to a blanket when in position over the harness and is designed to effectively retain the blanket in contact with the harness, without piercing or otherwise injuring either.

A mode of securing the fastenings of drilling tools has been patented by Mr. John H. Whaling, of Kingman, Kansas. This invention covers an improved form of coupling designed to prevent the accidental separation or disconnection of the tool or drill from its shaft or rod, the coupling being capable or resisting the great pressure or vibrations to which such tools are subjected.

A balance staff for watches has been patented by Mr. Charles Morlet, of Hoboken, N. J. It

bird.-Manila hemp in plaster.-A perfect hen -Examination questions for plumbers. Road improvements,-The "Patten" metallic shingles and siding plates, illustrated.-The pool of Bethesda.-Carl Pfeiffer.-Creosote wood preserving stains .--- House heating by hot water circulation, illustrated.-Ohio's largest poplar.-Mortar.-Irrigating wheels.-Liquid fish glue

The Scientific American Architects and Builders Edition is issued monthly. \$2.50 a year. Single copies. 25 cents. Forty large quarto pages, equal to about two hundred ordinary book pages; forming, practically, a large and splendid MAGAZINE OF ARCHITEC TURE, richly adorned with elegant plates in colors and with fine engravings, illustrating the most interesting examples of Modern Architectural Construction and allied subjects.

The Fullness, Richness, Cheapness, and Convenience of this work have won for it the LARGEST CIRCULATION of any Architectural publication in the world. Sold by all newsdealers.

> MUNN & CO., PUBLISHERS 361 Broadway, New York.

HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters, Names and Address must accompany all letters, or no attention will be paid thereto. This is for our information, and not for publication. References to former articles or answers should give date of paper and page or number of question. In quiries not ausworld in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all, either by letter or in this department, each must take his turn. Special Written Information on matters of personal rather than general interest cannot be personal rather than general interest cannot be expected without remuneration. Scientific American Supplements referred to may be had at the office. Price 10 cents each. Books referred to promptly supplied on receipt of

Minerals sent for examination should be distinctly marked or labeled.

(1) Locomotive Mechanic asks: 1. Will you kindly inform me what is an easy and very cheap mode of separating and collecting in quite large quantities, the oxygen from atmospheric air into covered vats or other suitable holders, and so that the remaining nitrogen, etc., may pass off into the circumambient