Business and Personal.

The charge for Insertion under this head is One Dollar a line for each insertion; about eight words to a line. Adver tisements must be received at publication office as early as Thursday morning to appear in the following week's issue

Order pattern letters & figures from the largest va ietv. H. W. Knight & Son. Seneca Falls N.Y., drawer 1115. Acme engine: 1 to 5 H. P. See adv. next issue.

"U. S." metal polish. Indianapolis. Samples free. Kemp's Manure Spreader, Syracuse, N. Y. See Adv. Improved iron planers. W. A. Wilson, Rochester, N.Y. For coal hoisting engines. J. S. Mundy, Newark, N. J. Steam Disinfectors

Geo. T. McLauthlin & Co., 120 Fulton St., Boston, Mass Portable and Stationary Cylinder Boring machines, Pedrick & Ayer. Philadelphia, Pa.

Microbe Killer Water Filter, McConnell Filter Co. Buffalo, N. Y.

Expanders. R. Dudgeon. 24 Columbia St., New York. Hydraulic Wheel Presses a specialty. The J. T. Schaffer Mfg. Co., Roehester, N. Y. See adv. page 399.

Screw machines, milling mach nes, and drill presses The Garvin Mach, Co., Laight and Canal Sta., New York, Centrifugal Pumps. Capacity, 100 to 40,000 gals, per minute. All sizes in stock. rvin Van Wie, Syracuse, N.Y. High Speed Engines-Single Cylinder and Compound, for all electrical and manufacturing uses. Watertown Steam Engine Co., Watertown, N. Y.

The best book for electricians and beginners in electricity is "Experimental Science," by Geo. M. Hopkins. By mail. \$4; Munn & Co., publishers, 361 Broadway, N. Y. For the original Bogardus Universal Eccentric Mill, Foot and Power Presses, Drills, Shears, etc., address J.S. & G. F. Simpson, 26 to 36 Rodney St., Brooklyn, N. Y.

Competent persons who desire agencies for a new popular book. of rea y sale, with handsome profit, may apply to Munn & Co., Scientific American office. 361 Broadway, New York.

Send for new and complete catalogue of Scientific and other Books for sale by Munn & Co., 361 Broadway, New York. F ee on application.



HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters, or no attention will be paid thereto. This is for our information and not for publication.

References to former articles or answers should give date of paper and page or number of question.

Inquiries not answered in reasonable time should be repeated; correspondents will bea in mind that some answers require not a little research, and, though we endeavor to reply to all either by letter or in this department, each must take his turn.

Succial Written Information on matters of

or in this department, each must take his turn.

Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.

Scientific American Supplements referred to may be had at the office. Price 10 cents each.

Books referred to promptly supplied on receipt of price.

price.

Minerals sent for examination should be distinctly marked or labeled.

(5231) A. J. D. says: I have a lot of remain in a strong solution of sulphuric acidl for a few water, anddip in a solution of muriate of ammouia, for a flux. The tin adheres very well, but remains lumpy and uneven. Will you please inform me wherein the trouble lies and how I can remedy it? A. We advise a partial polishing of the articles after the scale has been removed. in hot water, and dip in muriate of zinc and ammonia.

(5232) F. O. J. says: There is a bad echo in the Baptist church here. The audience room is 38×50 feet inside, with a ceiling 21 feetfrom the floor. About 4 feet of the sides and 6 feet of the ceiling is taken up by a rounding corner, so that the ceiling proper is only 26×38. The pulpit is at one end of the room and slightly raised. Can this echo be destroyed by stringing wi es near the ceiling? If so, kindly indicate the man ner. Can wire fine enough to be practically invisible be used? A. The hanging of wires and wire netting closely to ceilings and walls is said to entirely prevent echo. Such arrangement cannot be made invisible, but may be so arranged with fine wire netting put up in panels with rosettes or moulding strips as to be ornamental.

(5233) J. R. M. says: Please inform me through your column of Notes and Queries if there is any use for hardened copper or brass in the arts or science Enough call that is to make it worth one's while to work for it? A. There is an increasing demand for hard copper and brass. The Eureka Tempered Copper Co., of the click beetles found in North America. The large is plenty of room for new efforts in the production of will be found on either side of the head and which are in Northeast, Pa., are now making hardened copper. There bard copper and brass for frictional purposes.

power can be gained from 1 inch of water running from a this beetle is a hard, yellowish brown, elongate worm, reservoir or barrel of 50 gallons capacity with a pressure with dark brown spines at the anal end. It is found in of 6 feet? And what wheel is the best and most powerful. in this case? A. If a miner's inch is the measure, you will have 1850 of a horse power under 6 feet head and the 50 gallons would last about 416 minutes. A small imalso predaceous and feeds on other wood-boring larvae. pact wheel of the Pelton type would give the best

has a small shop thoroughly equipped for manufactoring small machinery. He has hard struggling to get could tell me bow I could make small cheap fans that could be regulated in speed and operated by a battery, that could be easily attached to the head of a bedstead or thing you would be willing to suggest? A. Fans such as sistance of the wire leading to the bell is so great as to

you describe are made by electrical goods manufacturers and largely in use. Doubtful if your friend can make them for twice the figure you name. He might buy one and make a trial. We cannot suggest what would be best to manufacture. Knowledge of what is on the market and prices is necessary as a preliminary to selection.

(5236) E. L. asks: What percentage of nourishment or nutriment is there in rice of the best quality? A. The analysis of rice is given as follows:

Microgenous marker	0 274
Fat	0.21
Starch	77.61
Woody fiber	0.08
Ash	0.45
Water	14.41
Total nutriment	85.06

(5237) G. P. asks: Will you please inform me of a good preparation to put on knives, guns, etc., to prevent them from rusting? I have several fine instruments that I find are hard to keep from rusting. I Steam Hammers, 1mprovedHydraulic Jacks. and Tube | have given several preparations a trial, but find them ineffective. Please inform me of a good preparation. A. We find nothing betterthan wiping the instruments of ten with a cloth and vaseline.

> (5238) D. S. P. asks: What is the usual pressure per square inch in the boilers of the three following engines: The decapod on the U. P. R.R., the ordinary eight-wheeled American passenger engine, and the engine on the New York Elevated Railroad. A, The engines drawing the high speed trains on our principle railways are now carrying from 150 to 175 pounds pressure per square inch. The elevated road engines run with varying pressure from 100 to 125 pounds.

> (5239) R. I. W. asks: Would it not do to wind both the armature and field magnets of motor described in "Experimental Science," pages 497 to 509, with No. 18 silk-covered copper wire? A. Yes.

(5240) E. H. J., Mich., says: A few years ago, large flights of wild pigeons were to be seen, in the spring and antumn, in almost all of the Northern States. For nearly fifteen years, few flocks of these birds have been seen in the central or southern part of Michigan, and I have been informed that few are now seen anvwhere in their old places of resort. Will some of your readers tell us what has become of these birds, which once far excelled in number every other species in America ? A. The advance in population, the destruction of our forests and the indiscriminate slaughter of the pigeons during their roosting season is no doubt the cause of their scarcity at the present time.

(5241) O. C. W. asks: Can you suggest way of painting or otherwise making opaque one-half of a lantern globe so that that part of the globe will act as a reflector? A. A reflector can be made on the outside surface of one-half of the lantern globe by depositing a coating of silver from its solution, as is largely used in silvering looking glasses. The process is a rather delicate one and described at length on pages 502 and 508, in the "Scientific American Cyclopedia of Receipts," \$5, mailed.

(5242) R. R. Snowden says: I inclose an insect which is remarkable as being the first of the kind I have ever seen, though I have closely observed insect life in North and South Carolina and Florida since the late war. It seems that insects new to this pa t of the country are occasionally making their appearance. For instance, the electric bug was never seen here before small steel and iron strips which I wish to plate with tin the introduction of the electric light. So also the orange by dipping in the molten metal. I use the following pro-tree has several new enemies. Please give some light on cess, but amonly partially successful: Allow the strips to the specimen sent. A. Reply by Professor C. V. Riley. -The specimen sent by Mr. Snowden is an interesting minutes, to remove'grease, scale, etc., then rinse in clear although not uncommon species known as the glassywinged sharpshooter (Homoledisca coasul ta). It is found all through the Southern States and is responsible for a rather common injury to young cotton bolls in portions of Louisiana and Missi sippi. This damage is particularly noticeable where the cotton fields are bordered by stream Then dip in hot strong caustic soda water to clean. Wash edged with young growth of cottonwood. The first generation of the sharpshooters lives upon the cottonwood and the second migrates to the cotton plants. They puncture the young bolls, making a fine hole like a bullet hole, from which in part comes the popular name of sharpshooter. They have been found also in Georgia upon the LeConte pear, in Texas upon the mulberry, in South Carolina upon asperague, and in Florida upon oranges, but they do no marked damage to any of these crops. The nearly full grown and adult insects have a curious habit, in common with their near allies, of ejecting from the anus a considerable quantity of very clear liquid honey dew. The drops are thrown out with considerable force and to quite a distance, and when the insects are abundant they produce the phenomenon known as "weeping trees." A full account of this species, with illustrations, will be found in Insect Life, vol. v., pp. 150-154.

(5243) J. T. S.—Reply by Professor C. V. Rilev.-This large click beetle or snapping beetle is known in the books as Alaus oculatus, and is the largest eve-like spots on the thorax are not the true eyes, which reality small compared with the spots. When placed upon its back it will spring to a heightiof 2 or 3 inches in (5234) T. C. B. asks: What amount of its efforts to resume its proper position. The larva of burrows in various trees, especially those which are dead and decayed, and is supposed to feed on the dead wood.

(5244) S. H. B. says: 1. An outdoor bell circuit contains about 800 feet of wire and an electric (5235) G. B. says: I have a friend that bell, and is supplied with 6 cells of carbon battery (sal ammoniac solution). The bell, in short circuit with two cells of battery, rings satisfactorily, but the six cells will enough to do, yet is a good workman. I thought if you hardly cause a tremor in the hammer of the bell, when working over the whole line. The line being O. K., would the addition of two (say) cells of battery cause the bell to ring properly, or would it be necessary to double or any part of a room, and the battery and fan could be triple the number of cells at present used, to cause the made and sold for about \$1 or \$1.50. I think he could bell to work two or three times as strongly? A. The obtain sufficient orders to help him out. Or is there any-failure of your bell is due to the lack of E.M.F. The re-

use up a large proportion of the energy of the current. If you do not care to put up a line of less resistance, the only remedy is an increase in the number of cells. Without knowing the resistance of the bell and of the line, we cannot say how many cells will be required. 2. What is the probable voltage of an ordinary plain carbon baterty (microphone, Samson, Ideal, etc., as named by makers)? A. About 114 volts per cell. 3. Will you kindly tell me of a book which will be of assistance such matters? My books are purely theoretical and behind the times. A. For general information wewouldrecommend "Experimental Science;" for specific information on bell hanging we refer you to "The Construction of Electric Bells," by F. C. Alsop, price \$1.25; " Electric Bells and All About Them," by S. R. Bottone, price 50 cents; "Bell Hangers' Hand Book," by F. D. Badt, price \$1.

(5245) K. A. F.—Reply by Professor C. V. Riley .- The insect sent by Mr. Fichthorn is the common apple plant louse (Aphis mali). It is usually abundant and injurious in the early part of the summer and may be destroyed by spraying with a dilute kerosene soap emulsion prepared in the following manner: Take two parts kerosene oil and one part strong soapsuds and agitate violently by churning or by passing the liquid back and forth through a force pump into a bucket until a thick, butterlike emulsion is formed. Dilute one part of this emulsion with fifteen parts of water and spray. The life history of this, as of so many other species of apbis, is extremely interesting, and unrecorded observations would indicate that after a series of parthenogenetic generations are produced upon the apple in the early part of the season, the insects migrate in the winged female form and propagate on the roots of certain grasses during the heat of the season. In the autumn the return migrant revisits the apple, and in due time the sexes are produced and the perfectfemale fastens her eggs, sometimes in very great numbers, upon the terminal twigs and buds. These, at first greenish, become glossy black and carry the species over the winter. The eggs are not easily killed and the best season to spray is soon after hatching in spring.

(5246) W. S. P. asks (1) how to clean orass and German silver after hard soldering. A. Boil the soldered articles in a weak acid solution, 1 part sulphyric cid. 5 pa ta water. 2. Is there any toxic substance that will kill willow, maple, or fruit trees by making a small hole in the trunk and putting the substance into it? A. An injection of creosote will kill trees. 3. Is there a solder that will fuse at about 700° or 800° Fah., that will solder brass, German silver, etc.? A. Zinc or tin alloyed with a small portion of copper will make a solder for varying temperatures from 500° to 1,000° Fah. Try an alloy of 5 to 10 per cent of copper in the total quantity. The zinc and copper solder will be somewhat brittle. The tin and copper will be tough.

(5247) J. H. N. says: In the Scientific AMERICAN about a year ago attention was called to the need of a safety petroleum lamp, as a suggestion to inventors. Could you give the necessary qualifications to be filled in a safety lamp and state if there is a premium offered for it? A. The most essential feature needed is to so construct a lamp in which there can be no admixture of air with the vapor of the oil within the lamp to cause explosion or to so close the communication between the flame and the air space in the lamp that the air- aturated vapor cannot reach the flame, nor by overheat to allow an undue capillarity in the wick, which sometimes overflows and takes fire below the top of the wick tubes. There is no premium offered for a safety lamp.

(5248) T. D. B., Jr., asks: What diameter, pitch, and speed screw should I use on an 18 foot St. Lawrence skiff to consume one-fourth horse power? What speed should the boat make? A. The screv should be 12 inches diameter, 24 inch pitch and make 200 revolutions per minute for a speed of 3 or possibly 4 miles per hour.

TO INVENTORS.

An experience of forty-four years, and the preparation of more than one hundset thousand applications for nations at home and abroad, enable us to understand the laws and practice on both contine is, and to possess unequaled facilities for procuring patents everywhere. A synopsis of the patent laws of the United Nates and all foreign countries may be had on application, and persons contemplating the securing of patents, either at home or abroad, are invited to write to this office for prices which are low, in scordance with the times and our extensive facilities for conducting the business. Address MUNN & CO., office Scientiffic American, 381 Broadway, New York.

INDEX OF INVENTIONS

For which Letters Patent of the United States were Granted

Jalv 25. 1893.

AND EACH BEARING THAT DATE.

		93
•	Brush for washing or wiping windows, J. P. Giles Buckie shield, F. L. Thompson. Buggy body, C. M. Coutant. Burner. See Vapor burner. Bushing, I. M. Willie Butter worker D. W. Curtis. Button cover. detachable. G. Pilbeam Button to fabries, securing, H. H. Cummings. Cable arch support, S. D. Stephens. Caddy, measuring. T. C. Keeler. Cake or pudding stirrer, A. C. Bull. Calculating device, mechanical, D. L. Albert. Camera. See Photographic camera. Can. See Mi k can. Car coupling, J. F. Davidson.	5(22,000) 5(22,067
-	Burner. See Vapor burner. Bushing, I. M. Willie Butter worker D. W. Curtis.	501,982 501,993
t .	Button cover, detachable, G. Pilbeam	502,201 502,034 501,969
	Caddy, measuring, T. C. Keeler	502,124 502,066 502,217
1 -	Can. See Mi k can. Car coupling, J. F. Davidson	502,068 571 929
-	Can coupling, J. F. Davidson. C r coupling, J. W. Flynn. C r coupling, C. M. Graves. Car coupling, C. M. Graves. Car coupling, H. O. Miller Car coupling, J. D. Ripson. Car coupling, W. J. Walker (r). Car coupling, W. J. Walker (r). Car coupling, W. J. Walker (r). Car Sand G.	501,983 602,260 502,206
•	Car coupling, W. J. Walker (r)	11,863 501,963
; י	Car fender, C. T. Grilley. Car indicator, street, J. W. Dear. Car jack, street, G. F. Pearson.	502,087 502,227 502,200
	Car couplings, wear plate for head blocks of, J. B. Sand d. Car fender, C. T. Grilley. Car indicator, street, J. W. Dear. Car jack, street, G. F. Pearson. Car sanding device, N. Selbert. Car wheels and dies for same, making, P. Arbel. Cars, chock and guard for railway, W. T. Sears. Cars, jack for loading or unloading, Q. W. Morrison.	502,063 501,909 502,145
t i	Cars, jack for loading or unloading, Q. W. Morrison Cars steam heating apparatus for railway, P. Reilly	602,049 602 904
3 : 1	Card, playing, W. O. Bird Carding engines, apparatus for grinding revolving flats of. J. Edge	602,089 601,996
3 3 1	Carriage top prop. II. L. Philips. Cart, road, C. C. Bradley. Case. See Cheese case. Jewelry case.	502,189 502,028
l ¦	Cash controlling machine, Russel & Brady Cement, R. E. Hawes Chair. See Folding chair.	501,982 501,987
8 e	Cbair. See Folding chair. Change making and delivering devi , C. L. Travis	502,242 512,170
8	Churn dasher W. H. Evans.	501,984 502,18C
- e	Circuit connector, track, E. H. Goodman	602,629 601,986 602,161
3	Clock synchronicar alactric A G Wisamen	602 167
9	Clocks, electric winding attachment for, A. G. Wiseman. Clotb cutting machine, H. A. Caldwell	502,215 502,981
8	Clutch, friction, H. C. Crowell	501,925 501,925 501,976
t	Coal for transportation, apparatus for peparing, W. C. Andrews.	502,962
- 	Clocks, electric winding attachment for, A. G. Wiseman. Cot outting machine, H. A. Caldwell Cloth cutting machine, W. S. Salisbury. Clutch, friction, H. C. Wowell. Clutch, friction, F. L. Waterous. Coal, apparatus for handling, W. D. Ewart. Coal for transportation, apparatus for p eparing, W. C. Andrews. Coal, setting, or storage pond or basin for pulverized. Cock or tap, stop, J. T. Hallwood. Collar fastener, horse, R. J. Vanderbeck. Commutator brush, H. G. Reist. Cooler. See Wine cooler. Cooler. See Wine cooler. Cork retainer, A. J. B. Laussedat.	502,063 502,094 502,213
1	Commutator brush, H. G. Reist. Cooker, steam, Long & Kline. Cooler. See Wine cooler.	501,960 501,962
-	Cork retainer, A. J. B. Laussedat Cork screw, E. Walker. Coupling. See Car coupling. Pipe coupling. Shaft coupling. Thill coupling. Credit blance register, A. L. Norfleet Cultivator, R. S. Buch Cultivator, J. A. Parker.	502,126 601,975
е	Credit balance register, A. L. Norfleet	502,133 502,171 502,136
, r	Cultivator disk strachment, A. Caldwell. Cultivator disk cleaner, A. Caldwell Cultivator, listing, J. A. Herdman	501,916 501,917 501,940
	Curry somb, E. E. Miller. Curtain fixture, A. W. Herr. Cutter head, rotary, K. Nelson	502,233 602,074 601,966
l t	Cultivator, R. S. Buch. Cultivator, J. A. Parker. Cultivator disk strachment, A. Caldwell. Cultivator disk cleaner, A. Caldwell. Cultivator, listing, J. A. Herdman. Curryoomb, E. B. Miller. Curtain fixture, A. W. Herr. Cutter head, rotary, K. Nelson. Damper, stovepipe, C. T. Redfield. Dental articulation cup, G. K. Bagby. Dental plates, apparatus for casting aluminum, W. M. Sharp. Dish cleaner, W. A. Adams. Distilling mash, R. liges. Drilling mash, R. liges. M. Jones.	502,164
c ·	Dish cleaner, W. A. Adams. Distilling mash, R. liges Drilling machines, electric motor for rotary, R.	602,169 602,079
9	Drying machine, J. K. Proctor	502,207
- o	Electric motors, means for regulating C. H.	11,804
o e	Electric switching apparatus, A. R. Roe502,194, Elevator. See Sucker rod elevator.	602,105 601,998
e e	Electrolytic bath, S. H. Emmens End gate and secop board, combined, W. H. Clark End gate, fastening, F. A. Havens Engine. See Gas engine. Multi-cylinder engine.	
1	Engine. See Gas engine. Multi-cylinder engine. Oscillating engine. Engine boiler. locomotive or other, E. U. Gibbs Engine foundations, building, P. M. Bruner. F. Engines, automatic th ottle for, S. V. Rawlings Engines, steam distribution in multiple expan-	602,117
8	Engines, automatic th ottle for, S. V. Rawlings Engines, steam distribution in multiple expan-	501,914 501,969
_	Engines, steam distribution in multiple expan- sion, F. M. Rites. Engines, steering gear for traction, G. W. Kramer.	502,230 502,151
?	Kramer Excavating machine. Vollhe ing & Bernhardt Feed motion, E. J. McClellan Feedwater heater and purifier, Field & Clark Feedwater heater, tube scraper for, G. H. Bur-	602,131 502,086
0	pee. Fence, hedge, F. J. Troxell. Fence, wire, I. K. Hollinger.	502,228 502,068 502,076
4	pee. Fence, hedge, F. J. Troxell. Fence, wire, I. K. Hollinger. Fender. See Car fender. Filter, W. E. Caddell. Fire alarm systems, electric signal for, J. Sachs. Fire seasne, J. P. Coons.	502,030 502,207
-	Fire escape, F. J. Fairchild Fire extinguisher, W. Gee	502,070 502,186 502,186
n	Flax dressing machine, C. H. Norton Fly trap, T. A. Teate. Folding chair, J. A. Criss.	502,010 502,068 502,175
l- 1	Fire alarm systems, electric signal for, J. Sachs. Fire escape, J. P. Coans. Fire escape, J. P. Coans. Fire escape, F. J. Fairchild. Fire extinguisher, W. Gee. Fire lighter, P. Peschong. Fiar dressing machine, C. H. Norton. Fiy trap, T. A. Teate. Folding chair, J. A. Criss. Fork. See Hay fork. Furnace. See Boller furnace. Brick kiln furnace. Furnace. Metallurgical furnace. Furnace, G. R. Scates. Furnace fuel feeding device, J. W. Wetmore. Furnace fuel feeding device, J. W. Wetmore. Furnace fuel feeding device, J. W. Wetmore. Furnace, Gament supporter, R. Gemmell. Gas, apparatus for manufacturing, J. J. Kirkham Gas cut-off apparatus, automatic, N. Lombard. Gas englue, G. E. Hoyt. Gas regulator or governor, R. R. Beard. Gate. See B idge gate. End gate. Railway Gate. Gate. J. Russall	
B	Furnace, G. R. Scates. Furnace fuel feeding device, J. W. Wetmore Furniture joint, L. R. Harsha.	602,208 501,979 501,985
- B -	Garment supporter, R. Gemmell. Gas, apparatus for manufacturing, J. J. Kirkham Gas, gut-off apparatus automatic N. Lombord	502,228 502,125 501 051
=	Gas englue, G. E. Hoyt	502,265 602,064
Ş	gate.	500 208