

RECENTLY PATENTED INVENTIONS.

Engineering.

MOTOR VEHICLE.—Henry W. Heaton, Olneyville, R. I. This is a four-wheeled vehicle, in which oil or gas may be used to actuate the motor, the vehicle being easily started, stopped and steered.

DESULPHURIZING MATTE OR OTHER FURNACE PRODUCTS.—James L. Wells, El Paso, Texas. An apparatus for reducing low grade matte and other furnace products, producing high grade matte or metal in a very simple and economical manner, has been devised by this inventor.

Electrical.

LOCK CIRCUIT CLOSER.—Charles E. Pierce, New York City. In an electric alarm to be operated when an attempt is made to force the lock of a door, according to this invention, a frame piece is employed carrying two normally disconnected contact points and a lever movable to engage them and thus close the circuit, the device being placed in such position that the lever will be rocked by the bolt of the lock when excessive pressure is applied to the lock, as when the door is sprung by a jimmy or otherwise.

Bicycles, Etc.

HANDLE BAR.—Henry W. Heaton, Olneyville, R. I. To reduce to a minimum the transmission of vibration through the handle bar from the frame of the bicycle, in riding over rough places, is the object of this invention, according to which a clamp engages the handle bar and the handle bar stem has a head made in sections inclosing the clamp, there being an elastic material between the clamp and the head and means for drawing the head sections together and clamping the several parts firmly in place, the elastic material taking up the vibrations of the stem.

DIFFERENTIAL BICYCLE GEAR.—Guy R. Balloch, Centerville, Canada. To allow a rider to readily and conveniently change from a high gear to a low gear, and vice versa, this invention comprises principally a hollow drive wheel hub provided with differential gear wheels, a double gear wheel being laterally slidable to mesh with either of the hub gear wheels, while a driven sprocket wheel is in gear with the double gear wheel to rotate the latter within the hub and permit its lateral movement.

DETACHABLE CARRIER FOR BICYCLES.—William M. Tegart, Moosomin, Canada. To facilitate carrying a camera, baggage, etc., on a bicycle, this inventor has devised a carrier which may be conveniently attached to or removed from a bicycle. It comprises a back frame adapted to be clamped to the steering head, and a supporting bracket or bottom frame formed of two sections having a hinged and sliding connection with each other, the inner section being hinged to the back frame.

Agricultural.

REAPING MACHINE.—Mihail Alexandrescu, Bucharest, Roumania. This is a machine adapted to be pushed along by a draught animal, when it grasps the corn to be cut, bends it down and conveys it to the knives, the cutter bar having motion imparted thereto from the axle. The corn falls upon an endless apron passing over rollers rotated from the axle and is conveyed onto a rack where it collects until it falls to the ground, when the rack is moved inward.

Miscellaneous.

RACE STARTING MACHINE.—Victor Carandini, Calcutta, India. According to this invention a fence or barrier is mounted transversely to the track, in connection with means for raising and lowering it quickly, so that upon raising the barrier the horses may pass. The barrier is formed of two bars with flexible connections and slight independent movement, there being a restraining device for each bar and means tending to lift the bars, while a flexible connection is capable of tripping the restraining device for the second bar when the first bars moves upon being released.

NECKTIE FASTENER.—Gustave Selowsky, New York City. This is a simple and inexpensive device to be applied to any necktie necktie, and which can be quickly and accurately adjusted to fit the tie to any size of neck. It comprises hook and eye straps and a connecting device having at one end a loop embracing the hook strap and at the other end a hook to engage the eye of the eye strap.

NOTE.—Copies of any of the above patents will be furnished by Munn & Co. for 10 cents each. Please send name of the patentee, title of invention, and date of this paper.

Business and Personal.

The charge for insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in the following week's issue.

Marine Iron Works. Chicago. Catalogue free. "U. S." Metal Polish. Indianapolis. Samples free. Gasoline Brazing Forge, Turner Brass Works, Chicago. Yanke Notions. Waterbury Button Co., Waterbury, Ct. Handle & Spoke Mch. Ober Lathe Co., Chagrin Falls, O.

Inventions developed, models and experimental work. Charles Crook, 144 Centre St., New York.

Canadian Patent No. 50,683, on Pipe Joints, for sale. Apply to M. S., Box 773, N. Y. City.

Improved Bicycle Machinery of every description. The Garvin Machine Co., Spring and Varick Sts., N. Y.

Concrete Houses—cheaper than brick, superior to stone. "Ransome," 757 Monadnock Block, Chicago.

The celebrated "Hornby-Akroyd" Patent Safety Oil Engine is built by the De La Vergie Refrigerating Machine Company. Foot of East 138th Street, New York.

The best book for electricians and beginners in electricity is "Experimental Science," by Geo. M. Hopkins. By mail, \$4. Munn & Co., publishers, 361 Broadway, N. Y.

Send for new and complete catalogue of Scientific and other Books for sale by Munn & Co., 361 Broadway, New York. Free on application.



NOTES TO CORRESPONDENTS.

Names and Address must accompany all letters or no attention will be paid thereto. This is for our information and not for publication.

References to former articles or answers should give date of paper and page or number of question. Inquiries not answered in reasonable time should be repeated: correspondents will bear in mind that some answers require not a little research, and though we endeavor to reply to all either by letter or in this department, each must take his turn.

Buyers wishing to purchase any article not advertised in our columns will be furnished with addresses of houses manufacturing or carrying the same.

Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.

Scientific American Supplements referred to may be had at the office. Price 10 cents each.

Books referred to promptly supplied on receipt of price.

Minerals sent for examination should be distinctly marked or labeled.

(7242) E. E. S. asks: Will the galvanometer, described in "Experimental Science," show how many volts and amperes of a current, with proper scales? If it will, will you give me proper instructions how to make proper scales? A. The tangent galvanometer of "Experimental Science" will measure amperes; but no permanent scale reaching amperes could be attached to it. Any change in the strength of the needle would change the value of one ampere on the scale. Any good text book of electricity or of physics will explain the tangent galvanometer, but you will not understand it easily unless you have a knowledge of trigonometry. To measure volts with a galvanometer, you require a coil with a large number of ohms resistance. The Deprez-D'Arsonval galvanometer, of "Experimental Science," has hardly resistance enough—150 ohms. Here the scale is an ordinary scale. If you have one volt and can find how far the spot of light moves for it, you can then measure volts. The Daniell's cell gives nearly 1.1 volts. All voltmeters and ammeters are graduated where volts and amperes are at hand with which to make the graduation. You may be unable to do it. All voltmeters and ammeters with scales reading volts and amperes directly are made without magnetic needles, since these easily change their magnetic strength, which would change the value of a given deflection on a scale.

(7243) W. F. R. ask: Is there any direct way, that is, by means of converters and the like, of changing an alternating current into a continuous one? A. The only way to transform an alternating current into a direct current is to run a motor with the alternating current, and with this motor drive a direct current dynamo, which will give the voltage and amperes required. These two machines are sometimes wound on same shaft and called a motor dynamo.

(7244) H. C. C. writes: Please explain how nitrate of gold may be separated? A. It is very doubtful if there be a nitrate of gold. If there be, it is an unstable compound which is reduced at once to oxide of gold or to metallic gold. Fuming nitric acid will dissolve fine gold leaf, but even by shaking the solution with water, the precipitation of gold oxide takes place.

(7245) E. Y. M. writes: I am making the tangent galvanometer described in "Experimental Science." Please inform me what size and kind of wire, also length, to use for the different coils of same? A. For the coils of the tangent galvanometer, as described in "Experimental Science," use No. 27 Am. wire gage copper wire (cotton-covered magnet wire will answer).

Table with 3 columns: Ohms, Ft. In., and values for various coil configurations.

The weight required is a little more than 1 1/4 lb.

(7246) J. G. B. asks: What is the difference between an incandescent light of 100 volts, 16 candle power, at 3 1/2 watts per candle power, and one of the same voltage and candle power but of 2 1/2 watts per candle power? I understand the difference in horse power, but not in the lamp or light. Why not use 2 1/2 watt lights in the place of 3 1/2 watt, because there could be more lights used per horse power? A. You can light more lamps per horse power at 2 1/2 watts per candle than

at any higher rate of power, but you will burn your lamps out a great deal faster than the decrease of power at 2 1/2 watts will balance. It is more economical to consume three or more watts per candle than to consume the carbon filament so fast and thus shorten the life of the lamp. It is the interest of the lighting company to prolong the life of the lamp, but it is the interest of the user to obtain a large amount of light. There must be a compromise somewhere, and it is made at about 3 1/2 watts per candle.

(7247) W. H. F. writes: I have come across a substance that I think is a compound of acids. If you put a drop of water on this substance, it ignites immediately. Will you please tell me the name of this substance and how it is made? A. We cannot tell the name of a substance we have never seen simply by knowing one property of it. If a drop of water be put on potassium, it will be decomposed and the gas which results will be set on fire. So also sodium will set fire to a drop of hot water. Both these metals are soft, silvery in color when freshly cut, and are kept under kerosene oil for safety. It may be one of these which you have.

(7248) W. M. M. asks: Is there any chemical that will cause the silver on an electric print to disappear? We know that the chloride of lime will do it, but it will not remain away. I want something that will be permanent. These prints are those which are used for crayon work. A. The disappearance of the print when treated with solution of chloride of lime is due to the fact that the chloride of lime changes the silver of the print into chloride of silver, which is white and does not show. To prevent this from turning black again by the light, it must be dissolved and washed out. Prepare the following bath:

- Water, distilled 50 parts. Cyanide of potash 1

Soak the print in this for 15 minutes. Wash for one hour in running water and dry. In other words, treat the print as you would any photographic print in fixing, washing and drying. Hyposulphite of soda, 1 in 8 of water, will dissolve the chloride of silver, but is not so powerful as the cyanide. It must never be forgotten that cyanides are most violent poisons, and great care must be exercised in their use, lest they get into the system by the mouth or through a cut in the skin.

(7249) V. W. writes: In your SUPPLEMENT there is a description of a Wimshurst electrical machine, with directions to make it, and in the directions it says to use for the accumulating Leyden jars the hock bottle, and I do not know where to procure these, cannot get them here and do not know to whom to send for them. Will you please inform me as to the closest point here that I can get them; also give name of dealer? I am making one of these machines and would like to have the bottle at once. A. All the glass parts of a Wimshurst or similar electric machine, and all glass apparatus to be charged with electricity, should be free from lead. Glass which contains no lead is called "crown" glass. It is impossible to recognize this glass by its appearance. The best you can do is to get a good window glass for the plates. To test the bottles for the Leyden jars, wash them and dry them thoroughly. When cold, rub them with a dry and warm silk handkerchief or other piece of silk. A suitable bottle will show strong signs of electricity, crackling or even yielding a spark when the finger is presented to it. It is more convenient if these bottles have a wide mouth. You need not be particular to get "hock" bottle; any bottle which will stand test as above is good. A greenish bottle is likely to prove to be of good glass for electrical uses.

TO INVENTORS.

An experience of nearly fifty years, and the preparation of more than one hundred thousand applications for patents at home and abroad, enable us to understand the laws and practice on both continents, and to possess unequalled facilities for procuring patents everywhere. A synopsis of the patent laws of the United States and all foreign countries may be had on application, and persons contemplating the securing of patents, either at home or abroad, are invited to write to this office for prices, which are low, in accordance with the times and our extensive facilities for conducting the business. Address MUNN & CO., office SCIENTIFIC AMERICAN, 361 Broadway, New York.

INDEX OF INVENTIONS

For which Letters Patent of the United States were Granted NOVEMBER 16, 1897, AND EACH BEING THAT DATE.

[See note at end of list about copies of these patents.]

Table listing various inventions and their patent numbers, including items like Adding register, Alarm, Amalgamating pan, and many others.

Table listing various inventions and their patent numbers, including items like Box fastener, Brake, Cabinet, and many others.

(Continued on page 350)



Star Foot power Screw Lathes Automatic Cross feed 9 and 11-inch Swing. New and Original Features. Send for Catalogue B. Seneca Falls Mfg. Company, 695 Water St., Seneca Falls, N.Y.

ELECTRICAL APPARATUS REPRESENTED BY CONVENTIONAL DIAGRAMS IN DRAWINGS. Fifty diagrams showing the usual method of illustrating electrical apparatus in drawings. A labor saving paper. Contained in SUPPLEMENT 1106. Price 10 cents. For sale by Munn & Co. and all newsdealers.

POWER & FOOT LATHES. SHAPERS, PLANERS, DRILLS, MACHINE SHOP OUTFITS, TOOLS AND SUPPLIES. SEBASTIAN LATHE CO. 120 CULVERT ST. CINCINNATI, O.

Boys! Men! Strike while the Iron's Hot. Complete and Thorough Instruction. ADVANCE YOURSELVES. IMPROVE YOUR CONDITION. THE HOME SCHOOLS OF Mechanical, Electrical, Steam, Civil, and Sanitary Engineering, Architecture, Metal Working, Pattern Making. To encourage you to start now, we furnish \$11 mechanical drawing outfit free. Small Fees. Advance or Installments. Send for beautifully illus. 100 page S. A. catal., postpaid. United Correspondence Schools, 154 to 158 5th Ave., New York, N. Y. F. W. EWALD, Gen. Mgr.

Office Desks Chairs, Tables, etc. Manufactured by Derby Desk Co. 138 Portland Street, Boston, 114 Nassau Street, New York. Export Business a Specialty.

SAVE 1/2 YOUR FUEL By using our (stove pipe) RADIATOR. With its 120 Cross Tubes, ONE stove or furnace does the work of TWO. Drop postal for proofs from prominent men. TO INTRODUCE OUR RADIATOR, the first order from each neighborhood filled at WHOLESALE price, and secured an agency. Write at once. ROCHESTER RADIATOR COMPANY, 82 Furnace St., ROCHESTER, N. Y.

THE HALL BRASS PIPE WRENCH. A PERFECT TOOL WITH FRICTION GRIP. Bushings for all sizes and shapes. Highly polished pipes made up without scar or injury. For Circulars and Prices WALWORTH MFG. CO., 16 Oliver St., BOSTON, MASS.

COBURN PATENT TROLLEY TRACK Parlor, Barn and Fire Door Hangers All Styles. Latest Improvements. Send for Book. Coburn Trolley Track Mfg. Co. Holyoke, Mass.

BARNES' UPRIGHT DRILLS Complete line, ranging from Light Friction Disk Drill to 42" Back Geared Self-Feed. Send for New Catalogue. W. F. & JOHN BARNES CO. 1999 Ruby Street, ROCKFORD, ILL.

NICKEL AND Electro-Plating Apparatus and Material. THE Hanson & VanWinkle Co., Newark, N. J. 136 Liberty St., N. Y. 35 & 37 S. Canal St., Chicago.

Tools For All Trades You can't even think of a Tool that isn't mentioned in our 1897 Tool Catalogue. Every Metal Worker, every person interested in Machinery or Machinery Supplies, needs it in his business. It contains 710 pages, 10 1/2 x 14 inches, and is a complete Tool Encyclopedia. Handsomely bound in cloth, express paid on receipt of \$1.00. Money paid for book will be refunded with first order amounting to \$10.00 or over. MONTGOMERY & CO. MAKERS and JOBBERS IN FINE TOOLS, 105 Fulton Street, New York City.

THE TORPEDO BOAT TURBINA. This article describes the construction of the Turbina, which makes such phenomenal speed. Detailed drawings showing arrangement of machinery. SCIENTIFIC AMERICAN SUPPLEMENT 11-21. Price 10 cents. For sale by Munn & Co. and all newsdealers.

DROP-FORGING SEND US MODELS TO FIGURE ON. OUR WORK IS EQUAL TO THE BEST DONE IN THIS COUNTRY. NONE BUT SKILLFUL HANDS EMPLOYED. BAGNALL-LOUD BLOCK CO. 162 COMMERCIAL ST. BOSTON, MASS.

Table listing various mechanical parts and tools with prices. Includes items like Impalement trap, Incandescent burner, Indicator, Insulated hanger, Iron, Ironing board, Ironing machine, Jar wrench, Junction box, Kiln, Knife fruit paring attachment, Knitting machine, Kraut cutter, Labeling machine, Lamp, Lamp, electric arc, Lamp, electric arc, C. C. Stirling, Lamp, electric arc, E. P. Warner, Lantern, Mill, and Shaper, Lathe, Lathe, engine, A. F. Prentice, Lathing machine, Life saving messenger, Liquid in tanks, Loading apparatus, Lock, Locker for marine purposes, Locomotive smokestack, Log bark and washing apparatus, Loom, Loom shuttle operating mechanism, Marine leg pushing device, Match safe, Matches in boxes, Measurements, Meat cutter, Mill, Mimeograph, Miner's expanding drill, Miter box, Moulds, Motor, Motor, Lippincott & Homann, Mower, Mower, J. G. Hoffman, Musical instrument, Necktie fastener, Nut lock, Oil burner, Pad, Paint, Paint, C. F. Lawton et al., Painting machine, Pan, Paper fastener, Paper in sheet, Paper, mat surface photographic, Paper perforating machine, Pencil sharpener, Picker, Planer, Planter, Pneumatic motor, Pockets, Post and brace, Powder, Powder packing machine, Preserving perishable substances, Printing press, Printing press registering apparatus, Propeller, Pulley, Pulley, Pulley moulding machine, Pulley moulds, Pulverizing machine, Pump, Pump, double acting, Pumping apparatus, Pumping rig, Pumping rig, oil well, Punching machine, Purse, Puzzle, Pyroxylin compound, Queen and drone trap, Quilting machine, Railway signaling and switching systems, Railway switch, Railway switch, S. T. Thornton, Railway track repairing, Railway trains, Merrywether, Refrigerator, Refrigerator car, Rein protector and supporter, Releasing device, Rheostat, Rock crusher, Rolling tapered metal, Rotary crusher, Rule, Ruling, printing and numbering machine, Sash fastener, Sash lock, Sash lock, L. A. Crocker, Sash, window, A. F. Smith, Saw file holder and guide, Saw set, Saw set, C. French, Saw set, S. V. Rawlings, Scaffold ladder, Scaffolding, painter's, H. Neddermann, Scale, paper, W. W. Dodge, Seal lock, R. A. Mills, Seat or cushion, J. T. Cowley, Seat spring, J. Wood, Self-adjusting, H. Woodruff, Self-oiling spindle, J. M. Walker, Separating heavy from light particles by centrifugal action, Sewing machine, Sewing machine, H. E. Hawes, Sewing machine, L. A. Crocker, Shaft hanger, T. C. Dill, Shaft hanger, crank, P. H. Brennan, Shafts, combined cone lock nut and dust cap for crank, G. Burdick, Sheet metal can, M. A. F. Winkler, Shelf, table or desk, folding, G. A. Ank, Shelving and table, convertible, F. Yuncck, Shipping case, F. W. Parsons, Shoe, W. D. Hall, Shutter worker, Pitney & Hansen, Sifter and receptacle, ash, R. Evans, Sifting granular material, F. G. Winkler, Sifting granular material, machine for, F. G. Winkler, Signaling mechanism, electric, L. G. Rowand, Signaling or calling system, electric, J. G. Smith, Skelp charging apparatus, P. C. Patterson, Skirt adjuster, A. E. DeWitt, Sleigh runners, connecting rod for attachable, J. E. Hobbs, Smoke consumer, J. H. Saunders, Smoke preventer, automatic, R. W. Cavanaugh, Soap hook, twin, Lapsley & Saltee, Socket, piece, hinged, G. M. Hamilton, Soldering iron, D. H. Allen, Soldering iron, J. C. Barber, Soles flexible, machine for making shoe, L. D. Ziegler, Spike, A. C. G. Dupuis, Spindle, See Self-oiling spindle, Spinning, doubling and twisting machine, combined, Van Alstine & Graham, Spraying apparatus, J. H. Burck, Spring, See Seat spring, Wagon bolster spring, Spring shackle and oil ejector, combined, J. B. Stone, Stacking bay, elevated carrier for, E. Dignan, Stair rod fastener, E. E. Clark, Stairway or elevator, traveling, R. Cartwright, Station indicator, W. E. Garner, Steam boiler, Burns & Ketchum, Steam boiler, sectional, W. F. Cunningham, Impalement trap, L. H. Guertin, Incandescent burner, for lantern, J. W. Dearing, Incubator, G. H. Stahl, Indicator, See Station indicator, Street and station indicator, Insulated hanger, E. P. Warner, Insulator, L. F. Rembe, Iron, See Soldering iron, Ironing board, D. B. Hook, Ironing machine, J. W. Crow, Jar wrench, E. B. Colyer, Junction box and means for uniting metal conduit tubes thereto, metallic, E. T. Greenfield, Kiln for burning clay goods, E. P. Lee, Knife fruit paring attachment, B. C. Allen, Knitting machine, circular, L. C. Huse, Kraut cutter, Kirkpatrick & Robbins, Labeling machine, can, H. W. Pease, Lamp, electric arc, W. H. Coughlin, Lamp, electric arc, G. R. Lean, Lamp, electric arc, C. C. Stirling, Lamp, electric arc, E. P. Warner, Lantern, Mill, and Shaper, Lathe, Lathe, engine, A. F. Prentice, Lathing machine, J. G. Staudenmayer, Life saving messenger, marine, J. M. Cotey, Liquid in tanks, apparatus for circulating, G. E. Dunton, Loading apparatus, chain lock in, H. C. Domeyer, Lock, See Bicycle lock, Padlock, Sash lock, Seal lock, Locker for marine purposes, metal, R. W. Jeffers, Locomotive smokestack, R. Forsyth, Log bark and washing apparatus, A. Alexander, Loom, pile fabric, C. H. Burt, Loom shuttle operating mechanism, power, E. Huschke, Marine leg pushing device, Hand & Greenberg, Match safe, W. P. Bennett, Matches in boxes, etc., machine for packing, P. C. Kjellberg, Measurements, indicator for electrical, E. B. Rosa, Meat cutter, C. J. Mosher, Mill, See Grinding mill, Mimeograph, Lindley & Coggins, Miner's expanding drill, H. M. Soulon, Miter box, Miller & Denney, Moulds, runner brick for bottom cast, M. L. Williams, Motor, See Electric motor, Current motor, Pneumatic motor, Motor, Lippincott & Homann, Mower, F. Bower, Mower, J. G. Hoffman, Musical instrument, mechanical, G. A. Brauhausen, Necktie fastener, Armstrong & Jones, Nut lock, R. H. Walker, Oil burner, mineral, J. J. Hall, Pad, See Copying pad, Horse hoof pad, Padlock, perforated, J. R. Houts, Paint, Aird & Felch, Paint, C. F. Lawton et al., Painting machine, W. K. Johnson, Pan, See Amalgamating pan, Baking pan, Paper fastener, R. M. Pancoast, Jr., Paper in sheet, Seal paper, F. DeWitt, Paper, mat surface photographic, M. W. McDonald, Paper perforating machine, Shonard & Davis, Pencil sharpener, L. A. Stough, Picker, A. A. Sweet, Planer, See Grinding mill, Planter, automatic check row corn, L. Gist, Pneumatic motor, F. W. Hedgeland, Pockets, device for preventing picking of, M. Peraglie, Post and brace, combined, E. E. Murry, Powder, blasting, H. Y. Dabney, Powder packing machine, McNair, Preserving perishable substances, W. G. Day, Printing press, B. Huber, Printing press, Huber & Hodgman, Printing press registering apparatus, W. K. Hodgman, Propeller, reversible, R. B. Hain, Pulley, expandible, W. Jasper, Pulley moulding machine, J. E. Donovan, Pulley moulds, apparatus for forming, J. E. Donovan, Pulley, split, F. A. DeWitt, Pulverizing machine, soil, F. P. Krewson, Pump, H. S. Lockman, Pump, double acting, A. O. Haney, Pumping apparatus, oil well, F. M. Kennedy, Pumping rig, oil well, E. D. Yates, Punching machine, bevel shearing attachment, C. F. O'Neill, Purse, E. Caldwell, Puzzle, W. F. Derwin, Pyroxylin compound, J. H. Stevens, Queen and drone trap, G. W. Williams, Quilting machine, J. C. Keough, Rack, See Book rack, Railway signaling and switching systems, protector for wires, rods, etc., in, J. Wrigley, Railway switch, W. H. Jackson, Railway switch, S. T. Thornton, Railway track, automatic, G. A. Oestman, Railway track repairing, H. W. Falk, Railway trains, coupling for electric circuits in, J. Merrywether, Refrigerator, H. Staib, Refrigerator car, C. S. Hardy, Register, See Adding register, Fare box register, Rein protector and supporter, harness, R. A. Corcoran, Releasing device, safety, R. A. Haegelin, Rheostat, G. J. Schneider, Rock crusher, Seal paper, F. DeWitt, Rolling tapered metal, machine for, C. Prout, Rotary crusher, N. Campbell, Rule, combination, W. Rosenkranz, Ruling, printing and numbering machine, combined, J. B. Edson, Sash fastener, G. F. Forsyth, Sash lock, L. A. Crocker, Sash, window, A. F. Smith, Saw file holder and guide, A. Vreeland, Saw set, C. French, Saw set, S. V. Rawlings, Scaffold ladder, beam, W. S. Bradley, Scaffolding, painter's, H. Neddermann, Scale, paper, W. W. Dodge, Seal lock, R. A. Mills, Seat or cushion, J. T. Cowley, Seat spring, J. Wood, Self-adjusting, H. Woodruff, Self-oiling spindle, J. M. Walker, Separating heavy from light particles by centrifugal action, L. Maiche, Sewing machine, G. H. Colley, Sewing machine, H. E. Hawes, Sewing machine, L. A. Crocker, Shaft hanger, T. C. Dill, Shaft hanger, crank, P. H. Brennan, Shafts, combined cone lock nut and dust cap for crank, G. Burdick, Sheet metal can, M. A. F. Winkler, Shelf, table or desk, folding, G. A. Ank, Shelving and table, convertible, F. Yuncck, Shipping case, F. W. Parsons, Shoe, W. D. Hall, Shutter worker, Pitney & Hansen, Sifter and receptacle, ash, R. Evans, Sifting granular material, F. G. Winkler, Sifting granular material, machine for, F. G. Winkler, Signaling mechanism, electric, L. G. Rowand, Signaling or calling system, electric, J. G. Smith, Skelp charging apparatus, P. C. Patterson, Skirt adjuster, A. E. DeWitt, Sleigh runners, connecting rod for attachable, J. E. Hobbs, Smoke consumer, J. H. Saunders, Smoke preventer, automatic, R. W. Cavanaugh, Soap hook, twin, Lapsley & Saltee, Socket, piece, hinged, G. M. Hamilton, Soldering iron, D. H. Allen, Soldering iron, J. C. Barber, Soles flexible, machine for making shoe, L. D. Ziegler, Spike, A. C. G. Dupuis, Spindle, See Self-oiling spindle, Spinning, doubling and twisting machine, combined, Van Alstine & Graham, Spraying apparatus, J. H. Burck, Spring, See Seat spring, Wagon bolster spring, Spring shackle and oil ejector, combined, J. B. Stone, Stacking bay, elevated carrier for, E. Dignan, Stair rod fastener, E. E. Clark, Stairway or elevator, traveling, R. Cartwright, Station indicator, W. E. Garner, Steam boiler, Burns & Ketchum, Steam boiler, sectional, W. F. Cunningham

A Marvelous Machine! Watch the wonderful work done by our Apex Nipple and Pipe Mill Machine. Threads nipples of all sizes. So swifed that it can be reversed and pipe cut off close to grippers. Vice can be opened or closed while machine is in motion. Send for catalogue. THE MCKEELL MFG. CO. 101 E. Cass Street, Toledo, Ohio.

THE CONDENSING STEAM RAM A Wonderful Device for Raising Water In Large or Small Quantities. For All Purposes. At Smallest Cost. Guaranteed to save 50% IN FUEL, 50% IN TIME, AND 50% IN ORIGINAL COST. Send for Testimonials. THE ERWIN HYDRAULIC MACHINERY CO. 58 & 59 Loan & Trust Bldg., Milwaukee, Wis.

QUEEN'S NEW AUTOMATIC LAMP. Its Six Points of Superiority: 1. It keeps in focus constantly. 2. Regulates and runs silently. 3. No attention required to help it regulate. 4. The full crater is projected. 5. The negative carbon is non-luminous. 6. The adjustments are all outside. Send for circular to QUEEN & CO., Inc. 1011 Chestnut St., Philadelphia

HARDENED EDGE SOLID STEEL SQUARES Warranted accurate. Not graduated. 1 inch, \$1.50. 2 inch, \$2.00. 3 inch, \$2.50. Also 4 1/2, 6, 9, and 12 inch sizes. Catalogue of Fine Tools free. THE STARRETT CO. BOSTON, MASS. Box 13, Athol, U.S.A.

ALCO VAPOR LAUNCH Motor controlled from bow. Valve movement, 12 to 1, 16 to 60 ft. Launches. Twin Screws a specialty. 1, 2, 3, 5, 7, 12 H.P. No licensed engineer or pilot required. Speed and Safety guaranteed. No dangerous Naphtha or Gasoline used. No disagreeable vibration. Send Ten cents in Stamps for 1887 Catalogue. Marine Vapor Engine Co., ft. Jersey Av., Newark City, N.J.

ROCK DRILLS AIR COMPRESSORS SIMPLEST, MOST EFFICIENT and DURABLE. RAND DRILL CO. Send for Catalogue. 100 Broadway, New York.

MONITOR MARINE GAS ENGINES LAUNCHES 200' AND UP MONITOR VAPOR ENGINE and POWER CO. GEO. H. GERE, 111 GRAND RAPIDS, MICH. SEND 4 CENTS IN STAMPS FOR LARGE CATALOGUE

ACETYLENE GAS AND CARBIDE OF Calcium. All about the new illuminant, its qualities, chemistry, pressure of liquefaction, its probable future, experiments performed with it. A most valuable series of articles, given in complete form the particulars of this subject. Apparatus for making the gas. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 998, 1004, 1007, 1012, 1014, 1015, 1016, 1022, 1035 and 1038. The most recent apparatus of simple and more elaborate type described and illustrated in special acetone Supplement No. 1057. Price 10 cents each. To be had at this office and from all newsdealers.

THE HARRINGTON & KING PERFORATING MILLING & SHEET-METALS WE SUPPLY WHAT YOU WANT ANY THICKNESS OF METAL, SIZE & SHAPE OF HOLE. 225 NORTH UNION ST. CHICAGO, ILL. U.S.A.

AMERICAN PATENT Pop Safety Valve For Marine and Stationary Boilers. Portable and Farm Engine Valves, Locomotive Valve and Muffler, and American House Heater Valve. Send for Catalogue A. AMERICAN STEAM GAUGE CO. 34, 36 & 38 Chardon St., Boston, Mass.

A DESIRABLE HOLIDAY GIFT. DRAPER'S Recording Thermometer Standardized and Warranted. Gives a correct and continuous record in ink on a weekly chart. Write for particulars. THE DRAPER MFG. CO. 152 Front Street, New York.

THE "INDUSTRIAL" OXY-HYDROGEN COMPOUND JET. Capacity, 1000 candle power. Highly finished and nickel plated. Price \$10.00. This jet can be fitted to almost any good magic lantern, etc., and will produce a very powerful and white light. Write to Peters, Mantz & Co., many years with the late Chas. H. Peters, Makers and Patentees of High Grade "Industrial" Stereopticons, Magic Lanterns, and Accessories of every description used for Lantern Projection. 125 and 127 Worth Street, New York City.

Print Your Own Cards Labels, Circulars, or newspaper. Five Dollar Press. Larger size. Type setting easy, printed rules. Money saved; also big profits at printing for others. Stamp for a catalog, presses, type, to factory. KELSEY & CO. Meriden, Conn.

STEAM ENGINEERING (Stationary, Locomotive, Marine); Mechanical Drawing; Architectural Drawing; Machine Design; Electricity; Architecture; Plumbing; Railroad, 31 COURSES & Bridge Engineering; Surveying and Mapping; Metal Pattern Cutting; Bookkeeping; Shorthand; English Branches; Mining; Metal Prospecting. All who GUARANTEED SUCCESS. Fees Moderate. Advance or Installments. Circulars Free. Write for particulars to study. International Correspondence Schools, Box 942, Scranton, Pa.

Physical and School Apparatus GALVANOMETERS STANDARD, SINE, TANGENT, REFLECTING and WIEDEMANN GALVANOMETERS. Catalogue free. E. S. Ritchie & Sons, Brookline, Mass.

This beats Wind, Steam, or Horse Power. We offer the WEBSTER 2 1/2 actual horse power GAS ENGINE for \$150, less 10% discount for cash. Built on interchangeable plan. Built of best material. Made in lots of 100 therefore we can make the price. Boxed for shipment, weight 800 pounds. Made for Gas or Gasoline. Write for Special Catalogue. WEBSTER M'F'G CO., 1074 West 15th Street, CHICAGO.

PIERCE 2 ACTUAL H. P. PRICE, Complete, \$135.00. Made for Gas or Gasoline. MARINE ENGINES to 4 H. P. 16, 18 and 21 foot Launch Outfits complete. All sizes Stationary to 25 h. p. Send for Circular of size wanted. PIERCE ENGINE CO. 17 N. 17th St., Racine, Wis.

THE MACHINERY OF A NAPHTHA Launch. A detailed description of the motive power of a Modern Naphtha Launch, with sectional views showing all the parts of the boiler and engine. A most valuable paper, 4 illustrations. Contained in SUPPLEMENT 1104. Price 10 cents. For sale by Munn & Co. and all newsdealers. THE IMPROVED GAS ENGINE. Two cylinders in one casting. Occupies less space and weighs less for its power than any engine made. Can be used wherever power is required. Either stationary or marine. No fire. No heat. No smoke. No licensed engineer required. Send for catalogue. SINTZ GAS ENGINE CO., Grand Rapids, Mich., U. S. A.

VAPOR LAUNCH Complete for \$150 ROW, SAIL and STEAM BOATS. and Upwards. Send five cents for catalogue. RACINE YACHT and BOAT WORKS, Racine Junction, Wis., Box A.

THE NEW BRISTOL COUNTER Registers an accurate account of work done on printing presses, grain tallies, weighing, measuring and other automatic machines. Counts up to 1,000,000 and repeats automatically. Simple, accurate, durable. Special counters to order. Send for circular. C. J. ROOT, Bristol, Conn., U. S. A.

ROUND OR SQUARE BASE SKINNER Improved PLANNER CHUCKS. Heavy, strong, accurately made. Greater capacity than any other chuck. Set screws of crucible steel. All nuts case-hardened. Drop forged steel wrench with each chuck. Holds straight or taper work. Can be instantly adjusted from 0 to greatest capacity. SKINNER CHUCK CO., Church St., New Britain, Conn.

PERPETUAL MOTION A valuable series of papers giving all the classic forms of perpetual motion apparatus. The literature on this subject is so very limited, the only book being entirely out of print, so that this series will be important to all inventors. 30 illustrations. SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 1130, 1131, 1133, 1135, 1136, 1137, 1138. Price, 10 cents each. For sale by Munn & Co. and all newsdealers. Send for new catalogue.

Print Your Own Circulars business cards, dodgers, etc., or let your boy combine business with amusement and print them for you. Splendid educator for youth and great aid to business men. A full line of hand and self-inking printing presses type and all printing supplies. Write for catalogue. J. F. W. Dorman Co., 121 E. Fayette St., Baltimore.

There is Satisfaction in it Those who pay their money for the No. 2 HARTFORD have the comfortable feeling which comes to all who receive their money's worth. THE HARTFORD TYPEWRITER CO., Hartford, Conn.

DEFIANCE MACHINE WORKS DEFIANCE, OHIO, U.S.A. BUILDERS OF HUB, SPOKE, WHEEL, BENDING, WAGON, CARRIAGE AND HOOP MACHINERY. SEND FOR CATALOGUE

