

RECENTLY PATENTED INVENTIONS.

Agricultural Implements.

POTATO-PLANTER.—LEONARD HEAPHY, Watertown, S. D. This invention provides a potato-planter which can be attached to any gang, sulky, or other wheeled plow, and which will drop either whole or cut potatoes at regular intervals into a furrow which has been made before planting, the potatoes falling to the right-hand side of the furrow directly in front of the soil, being turned so that they will be covered as soon as they are dropped.

CULTIVATOR.—LOUIS P. RIFE, Defiance, Ohio. The invention provides means for shifting the axle by the same movement by which the cultivator-shovels are raised or lowered, thus changing the fulcrum so that the weight and downward pull on the necks of the horses is uniformly maintained, whether the shovels be raised or lowered. The axle may be shifted and the shovel-beams simultaneously raised or lowered either by hand or horse power. The shovel-beams may be raised independently of the axle. A tension-device is provided, so applied to the levers controlling the movement of the shovel-beams that neither the team nor the driver need raise the dead-weight of the shovel-beams.

Electrical Apparatus.

STATIC ELECTRIC MACHINE.—JOSÉ GALLEGOS, San José de Guatemala, Guatemala. A wheel is provided carrying a series of movable coils arranged to pass adjacent to statically-excited stationary coils, the coils at their opposing ends carrying metal plates separated by an insulating-cylinder. The electricity is received by collectors, the number of which is double that of the stationary coils. One-half of the collectors are constructed to connect the movable coils with the ground when they register with the stationary coils; and the other collecting devices are arranged to connect the movable coils with a consumption apparatus when they are in an intermediate position. The machine is double and receives and yields both positive and negative electricity.

Engineering-Improvements.

BOILER.—GEORGE KINGSLEY, Montreal, Canada. Improvements in boiler-construction have been made by this inventor, whereby the boiler-parts are made readily accessible and the heat of the fuel utilized to the utmost profit. The boiler consists of an inner and an outer shell forming a water and steam compartment between the shells. A horizontal partition in the inner shells forms upper and lower flame-compartments connected with each other at their rear ends. The fire-box is situated in the front end of the lower compartment. Horizontal water-tubes project from the sides of the inner shell into the lower compartments; and water-tubes depend from the crown-sheet in the upper-flame compartment and terminate above the partition. A transverse deflector is located between the top of the partition and the lower ends of the depending tubes.

COMBUSTION-MOTOR.—RUDOLF MEWES, Berlin, Germany. In this motor the gaseous or sprayed fuel, or a mixture of gaseous, liquefied, sprayed, or pulverized fuel, or the air employed for feeding in pulverized solid fuel, is compressed to such an extent as to heat it to a temperature above the ignition temperature and is, thereupon, forced under pressure either into the cylinder, which is supplied with compressed air at a lower temperature, or into a vessel in communication therewith serving as a combustion-chamber. By this means the air conducted to the working-cylinder to support combustion may be cold and the temperature during the process may be kept as low as permissible, according to the constructional parts, packing, etc., employed.

ROTARY ENGINE.—THOMAS CROSTON, Hoquiam, Wash. The engine is provided with a cylinder in which a piston is mounted and with a cut-off valve for the steam. The main driving-shaft controls the valve. Between the shaft and piston is a yielding connection comprising disks spring-pressed apart and engaged by and carried around by the piston. One of the disks is fitted to slide in spiral grooves on the shaft. The disks are shifted simultaneously and automatically on reversing the engine. It is probably a new departure in rotary-engine-construction to control the engine automatically according to the load and to indicate the horse-power, both of which features constitute noteworthy points in this invention.

Mechanical Devices.

PENDULUM-ESCAPEMENT.—CARL T. E. ZIMMERMAN, Cumberland, Wis. The ordinary clock does not keep correct time owing to the varying tension of the spring. The present invention is designed to overcome this objection by a peculiar construction and arrangement of the parts of an escapement, so combined with the pendulum and an escapement-wheel that the pendulum is not actuated by the escapement-wheel and the variable power of the mainspring, but by an intermediate weight set into action by the escapement-wheel and falling with a constant force to actuate the pendulum uniformly.

SAFETY-LOCK FOR BREECH-LOADING GUNS.—JASPER L. ACKERMAN, Monon, Ind. Sometimes a breech-loading gun is opened and cocked and the hammer snapped down by curious meddlers when the gun is not loaded, to the great damage of the firing-pins; and the safety-slide is innocently changed without the knowledge of the user of the gun, thus locking the safety, so as to cause the gunner to miss his shot. The present invention provides a device for locking the breaker of the gun, so that it cannot be opened or broken down, and for locking the safety-slide of a hammerless gun so that the slide cannot be meddled with.

REVERSING MECHANISM.—GEORGE V. BLACKSTONE, Jamestown, N. Y. The object of the invention is to provide a gearing for washing and other machines which, in operation, requires but little power. The gearing comprises a driving-pinion with which a cam moves. Gear-wheels mesh with the pinion at opposite sides. On the shaft to be driven is a locking device having a fixed member, and a locking member fitted to slide in the fixed member and adapted to be engaged by the cam to throw the locking member alternately into engagement with the gear-wheels.

PRINTING-MACHINE.—EDWARD G. SMITH, Manhattan, New York city. The invention relates to high speed, multicolor-printing machines for printing wall-paper, textile fabrics and other endless webs. The machine has a row of impression-cylinders, a printing-roller for each cylinder, and driven endless feed-bands passing between the cylinders and the printing-rollers to carry the web at its margin between the sets of printing-rollers. The bands pass through annular grooves formed on the printing-rollers to hold the web in proper position between the opposite contacting portions of the cylinders and rollers. By running the web in a straight line through the sets of cylinders and rollers, it is evident that no undue strain is given to the web, and the latter readily takes up the ink or color delivered by the printing-rollers.

MACHINE FOR CUTTING SUGAR.—FRANCIS SIMONET, Manhattan, New York city. This machine is designed to cut sugar when in the nature of a paste, the object being to provide improvements for the purpose of obtaining clearly-cut pieces and of more readily cleaning the machine of waste. The novel features of the machine are found in the use of a supporting plate located in the meeting plane of two dies and of a conveyor which carries the candy or sugar over the plate. One of the dies rotates, and the other both reciprocates and rotates in order that it may be readily cleaned. Indeed, the ease with which the dies can be cleaned constitutes one of the merits of the invention.

BASCULE LIFT-BRIDGE.—JOHN P. COWING, Cleveland, Ohio. This revolving bascule bridge has a span with a segmental bearing-surface engaging a rolling-surface, and supports for the end of the span when the latter is closed. The supports are independent of the rolling-surface, so that this surface is relieved of the strain of the live or moving load. The strain in question is transmitted by the supports to the abutments or piers. This in brief is the broad idea of this new construction. It is expressly understood that it is the rolling-surface which carries the dead weight of the span when the span is open, but when the bridge is closed, the principal strain, as we have already remarked, is borne by the abutments. The bridge possesses the additional advantage of being self-contained, since the motive power for opening and closing the span is located on the supporting-piers, without therefore requiring any approach spans.

APPARATUS FOR WEIGHING, MEASURING, AND DELIVERING PROVISIONS.—WILLIAM D. WANZER, Clintondale, N. Y. The apparatus is designed particularly for storing and measuring out coffee in variable quantities and for grinding and delivering it to the customer. The apparatus has receptacles for various brands of coffee. Valves control these receptacles; and a scale is arranged below to receive the coffee. When the desired weight of coffee is discharged into the scale-pan, the scale-beam is tilted, thus throwing into action mechanism which automatically closes the valves and discharges the coffee into a mill, by which it may be ground and from which it is delivered to the customer.

LOCK.—DETALMO DI BRAZZA SAVORGANAN, Rome, Italy. This invention provides improvements in locks more particularly designed for use in connection with mail-collecting bags and mail-boxes, the object being to provide a comparatively simple lock in which a multiplicity of cylinders is employed. The cylinders are provided with variously-pitched channels, so that there will be a variation of speed of movement between co-acting cylinders, thus making it practically impossible to operate the lock with any other than the proper key.

CORDAGE-MACHINE.—FRANZ J. F. GRAF, Passaic, N. J. It is the purpose of this invention to provide an improved cordage-machine for manufacturing ropes, cords, and cables, without requiring long rope-walks and skilled mechanics, the machine being capable of turning out a large quantity of rope of a high quality in a comparatively short time. The machine comprises a revoluble frame arranged for carrying a number of bobbins. A drawing device is used for each bobbin to draw the strands therefrom; and a fier carries the drawing device to rotate it around the bobbin. Mechanism is provided for rotating the fier; and a twisting device receives the strands from the several drawing devices.

Railway Contrivances.

LOCOMOTIVE.—ALFRED GIVEN, Ellensburg, Wash. The locomotive is driven, not by a reciprocating engine, but by a rotary engine mounted in the front portion of the locomotive and connected by connecting-rods with the driving-wheels. The construction of the locomotive has been slightly modified to meet the demands of the new form of driving mechanism. The locomotive is considerably simplified by the new arrangement, since the usual cylinders and parts thereon depending are dispensed with.

PARTITIONING DEVICE FOR RAILROAD CARS.—WILLIAM H. GUMMERE, South Bethlehem, Pa. The partitioning device is designed to form a space in a car for the use of the government in safely carrying packages in bond. When not in use, the device permits the car to be used in the customary manner. The car is provided in its interior with an overhead, longitudinally-extending track on which carriages are mounted to travel. A transverse partition is carried by the carriages and is adapted to be locked to the car.

Miscellaneous Inventions.

LIQUID-MEASURE.—HENRY J. BRANTLEY, Valdosta, Ga. In connection with a barrel or tank, a dispensing vessel is used, through which the liquid is discharged. This vessel is provided with means whereby the discharge of liquid is closed when the liquid is entering from the cask; and the supply of liquid from the cask is shut off when the outlet port of the vessel is opened. Registering devices indicate automatically and accurately the precise quantity of liquid drawn. By this means the purchaser of a barrel of liquid is able, when the barrel is empty, to determine exactly how much liquid was in the barrel.

AUTOMATIC CHEMICAL FIRE-EXTINGUISHING SYSTEM.—HENRY BUSH, Dayton, Ohio. The inventor has devised a fire-extinguishing system, whereby in the absence of watchmen, the heat of a fire would automatically release one or more discharge-valves in the

line of distributing-pipes and by such release and consequent reduction of pressure in the pipes permit the automatic action of mechanism for causing the generation of gas in a vessel or tank. This vessel first discharges its gaseous and liquid contents through the distributing-pipes upon the fire. At the same time an alarm is sent to a fire-department. When the discharging-vessel is exhausted, a second source of constant water supply is automatically turned on, so that, should the alarm be unheeded, there would be no cessation of discharge of water upon the fire.

LETTER-CARRIER'S BAG.—MICHAEL MCCARTHY, Boston, Mass. It is object of the invention to provide a means whereby letter-carriers may stow in their boxes or satchels the letters gathered so that the letters may be taken out in the order of the route, thereby avoiding the use of time in tying up the bundles of letters and saving time. To this end the usual bag is furnished with a box or holder fitted in one end and having flaps at its front side, which may be connected or disconnected to permit the placing and displacing of the letters to be stacked in the box or holder.

PICK OR PLECTRUM.—FREDERICK MENZENHAUER, Jersey City, N. J. The pick is designed to be used in connection with mechanically-actuated stringed musical instruments and is arranged to combine the desired flexibility with the necessary strength. The pick comprises a body having a recess in which a coiled spring is held projecting beyond the body. The spring at its outer end is provided with a point, and at its inner end with a stiffening-rod.

STRINGED MUSICAL INSTRUMENT.—FREDERICK MENZENHAUER, Jersey City, N. J. The strings of this musical instrument can be readily picked either singly or in groups to sound chords. The instrument can be played with but little knowledge of music. The instrument is provided with a pick-board having a limited movement across the strings. A number of picks—of the kind described in the foregoing notice—one for each string, are mounted in the pick-board to move therewith. These picks stand normally above the strings; and each pick moves at an angle to the movement of the pick-board, so that when the pick is pressed and the pick-board is moved, the pick picks its string.

DEVELOPING-TRAY.—AULEY B. SHEPPARD, South Burgettstown, Pa. The tray has overhanging sides to form a partial cover, the ends of the bottom being gradually curved upward in the form of a rocker, whereby the tray may be rocked to flow the developer over the plate without spilling. The tray is made of glass and is graduated so that the developer can be measured. By reason of the peculiar construction, the solution can be effectively applied without spilling and without staining the hands.

PHOTOGRAPHIC WASHING APPARATUS.—AUGUSTUS STODDIFORD, Liberty, N. Y. The tank of the apparatus is formed with a well and contains a tray-carrying wheel. Extending down into the well is a pipe provided at its end with a nozzle adapted to throw a jet of water against the wheel. A branch pipe above the nozzle and in the upper part of the tank is provided with a sprinkler whereby to spray the trays while the tank refills after being emptied by a siphon mounted in the well. A very thorough washing of films, plates, and prints can thus be obtained without special manipulation of the trays.

SHIRT-WAIST ATTACHMENT.—CHARLOTTE E. HURN, Unadilla, N. Y. The attachment is designed to enable a skirt to be utilized for holding a waist in proper position so that no space will be visible between a waist and skirt. The device is so constructed that a pliable member will be a fixture upon the waist, which member can be readily passed through the wash. The attachment is not uncomfortable when worn and is invisible when in use.

TOOL-HOLDER.—FRANK B. KENDRICK, Lebanon, N. H. The present device is a novel tool-holder which can be operated with one hand and in which spring-tempered jaws are provided that automatically open when released from the pressure of a regulating device. This regulating device also serves to close the jaws upon the tool, the jaws being then locked so as to grip the tool. The device can also be used as a pin-vise or as an ordinary clutch for light work.

POCKET-KNIFE.—ERNST KÜHN, Untenkatzenberg, Prussia, Germany. In this pocket-knife a very simple substitution is provided for the springs usually employed, by which the knife-blade can be held firmly in position. In the handle of the knife the usual blade is pivoted. An arm is mounted on the pivot of the blade to move therewith. The arm serves to engage the handle to hold the blade locked in open or closed position.

MATCH-SAFE.—JOHN C. GILBERT, Boston, Mass. On a bracket or support a human figure is mounted. A rock-shaft is journaled in the figure and carries the figure's movable arms; while a cord is wound over the rock-shaft and is connected with the movable leg. When the leg is pulled, the shaft is turned so as to cause the arms to swing up and lift the cover from the match-box.

Designs.

BROOM-COVER.—OSCAR S. KULMAN, Savannah, Ga. The purpose of the cover is to keep the Kulman antiseptic broom, or any other broom, clean during shipment, to preserve its shape, and to prevent the evaporation of the disinfecting or antiseptic matter.

CLOTHES-LINE PULLEY.—THOMAS RUBINO, Hazleton, Pa. The leading feature of the design is found in a plate having divergent slots. The lines are placed in these slots and are thus prevented from becoming entangled, and are held in proper position.

DIAPER.—WILLIAM M. STINSON, Louisville, Ky. The design consists of a middle portion and integral end pieces and extending beyond both sides of the shank, with the end piece arched at its outer edge and half round at the sides. The outer edge of the end piece is straight and the sides rounded off. The end piece has cuts to form flaps.

NOTE.—Copies of any of these patents will be furnished by Munn & Co. for ten cents each. Please state the name of the patentee, title of the invention, and date of this paper.

Business and Personal.

The charge for insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in the following week's issue.

Marine Iron Works. Chicago. Catalogue free.

"U. S." Metal Polish. Indianapolis. Samples free.

Gasoline Brazing Forge, Turner Brass Works, Chicago.

Yankee Notions. Waterbury Button Co., Waterbury, Ct.

Inventor of a new Electric Aerial Railway wants capital. (See advertisement in this edition, page 255.)

Ferracute Machine Co., Bridgeton, N. J. U. S. A. Full line of Presses, Dies, and other Sheet Metal Machinery.

Inventions developed and perfected. Designing and machine work. Garvin Machine Co., 141 Varick St., N. Y.

Machinery for R. R. contractors, mines, and quarries, for hoisting, pumping, crushing, excavating, etc., new or 2d-hand. Write for list. Willis Shaw, Chicago.

The celebrated "Hornsby-Akroyd" Patent Safety Oil Engine is built by the De La Vergne Refrigerating Machine Company. Port of East 136th Street, New York.

The best book for electricians and beginners in electricity is "Experimental Science," by Geo. M. Hopkins. By mail, \$4. Munn & Co., publishers, 361 Broadway, N. Y.

Send for new and complete catalogue of Scientific and other Books for sale by Munn & Co., 361 Broadway, New York. Free on application.

Notes & Queries

HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters or no attention will be paid thereto. This is for our information and not for publication.

References to former articles or answers should give date of paper and page or number of question.

Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and though we endeavor to reply to all either by letter or in this department, each must take his turn.

Buyers wishing to purchase any article not advertised in our columns will be furnished with addresses of houses manufacturing or carrying the same.

Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.

Scientific American Supplements referred to may be had at the office. Price 10 cents each.

Books referred to promptly supplied on receipt of price.

Minerals sent for examination should be distinctly marked or labeled.

(7732) T. W. says: Will you oblige me by letting me know by mail receipt for substitute for white lead. I am looking for a cheap white paint, for out door work; something that will stand weather fairly well, and that could be painted over should the occasion require it. A. Skim milk, 2 qts.; fresh slaked lime, 8 oz.; linseed oil, 6 oz.; white Burgundy pitch, 2 oz.; Spanish white 3 lb. The lime to be slaked in water, exposed to the air, and mixed in one-fourth the milk. Dissolve the pitch in the oil and add a little at a time. Then add the rest of the milk and the Spanish white.

(7733) S. G. asks: Which is the proper side of a leather belt to run next the pulley, the grain side or flesh side? A. The question as to which side of a belt should run next to the pulley has been a subject of discussion among mechanics since the earlier days of the use of belting. It has been proved that a belt pulls harder, or with less strain, with the grain side next the pulley. Still, we see almost universally the better-looking side of the belt on the outside, with belt grease and wax used to make it stick.

NEW BOOKS, ETC.

INORGANIC CHEMICAL PREPARATIONS. By Phelix Lengfeld. New York: The Macmillan Company. 1899. 16mo. Pp. 58. Price 60 cents.

This manual is written for the classes in inorganic preparations at the University of Chicago, and is an excellent laboratory guide. The directions are simple and the student cannot go wrong if he follows them. The preparations are arranged in the order of increasing difficulty. It is an excellent contribution to modern text books on chemistry.

EMBROIDERY, OR THE CRAFT OF THE NEEDLE. By W. G. Paulson Townsend. Assisted by Louisa T. Pesel and Others. With Preface by Walter Crane. London and New York: Truslove, Hanson & Combs. 1899. 16mo. Pp. 116.

A really modern book on embroidery will be warmly welcomed. While it evidently took several authors to write even this small book, they have performed their task in an admirable manner. Excellent half-tone engravings are given of the fine samples of embroidery of all kinds, and there are many plates of stitches. The matter has been approached seriously and the authors have acquitted themselves of their task in an excellent manner. It is a book that we can recommend to both the student of historical embroidery and also to those who are anxious to do work of this kind themselves.

CRUDE RUBBER AND COMPOUNDING INGREDIENTS. The Text Book for Rubber Manufacturers. By Henry C. Pearson. New York and London: India Rubber Publishing Company. 1899. 8vo. Pp. 251. Price \$10.

We have on many occasions received inquiries relative to a good book on rubber manufacture and we were always obliged to say that the literature on the subject was limited to stray articles and pamphlets. Now, however, we have a thoroughly practical book on the subject, and we have no hesitation in saying it is the most important contribution ever made to the literature of the manufacture of rubber, and the information is given in succinct form. The author is the editor of The India

Rubber World, and coming in contact with rubber manufacturers has been able to get an invaluable collection of data.

"Public Improvements" is published semi-monthly at 21 Park Row, New York city. The subscription price is \$3 per annum.

TO INVENTORS.

An experience of fifty years, and the preparation of more than one hundred thousand applications for patents have enabled us to understand the laws and practice on both continents, and to possess unequalled facilities for procuring patents everywhere.

INDEX OF INVENTIONS

For which Letters Patent of the United States were Issued for the Week Ending

OCTOBER 3, 1899,

AND EACH BEARING THAT DATE.

(See note at end of list about copies of these patents.)

- Acid from alkaline acetates, extracting acetic, H. Plater-Syberg 634,271
Adhesive and marking same, J. W. Wachter 634,047
Adjusting mechanism, J. Kennedy 634,088
Advertisements, signs, etc., electrical apparatus for exhibiting and changing, A. D. Douglas 634,403
Advertising apparatus, Sonneborn & Kammerer 634,248
Air compressing engine, direct acting, P. Brothwood 634,389
Alarm, See Time alarm.
Alum, F. H. Gibson 634,284
Amalgamator, electric, C. E. Scribner 634,085
Applianator, W. A. Morrison 634,363
Armor plates, carburizing, J. S. Unger 634,251
Axle, carriage or wagon, L. F. Stanton 634,151
Basin, catch, J. F. Mabony 634,011
Bearing, ball, C. F. Eberhard 633,990
Bearing for vehicle wheels, ball, W. R. Sr., & W. R. Spruill, Jr. 634,150
Bed, iron, pack & Phillippi 634,065
Bed, folding metal, A. Holm 634,110
Belt, electric, L. A. Dixon 634,231
Belt tightener, Davies & Hughes 634,055
Bicycle, W. M. Foster 634,028
Bicycle brake, P. T. Volkman 634,046
Bicycle brake, Witte & Luick 634,421
Bicycle frame, H. W. Libbey 634,089
Bicycle gearing, W. Weber 634,252
Bicycle support, W. H. Hart, Jr. 634,296
Binding, skirt, W. J. Hay 634,264
Blackboard, W. J. Semelrich 634,149
Bladder, C. E. Longden 634,302
Boats from vessels, means for launching life, Pollitz & Cox 634,028
Boiler, See Steam boiler. Water tube boiler
Boiler, Addicks & Williamson 634,127
Boiler furnace, S. W. Butterfield 634,391
Boiler tube cleaner, Forsyth & Bell 634,406
Boiler tube cleaner and driver, A. A. Patton 634,270
Bolt holder, E. T. Clowe 634,392
Book, E. L. Heydecker 634,263
Book writing, E. E. Roudelush 634,094
Boots or shoe counters, machine for forming, D. J. Dancel & Scott 634,397
Bottle case cushion, B. Kochs 634,355
Bottle, non-refillable, W. R. Phillips 634,184
Box, See Coin and check collecting box. File box. Letter box. Lunch box. Mill box. Paper box.
Box making machine, Crawford & Bullard (re-issue) 11,776
Box or can provided with means for opening same, A. Cameron, Jr. 633,986
Bracket, See Shade bracket. Shelf bracket.
Brake, See Bicycle brake. Car brake. Wagon brake.
Brake mechanism, safety, C. S. Miller 634,305
Brake shoe, spring, A. H. Peterson 634,182
Brick truck, M. Villaret 634,044
Bridge, truss suspension, W. H. Pittman 634,391
Broiling, roasting or toasting device, J. W. Broom 634,097
Brush, blacking, E. P. Le Compte 634,059
Bucket, ventilated lunch, M. Gilmore 634,132
Bullet, T. W. Webley 634,363
Bunk, J. Conrad 634,394
Burial crane, W. L. Fisher 634,088
Burner, See Oil burner. Prickly pear or cactus burner.
Bustle, T. P. Taylor 634,153
Butter cake forming and printing machine, F. Krabal 634,300
Button finishing machine, T. F. Morrissey 634,308
Button, metallic, O. W. Ketchum 634,173
Button, separable, A. Ducommun 634,056
Cakes, preparing cereal, J. H. Kellogg 634,003
Calculator, W. D. Conklin 633,989
Calendar holder, E. A. Henkle 634,343
Walking tool, O. L. Bergeron 634,315
Camera multiplying attachment, J. L. Atwater 633,980
Can, J. H. Leslie 634,243
Can cap wiring mechanism, H. H. Hull 634,112
Can opener, C. S. Hopper 634,111
Canvas holder, artists, P. McDonough 634,064
Car brake, L. Logan 634,315
Car check holder, mine, C. R. Williams 634,049
Car construction, H. H. Sessions 634,218
Car coupling, A. R. Heath 634,341
Car fender, P. Nilsson 634,092
Car loading apparatus, gram, J. C. McIntosh 634,122
Car, railway, Curwen & Brill 634,336
Car replacer, I. H. Wise 634,100
Car side bearing, S. P. Bush 634,323
Car, street railway, J. W. Evans 634,234
Car wheel, H. F. & G. F. Shaw 634,036
Car wheel, J. B. West 634,280
Car wheels, ladle for casting, A. J. Fisher 633,991
Cars, electric lighting system for, J. L. Creveling 634,286
Carbid cartridge shell, D. M. Dorman 634,042
Carpet renovator, pneumatic, J. S. Thurman 634,042
Cards, etc., covering for ash, T. Hill 633,990
Carving device, H. Depton 634,287
Case, See Ticket case.
Cattle tie, A. Bynell 634,120
Chair, See Dental chair. Swinging chair.
Churn, W. F. Fribley 634,408
Churn and butter worker, combined, Virtue & Deeg 634,074
Churn dasher, W. H. Swan 634,377
Cigar, B. Fanta 634,104
Clamp, See Seat post clamp.
Cleaner, See Boiler tube cleaner. Cotton cleaner.
Clock, repeating alarm, M. C. Jensen 634,253
Clothes drier, C. S. Solomon 634,222
Clothes pin, O. L. Bergeron 634,315
Clothes rack, J. H. Clough 633,987
Cock or valve, M. M. Brophy 634,197
Coffee percolating package, H. M. Humphrey 634,349
Coin and check collecting box, combined, F. B. Manly 634,359
Compensator, railway signal, wire, N. Hatchford 634,273
Concrete mixer, S. P. McKelvey 634,416
Conduit pipe, A. S. Dixon 634,230
Cone adjuster and nut lock, F. G. Mott 634,060
Confectoring machine, H. B. Pinney 634,155
Conformator, E. Stahl 634,374
Cooler, See Milk cooler.
Cotton accumulator and conveyer, lint, J. W. Graves 633,996
Cotton cleaner and conveyer, seed, J. W. Graves 633,996
Cotton gin, J. W. Graves 633,996
Cotton gin, J. W. Graves 633,996
Couch, C. H. Grawitz 634,212
Counter, registering, C. H. Veeder 634,073
Coupling, See Car coupling. Pipe coupling.
Thill coupling. Well drilling tool coupling.
Cradle, D. E. Morris 634,147
Crate or coop, folding, C. E. Rogers 634,051

Advertisements.

ORDINARY RATES.

Inside Page, each insertion, - 75 cents a line
Back Page, each insertion, - \$1.00 a line
For some classes of Advertisements, Special and Higher rates are required.

The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may be had advertisement at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.

WOOD or METAL WORKERS
without steam power can save time and money by using our Foot and Hand Power Machinery
SEND FOR CATALOGUES—
A—Wood-working Machinery.
B—Lathes, etc.
SENECA FALLS MFG. COMPANY,
695 Water St., Seneca Falls, N. Y.

AMERICAN PATENTS.—AN INTERESTING and valuable table showing the number of patents granted for the various subjects upon which petitions have been filed from the beginning down to December 31, 1894. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1002. Price 10 cents. To be had at this office and from all newsdealers.

POWER & FOOT LATHES
SHAPERS, PLANERS, DRILLS
MACHINE SHOP CUTS TOOLS
AND SUPPLIES. CATALOGUE FREE
SEBASTIAN LATHES CO. 120 CULBERT ST. CINCINNATI, O.

New Microscope for Nature Study
and for use in the Examination of Ores, Metals, Woods, Fibre, etc.
Queen Acme No. 6 with 1 Ocular and 11 objective giving power of about 100 diameters. 1 set of 12 prepared slides of insect parts and other interesting specimens, all in case, \$10.00
Ask your nearest Optician for it.
QUEEN & CO., INC.
Optical and Scientific Instrument Works,
1010 Chestnut St. Philadelphia, Pa.
59 Fifth Ave., New York.

WORKS LIKE A CHARM.
Perfect satisfaction is experienced using our No. 5, 6 or 9 Hand Pipe Threading and Cutting Machines. Crank or ratchet power. Gears housed from dust. Chasers set by graduation to any size. Can be released from threading while in motion, opened to permit pipe being cut, and instantly closed.
Send for Free Catalogue to The Merrall Manufacturing Co., 501 Curtiss Street, Toledo, Ohio.

Economy Drilling Compound
Superior to Oil or other Lubricants.
Keeps Tools Cool and Sharp. Produces Smooth Work and Fine Finish. Is Clean and Does Not Rust or Gum. Adopted by U. S. Government, Railroads, and Leading Manufacturers. Barrels, 7c a lb. Half-Barrels, 8c a lb. Freight prepaid. Sent on approval.

THE WHITE & BAGLEY COMPANY, WORCESTER, MASS., U. S. A.

The Forbes Patent Die Stocks for Hand or Power.
It can be used as a power machine in the shop or taken from the base and carried out as a hand machine
Send for Descriptive Catalogue.

CURTIS & CURTIS, No. 78 H. or P. Machine 6 Garden St., Bridgeport, Conn. Range 2 1/2 to 4' R. H.

SIMPLIFY LABOR AND SAVE TIME.
You can do both and have the satisfaction of better and more accurate work if you are supplied with the Van Norman "Duplex" Milling Machine, which cuts at all angles. There is hardly any limit to the variety of cuts that can be made with this machine. The movable feature of the cutter head insures a much wider range of work than is possible with other machines. Can be operated in any position from vertical to horizontal.
Circulars Free.
WALTHAM WATCH TOOL CO., Springfield, Mass., U. S. A.

THE COBURN PATENT TROLLEY TRACK HOUSE DOOR HANGERS
The first made with adjustable track. The track can be put up in 30 minutes.
Send for Book.
The Coburn Trolley Track Mfg. Co., Holyoke, Mass

"NOT HOW CHEAP BUT HOW GOOD."
Use Taper Sleeve Pulleys the Best in the World. Solid Web Iron-Center Hardwood Dynamometer Pulleys prevent the slipping of the Belt. Friction-Clutch Pulleys, for connecting and disconnecting Gas and Steam Engines, Locomotives, Dynamometers, Generators and Machinery of all kinds without the least stopping of hand power. Study your requirements and write for catalogue "N."
THE TAPER-SLEEVE PULLEY WORKS, Erie, Pa., U. S. A.

ROCK DRILLS AIR COMPRESSORS
SIMPLEST, MOST EFFICIENT and DURABLE.
RAND DRILL CO.
Send for Catalogue. 100 Broadway, New York.

Experimental & Model Work
Cir. & advice free, Wm. Gardam & Son 45-51 Rose St., N. Y.

ESTABLISHED 1850. THE DEFIANCE MACHINE WORKS
DEFIANCE, OHIO, U. S. A.
MANUFACTURERS OF SPECIAL WOOD WORKING MACHINERY FOR HUB, SPOKE, WHEEL BENDING, WAGON, CARRIAGE, SNAFF, POLE NECK, YOKE, SINGLETREE, HANDLE & BARREL-HOOP FACTORIES. LARGEST LINE IN THE WORLD. SATISFACTION GUARANTEED.

Cuff fastener, C. M. Gidley 634,167
Cuff holder, H. C. & J. N. Guertin 634,133
Curtain construction, E. H. A. Spaulding 634,072
Curtain operating device, L. B. Smyser 634,189
Cushion. See Bottle case cushion.
Cutter. See Pie or cake cutter. Rotary cutter.
Vegetable cutter.
Cycle, M. Matthews 634,082
Cycle speed chain, L. Stilmant 634,378
Cycle, spring, E. Harnett 634,340
Dental chair, A. P. Gould 634,084
Desk, school, S. W. Conwell 634,395
Diaper, L. J. Wolf 634,281
Die and tap holder, J. Nicklin, Jr. 634,269
Disinfecting device, D. N. Hitchcock 634,104
Displaying device, shoe, D. S. Betcone 634,387
Displaying photographs, pictures, etc., device for, B. S. Whitehead 634,156
Ditching or excavating machine leveler, W. B. Dorrdridge 634,166
Doll, R. M. Hunter 634,143
Door fastener, P. Gehring 634,181
Door hanger, S. Thompson 634,041
Doubler for plates or sheets, J. H. Gill 634,233
Draught and temperature regulator, O. L. Badger 634,257
Draw bar attaching means, H. H. Sessions 634,219
Drying apparatus, mechanical drier.
Drying various materials, F. D. Cummer 634,200
Drill. See Pneumatic hand drill. Seed drill.
Drilling machine, M. Gans 634,331
Drilling machine, portable electrical, A. L. Cro-neau 634,165
Dry and heating same, blue black tetrazo, Levin-stadt & Mac 634,009
Egg tester, A. Thomass 634,249
Electric sparking, method of and means for preventing, Buckingham & Germann 634,198
Electric switch, W. Ely 634,057
Electric switch or signal apparatus, F. Andrews 634,226
Electric traction system for power transmission for, E. Bede 634,258
Electrical conduit or tube, flexible, E. T. Green-field 634,169
Elevators, base chamber or seat for hydraulic, R. Moore 634,119
Elevators, electric signaling apparatus for, S. D. Collett 634,223
Elevators, electric signaling apparatus for, Smalley & Reiners 634,220
Elevators, electric signaling device for, C. G. Armstrong 634,227
Engine, traction, W. & W. B. Lutyens 634,117
End gate fastening, wagon, T. L. Myers 634,121
Engine. See Air compressing engine. Mining engine. Pump engine. Rotary engine.
Engines, electric igniter for gas, W. H. Cotton 634,430
Engines, mixing device for gasoline, J. W. Lam-bert 634,242
Envelope, adjustable, W. M. Lambert 634,115
Evergreens, machine for winding, H. G. Wittbold 634,050
Exercising apparatus, W. J. Bryon, Jr. 634,080
Extensor table, C. N. Smith 634,372
Feeder and purifier, boiler, F. Pye 634,272
Feeder for steam boilers, automatic water, Hant-horn & Welch 634,339
Fender. See Car fender. Flag fender.
Fibers, composition of matter for use in extract-ing, W. Warburton 634,154
File box, F. Macey 634,061
Filter, E. A. Leland 634,060
Filter, water, A. Kenney 634,113
Firearm, A. W. Savage 634,034
Fire cracker, L. Nordlinger 634,180
Fire cracker, See Fire cracker machine for, G. L. Lispenard 634,176
Fire cracker body tubes, machine for making, Curtis & Lispenard 634,202
Fire cracker choke, C. L. Curtis 634,203
Fire cracker choke, G. Lispenard 634,177
Fire cracker choker machine, C. L. Curtis 634,202
Fireproof floor and ceiling slab, G. Fugman 634,262
Flag fender, W. Hart 634,140
Furnace. See Boiler furnace. Roasting and oxidizing furnace.
Furnaces, air feeding apparatus for boiler, J. Howler 634,348
Furrow opener, W. Y. Harding 634,239
Game, H. T. Hendy 634,141
Gas generator, acetylene, D. M. Dorman 634,401
Gas generator, acetylene, C. E. Wake 634,075
Gas generator, acetylene, F. D. Westcott 634,434
Gas, acetylene, See Gas generator.
Gas lighting attachment, F. Billingsham 633,983
Gas motor, Mollet-Fontaine & Letombe 634,063
Gate. See Swing gate.
Gate, O. B. Jacobs 634,351
Gate, J. H. Mahan 634,010
Gear, J. P. Scherer 634,068
Gear, driving, J. W. & W. W. Brereton 634,163
Generator. See Gas generator. Steam generator.
Girdle, bust, M. W. Comly 634,429
Glass worker's tool, F. Shaw 634,276
Glass, See Fire glass.
Glassware mould, G. H. Gray 634,107
Globe holder, A. G. Snow 634,221
Gong ringing apparatus, L. J. Klemm 634,053
Grinding mill, O. J. Ziegler 634,062
Gun breech mechanism, Hadcock & Murray 634,053
Gun mounting mechanism, C. L. Zimmerman 634,390
Gun mounts, swivel pivot and its bearing for, J. J. Clarke 634,261
Harp, H. Heymann 634,142
Head rest, A. P. Gould 634,088
Heater. See Water heater.
Heating apparatus, W. R. Addicks 634,126
Heel, cushion, W. A. Zickerman 634,435
Heel nailing machine, Gamble & Black 634,106
Hides or skins, machine for filling, E. E. Chain 634,325
Hinge and support for desk lids, F. W. Tobey 634,379
Hinge for awning blinds, separable, E. C. Quim-burg 634,379
Hinge for storm sashes, separable, E. C. Quimby 634,379
Hoe, H. Compton 634,158
Hoe, weeding, F. D. Williams 634,158
Hog trap and loading device, J. W. Harrelson 634,139
Hoof pad, Baldwin & Turnure 634,406
Hoop, See Fan hoop.
Hoop form, barrel, T. Johnson 634,172
Horseshoe, rubber cushioned, C. E. Galley 634,410
Hydrogen peroxid, apparatus for manufacturing, Rosenblum & Yarnold 634,033
Ice making apparatus, A. H. Hutchinson 634,350
Ice making apparatus, for, A. Glasson 634,325
Ironing board, A. Deschambault 634,399
Ironing machine, shirt, J. W. & H. Sutcliffe 634,376
Jack. See Lifting jack.
Jar. See Preserve jar.
Joint. See Pipe joint.
Kiln, masonry, W. M. Viall 634,223
Knot tying implement, J. P. Swift 634,152
Lamp, electric arc, A. Hamaces 634,085
Lamp, electric arc, C. Tepe 634,314
Lamp, electric arc, J. M. Willard 634,157
Lamp handling appliance, trainman's, R. H. Wellington 634,199
Lamp, hydrocarbon incandescent, F. C. Dellone 634,432
Lamp, petroleum incandescent, D. S. Williams 634,125
Lantern globe lift mechanism, W. C. Winfield, 634,077, 634,078
Lantern globe raising mechanism, tubular, W. C. Winfield 634,076
Lantern lift mechanism, tubular, W. C. Winfield 634,079
Latch and lock, combined door, E. E. Nelson 634,365
Lathe grinder attachment, H. Dock 634,232
Lemon juice extractor, A. F. Groundman 633,997
Letter box, J. A. Kline 634,006
Lifting jack, Scherer, C. J. Zimmerman 634,039
Lighting device, J. H. Kendle 634,004
Liquids to receptacles, apparatus for automatically delivering, Cameron & Commin 634,424
Lock. See Sash lock. Seal lock.
Lubricating cranks, P. Diehl 634,304
Lubricator, W. M. Viall 634,186
Mail bag catcher, J. Garbers 634,131
Mail crane, F. M. Edwards 634,405
Mail marking device, H. E. Waite 634,418
Mandrel for tube making machines, E. C. Truiter 634,391
Manhole junction box, J. W. Turner 634,381
Measuring device, D. Strang 634,040
Measuring frictional resistance between bodies in sliding contact, apparatus for, A. B. Law-ther 634,007
Mechanical drier, F. D. Cummer 634,199
Mechanical movement for gas engine valves, etc., J. Feuner 634,207
Medicine carrier, Jones & Harvey 634,354
Mercurizing apparatus, P. S. Marshall 634,362
Metal bars, etc., press for bending and straight-ening, W. J. Muncaster 634,245
Metal drilling machine attachment, W. E. Muncaster 634,324
Metallic sheaf for use in constructing buildings, G. Fugman 634,237
Milk cooler, E. G. Fullerton 633,992
Milk rack and refrigerator, A. M. Smith 634,070
Mill, See Grinding mill. Stamp mill.
Mill box, E. Andrews 634,320
Mining engine, E. Yoel 634,422
Mixer. See Concrete mixer.
Mop head, W. S. Harper 634,138

Powerful, Responsive, Durable and Efficient. REEVES' Variable Speed Counter Shaft
for securing any speed without change of belt or loss of time. Specially adapted for all kinds of experimental machinery. Printing Presses, Motor Carriages, Ironworking Tools, Woodworking Machinery, or any and all machines requiring a change of speed or feed.
Send for handsomely illustrated Catalogue "S. A." free.
REEVES PULLEY CO., Columbus, Ind., U. S. A.

THE EUREKA CLIP
The most useful article ever invented for the purpose. Indispensable to Lawyers, Editors, Students, Bankers, Insurance Companies and business men generally. Book marker and paper clip. Does not mutilate the paper. Can be used repeatedly. In boxes of 100 for 25c. To be had of all booksellers, stationers and notion dealers, or by mail on receipt of price. Sample card, by mail, free. Manufactured by Consolidated Safety Pin Co., Box 121, Bloomfield, N. J.

THE OBER LATHES
For Turning Axe, Adze, Pick Sledge, Hatchet, Hammer, Auger, File, Knife and Chisel Handles, Whitetrees, Yokes, Spokes, Porch Spindles, Stair Balusters, Table and Chair Legs and other irregular work.
Patented. Send for Circular A.
The Ober Mfg. Co., Chagrin Falls, O., U. S. A.

ACETYLENE GAS AND CARBIDE OF Calcium.—All about the new illuminant, its qualities, chemistry, pressure of liquefaction, its probable future, experiments performed with it. A most valuable series of articles, giving in complete form the particulars of this subject. Details of apparatus for making the carbide, gas generators, gasometers, burners, etc. (contained in SCIENTIFIC AMERICAN SUPPLEMENT Nos. 998, 1004, 1007, 1012, 1014, 1015, 1016, 1022, 1035, 1038, 1057, 1064, 1071, 1072, 1082, 1083, 1084, 1085, 1086, 1104, 1124, 1132, 1149 and 1150). Price 10 cents each, by mail, from this office, and all newsdealers.

PRINT YOUR OWN CARDS, etc.
\$5 PRESS Circular or small Newspaper Press maker or saver. Send stamp for catalogue, press, type, paper, etc. THE PRESS CO., Meriden, Conn.

You spend thousands on coal bills - but how much to save the steam? Want to know more about it?—Ask for our book: let "H" on the HEINTZ STEAM TRAP. WILLIAM S. HAINES CO., 136 South Fourth St., Philadelphia, Pa.

Foreign Trade Marks FOR American Merchants.
It is not generally understood amongst merchants that in many foreign countries the first registrant of a Trade Mark becomes the legal owner of said Mark, even though he may not be the bona fide proprietor. Many American goods are copied by foreign competitors, who put inferior goods on the market and sell them under the American Trade Marks. If these imitators have secured registration for said Trade Mark, they become, in many foreign countries, the legal owners of the Mark, and it will not be possible for the real owners afterwards to procure protection for their Trade Marks. Great hardship often arises in this manner. The only way to prevent such a course is for the American merchant to register his Trade Marks in the countries with which he has commercial relations.
For full information concerning Foreign Trade Mark Registration, address
MUNN & CO. PATENT SOLICITORS, 361 BROADWAY, NEW YORK.
625 F STREET WASHINGTON, D. C.