

RECENTLY PATENTED INVENTIONS.

Agricultural Implements.

SUGAR-CANE CARRIER.—José ELIGIO TALLET, Matanzas, Cuba. This improvement in devices for handling and dumping sugar-cane comprises a series of slings or cables adapted to pass beneath the cane. One end of each sling is detachably secured to a supporting-frame, the other end permanently fastened. A tripping device is connected with the detachable connections and is operated by a member when the frame is lowered. Only one end of the slings is released; and when the frame is hoisted and removed, the slings are automatically drawn from beneath the cane. Thus the removal of the slings by hand is obviated.

PLOW-CLEVIS.—WILLIAM G. LANDERS, Rehoboth, Ga. The clevis has its end bar provided with a vertical slot to receive a thill-iron. At one side in rear of the end bar is a vertical keeper-slot. A cross-bolt is passed through this keeper-slot, is connected with the opposite side of the clevis, and adapted to secure a link passed through the slot in the end-bar of the clevis. The improvement does away with an extra lap-ring or connecting-bolt, thus shortening the distance between the plow-beam and singletree and causing the plow to run more steadily.

HAND-PLANTER.—CHARLES NEWMAN, Springfield, Mo. The hand seed-planter has a wedge-shaped point open on the rear side and normally closed by a spring jaw. The point is connected with a tube provided with a seed-hopper. An adjustable spring-foot is attached to the point and connected by rods with the spring-jaw. The operator walks in a straight line across the field, and alternately raises and lowers the planter at each step. The wedge-point thus enters the soil once at each step; and as the tube is inclined forward, the spring-foot is caused to open the point to discharge a due quantity of seed.

Electrical Apparatus.

PYROXYLIN AUTOMATIC ELECTRIC FIRE-ALARM.—JEHAN DE FROMENT, Notre Dame de Lourdes, Manitoba, Canada. Fires in buildings usually begin in woodwork in contact with defective conductors. A chimney, for example, in crumbling away, exposes the underlying woodwork to the flames. The inventor winds a pyroxylin thread around the chimney (or other inflammable part of a building) or between the floors at a few inches from the chimney. Pyroxylin (which burns several times more rapidly than gunpowder) ignites at the contact of the least spark, releases a spring, and sounds an electric-alarm. The pyroxylin, owing to its low thermostatic power, burns only at the actual fire. The inventor has publicly tested his system both in New York and Canada with very gratifying results.

Engineering Improvements.

IGNITER FOR EXPLOSIVE-ENGINES.—FRED J. MACET, Ontonagon, Mich. It often happens that the firing-pins or contact-points of vertical explosive-engines become coated either with dirt or with oxid, so that the spark is not properly produced. To overcome this objection, the inventor mounts one firing-pin movably with respect to the other. A rod carries the movable pin and has a spiral groove. A movable support for the rod has a pin or projection engaging the spiral groove in the rod. The support can be moved so that the movable firing-pin will be turned upon its axis after contact with the other firing-pin. The turning movement is sufficient to rub off any dirt or oxid on the ends of the pins, so that the spark is produced with absolute certainty whenever the pins touch.

ROTARY BALANCED VALVE.—WILLIAM B. ORR and CHARLES K. BOOTH, Macon, Ga. This rotary balance-valve comprises an incased steam-chest provided with a valve-seat in which the valve turns. The valve has side parts opening into the steam-chest, an exhaust-port, and cylinder-ports. A top or cap is provided for the valve-seat. The valve which turns in the seat has an exhaust-cavity, side cavities, and a top cavity. Transverse spring-pressed packing-plates in the valve are in contact with the under side of the cap and are arranged between the side and top cavities. A valve thus constructed cannot leak.

SLIDE-VALVE.—GEORGE W. CARPENTER and ROBERT WATSON, Nanaimo, British Columbia, Canada. The invention provides a simple slide-valve which can be cheaply made and readily attached to any ordinary cylinder, and which acts as an automatic drain for the cylinder to clear it of condensed steam. The slide-valve used consists of oppositely-arranged, open-ended valve-cylinders fitted in the cylinder-covers. Hollow valve pistons slide in the cylinders and contain inlet and exhaust-ports arranged to register alternately with ports in the cylinders. The pistons are formed with annular flanges at their outer ends, engaging the outer ends of the valve-cylinders when the pistons are moved inwardly. The pistons are longer than the cylinders so as to project inside the main cylinder when slid inwardly. The valve pistons are instantly released from pressure at the end of the main piston's stroke; while the piston just opening to the steam is assisted to its place by the steam, thus avoiding all jar.

Mechanical Devices.

BOAT DRIVING-GEAR.—JOHN A. FREUND, Brooklyn, New York city. The purpose of this invention is to provide an effective means for manually driving propellers in small boats. The mechanism consists of a hand-lever to the lower end of which one end of a link is pivoted, the other end of the link being pivoted eccentrically on a gear wheel meshing with a bevel-pinion on the propeller-shaft. The boat can be driven in either a forward or backward direction by the mechanism. The inventor prevents the gear's moving in the wrong direction by means of a double pawl.

WAVE-MOTOR.—SAMUEL P. SWEARINGEN, Pasadena, Cal. The wave-motor comprises a frame above the water, a float, and a set of arms pivoted to the floats and frame and permitting each float to swing in the direction of movement of the waves. A shaft journaled on the frame carries a ratchet-wheel, which is engaged by pawls on two levers pivoted concentrically with the shaft and extending in opposite directions. Links or bars are connected with the outer ends of the levers and

with the float. The device can be used for any purpose for which power is desired.

PAPER-COATING MACHINE.—WILLIAM H. WALDRON, New Brunswick, N. J. The machine is designed to be used either as an adjunct to a paper-making machine arranged to coat paper uniformly on both sides. A delivery device is used consisting of a trough under which the paper passes and in which a roller is contained. An apron, in peripheral contact with the roller, extends outside the trough into close proximity to the upper surface of the paper. The paper is passed around a transverse roller in horizontal alignment with the delivery device and is horizontally returned over the delivery device. The paper is passed underneath a second delivery device, located immediately above the first.

BASKET-STAPLING MACHINE.—JOHN C. TITUS, Norfolk, Va. Berry-baskets are formed by taking two pieces of veneer creased transversely to form the bottom and sides; and these two pieces are laid across each other upon a square former with tapered sides. A thin strip is arranged on the inside and another on the outside clamp, the edges of the basket between them. The fastening of these strips to the edges of the basket is the work which the present machine is intended to perform. The former heretofore has been turned by hand successively to present each one of its four sides to the staple-driving devices. The invention provides automatic mechanism whereby the basket-former not only is presented to the staple-driving device, but the basket and former are turned around automatically to present each side. When the four sides are finished, the working mechanism of the machine is automatically stopped; and the driving-wheel runs free while the attendant is fitting the parts of a new basket to the former.

SEWING-MACHINE MECHANISM.—MURNEY DENDURENT, Robinson, Kan. This invention simplifies and improves the feed and shuttle actuating mechanisms so that they contain fewer parts, run more easily, are more readily accessible, and are more quickly assembled and adjusted than heretofore. The improved construction also reduces the cost of manufacture, renders the machine more durable, and involves no complicated parts to gather dust and lint.

Railway Appliances.

CAR-COUPLING.—ODAVILLE YATES, Dalles, Ore. The coupling belongs to that class employing a side latching-knuckle and a gravity-block designed to hold the knuckle in closed adjustment, to be released by manipulating an attached lever. It is claimed that this improved coupling will effectively couple with a mating member, that it affords means for the safe release of coupled connection from either side of a car, that it may be set to couple by impact, and be locked from release whenever it may be desired.

RAILWAY SIGNAL APPARATUS.—CHARLES R. GURR and HERBERT TOMLINS, 51 Cambridge Road, Hammersmith, London, W., England. The apparatus compensates for variations of length of the wire connections through which the signals are operated and renders impossible the partial or imperfect operation of the signals. The wire connections are kept under constant tension and are at all times free to expand or contract, being normally disconnected from the hand-levers by which the signals are operated. The coupling-up of a hand-lever with the corresponding connecting wire is automatically effected at the moment when the signal is to be lowered; and the connection between the wires and the lever ceases when the signal is returned to "danger."

Miscellaneous Inventions.

DEVICE FOR LIFTING PLATES.—FREDERICK S. SNYDER, Whitehall, N. Y. The device is particularly intended for handling pie-plates without danger of burning the fingers, and is composed of a piece of wire bent to form three arms adapted to grasp the edge of the plate. The device is quickly applied to plates of different sizes, for it is automatically adjusted by pressing two of the arms with sufficient force to lift the plate.

THEATER APPLIANCE.—IDA MAY FULLER, Forest City, Iowa. By means of this invention it is possible to produce the novel theatrical effect of a fierce fire in which a dancer is apparently moving. The flames are composed of individual tongues, any of which, when separated from the others, automatically returns to an upright position in the fire. The coloring of the illusory flames can be quickly and conveniently changed at will by means which are invisible to the spectators. A smoke effect can also be produced by the same means employed in producing the flames.

STEAM-HEATING PLANT.—JAMES D. ROBERTSON, La Salle, Ill. The purpose of the invention is to provide a steam-heating plant by means of which towns may be supplied with steam for heating or for power. The plant has a generator from which a main leads throughout the system, returning to a point near the generator and into a receiver near the boiler. A valved blow-off pipe passes from the receiver for the purpose of maintaining a constant circulation throughout the system.

VEHICLE-WHEEL.—LYMAN H. ZEIGLER, Millbank, S. D. The purpose of the invention is to produce a wheel which will have a certain elasticity, so that it can yield slightly when brought into contact with inequalities in the road. The inventor has, therefore, devised a wheel comprising a hub and a rim having connecting tension spokes composed of hub and rim sections. Each section is formed of a V-shaped rod having its ends secured to either rim or hub, the complimentary sections being interlocked. Springs exert a sidewise strain upon the spokes.

STRINGED MUSICAL INSTRUMENT.—ANDREW E. BARK, Kalispell, Mont. This invention provides an improvement in instruments, such as citherns, whereby the pitch of all strings in a group can be raised or lowered in accordance with the music to be played. Fixed bridges are employed, over which groups of melody and accompaniment strings extend. Two transverse bearings are arranged adjacent to one bridge, and a third bearing is mounted adjacent to the other bridge. For each group of strings a movable bridge is provided, mounted to rock in a bearing. Each of the movable bridges at one end serves to change the pitch of all the strings in the group. Movable bridges at the other end serve to decrease the

pitch of some of the strings of the group, thereby changing the chord represented by the group.

MUSIC-HOLDER.—PATRICK BENNAN, Jackson, Mich. The holder is simple in construction, compact in form, and can be readily carried in a portfolio. On a support a shaft is mounted, provided with retaining-arms at its ends. A finger projects from the shaft and receives one end of a spring coiled around the shaft. A spring-controlled bolt, normally extending below the finger, is arranged for locking engagement with the upper surface of the spring. The bolt serves to regulate the tension of the spring. The device can be used with books or sheets of music.

WAGON-BOX HOLDER.—WILLIAM A. CROTTS, Partridge, Kan. The wagon-box holder comprises a rack-bar secured to the side of the box. A spring-yielding dog is mounted to swing on a standard of the wagon and is adapted to engage a tooth of the rack-bar. A cam-lever holds the dog in engagement with the rack-bar. The box is held from jumping relatively to the bolster. As the top of the bolster or the bottom of the box wears away, the spring-yielding dog will permit the box to move down, so that it can engage a new tooth in the rack-bar.

STRAIGHTWAY VALVE.—DAVID J. CROZIER, Brooklyn, New York city. The valve-body has a straightway passage provided with a perpendicular coniform valve-seat and an extension-chamber above the valve-seat. The flanged gate-valve fitting in the seat can be partly or completely elevated. By providing two opposite pairs of notches in the flanges of the valve-gate the gate may be partially turned at different times to alter its position in the seat, thus preventing the gate from wearing away on the sides exposed to the action of the liquid or gas. The regrinding of the valve-gate in its seat can be readily effected while the valve-body is in place by the removal of the extension-chamber from the valve-body and the subsequent unscrewing of the valve-stem from the valve-gate.

COMPOSITION OF MATTER FOR REPAIRING TIRES.—OLIVER P. MICHAEL, Marion, Ind. The composition consists of Spanish whiting, Swedish black, glue, and oil of cinnamon. After being introduced into the tire by way of the air-valve and by use of a pump, the composition will readily close a puncture.

APPARATUS FOR PITCHING INTERNAL SURFACES OF CASKS OR BARRELS.—CARL A. NEUBECKER, Offenbach-on-the-Main, Hesse, Germany. This invention relates to a device for injecting hot, fresh pitch into barrels, so that the old coating is removed and a new one laid on. Difficulties have heretofore been encountered in transferring the pitch from the boiling-pan into the barrel in a suitable manner. The inventor, to overcome these difficulties, employs a heated tank containing the pitch, in which tank a receptacle is placed, through the bottom of which the pitch can flow. Compressed air is employed to force the pitch in the receptacle (simultaneously closing the ball-valve in the bottom) into a discharge-pipe by which it is sprayed into the barrel. The device is not so readily overheated as the pumps at present in use; nor is it so complex in construction.

Designs.

PILLOW-TOP.—RAFFAELLO ASTARITA, Manhattan, New York city. We have previously had occasion to mention several artistically-designed pillow-tops of this inventor. The present design, representing an automobile coaching party, shows the same taste and skill as its predecessors.

NOTE.—Copies of any of these patents will be furnished by Munn & Co. for ten cents each. Please state the name of the patentee, title of the invention, and date of this paper.

NEW BOOKS, ETC.

CHEMISTRY, ITS EVOLUTION AND ACHIEVEMENTS. By Ferdinand G. Wiechmann, Ph.D. New York: W. R. Jenkins. 1899. 16mo. Pp. 176.

In a series called "Science Sketches" we find the work noted above. The aim of the author is to enlist the interest of non-professional readers in an exact science. It is scientific without being superficial and is withal interesting. It is a book we can commend to all lovers of chemistry, and teachers of that science should require a portion to be read each day in the class-room.

THE LOCOMOTIVE. New Series. Vol. XX. Hartford, Conn.: Hartford Steam Boiler and Inspection Company. 1899. 8vo. Pp. 194.

"The Locomotive" is always a welcome visitor to the editor's table giving as it does a vast amount of information relating to steam, to boilers, and to science in general. It is admirably edited by J. M. Allen, editor, and A. D. Risteen, associate editor. Among the articles we note "Magazine Science" which we have already commented upon in the SCIENTIFIC AMERICAN.

DIE MEDIAL-FERNROHRE. Eine neue Konstruktion fuer grosse astronomische Instrumente. Von L. Schupmann, Professor an der technischen Hochschule zu Aachen. Leipzig: B. G. Teubner. 1899. 28 illustrations. 8vo. Pp. 145.

Prof. Schupmann has written a book, which although too technical for the general reader, is nevertheless extremely interesting because it describes his very ingenious method for correcting the unavoidable secondary spectrum in large astronomical refracting telescopes, for producing a more sharply defined image than has hitherto been attainable, and for reducing the length of the tube so necessary in telescopes. He employs a single convex objective, closely to the focus of which a totally-reflecting convex prism is placed. The positive chromatic aberration of the objective is corrected by a concave mirror surface in front of which are placed two concave lenses. The light reaches this correcting device after its pencils have been united in the focus of the objective. The system is essentially different from that now in use and is characterized by a simplicity and ingenuity which augurs well for its general adoption.

Business and Personal.

Marine Iron Works. Chicago. Catalogue free. "U. S." Metal Polish. Indianapolis. Samples free. Yankee Notions. Waterbury Button Co., Waterbury, Ct. Metal Novelties wanted. Bliss Metal Co., Prov., R. I. Handle & Spoke Mch'y. Ober Mfg. Co., 10 Bell St., Chagrin Falls, O.

Ferracute Machine Co., Bridgeton, N. J., U. S. A. Full line of Presses, Dies, and other Sheet Metal Machinery.

Special and Automatic Machines built to drawings on contract. The Garvin Machine Co., 141 Varick St., N. Y.

The celebrated "Hornsbury-Akroyd" Patent Safety Oil Engine is built by the De La Vergne Refrigerating Machine Company. Foot of East 138th Street, New York.

The best book for electricians and beginners in electricity is "Experimental Science," by Geo. M. Hopkins. By mail, \$4. Munn & Co., publishers, 361 Broadway, N. Y.

Send for new and complete catalogue of Scientific and other Books for sale by Munn & Co., 361 Broadway, New York. Free on application.



HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters or no attention will be paid thereto. This is for our information and not for publication. References to former articles or answers should give date of paper and page or number of question. Inquiries not answered in reasonable time should be repeated. Correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all either by letter or in this department, each must take his turn. Buyers wishing to purchase any article not advertised in our columns will be furnished with addresses of houses manufacturing or carrying the same. Special Written Information on matters of personal rather than general interest cannot be expected without remuneration. Scientific American Supplements referred to may be had at the office. Price 10 cents each. Books referred to promptly supplied on receipt of price. Minerals sent for examination should be distinctly marked or labeled.

(7831) X. X. X. asks: 1. I have 9 small storage batteries in series each 2.2 volts and which must not be charged faster than 1/2 ampere. What resistances will I need and how shall I connect to charge them from a 110 volt direct incandescent lighting circuit? A. You must provide for a drop of 90 volts in the resistance. This will require 180 ohms, when 1/2 ampere is flowing. 2. By what rule can the resistance of incandescent lamps be found when voltage and candle power only are given? A. Assume say 3 1/2 to 4 watts per candle. If 16 candle power this will give about 55 watts which at 110 volts requires 1/2 ampere. Now substitute in Ohms law, 1/2 = 110 / R. Hence R = 220 ohms resistance of lamp when hot.

(7832) X. Y. Z.—It depends upon circumstances. Write in full over your signature.

INDEX OF INVENTIONS

For which Letters Patent of the United States were Issued for the Week Ending

FEBRUARY 20, 1900,

AND EACH BEARING THAT DATE.

(See note at end of list about copies of these patents.)

Table listing various inventions and their patent numbers, including items like 'Abrading or polishing machine', 'Acetylene generator', 'Air brake', 'Air compressor', 'Animal trap', 'Anneling furnace', 'Antiseptic mouthpiece', 'Automobile controller', 'Axle box lid', 'Back pedaling brake', 'Bag', 'Bags, machine for folding sides of satchel', 'Barrel, liquid', 'Basket, fruit packing', 'Bearing for wagon thimbles', 'Beating roller', 'Bed alarm', 'Bedstead, iron', 'Belt holder', 'Bicycle', 'Bicycle brake', 'Bicycle pump', 'Bicycle support and locking device', 'Binder attachment', 'Blackboard and table or desk', 'Blotter, ink', 'Bobbin making machine', 'Boiler bracket', 'Bolt', 'Bolt or rivet, divisional or knockdown', 'Book, copy', 'Book supporting and adjusting device', 'Bottle, non-refillable', 'Bottle stopper', 'Bottle stopper, Sims & Arfsten', 'Bottle stopper, measuring', 'Botting machine', 'Box', 'Box covering machine', 'Brake', 'Brake, W. F. Trexler', 'Brake shoe', 'Brakeshoe', 'Bricks, etc., continuous kiln for burning', 'Broom', 'Brush', 'Bucket attachment', 'Buffer beam equipment', 'Burner', 'Burner, A. F. Morey', 'Bush pulley', 'Button, iron', 'Cabinet', 'Cabinet, kitchen', 'Camera, magazine'.

(Continued on page 141)

**WOOD OF METAL WORKERS**  
without steam power can save time and money by using our  
**Foot and Hand Power Machinery**  
SEND FOR CATALOGUES—  
A—Wood-working Machinery.  
B—Lathes, etc.  
**SENECA FALLS MFG. COMPANY,**  
695 Water St., Seneca Falls, N. Y.

**AMERICAN PATENTS.—AN INTERESTING** and valuable table showing the number of patents granted for the various subjects upon which petitions have been filed from the beginning down to December 31 1894. Contained in **SCIENTIFIC AMERICAN SUPPLEMENT, No. 1002.** Price 10 cents. To be had at this office and from all newsdealers.

**ENGINE & FOOT LATHES** MACHINE SHOP OUTFITS TOOLS AND SUPPLIES  
**SEBASTIAN LATHE CO., CINCINNATI, O.**

**Foot and Power and Turret Lathes, Planers, Shapers, and Drill Presses.** SHEPARD LATHE CO., 133 W. 2d St., Cincinnati, O.

**Stride Forward**

Don't feel satisfied to advance slowly in your business when we guarantee to prepare you for a high salaried position. Hold to your present occupation and "study between times" through our unequalled course of

**EDUCATION BY MAIL**

in Electrical, Mechanical, Steam, Mining and Civil Engineering; Metallurgy, Art, Architecture, Practical Newspaper Work, English Branches, Stenography, Machine Design and Mechanical Drawing. Low price; easy terms. Mention subjects interested in when writing to.

**The United Correspondence Schools,**  
154, 156, 158 Fifth Ave., New York, for catalog 33.

**PHYSICAL AND SCHOOL APPARATUS**  
**TOEPLER HOLTZ SELF CHARGING MACHINE**  
For School, College or X Ray work.  
Circular free.  
**E. S. RITCHIE & SONS,**  
Brookline, Mass.

**Presses for Sub-Press Work.**  
Five sizes. Sub-Presses and Tools to order.  
Send for Circulars.  
**BLAKE & JOHNSON,**  
P. O. Box 7, WATERBURY, CONN.

**THE FORBES PATENT DIE STOCKS.**  
Two and three inch pipe can be threaded by a boy using only one hand on a crank.  
Send for illustrated catalogue  
**CURTIS & CURTIS,**  
No. 30 Hand Machine. Range 1/4 to 2" R. & L. 6 Garden St., Bridgeport, Conn.

**BARNES' UPRIGHT DRILLS**  
Complete line, ranging from Light Friction Disk Drill to 42" Back Geared Self-Feed.  
Send for New Catalogue.  
**W. F. & JOHN BARNES CO.,**  
1999 Ruby Street, ROCKFORD, ILL.

**THE RIVETT SLOTTER**  
as an attachment to our 8-inch Precision Lathe is exceedingly useful in cases where it is necessary to put a key-seat in as small a hole as a cutter may be made to stand the work. From 40 seconds to 2 minutes suffices to put a key-seat in a hole 1/4 in. diameter and 1/2 in. long—it depends on the metal. This is acknowledged to be a most valuable tool, indispensable in all up-to-date shops throughout the country.  
**FANEUIL WATCH TOOL CO., Brighton, Boston, Mass.**

**THE BICYCLE: ITS INFLUENCE IN Health and Disease.**—By G. M. Hammond, M.D. A valuable and interesting paper in which the subject is exhaustively treated from the following standpoints: 1. The use of the cycle by persons in health. 2. The use of the cycle by persons diseased. Contained in **SCIENTIFIC AMERICAN SUPPLEMENT, No. 1002.** Price 10 cents. To be had at this office and from all newsdealers.

**6 in. MICROMETER**  
will measure by thousandths round work to 1/4 in. and flat work to 6 in. Weighs 21 oz. Is rigid and accurate.  
Price, in case, \$21.50. Catalogue of Fine Tools free.  
**L. S. STARRETT CO., Athol, U.S.S.A.**

**Cork Floors and Tiles.**  
Elegant in appearance, absolutely noiseless, gem-proof and waterproof, and have unequalled wearing qualities. We also manufacture  
**CORK PULLEY COVERING, CORK PIPE COVERING, CORK FRICTION CLUTCH BLOCKS, CORK BULLETIN BOARDS, etc.**  
Send for Circular "S. A."  
**CORK FLOOR & TILE CO., 17 Milk St., Boston, Mass.**

**DEFIANCE MACHINE WORKS**  
DEFIANCE, OHIO, U.S.A. BUILDERS OF  
**HUB SPOKE WHEEL BENDING WAGON, CARRIAGE AND HOOP MACHINERY.**  
LONDON OFFICE, 16 ELDON STR. E. C. SEND FOR CATALOGUE.

|   |         |
|---|---------|
| Cameras, swing back for photographic, Carlton & Locke.....  | 643,711 |
| Cameras, swing back for photographic, H. W. Locke.....  | 643,720 |
| Canceling and postmarking machine, stamp, G. W. Sebeck.....                                       | 643,987 |
| Car brake, F. S. Snyder.....  | 644,023 |
| Car corner iron or strap, I. L. Kiser.....  | 644,017 |
| Car coupling, E. Krinner.....   | 643,961 |
| Car coupling, automatic, F. O. Blumenmeister.....   | 643,890 |
| Car door, G. P. Jones.....  | 643,655 |
| Car draft rigging, W. Case.....   | 644,041 |
| Car, electric suburban, M. Brillinger.....  | 643,709 |
| Car gate, E. P. Sargent.....  | 643,986 |
| Car gripper, cable, S. A. Fraser.....   | 643,642 |
| Car seat, H. S. Hale.....   | 643,841 |
| Car cutting machine, Gohlke.....  | 643,836 |
| Cards, work holder for facing Jacquard, V. Royle.....   | 643,827 |
| Carpet clamp, F. J. Hawkins.....  | 643,648 |
| Carpet sweeper, A. H. Dodd.....   | 643,634 |
| Carpet sweeper, S. Palmer.....  | 643,778 |
| Carriages, transmitting device for horseless, J. Blevins.....                                     | 643,927 |
| Carrier, W. E. Mayo.....  | 643,785 |
| Carton, W. E. Mayo.....   | 643,772 |
| Cask, metallic, M. Brochu.....  | 643,787 |
| Casket head rest, T. W. Coughlin (reissue).....   | 11,804  |
| Caster, furniture, W. Livingstone.....  | 643,719 |
| Casting hollow ingots, apparatus for, N. H. O. Lilienberg.....                                    | 644,019 |
| Cement, mfg. machine, G. Schö.....  | 643,980 |
| Cement, manufacture of, W. A. O. Wuth.....  | 643,856 |
| Centrifugal machine, M. de Marcheville.....   | 643,667 |
| Chair, See Convertible chair.....   |         |
| Chain fan attachment, L. Renz.....  | 643,979 |
| Chart, educational, C. T. Meredith.....   | 643,748 |
| Chuck jaws, machine for cutting spiral and helical teeth, G. G. Taylor.....                       | 643,991 |
| Cigar rolling table and leaf wrapper cutter, Hartman & Wigmore.....                               | 643,767 |
| Clamp, See Carpet clamp.....  |         |
| Clevis for agricultural implements, E. E. & H. Olson.....   | 643,727 |
| Cloak or skirt rack, A. Greenspan.....  | 643,959 |
| Cock safety, G. D. Anderson.....  | 643,917 |
| Collar filling machine, horse, B. F. Canterbury.....  | 643,631 |
| Convertible chair, E. J. Lutwyche.....  | 643,663 |
| Conveyer, sectional screw, A. C. Elmer.....   | 643,636 |
| Cooker, Herdich & Hetu.....   | 643,650 |
| Coop, folding poultry, H. M. Ramsay.....  | 643,978 |
| Copying press, A. Fobete y Garin.....   | 643,977 |
| Corsew, R. W. Jorres.....   | 644,043 |
| Corset, apparel, R. Sablin.....   | 643,911 |
| Corset stay tipping machine, G. A. Hill.....  | 643,682 |
| Cotton press, H. L. Whitman.....  | 643,995 |
| Coupling, See Car coupling, Shaft or thill coupling.....  |         |
| Crane, J. V. Seaver.....  | 643,988 |
| Cream separator, W. S. Cox.....   | 643,947 |
| Cream separator, E. M. Heyman.....  | 643,651 |
| Cream separator, centrifugal, E. E. Bell.....   | 643,620 |
| Crematory carriage, P. Beanston.....  | 643,837 |
| Crowns or closures, automatic apparatus for feeding, Painter & Hawkins.....                       | 643,973 |
| Culvert, B. P. Saunders.....  | 643,985 |
| Cupola furnace, D. Townsend.....  | 643,920 |
| Cutter, See Tube or file cutter.....  |         |
| Cycle, water, S. R. Perry.....  | 643,678 |
| Dental oven, H. M. Hill.....  | 643,898 |
| Denture, W. H. Dwight.....  | 643,808 |
| Digger, See Root digger.....  |         |
| Dish washing machine, P. C. Sherman.....  | 643,885 |
| Disinfecting apparatus, R. E. Deane.....  | 643,949 |
| Disk drill, C. P. Sester.....   | 643,820 |
| Distilling and evaporating water, A. G. Waterhouse.....   | 643,702 |
| Distilling coal, J. Hemmingway.....   | 644,012 |
| Ditching apparatus, J. T. & S. H. Baxter.....   | 643,738 |
| Doffing mechanism, P. & J. Clough.....  | 644,001 |
| Door closer, E. McFeeley.....   | 643,970 |
| Door hanger, G. P. Jones.....   | 643,654 |
| Door or window frame, screen, C. C. Wheeler.....  | 643,880 |
| Door stop, G. H. Rogers.....  | 643,850 |
| Drawbar attachment, W. E. Coffin.....   | 644,028 |
| Drawers, etc., sliding support and stop for, L. Ray.....  | 643,682 |
| Dressing stand and mirror, T. M. Wassenus.....  | 644,044 |
| Drill, See Disk drill, Grain drill.....   |         |
| Eaves trough sieve attachment, J. L. Martin.....  | 643,747 |
| Electric heater, G. C. Hawkins.....   | 643,744 |
| Electric motor controlling apparatus, J. J. Heilmann.....   | 643,649 |
| Electric motor, speed, J. T. Whitesley.....   | 643,854 |
| Electric motors, starting box and controller for, F. R. Blake.....                                | 643,758 |
| Electric switch, W. T. Pringle.....   | 643,730 |
| Engine, See Explosive engine, Locomotive or railway engine, Pumping engine, Rotary engine.....    |         |
| Engine, hydrocarbon vaporizer for explosive, Engler, Baines.....                                  | 644,027 |
| Envelop, E. T. Stuart.....  | 643,735 |
| Excavator and ditcher, E. M. Zahl.....  | 643,857 |
| Explosive engine, J. F. Craig.....  | 644,004 |
| Extracting press, J. F. Bussels.....  | 643,891 |
| Fare register, J. G. Miller.....  | 643,873 |
| Fare register, A. E. Nielsen.....   | 643,884 |
| Fare register operating device, A. E. Nielsen.....  | 643,884 |
| Feathers, etc., apparatus for curling, L. Blumenthal.....   | 643,861 |
| Feed mill, J. O. Ensberrg.....  | 643,637 |
| Fence machine, J. Lane.....   | 643,903 |
| Fence machine, slat and wire, J. Miblbachler.....   | 644,021 |
| Fence machine, wire, H. S. Heatley.....   | 644,011 |
| Fence machine, wire, J. G. Nixon.....   | 643,776 |
| Fence machine, wire, J. K. Thoma.....   | 643,919 |
| Fence post, R. C. Glasco.....   | 643,870 |
| Fibers, etc., to imitate silk, treating, E. Ungnad.....   | 643,523 |
| Filter press, G. Hottinger.....   | 643,900 |
| Filtering, under pressure, water, etc., fountain for, Preyer & Merz.....                          | 643,681 |
| Firearm, J. A. Bennett.....   | 643,935 |
| Firearm, recoil operated, C. H. A. F. L. Ross.....  | 643,963 |
| Firearms, ejector mechanism for breakdown, M. Bye.....  | 644,040 |
| Fire escape, portable, E. C. Akers.....   | 643,858 |
| Firing apparatus, E. B. Babbitt.....  | 643,618 |
| Flagstaff, G. W. Taylor.....  | 643,933 |
| Flexible pipe, L. B. Benton.....  | 644,030 |
| Fluoriform, making, F. Valentiner.....  | 643,835 |
| Fork, See Hay fork.....   |         |
| Fumigator, J. M. W. Kitchen.....  | 643,769 |
| Furnace, See Annealing furnace, Cupola furnace, Quicksilver furnace, Smoke consuming furnace..... |         |
| Furnace doors, operating, Thoele & Moeller.....   | 643,697 |
| Game apparatus, J. H. Eller.....  | 643,953 |
| Game board, Brewer & Hayes.....   | 643,808 |
| Game counter, R. J. Wilkens.....  | 643,929 |
| Garment fastener, J. A. Billips.....  | 643,679 |
| Garment holder, J. W. Tyler.....  | 643,937 |
| Garment supporter or garter, J. W. Faxon.....   | 643,639 |
| Gas generating apparatus, acetylene, H. F. Fuller.....  | 643,643 |
| Gas generator, acetylene, J. R. Le Lande.....   | 643,746 |
| Gas generator, acetylene, F. C. Maurin.....   | 643,907 |
| Gas generator, acetylene, W. W. Hubert.....   | 643,777 |
| Gas generator, acetylene, W. W. Hubert.....   | 643,777 |
| Gas machine, acetylene, C. E. Ross.....   | 643,982 |
| Gas producer, acetylene, F. Dunderstadt.....  | 643,815 |
| Gas retort weigher and charger, J. A. Drake.....  | 643,763 |
| Gas retorts, apparatus for charging inclined, A. Coze.....  | 643,653 |
| Gate, See Car gate, Water measuring gate.....   |         |
| Gate, E. T. Clough.....   | 643,741 |
| Gate, W. A. Coats.....  | 643,811 |
| Gearing, H. C. Warren.....  | 643,826 |
| Generator, See Acetylene generator, Gas generator.....  |         |
| Generator section, E. P. Waggoner.....  | 643,926 |
| Gland, expansion, L. B. Morrison.....   | 643,802 |
| Grain mill, G. W. Taylor.....   | 643,674 |
| Grinder, drill, O. S. Walker.....   | 643,927 |
| Grinding apparatus, ball, F. W. Taylor.....   | 643,696 |
| Grinding machine, Walker & Grimm.....   | 643,928 |
| Grinding machine, drill, H. P. White.....   | 643,703 |
| Grinding machine, trowel, E. F. Shaw.....   | 643,914 |
| Gun, magazine bolt, C. H. A. F. L. Ross.....  | 643,984 |
| Gutter, W. D. Payne.....  | 643,677 |
| Hame fastener, T. Bellerson.....  | 643,932 |
| Hammer, power, M. C. Jackson.....   | 644,014 |
| Hanger, See Skirt hanger.....   |         |
| Harrow, Bloom & Loos.....   | 643,789 |
| Harvester, corn, Green & Cole.....  | 643,716 |
| Hay fork, horse, L. H. Soens.....   | 643,852 |
| Hay rake, revolving, H. B. Claxton.....   | 644,002 |
| Heater, See Electric heater, Water heater.....  |         |
| Heel counter, J. Traylor.....   | 643,783 |
| Hog bolder, A. Morris.....  | 643,673 |
| Hook, See Snap hook.....  |         |
| Hook and eye, E. E. Ward.....   | 643,780 |
| Hook and eye attaching machine, L. A. Boggs.....  | 643,937 |
| Horse catcher, L. S. Stensland.....   | 643,674 |
| Horse head supporting device, D. Holford.....   | 643,844 |
| Horseshoe, spring, J. M. Lord.....  | 643,662 |
| Horseshoeing rasp, D. Ludwig.....   | 644,020 |
| Hose reel, E. Cliff.....  | 643,712 |
| Hose supporter, R. W. Parramore.....  | 643,779 |
| Hose supporting belt, abdominal, E. W. Thayer.....  | 643,754 |
| Hot air or vapor to be human body, device for applying, K. Ishida.....                            | 643,822 |
| Hydraulic motor, J. Stumpf.....   | 643,831 |
| Incubator, N. C. Sprague.....   | 643,753 |
| Injector, double tube, T. M. Eynon.....   | 643,838 |
| Ink well, J. L. Kerstetter.....   | 643,798 |

(Continued on page 142)

**SOMETHING NEW! SOMETHING NEW!!**  
**The U. S. "AUTOMATIC" HAND FIRE EXTINGUISHER.**  
We challenge the world to produce our equal. Hang it up, it is sealed. Take it down, it is unsealed.  
**Safe, Sure, Simple, Quick.**  
Cannot get out of order. Needs no attention. Most Efficient, Durable, and Economical Fire Extinguisher in the world. You can load and shoot it at will. Chemicals same as all Fire Departments use, and can be had at any drug store for 10 cents. Once loaded, it will last for years, and is ready for instant use day or night. Agents Wanted Everywhere.  
**The U. S. Fire Extinguisher Mfg. Co.,**  
Sole Manufacturers  
260 West 23d St., New York, U. S. A.  
NOTE—The fire of "Scientific American" are equipped with "U. S."

**Cultivate a Vise**  
which will benefit your pocketbook. Here's a Self-Acting one for Band Saws. Drop saw in place and file continuously till finished. Like play. No cams, screws or levers to operate. Pricelow.  
Send for Circular.  
**New Britain Machine Co., New Britain, Conn., U. S. A.**

**Economy Drilling Compound**  
Superior to Oil or other Lubricants.  
Keeps Tools Cool and Sharp, Produces Smooth Work and Fine Finish, is Clean and Does Not Rust or Gum. Adopted by U. S. Government, Railroads, and Leading Manufacturers, Barrels, 7c. a lb. Half-Barrels, 8c. a lb. Freight prepaid. Sent on approval.  
**THE WHITE & BAGLEY COMPANY,**  
WORCESTER, MASS., U. S. A.

**If you want the best CHUCKS, buy Westcott's**  
Little Giant Double Grip Drill Chucks, Little Giant Drill Chucks Improved, Oneida Drill Chucks, Cutting-off Chucks, Scroll Combination Lathe Chucks, Geared Combination Lathe Chucks, Plain Universal Lathe Chucks, Independent Lathe Chucks. Made by **Westcott Chuck Co., Oneida, N. Y., U. S. A.** Ask for catalogue in English, French, Spanish or German. FIRST PRIZE AT COLUMBIAN EXPOSITION, 1890.

**Creamer's Automatic PUMP GOVERNOR & RECEIVER.**  
Either horizontal or vertical. Adapted for all kinds of Factories, Hotels, Apartment Houses and Office Buildings. See illustrated article in SCIENTIFIC AMERICAN, December 30, 1899, page 420.  
Send for Circular.  
**Creamer Steam Specialties Co.,**  
Jansen Hasbrouck, Prop.,  
126 Liberty Street, New York.

**Special Machinery, Dies and Cools.**  
**Sub-Press Dies**  
For Punching and Forming Sheet Metal. A SPECIALTY.  
**GEO. M. CRISWOLD,**  
New Works, Griswold Building,  
33-35-37 Union St.,  
NEW HAVEN, CONN.

**Drill Presses, Power Hack Saws,**  
Furniture and Bed Spring Machinery. Special Machinery Built to Order.  
Write for Catalogue.  
**HOEFER MFG. CO.,**  
275 Liberty St., Freeport, Ill., U. S. A.

**WORKS LIKE A CHARM.**  
Perfect satisfaction is experienced using our No. 5, 6 or 9 **Hand Lathes, Planers and Cutting Machines.** Crank or ratchet power. Gears housed from dust. Chasers set by graduation to any size, can be released from threading while in motion, opened to permit pipe being cut, and instantly closed.  
Send for Free Catalogue to **The Merrell Manufacturing Co., 501 Curtiss Street, Toledo, Ohio.**

**New Microscope for Nature Study**  
and for use in the Examination of Ores, Metals, Woods, Fibre, etc.  
**Queen Acme No. 6** with 1 Ocular and giving power of about 300 diameters, 1 set of 12 prepared slides of insect parts and other interesting specimens, all in case, \$16.00.  
Ask your nearest Optician for it.  
**QUEEN & CO., INC.,**  
Optical and Scientific Instrument Works,  
1010 Chestnut St., Phila., Pa.  
Write for Circular. 59 Fifth Ave., New York.

Costs about 12 cents a year to maintain **The Matchless**  
**Electric Cigar Lighter**  
Invaluable for hotels, private dwellings, factories, etc., etc. If not on sale by your dealer write us for catalogue and price list.  
**STANLEY & PATTERSON,**  
Gen'l Elec. Equipment Supplies,  
30-32 Frankfort St., NEW YORK.

**WELL DRILLING Machines**  
Over 70 sizes and styles, for drilling either deep or shallow wells in any kind of soil or rock. Mounted on wheels or on sills. With engines or horse powers. Strong, simple and durable. Any mechanic can operate them easily. Send for catalog.  
**WILLIAMS BROS., Ithaca, N. Y.**

**THE EUREKA CLIP**  
The most useful article ever invented for the purpose. Indispensable to Lawyers, Editors, Students, Bankers, Insurance Companies and business men generally. Hook marker and paper clip. Does not mutilate the paper. Can be used repeatedly. Boxes of 100 for 25c. To be had of all booksellers, stationers and notion dealers, or by mail on receipt of price. Sample card, by mail, free. Manufactured by **Consolidated Safety Pin Co., Box 121, Bloomfield, N. J.**

**TO THE PUBLIC.**  
The illustrated article which appeared in the SCIENTIFIC AMERICAN of January 6, 1900, on **WALTERS' MOTOR WHEEL** operated by gasoline for propelling bicycles, carriages and heavy trucks, has attracted such widespread interest, and so many letters of inquiry, that it has been found necessary to make this public announcement.  
Owing to the immense demand for these machines and with a desire to produce them at a moderate cost, it has been decided to adopt the standard system of construction of the various sizes in all their parts. It will therefore require some little time before these motor wheels are ready for the market. We shall aim to fill all demands promptly, as soon as the output is ready.  
Those interested are requested to send us their names and addresses in order that we may send them our catalogue when ready and advise them of further developments.  
We are now working on our "B" size motor-wheel suitable for light delivery wagons. This wheel used singly will pull a load of 1,500 pounds. We shall also furnish this wheel in pairs, yoked together and attachable in this way to a wagon thus pulling a load of 3,000 pounds. These wheels will be geared to run 8 miles per hour or less.  
Our size "A" motor-wheel, which we propose to construct next, will be lighter, more graceful and geared to greater speed. These will be suitable for buggies and light carriages and can also be used in pairs.  
Later on we shall direct our attention to heavier and more powerful motor-wheels for trucking and other heavy work.  
For further particulars address, J. W. WALTERS, 302-306 West 58th Street, New York.

**Porter's Humane Bridle.**  
No Bit in the Horse's Mouth.  
Horsemen endorse this Bridle because it is the best for all horses. It prevents frothing, lolling of tongue, etc. No more trouble with sore mouths. The hardest pullers driven with it, ease. Every lover of the horse should use it, because it is humane.  
Equipped with Straps to Fit Any Bridle. Enamel, sent prepaid on receipt of \$3.00 Nickel, 3.50.  
State if you use side-check or overdraw.  
**PORTER HUMANE BRIDLE CO.,**  
Dept. A, Sudbury Bldg., Boston, Mass.

**Keep Your Horse Healthy**  
See that his stable is fitted with **LOGAN'S PATENT STALL DRAIN** which carries off all filth and bad odors. Saves its cost in one year. Prolongs the animal's life and adds to its usefulness. Booklet Free.  
**Logan Sanitary Horse Stall Company,**  
1632 Broadway, New York.

**PRINT YOUR OWN CARDS, etc.**  
**\$5 PRESS** Circular or Small Newspaper Press \$15. Type set in case. Money maker or saver. Send stamp for catalogue, presses, type, paper, etc. **THE PRESS CO., Meriden, Conn.**

**ACETYLENE APPARATUS**  
Acetylene number of the SCIENTIFIC AMERICAN SUPPLEMENT, describing, with full illustrations, the most recent, simple or home made and commercial apparatus for generating acetylene on the large and small scale. The gas as made for and used by the microscopist and student; its use in the magic lantern. The new French table lamp making its own acetylene. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1057. Price 10 cents prepaid by mail. For other numerous valuable articles on this subject we refer you to page 21 of our new 1897 Supplement Catalogue, sent free to any address. MUNN & Co., 361 Broadway New York.

**THE NEW BRISTOL COUNTER**  
Registers an accurate account of work done on printing presses, grain tallies, weighing, measuring and other automatic machines. Counts up to 1,000,000 and repeats automatically. Simple, accurate, durable. Special counters to order. Send for circular.  
**C. J. ROOT, Bristol, Conn., U. S. A.**

**TUBULAR DRIVING LAMP.**  
It is the only perfect one. It will not blow or jar out. It gives a clear, white light. It is like an engine head.  
It throws the light straight ahead from 200 to 300 ft. It burns kerosene. Send for book free.  
**R. E. DIETZ CO., 60 Light Street, New York.**  
Mention this paper and get special discount. ESTABLISHED 1840.

**Fitchburg Railroad**  
HOOSAC TUNNEL ROUTE between New England and the West.  
**C. M. BURT,**  
General Passenger Agent, Boston, Mass.

**ELECTRICITY TAUGHT BY MAIL**  
Instruction at home; adapted to everyone. Electrical or Mechanical Engineering; Mechanical Drawing. Guidance of experienced, able instructors. Takes spare time only. Thos. A. Edison and others endorse. Institute, Catalogue free. ELECTRICAL ENGINEER INSTITUTE, Dept. A, 120 Liberty St., New York.

**WALL PAPER DESIGN TAUGHT BY MAIL.**  
Experienced teachers, low cost. You can prepare for high pay without leaving home. All Particulars FREE. A good subject for men or women. Other art subjects taught also. CORRESPONDENCE SCHOOL, 114 W. 34th St., New York.

**ARMSTRONG'S PIPE THREADING AND CUTTING-OFF MACHINES**  
Both Hand and Power. Sizes 1 to 6 inches. Water, Gas, and Steam Fitters' Tools. Hinged Pipe Vises. Pipe Cutters. Stocks and Dies. Universally acknowledged to be THE BEST. Send for catalogue. THE ARMSTRONG MFG. CO., Bridgeport, Conn.

**THE COBURN PATENT TROLLEY TRACK HOUSE DOOR HANGERS**  
The first made with adjustable track. The track can be put up in 30 minutes. Send for Book. The Coburn Trolley Track Mfg. Co., Holyoke, Mass.

**MILLS FOR ALL MATERIALS.**  
OUR BUSINESS IS TO MAKE MACHINERY FOR GRINDING GRAIN, CRUSHING ROCKS AND PULVERIZING ALL HARD SUBSTANCES. WE HANDLE ALL KINDS OF MATERIALS FROM COTTON-SEED TO ROOTS AND HERBS. BY AN UNEXCELLED PROCESS, IF YOU WANT ANY KIND OF A MILL OR GRINDING MACHINE, COME TO US AND YOU WILL GET THE BEST AND STILL SAVE MONEY. DEAL WITH US ONCE AND YOU WON'T CHANGE. ESTIMATES FREELY FURNISHED. SPROUT, WALDRON & CO. SEND FOR CATALOG NO. 4. MUNCY, PA.

**THE CORPORATIONS ORGANIZATION COMPANY,**  
2 Wall Street, New York,  
Procures the best Charters of Incorporation for the desired purpose, avoiding heavy expense and taxation. Any kind, any State. Patent Right Companies a Specialty. Send for Pamphlet. Q. A. GATES, of Counsel and Manager.

**The New YANKEE DRILL GRINDER**  
Scientifically Correct. IRON-WORKERS. More of these machines have gone into the leading plants of the world in the last two or three years than any other. WHY? Because hand ground tools won't do correct work. They break, wear, tapering, and only last half as long as machine ground. Send for catalogue explaining all of these things. This is the only drill grinder ever made squaring but one preliminary adjustment. Write to us now for full data. THE FULLER MFG. CO., Successors to G. T. Emery Co., 250 Asylum Av., Kalamazoo, Mich., U.S.A.

**A RARE COMBINATION**  
**HARTMAN STEEL ROD PICKET FENCE.**  
Best and handsomest for lawns, parks, cemeteries, school grounds—anything. Send for our free catalogue—know more about it. HARTMAN MFG CO., BOX 69 ELLWOOD CITY, PA. Or Room 99, 809 Broadway, New York City.

You spend thousands on coal bills—but how much to save the steam? Want to know more about it?—Ask for our booklet "H" on the HEINZ STEAM TRAP. WILLIAM S. HAINES CO., 136 South Fourth St., Philadelphia, Pa.

**Niagara Falls Industrial Number**  
OF THE Scientific American Supplement,  
No 1261. Dated March 3d, 1900.

This special number of the SCIENTIFIC AMERICAN SUPPLEMENT is illustrated by thirty-five engravings and is a most valuable compendium of information relating to Niagara. Contents: The History of Niagara Falls. Geology of the Great Lakes and Niagara. The Topography of Niagara. The Bridges of Niagara. The Great Power Plants of Niagara. Present Status of the Industrial Development of the Falls. Price, 10 Cents. For Sale by all newsdealers and by MUNN & COMPANY, Publishers, 361 BROADWAY, NEW YORK.

|   |         |
|---|---------|
| Insufflator, A. De Vilbiss.....   | 643,867 |
| Iron. See Soldering iron.....   |         |
| Jack. See Pumping jack. Scaffold jack.....  |         |
| Jar closure, E. R. Meyer.....   | 643,908 |
| Joint. See Rail joint.....  |         |
| Journal bearing, E. H. Beniers.....   | 643,934 |
| Kettles, protector against steam from, C. Lorenzen.....   | 643,877 |
| Knitting machine, L. L. Kamm.....   | 643,718 |
| Knitting machine, W. Bach.....  | 643,997 |
| Lamp, acetylene gas, G. B. Gates.....   | 643,869 |
| Lamp, acetylene gas, P. Josseland.....  | 643,901 |
| Lamp attachment, F. W. Hedgeland.....   | 643,897 |
| Lamp burner, petroleum incandescent, J. Bransfield.....   | 643,807 |
| Lamp electric, C. L. Toerring.....  | 643,834 |
| Lamps, etc., suspension device for, E. Fisher.....  | 644,008 |
| Lantern, dark, H. F. Hughes.....  | 643,768 |
| Last, divided, W. B. Arnold.....  | 643,839 |
| Lathes, boring attachment for metal working, O. E. Converse.....  | 643,743 |
| Lathing, machine for making expanded metallic, Fordyce & Duncan.....  | 643,840 |
| Life preserver, J. & H. Silbar.....   | 643,688 |
| Lighting apparatus, R. M. Dixon.....  | 643,814 |
| Lithotype machines, matrix aligning mechanism for, J. Place.....  | 643,956 |
| Liquid meter, J. H. Kiang.....  | 643,847 |
| Lock. See Alarm lock. Sash lock.....  |         |
| Lock, A. R. Ferrusson.....  | 643,955 |
| Lock cylinders and key buds, mold for, F. & H. E. Keil.....   | 643,656 |
| Locomotive or railway engine, D. Joy.....   | 643,745 |
| Log cart, G. Bender.....  | 643,823 |
| Loom, A. & S. Widmer.....   | 643,794 |
| Loom guide lever, L. A. King.....   | 643,957 |
| Loom, needle, G. F. Kuetl.....  | 643,902 |
| Loom, needle, D. J. MacDonald.....  | 643,878 |
| Loom picker attachment, R. L. Durham.....   | 643,816 |
| Loom shedding mechanism, E. Ingraham.....   | 643,964 |
| Lubricating rotary shafts, means for, M. Bruscher.....  | 643,710 |
| Lumber loader, hydraulic motor, Rotary motor.....   | 643,788 |
| Lunch box, folder, A. S. Brown.....   | 643,892 |
| Manufacturing machine, C. Lohrman.....  | 643,967 |
| Malt drum, F. Knüttel.....  | 643,965 |
| Measuring vessel, W. M. Reid.....   | 643,853 |
| Mercerizing apparatus, R. Sbrernat.....   | 643,781 |
| Merry-go-round, T. Murdy.....   | 643,675 |
| Metal plate doubling machine, R. K. Spears.....   | 643,691 |
| Metals, electrodeposition of, S. O. Cowper-Coles.....   | 644,029 |
| Meter. See Liquid meter.....  |         |
| Mill. See Feed mill.....  |         |
| Mills, automatic stop for, A. S. Martin.....  | 643,968 |
| Mine elevating apparatus, J. Murrehead.....   | 643,674 |
| Motor, See Hydraulic motor. Rotary motor.....   |         |
| Motor actuated signal, T. R. Keeler.....  | 643,824 |
| Mucilage receptacle, J. B. Williamson.....  | 643,855 |
| Musical instrument, W. W. McCallip.....   | 644,022 |
| Nut lock, axle, W. C. Brigham.....  | 643,939 |
| Orn. bow facing, Roberts & Fitzgerald.....  | 643,880 |
| Ordnance breech closing mechanism, Darmanier & Dillig.....  | 644,005 |
| Organ action, combined electrical and tubular, W. B. Fleming.....   | 643,840 |
| Overshoe, P. J. Bachelor.....   | 643,988 |
| Package and postal transmission, apparatus for, L. Cizek.....   | 643,761 |
| Packing and storing vessel, G. W. Whalley.....  | 644,038 |
| Padlock, A. H. Ferrusson.....   | 643,943 |
| Pan. See Vacuum pan.....  |         |
| Paper, apparatus for tint glazing colored, H. Gmeiner-Bendorff.....   | 643,817 |
| Paper bag machine, O. Hesser.....   | 643,843 |
| Paper holder, H. Tendick.....   | 643,917 |
| Paper holder, toilet, J. Drewson.....   | 643,714 |
| Paper tubes, apparatus for making, J. H. & P. L. White.....   | 644,025 |
| Photographic negatives, apparatus for washing, R. K. Marston.....   | 643,771 |
| Piano attachment, A. E. Florey.....   | 643,790 |
| Pin. See Rolling pin.....   |         |
| Pipe. See Flexible pipe.....  |         |
| Plant protector, A. Faye.....   | 644,007 |
| Planter, cotton seed, J. P. Caldwell.....   | 643,942 |
| Planter, hand, H. H. Wabers.....  | 643,784 |
| Plow, A. G. Carter.....   | 643,838 |
| Plow, wheel, J. Oliver.....   | 643,855 |
| Post. See Fence post.....   |         |
| Portable digging machine, J. T. Cecil.....  | 643,740 |
| Press. See Copying press. Cotton press. Extracting press. Filter press. Printing press. Pressure gage, F. Lane..... | 643,876 |
| Primer, percussion, J. Parker.....  | 643,974 |
| Printer's quoin, W. H. Lynchard.....  | 643,964 |
| Printing attachment for roll holders, W. C. Day.....  | 643,893 |
| Printing design, forming acid resistant, Cornwall & Hoedicker.....  | 643,892 |
| Printing press, H. F. Bechman.....  | 643,999 |
| Printing press, B. H. Speckmann.....  | 643,692 |
| Printing press form dampening mechanism, Brooks & Huson.....  | 643,941 |
| Printing press register gearing, Brooks & Huson.....  | 643,940 |
| Printing, stamping, or canceling machine, R. C. Berry.....  | 643,624 |
| Propeller, chain, W. C. Raub.....   | 643,752 |
| Propeller, reciprocating, J. Lichetti.....  | 643,966 |
| Propeller vessel, C. E. Hansen.....   | 643,646 |
| Puller. See Bush puller.....  |         |
| Pulley and spring, combined belt, F. Van Duzen.....   | 643,699 |
| Pulley, fiber, J. H. Thune.....   | 643,782 |
| Pump, adjustable, Page & Edmonds.....   | 643,872 |
| Pump curb reservoir, C. A. Bartlett.....  | 643,619 |
| Pump, floating, W. S. Bryant.....   | 643,863 |
| Pump piston, A. J. Salisbury.....   | 643,685 |
| Pumping engine, steam, B. O. Rhodes.....  | 643,732 |
| Pumping jack, J. W. Swan.....   | 643,832 |
| Quicksilver furnace, H. C. Duvey.....   | 643,839 |
| Rack. See Cloak or skirt rack. Stamp rack.....  |         |
| Rail joint, Gooding & Ackerson.....   | 644,011 |
| Rail joint, A. G. Michie.....   | 643,774 |
| Railway conduit system, electric, L. Dion.....  | 643,742 |
| Railway, pleasure, J. Anderson.....   | 643,986 |
| Railway signal system, Mansfield & Thompson.....  | 643,696 |
| Railway spring, P. Klein.....   | 643,808 |
| Railway switch operating device, street, A. Huber.....  | 643,963 |
| Railway switch stand, W. McNaffery.....   | 643,881 |
| Railway tie and joint protector, J. W. Howle.....   | 643,795 |
| Rake. See Hay rake.....   |         |
| Rasp, J. L. Ingalsbe.....   | 643,717 |
| Reading, teaching or educational device, S. Furdak.....   | 643,894 |
| Reaping or mowing machine cutting apparatus, B. Roblin.....   | 643,684 |
| Register. See Fare register.....  |         |
| Rein holder, J. S. Sewell.....  | 643,687 |
| Rolling pin, C. L. Patcher.....   | 643,750 |
| Root digger, J. Jensen.....   | 643,696 |
| Rotary engine, June & Perry.....  | 643,016 |
| Rotary motor, H. O. Gadberr.....  | 643,791 |
| Sash lock, J. R. Payson, Sr.....  | 643,729 |
| Sash, window, J. W. Murray.....   | 643,676 |
| Scaffold jack, H. A. Kuhn.....  | 643,845 |
| Scaffold or portable trestle, T. Milne.....   | 643,969 |
| Scythe, A. H. Zimmerman.....  | 643,638 |
| Scraper, wheeled, S. S. Spindle.....  | 643,633 |
| Separator. See Cream separator.....   |         |
| Separator attachment, C. H. Treat.....  | 643,921 |
| Sewing machine guide, W. F. Auld.....   | 643,930 |
| Shade holding device, F. M. Burrows.....  | 643,629 |
| Shaft or thill coupling, H. J. Michel.....  | 643,846 |
| Shaping machine bit holder, L. S. Depoe.....  | 643,830 |
| Shirt, E. B. Gould.....   | 643,793 |
| Shoe, A. A. Kohn.....   | 643,659 |
| Shoe form, A. D. Tyler, Jr.....   | 643,805 |
| Show windows, device for removing articles from, J. C. Ernst.....   | 643,954 |
| Shutter bolt, J. Sabod.....   | 643,910 |
| Sign, illuminated, C. L. Hill.....  | 643,872 |
| Sign, illuminated, Jean & Borehon.....  | 644,015 |
| Signal. See Motor actuated signal.....  |         |
| Signal mechanism, motor actuated, T. B. Keeler.....   | 643,823 |
| Skirt, A. P. McGraw.....  | 643,775 |
| Skirt hanger, J. Headland.....  | 643,818 |
| Skirt supporter and waist holder, A. Miller.....  | 643,670 |
| Smoke consuming furnace for locomotive engines, K. Marek.....   | 643,800 |
| Smoke preventer, J. Ormerod.....  | 643,886 |
| Snap hook, J. E. Vanotte.....   | 643,924 |
| Soldering iron, W. C. Herbert.....  | 643,819 |
| Spanner and wrench, combined, F. Schrader.....  | 644,033 |
| Spike, lift locking, C. D. Warner.....  | 643,701 |
| Spinning frame roving stop motion, J. H. Northrop.....  | 643,971 |
| Stamp order and delivery case, W. O. Taylor.....  | 643,992 |
| Stamp rack, rubber, H. S. Folger.....   | 643,715 |
| Stand. See Dressing stand.....  |         |
| Starching machine, Giffen & Bissett.....  | 643,765 |
| Steam boiler, M. A. Cooke.....  | 643,946 |
| Steam furnace, decomposed, Hodre & Rabe.....  | 643,820 |
| Steel balls, machine for sorting, F. Selmk.....   | 643,912 |
| Steel or homogeneous iron, enamelled, W. F. & G. W. Niedringhaus.....   | 643,726 |
| Stoking mechanism, W. McClave.....  | 643,882 |
| Stopper. See Bottle stopper.....  |         |
| Stopper or closing device for preventing receptacles from being refilled, H. Gullion.....                           | 643,645 |
| Stove, gas, J. Tichetti.....  | 643,759 |
| Stove, heating, S. H. Cowles.....   | 643,813 |
| Stove oven, gas or gasoline, J. I. Sloan.....   | 643,916 |
| Stovepipe elbow machine, H. Setowsky.....   | 643,913 |
| Sugar, making beet, Oxnard & Baur.....  | 643,848 |
| Sulky, racing, M. Payne.....  | 643,628 |
| Superheater, H. Szamatoli.....  | 643,900 |
| Switch. See Electric switch.....  |         |
| Table. See Cigar rolling table.....   |         |

(Continued on page 143)

**A Little Light**  
on the watch subject is found in our new booklet, which all are invited to send for—free of cost.

**Elgin Ruby Jeweled Watches**  
come in various sizes, grades and prices, to suit every pocket. Recognized universally as **The World's Standard.**  
Sold by jewelers everywhere. An Elgin watch always has the word "Elgin" engraved on the works—fully guaranteed.

**Elgin National Watch Co., Elgin, Ill.**

This has Wind, Steam, or Horse Power. We offer the **WEBSTER** 2 1/2 actual horsepower **GAS ENGINE** for \$150. Less 10 per cent discount for cash. Built on interchangeable plan. Built of best material. Made in lots of 100 therefore we can make the price. Baked for shipment, weight 800 lbs. Made for Gas or Gasoline. Also Horizontal Engines, 4 to 30 h.p.

**WEBSTER MFG. CO.,**  
1074 West 15th St., Chicago.  
Eastern Branch: 38-D Dey Street, New York City.  
Southern Agents: Boland & Gachwind Co., Ltd., So. Peter and Lafayette Sts., New Orleans, La.

**DON'T SEW ON BUTTONS!**  
Bachelor's Buttons made with **Improved Washburne Patent Fasteners** slip on in a jiffy. Press a little lever—they hold like grim death, but don't injure the fabric. Instantly released when desired. By mail, 10c each. Illus. catalog, showing collar buttons and other useful novelties made with these fasteners, free on request.

**American Ring Co., Box P, Waterbury, Conn.**

**TAKE AN OLDS**  
Gas or Gasoline Engine, put it on your work and if it does not fulfill your claims and satisfy you that there is no better engine on the market, send it back without expense to you. Our electric & tube igniters are unsurpassed. Our self contained engines are most convenient. Free illus. catal. Olds Motor Works, Box 418 Detroit, Mich. (Office & Factory); and Lansing, Mich. (Factory).

**ICE BOATS—THEIR CONSTRUCTION and Management.** With working drawings, details, and directions in full. Four engravings, showing mode of construction. Views of the two fastest ice-sailing boats used on the Hudson river in winter. By H. A. Horsfall, M.E. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1. The same number also contains the rules and regulations for the formation of ice-boat clubs, the sailing and management of ice-boats. Price 10 cents.

**Dynamos—Motors.**  
Dynamos for Electric Lighting, 15 lights up to 110 lights, 15 C. P. Motors for power purposes 1-6 H. P. to 7 1/2 H. P. First class machines of modern construction and fully guaranteed. Send for descriptive Bulletin.

**ROTH BROS. & CO., Mfrs.**  
88-92 W. Jackson Street, Chicago, Ill., U.S.A.

**We Defy the World**  
to produce a good wheel as the Arlington & Oakwood. Strictly high-grade, quality, material and construction, unsurpassed. A marvel of beauty and strength, thoroughly tested and fully guaranteed. Shipped anywhere at lowest wholesale prices. Money refunded if not as represented. As money in advance.

\$35 "Arlington" \$16.50  
\$40 "Arlington" \$18.50  
\$50 "Oakwood" \$21.50

We belong to no trust or combine—employ no agents. You pay but one small profit—and our enormous cash sales enable us to give the best value ever offered. Illustrated Catalogue Free. **CASH BUYERS' UNION,** 162 W. Van Buren St., R-131, Chicago, Ills.

**MOVING PICTURE MACHINES**  
Stereopticons, Gas Outlets, Films, Slides and Accessories. An opportunity for men with small capital to make big money. Transvaal, Philippine and Spanish-American War slides with printed lecture. We are manufacturers and save you the dealers' profit. Send for catalog. Roswell Electric & Optical Co., Dept. A, 167 & 169 Wabash Avenue, Chicago, Ill.

SEND 10¢ FOR 125 PAGE ILL. CATALOGUE.  
**GEARS AND PARTS OF MODELS**  
**GOODNOW & WIGHTMAN BOSTON**

**GOODFORM CLOSET SETS**  
keep clothes shapely, closets orderly and take only half the room you now use for the same garments. Money back if you want it.

**MEN'S SETS—\$2.75 each.** express collect—12 garment yokes, 6 trousers hangers, 2 shelf bars, 1 loop.  
**WOMEN'S SETS—same price.** Two sets one shipment, \$500. If your dealer hasn't them, remit to us. Booklet free.

**SELLING AGENTS.**  
Boston—R. H. White & Co.  
Hartford—Brown, Thompson & Co.  
Providence—Callender McAuslan & Truop Co.  
Brooklyn—Frederick Looser & Co.  
Buffalo—Wm. Henker Co.  
Jersey City—Wood & Mench.  
Washington, D. C.—E. H. Morsell.  
Pittsburg—James Phelan.  
Detroit—Hunter & Hunter.  
Cincinnati—Pickering Hardware Co.  
Indianapolis—Paul H. Krauss.  
San Francisco—Palace Hardware Co.  
Denver—Daniels & Fisher.  
Butte, Mont.—D. J. Hennessy Mer. Co.  
Chicago—Marshall Field & Co.  
Brewing, King & Co.  
Omaha—Hayden Bros.

**CHICAGO FORM CO., 74-125 La Salle Street, Chicago, U.S.A.**

**Buy Telephones**  
THAT ARE GOOD—NOT "CHEAP THINGS."  
The difference in cost is little. We guarantee our apparatus and guarantee our customers against loss by patent suits. Our guarantee and instructions are both good.

**WESTERN TELEPHONE CONSTRUCTION CO.**  
250-254 South Clinton St., Chicago.  
Largest Manufacturers of Telephones exclusively in the United States.

**A COMPLETE Electrical Library**  
By PROF. T. O'CONNOR SLOANE.

An inexpensive library of the best books on Electricity. Put up in a neat folding box, as shown in cut. For the student, the amateur, the workshop, the electrical engineer, schools and colleges. Comprising five books, as follows:

Arithmetic of Electricity 128 pages, . . . \$1.00  
Electric Toy Making, 140 pages, . . . \$1.00  
How to Become a Successful Electrician, 189 pages, . . . \$1.00  
Standard Electrical Dictionary, 682 pages, \$3.00

Five volumes, 1,300 pages, Electricity Simplified, 158 and over 150 illustrations, pages, . . . \$1.00  
A valuable and indispensable addition to every library.

**Our Great Special Offer.**—We will send prepaid the above five volumes, handsomely bound in blue cloth, with silver lettering, and inclosed in a neat folding box, as shown in the illustration, at the **Special Reduced Price of \$5.00** for the complete set. The regular price of the five volumes is \$7.00.

**MUNN & CO., Publishers,**  
361 BROADWAY, NEW YORK.

**GAS ENGINE IGNITER**  
Complete with spark coil, \$12.00. The Best Thing on the market. Latest and most improved model.

Send for Circular.  
**The Carlisle & Finch Co.**  
Sixth St., Cincinnati, O.

**MONITOR AND MOGUL**  
MARINE GAS ENGINES  
**LAUNCHES.**

**MONITOR** VAPOR ENGINE AND POWER COMPANY GRAND RAPIDS, MICH. CATALOGUE.

**SINTZ GAS ENGINE CO.**  
MARINE & STATIONARY  
GAS ENGINES—LAUNCHES  
MICHIGAN

**WE EXCEL AND UNDERSSELL ALL!**

|                            |        |
|----------------------------|--------|
| Electric Carriage Lights,  | \$4.35 |
| \$15 Telephones, complete, | 3.95   |
| Telegraph Outfits,         | 2.75   |
| Medical Batteries,         | 3.05   |
| Battery Table Lamps,       | 3.00   |
| Electric Railways,         | 2.95   |
| Electric Necktie Lights,   | .75    |
| Miniature Electric Lamps,  | .30    |

Agents Wanted. Send for New Catalogue, just out.

**OHIO ELECTRIC WORKS, Cleveland, Ohio**  
Headquarters for Electric Novelties, Supplies, Books.

**PIERCE VAPOR LAUNCHES**  
Stock Sizes 14 to 22 foot.  
Safe, Reliable and fully guaranteed.

**PIERCE ENGINE CO., 17 N. 17th Street, Racine, Wis.**

Prices \$160 and up. Send for Catalogue,  
**PIERCE ENGINE CO., 17 N. 17th Street, Racine, Wis.**

