

parts of the collar in positions to receive the strains of pulling the load without imposing such strains upon the hames.

WELL-ROD EXTRACTOR.—W. W. FRENCH, Vanderbilt, Mich. In this patent the invention consists in the novel construction and arrangement of a clutch device, and the object of the inventor is the provision of a simple and practical apparatus for extracting from well-casings the working rod whenever it becomes broken or uncoupled at a point low down in the well.

NOTE.—Copies of any of these patents will be furnished by Munn & Co. for ten cents each. Please state the name of the patentee, title of the invention, and date of this paper.

Business and Personal Wants.

READ THIS COLUMN CAREFULLY.—You will find inquiries for certain classes of articles numbered in consecutive order. If you manufacture these goods write us at once and we will send you the name and address of the party desiring the information. **In every case it is necessary to give the number of the inquiry.**
MUNN & CO.

- Marine Iron Works. Chicago. Catalogue free.
- Inquiry No. 4813.**—For makers of steam pipe couplings having two cup-shaped balls, through which the steam can pass, and which can take any position; when cold, the coupling can be turned any way, but when the steam is turned on, the coupling maintains the position it originally had.
- AUTOS.**—Duryea Power Co., Reading, Pa.
- Inquiry No. 4814.**—For manufacturers of fine gear wheels and pinions similar to those found in French clocks.
- For hoisting engines. J. S. Mundy, Newark, N. J.
- Inquiry No. 4815.**—For makers of automatic electrical clocks for closing circuits, having 24 figures on dial.
- "U. S." Metal Polish. Indianapolis. Samples free.
- Inquiry No. 4816.**—For tools, appliances and apparatus for sharpening small tools, punches, scissors, knives, etc.
- Handle & Spoke Mch. Ober Mfg. Co., 10 Bell St., Chagrin Falls, O.
- Inquiry No. 4817.**—For makers of elevators for large office buildings.
- Mechanics' Tools and materials. Net price catalogue. Geo. S. Comstock, Mechanicsburg, Pa.
- Inquiry No. 4818.**—For makers of acetylene gas machines.
- Sawmill machinery and outfits manufactured by the Lane Mfg. Co., Box 13, Montpelier, Vt.
- Inquiry No. 4819.**—For the manufacturers of tools using the letter "W" in a diamond.
- American inventions negotiated in Europe. Felix Hamburger, Equitable Building, Berlin, Germany.
- Inquiry No. 4820.**—For makers of novelties and new patent labor-saving devices.
- Let me sell your patent. I have buyers waiting. Charles A. Scott, Granite Building, Rochester, N. Y.
- Inquiry No. 4821.**—For makers of bicycle sundries, typewriters, novelties, etc.
- Machinery designed and constructed. Gear cutting. The Garvin Machine Co., 149 Varick, cor. Spring Sts., N. Y.
- Inquiry No. 4822.**—For the manufacturers of the Tee handle air pumps.
- Evaporation, Box 773, New York. Party who advertised as above, on March 14 last is requested to call at this office for a reply to advertisement.
- Inquiry No. 4823.** For printing presses on which to print lithograph plates, and machinery, etc., for the manufacture of such plates.
- Send for new and complete catalogue of Scientific and other Books for sale by Munn & Co., 351 Broadway New York. Free on application.
- Inquiry No. 4824.**—For manufacturers of adding machines.
- The largest manufacturer in the world of merry-go-rounds, shooting galleries and hand organs. For prices and terms write to C. W. Parker, Abilene, Kan.
- Inquiry No. 4825.**—For manufacturers of bugles, pottery, novelties, etc., for the mail order business.
- Empire Brass Works, 106 E. 129th Street, New York, N. Y., have exceptional facilities for manufacturing any article requiring machine shop and plating room.
- Inquiry No. 4826.**—For the manufacturers of the Saxon rolling mill.
- The celebrated "Horusby-Akroyd" Patent Safety Oil Engine is built by the De La Vergne Refrigerating Machine Company. Foot of East 138th Street, New York.
- Inquiry No. 4827.**—For makers of inventions or devices for outdoor advertising purposes.
- Contract manufacturers of hardware specialties, machinery, stampings, dies, tools, etc. Excellent marketing connections. Edmonds-Metzel Mfg. Co., Chicago.
- Inquiry No. 4828.**—For manufacturers of slot machines.
- Manufacturers of patent articles, dies, metal stamping, screw machine work, hardware specialties, machinery and tools. Quadriga Manufacturing Company, 18 South Canal Street, Chicago.
- Inquiry No. 4829.**—For manufacturers of advertising novelties.

IMPORTANT TO INVENTORS OF MERITORIOUS MACHINES OR OWNERS OF PATENTS REQUIRING MANUFACTURING FACILITIES.

A large and thoroughly equipped modern, up-to-date manufacturing establishment is prepared to make immediate arrangements for the manufacture on a large scale and on a fair and liberal business basis of novel special machines well protected by patents. Will consider only machines of new design having prospects of large sale. In replying give character of machine and line of trade, and enough general particulars to enable us to decide desirability of interview. All communications will be answered. Address
Facilities, Box 773, New York.



Notes and Queries.

HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters or no attention will be paid thereto. This is for our information and not for publication.
References to former articles or answers should give date of paper and page or number of question.
Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and though we endeavor to reply to all either by letter or in this department, each must take his turn.
Buyers wishing to purchase any article not advertised in our columns will be furnished with addresses of houses manufacturing or carrying the same.
Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.
Scientific American Supplements referred to may be had at the office. Price 10 cents each.
Books referred to promptly supplied on receipt of price.
Minerals sent for examination should be distinctly marked or labeled.

(9228) R. E. W. says: In the SCIENTIFIC AMERICAN of June 13, 1903, page 444, is an article regarding the Parsons turbine as an air compressor. Can you give me formula for computing volume and pressure of air compressed by this method? I wish to build an experimental machine, but can find no data on the subject, such as inclination and number of vanes and variation of pressure with variation of speed. A. The principle on which the Parsons turbine, when used as an air compressor, acts is similar to that of the ordinary revolving disk fans, such as are commonly used to keep the air circulating in offices and restaurants. These fans act exactly as the screw-propeller of a boat does; the velocity and volume of the air current produced depending upon the size and the angle of the vanes, and the number of revolutions per minute which the fan makes. If you will imagine such a fan placed inside a pipe approximately equal to its own diameter, you can readily see that if there were no slippage between the air and the fan, the quantity of air moved per minute would equal the area of the fan times the pitch of the blades times the number of revolutions made per minute. From this you can easily determine the velocity of the air current. The pressure against which such a fan may work is proportional to the square of this maximum velocity. There is, however, always a certain percentage of slippage, so that the volume of air and its velocity, as determined above, must be multiplied by a certain coefficient. The value of this coefficient depends entirely upon the size and number of the vanes, their pitch or angle, and the speed at which they are run. Unfortunately there are no experimental data to cover the case of the Parsons turbine, and the speed, size, and angle of the vanes here will be so different from the conditions of the ordinary ventilating practice that it is almost impossible to predict what coefficients should be used. The effect of the several rows of blades on the Parsons turbine, if the different rows of blades are all set at the same angle, would be simply to reduce the slippage, and to thus make possible the use of a very much higher pitch—producing a correspondingly greater velocity or pressure of the air current—than would be otherwise admissible. We trust that this explanation will be of service to you in directing the experiments which you are about to make, and we regret that there are no more definite data that we can send you as a guide.

(9229) W. R. writes: Your answer to W. E. H. (9107), July 25, states that only the force of gravity by falling weights, or I might add, a wound-up spring or springs when uncoiling, would give him the motor or power he is in search of. He objects to the aid of steam, water, electricity, etc., but only wants a mechanical power, such as wedges, inclined planes, or levers. Surely, he must know that no power could be given out from these agents unless a power had been applied to them. For his information, I would state that instead of springs or weights for driving clocks, or carriages, or phonographs, he can erect an overshoot waterwheel (although he objects to water) to drive a clock perpetually, not by perpetual motion, which I see he has the sense to know is humbug, but by keeping the buckets full, with the rain or water from the mains. I erected one a year ago, and it has been going ever since and keeping splendid time, and will go on forever till it falls to pieces or rain stops falling.

(9230) M. L. says: How would I determine the foci of an ellipse, the diameters as 9 inches by 7 1/2 inches being given? Would like a definite rule by which I could describe the ellipse. A. To determine the foci of an ellipse, when the axes are known, draw lines at right angles to each other and lay off the semi-axes from their points of intersection. From one extremity of the shorter axis as a center, with a radius equal to half the longer axis, describe an arc cutting the longer axis in two points. These points are the two foci. An ellipse is most easily and accurately described by drawing the two axes as above, and setting a pin at the two foci and at the extremity of the minor or shorter axis. Then

tie a fine cord, which does not easily stretch, around the three pins, forming a triangle. Now remove the pin at the extremity of the minor axis, and with a pencil having a sharp point, take the thread on the point of the pencil where the pin has been removed. Now draw the curve, keeping the thread at a uniform tension. The loop of thread slips around the pins which are at the two foci, and each point of the curve obeys the definition of an ellipse, which is: "A curve each point of which has the sum of its distances from two fixed points a constant quantity." This constant quantity is the major axis.

(9231) H. F. says: I have had a curious experience with watches that I am at a loss to explain, and should be glad to know whether there is any reason why a watch might keep good time when carried by one person and be wholly unreliable when carried by another, under apparently the same conditions. My first watch had been in use a good many years when it came into my possession. After some time, about half of which the watch was in the repair shop, I concluded that it was worn out, and bought a new one with as good works as I could get. This watch kept accurate time for two or three days, or even a week at a time, then it became very irregular. It was as likely to be one time of day as any other. I reset it several times, and then took it back for regulation. This experience I kept repeating for six months, the jeweler meanwhile declaring that the watch kept good time so long as it remained with him, and I fancy, suspecting that I did not keep it wound. At last, however, he took the watch and gave me another, which behaved precisely the same way. It may sometimes have run two weeks accurately, but very seldom more than two or three days. As an investigating experiment, I exchanged watches with a friend who had a perfect time-keeper. My watch was carried six weeks by this person, keeping accurate time during that period. In the meantime, the watch I borrowed lost time regularly, at the rate of half an hour in three or four days. This watch during the six weeks never behaved quite as erratically as mine, but it never kept good time while I carried it. I now have my own third watch, and am never able to keep it going more than a few days without finding it one, two, or three hours behind time. It must stop and start again, for it could not lose so much in so short a time, though it is always going when I examine it. I think it starts with the movement of looking at it. Since this experience my first watch has proved a satisfactory timekeeper in other hands. I inquired of a watchmaker, who assured me that there is a great difference in people in their capacity to carry watches and have them keep good time. He attributed it to the difference in the movements of the different people. This does not seem a plausible explanation, and if true, would not be satisfactory in this case, for my movements are less active than those of the person who carried my watch. I have met two people who claim that they have never been able to carry a watch, and have given it up. I am curious to know if there is any reason why I or any one should not be able to carry a watch, the watch being in good condition and kept wound, and if there be any cause, what it is. Can you give me any advice in regard to the matter? A. We have referred your statement regarding the change in the rate of a watch when different people carry it, to a wholesale dealer in watches in this city, and his reply is to the effect that it is not proved that the carriage of the person can affect the running of a watch. The difference in the stepping of one person and another is not sufficient to change the running of a watch appreciably, certainly not to the extent which you describe. The irregularity you ascribe to the watches is, by this good authority, considered to be due to the treatment of the watch in service. This is, in his opinion, irregularity in the time of winding as the most important; laying it down at night in different positions, sometimes on its back and sometimes on its face, and sometimes hanging it up in the pocket. These things make any watch irregular, no matter how good the watch may be.

NEW BOOKS, ETC.

THE PRACTICAL PHYSICS OF THE MODERN STEAM BOILER. BY F. J. ROWAN, A.M.I.C.E., M.I.E.S. Preface by R. H. Thurston. New York: D. Van Nostrand Company. 1903. 8vo. Pp. 638. Price \$7.50.
The work is admirably illustrated by 314 engravings and describes the best modern practice. The literature on the mechanics of the steam boiler, such as the strength of materials, etc., is voluminous, so the present author has endeavored to take another path, as guided by the indications of physical research, toward the goal of a fuller understanding of the action involved in steam raising and of the requirements of efficient boilers.
ACETYLENE: THE PRINCIPLES OF ITS GENERATION AND USE. BY F. H. LEEDS, F.I.C., F.C.S., and W. F. J. ATKINSON, Butterfield, F.I.C., F.C.S. London: Charles Griffin & Co., Ltd. Philadelphia: J. B. Lippincott Company. 1903. 12mo. Pp. 276. Price \$2.
The literature concerning acetylene is limited, so that a work of this kind is welcome.

The author deals with the cost and advantages of acetylene lighting, the physics and chemistry of the reaction between carbide and water, the general principle of acetylene generation, selection of a generator, and the subsequent treatment of the gas, subsidiary apparatus, mains and service pipes, combustion of acetylene, incandescent burners, compressed and dissolved acetylene, the valuation and analysis of carbide.

SPRAYING CROPS: WHY, WHEN, AND HOW. By Clarence M. Weed, D.Sc. New York: Orange Judd Company. 1903. 16mo. Pp. 136. Price 50 cents.

This little manual has been prepared for the purpose of aiding owners of spraying machines to use them to the best advantage. The practical results of the most recent investigations and experiments have been embodied in it. The development of the practice of spraying crops furnishes a striking illustration of the practical results agriculture may derive from scientific investigation and accurate experimentation. The present is the fourth revised, rewritten, and enlarged edition.

ETAT ACTUEL DU LABOURAGE ELECTRIQUE. Par Emile Guarini. Paris: Publications du Journal Le Genie Civil. 1903. Pp. 16.

In this paper, which is a reprint from Le Genie Civil, Emile Guarini, well known to the readers of this journal as a contributor, very thoroughly examines the use of electricity in agriculture and shows just what the commercial possibilities of a system of electrical plowing are, basing his conclusions upon experiments actually carried out.

DIE EISENKONSTRUKTIONEN DER INGENIEUR-HOCHBAUTEN. Ein Lehrbuch zum Gebrauche an Technischen Hochschulen und in der Praxis. Von Max Foerster. Ergänzungsband zum Handbuche der Ingenieurwissenschaften. Leipzig: Verlag von Wilhelm Engelmann. 1903. Pp. 544. Price \$12.50.

This is the second edition of a book which it was our pleasure to comment upon about a year ago. In that brief space of time the work has met with such marked success that a second edition has already become necessary. Naturally, the changes which have been made in civil engineering have not been so marked that a revision was at all necessary. The author has, therefore, confined his attention to a careful editing of certain of the sections, notably those treating of the behavior of iron structures when subjected to heat, forged iron columns, anchorages, and particularly those sections which treat of strains. The Hennebique process is now fully described, and also Mohrsch's calculation methods. The bibliography has been increased by the addition of references to articles in books which have appeared since the publication of the first edition. Additional figures are also to be found in the book. On the whole, the improvements which have been made have added to the excellence of a book, which should be of great value to the practitioner as well as to the student.

THE ART OF PATTERN MAKING. By I. McKim Chase, M.E. New York: John Wiley & Sons. 1903. 12mo. Pp. 254, 215 figures. Price \$2.50.

A good book on pattern making is always welcome, and the volume before us will prove specially valuable to those who have occasion to make patterns for such objects as screw propellers, cylinders for marine engines, etc. The book will be of special value to students in technical and manual training schools. It is a book which we can heartily commend.

INDEX OF INVENTIONS

For which Letters Patent of the United States were Issued for the Week Ending November 17, 1903, AND EACH BEARING THAT DATE

[See note at end of list about copies of these patents.]

Addressing machine, A. B. Hunkins.....	744,347
Advertising card, J. L. Bieder.....	744,158
Albuminoid substances from maize, making, Donard & Labbe.....	744,510
Amalgamator and concentrator, T. B. Lee.....	744,421
Anchor post, W. Small.....	744,437
Animal trap, J. M. Mast.....	744,343
Apron, storm, J. C. Crimins, reissue.....	12,170
Arm rest, E. H. Brasel.....	744,287
Atomizer, J. D. Pierce.....	744,603
Automatic friction brake, Sedgwick & Wakelee.....	744,632
Automatic switch, J. M. Comer.....	744,163
Awl, sewing, W. M. Mansell.....	744,581
Awls, shuttle for use with sewing, E. B. McCann.....	744,585
Axle, M. R. Gustin.....	744,116
Axle brace, C. Schneider, Sr.....	744,338
Bag filler and holder, M. E. Hall.....	744,421
Bag filler machine feeder, F. Dedreux.....	744,175
Bag, reticulate, or the like, A. Amson.....	744,151
Ball mill, tubular, M. F. Abbe.....	744,451
Band, spring, Kising & Coe.....	744,564
Bandage, suspensory, E. R. Drake.....	744,512
Barrel cover, adjustable, E. Bertelsmann.....	744,026
Barrel head, E. E. Davenport.....	744,499
Bathing apparatus, L. V. Levinger.....	744,370
Beading strip, H. S. Hale.....	744,537
Bed spring, Ridgway & Dixon.....	744,237
Belt attachment, waist, A. T. Goldfield.....	744,533
Belt fastener, H. T. Jones.....	744,353
Bench. See Piano or organ bench.	
Bicycle driving mechanism, chainless, C. Stollwerk.....	744,428
Bicycle support, M. Henoch.....	744,543

The CADILLAC

the Automobile of All Seasons

This car will give the same excellent service in the cold of Winter that it will the fairest day of Summer. Any day a wheeled vehicle will go in a good day to go out in a Cadillac



The Cadillac is graceful in design, handsome in finish and appointments, simple in construction, strong and rigid in frame work, flexible in gear, wonderful in durability. Speed range four to thirty miles an hour; control absolute. The Cadillac has all the desirable features of the costliest machines, but is only \$850 with tonneau for four, facing forward. Without tonneau, \$750—the smartest runabout ever built.

Our free illustrated booklet N gives address of agency nearest your home where the Cadillac may be seen and tried.

Cadillac Automobile Company
Member Assn. of Licensed Auto. Mfrs.
Detroit, Mich.

ELECTRIC LAUNCH MOTOR.—THE design in this paper is for a motor of unusual simplicity of construction, which can easily be built by an amateur at small cost. It is intended for a boat of about 24 feet over all and 4 feet 6 inches beam, drawing 15 inches, and is capable of propelling such craft at a speed of 7 miles per hour. Illustrated with 21 cuts. See SCIENTIFIC AMERICAN SUPPLEMENT, No. 1202. Price 10 cents by mail, from this office and from all newsdealers.

Automobile ENGINES

THAT GET YOU THERE AND BACK

The World's best steam engines. Light, durable, cheap. Cost only \$60 to \$150. Send to-day for catalogue.

MASON REGULATOR CO.,
158 Summer Street,
Boston, Mass.

DR. DYKE'S "DISEASES OF A GASOLENE AUTOMOBILE AND HOW TO CURE THEM."

A book for owner, intending purchaser or repairman. Hints and suggestions with illustrations, Diagrams and Connections. Price \$1.50

A. L. DYKE AUTO. SUPPLY COMPANY
2108 Olive St., St. Louis, Mo.

Send 10c. for the largest Auto. Supply Cat. in the world.

VELOCITY OF ICE BOATS.—A COLLECTION of interesting letters to the editor of the SCIENTIFIC AMERICAN on the question of the speed of ice boats, demonstrating how and why it is that these craft sail faster than the wind which propels them. Illustrated with 10 explanatory diagrams. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 214. Price 10 cents. To be had at this office and from all newsdealers.

ECLIPSE Pocket AMMETER for general battery testing. 0 to 15 amperes. Soft-iron-Solind type. "Ready to use," with flexible cord attached and contact spur in case, which is drawn back into case, when carried in pocket. The contacts, on both ends and case, are made of non-corrosive metal. Size of watch and very light weight. Pivots hardened and polished. Well finished throughout, can be used in any position. Particularly designed for Auto. use.

Eldredge Electric Mfg. Co., 227 Main St., Springfield, Mass. Price \$6.00.

NOISELESS Bevel Pinions

We can furnish our New Process Noiseless Pinions in bevels as well as spurs of any size wanted and to transmit any required horse power. Write for catalogue.

THE NEW PROCESS RAWHIDE CO.
Syracuse, N. Y.

Locomotive, electric, Dalton & Cole, 744,301 to 744,304

Locomotive frame, J. Player, 744,400

Locomotive lubricator, E. Sarver, 744,625

Locomotive parallel rod, C. Houston, 744,551

Loom, E. Vahle, 744,442

Loom box motion, G. Goodline, 744,682

Loom, lappet, Dearden & Sharp, 744,307

Loom protective mechanism, W. A. Fowler, 744,324

Loom shuttle box operating mechanism, G. Goodline, 744,333

Loom, welt replenishing, Rossetter & Talbot, 744,240

Lubricating, W. Michalk, 744,088

Lubricator. See Graphite lubricator.

Machine clamp, D. T. Kendrick, 744,559

Magnet, H. F. Campbell, 744,481

Magneto electric generator, Le Pontois & Clément, 744,573

Mail tube fastening, H. Del Mar, 744,176

Malt breaking mill, H. Krusemark, 744,567

Mangle, C. T. Gilmore, 744,063

Manure spreader, F. F. Freed, 744,184

Marking board, F. Moehle, 744,587

Match box, C. Hering, 744,074

Match box, M. W. Kerley, 744,251

Match box, P. Schick, 744,627

Match safe, F. King, 744,357

Match stick making and racking machine, combined, W. Scharnweber, 744,693

Meat slicer sharpening attachment, W. A. Van Berkel, 744,649

Mechanical drill, G. B. Pickop, 744,396

Mechanical movement, W. H. Voss, 744,444

Mechanical movement, E. A. Faller, 744,520

Milking apparatus, pneumatic, A. Gillies, 744,188

Milking apparatus, teat cup for pneumatic, A. Gillies, 744,189

Mirror decorating and illuminating device, S. G. Doherty, 744,507

Miter box, R. B. Briggs, 744,677

Miter clamp, J. F. Jacobs, 744,555

Moistening device, P. J. Alwart, 744,455

Molding machine, J. Anderson, 744,152

Mop and wringer therefor, combined, E. Hilker, 744,196

Mosquito canopy, B. F. Childress, 744,487

Motor control, device for alternating current, J. L. Davis, 744,053

Motor controllers, time limit device for, F. B. Corey, 744,051

Motor controlling device, C. A. Dresser, 744,178

Mower grass receptacle, lawn, L. Wildermuth, 744,657

Mower, lawn, F. M. Wolfe, 744,661

Mowers, etc., cutting apparatus for, B. G. Palmer, 744,393

Mowing machine, W. N. Whitely, 744,141

Muffler, W. H. Corse, 744,495

Music holder, W. E. Barnard, 744,458

Music rack, R. W. Norton, 744,586

Musical instrument, H. E. Hibshman, 744,546

Musical instrument, mechanical, C. L. Davis, 744,052

Necktie form, J. S. Hull, 744,345

Novelty device, W. M. Hervey, 744,545

Nut lock, R. A. Rehner, 744,108

Nut lock, G. A. Kennedy, 744,205

Nut lock, M. A. Schleich, 744,242

Nut lock, axle, F. J. Grant, 744,335

Oil burner spreader, H. P. Akers, 744,453

Oil can, F. K. Bell, 744,025

Oil for heating purposes, system for burning, Lovekin & Lassoe, 744,373

Oil reservoir or tank, R. H. F. Sewall, 744,694

Ophthalmometer or other tables, W. F. Reimold, 744,613

Ore concentrator, J. W. Pinder, 744,229

Ore concentrator, fine, F. L. Bartlett, 744,021

Ore feeder, L. R. Tulloch, 744,254

Overhead switch, W. Loudon, 744,372

Ozonizer, M. Otto, J. S. Wemyss, 744,096

Package elevator, S. B. Peck, 744,097

Packaging machine, A. Day, 744,172

Packing for spindle bolsters, spring, G. M. Burgess, 744,040

Packing or shipping box, P. A. Reno, 744,405

Paddle wheel, G. L. Hamling, 744,539

Paint and varnish, composition for removing, G. Osborn, 744,095

Paper board creasing machine, J. King, Jr., 744,207

Paper clip, H. E. Gifford, 744,529

Paper cutting device, F. Soennecken, 744,637

Paper cutting machine, N. Gray, Jr., 744,534

Paper from cylindrical cores, machine for removing waste, J. S. Wemyss, 744,140

Paper holder, A. E. Sexton, 744,119

Paper, manufacture of, R. D. Smith, et al., 744,422

Paper, such as toilet paper, etc., device for the containing and delivery of sheets of, E. D. Casterline, et al., 744,047

Paving, J. Heenan, 744,541

Pen, F. M. Kegrize, 744,557

Pen filling device, fountain, L. Fisk, 744,521

Pen, fountain, H. W. Stone, 744,642

Penholder, C. M. Cook, 744,494

Pencil, A. E. Buckingham, 744,474

Phonograph cylinders, apparatus for the manufacture of, A. Haug, 744,339

Phonographic recorder and reproducer, F. Weber, 744,266

Phonographic repeating mechanism, P. Weber, 744,267

Photographic developing apparatus, E. E. Park, 744,602

Photographic plate developing apparatus, J. D. Lyon, 744,376

Photographic printing apparatus, N. H. Brown, 744,039

Photographic reproductive process, E. Ortman, 744,223

Photographic stick stands, handle for, G. Geiger, 744,526

Piano or organ bench, D. Schustek, 744,243

Pianolas or other musical instruments, expression mechanism for, R. W. Pain, 744,227

Pie making machine, H. H. Spring, 744,638

Pile shoe, J. A. Steinmetz, 744,256

Piling, metal sheet, F. N. Kneas, 744,361

Planter, pindal, A. Tyler, 744,648

Planter, potato, G. H. Elmer, 744,181

Plate rack, F. A. Ecker, 744,315

Platen to the line-spacing mechanism, device for adjusting the, A. W. Steiger, 744,425

Pliers and pipe wrench, combination, J. R. Collins, 744,167

Plow, J. Clayton, 744,488

Pocket knife, H. Goldin, 744,064

Pocket or pouch, safety, H. M. Eldred, 744,517

Poke, animal, W. S. Brown, 744,164

Post. See Anchor post.

Printing collapsible tubes, machine for, F. F. Ingram, 744,554

Printing or other machine blanket, R. J. C. Mitchell, 744,090

Printing press, W. A. Logue, 744,371

Printing press gripping device, S. Halvorson, 744,538

Printing, stamping, and embossing press, W. M. Rockstroh, 744,239

Propulsion, means for canal boat, G. H. Mann, 744,378

Pulverizer, H. Moor, 744,381

Pump, I. B. Robertson, 744,352

Pump, automatic, W. F. Carlberg, 744,618

Pump coupling, windmill, C. W. Decker, 744,483

Pump, double plunger, R. Addison, 744,500

Pump, rotary, T. T. Johnston, 744,272

Pumping engine, E. Hill, 744,352

Purse, J. C. O'Shea, 744,547

Quick break switch, H. R. Sargent, 744,392

Rail fastening and tie plate, combined, Polster & Loew, 744,115

Rail joint, A. S. Lanum, 744,606

Rail joint, A. B. Tomlin, 744,212

Rail joint, C. H. Little, 744,262

Rail joint, C. H. Shobert, 744,577

Railway rail clamp, C. A. Sanborn, 744,633

Railway rail joint, J. R. Hubbard, 744,623

Railway signal, M. D. Hanlon, 744,089

Railway signaling apparatus, J. A. Norton, 744,599

Railway signaling system, J. Shoecraft, 744,248

Railway switch, G. C. Calentine, 744,289

Railway system, electric, Embley & Shobe, 744,055

Railway system, electric, Shobe & Embley, 744,247

Railway tie, metallic, R. Black, 744,285

Railways, combined signaling and telephonic intercommunicating system for, Whyte & Edwards, 744,655

Ram for hydraulic jacks, H. J. Rietel, 744,616

Dr. Deimel Underwear

(LINEN-MESH)

If a man tells you he has a cold, ask him what kind of underclothing he wears. He will probably say wool.


Tell him to try Dr. Deimel Underwear and you won't have to ask him how his cold is again.

Booklet telling all about them and the garments may be had

AT LEADING DEALERS EVERYWHERE

BETTER THAN TOYS The EDISON PHONOGRAPH

Thomas A. Edison



The Phonograph is the best present, because of its inexhaustible variety and its educational value.

Edison Gold Moulded Records are immeasurably better than the imitations or the old styles. Go to the nearest dealer's and hear Mr. Edison's latest improvements. Dealers everywhere sell Phonographs.

The Phonograph Art Calendar, 6 beautiful cards, lithographed in 12 colors, size 10 1/2 by 14 1/2 inches, no advertising in sight, sent on receipt of 25 cents at New York office.

NATIONAL PHONOGRAPH CO., Orange, N.J.
NEW YORK CHICAGO SAN FRANCISCO
53 Chambers St. 304 Wash St. 833 Market St.
KUSOFFS: ANTWERP, BELGIUM, 32 Rempart St. Georges.

SAVE MAGAZINE MONEY

Any magazine, periodical, combination or club, at lowest prices—much lower maybe than you believe possible.

Our Large Catalogue, FREE.

Contains a list of about 3,000 periodicals at lowest prices, tells how our system saves you subscription money, and includes much valuable information, that all magazine readers should have. Our 44-page catalogue containing all subscription offers, is sure to interest you. A postal card brings it to your door.

BETTER WRITE TO-DAY.

J. M. HANSON'S MAGAZINE AGENCY
122 HANSON BLOCK
LEXINGTON, KY.

SYNCHRONOGRAPH.—A NEW METHOD

of rapidly transmitting intelligence by the alternating current. A full description of the interesting apparatus of Crehore and Squier. 18 illustrations. SCIENTIFIC AMERICAN SUPPLEMENTS 1114 and 1115. Price 10 cents each. For sale by Munn & Co. and all newsdealers. Send for new catalogue.

Volt Ammeters

Pocket size, but large enough for accuracy and practical use. Various ranges for testing batteries, electric light, telephone and other circuits, etc. Also, Voltmeters and Ammeters for general measurements.

Send for Circular.

L. M. PIGNOLET,
80 Cortlandt Street, New York, N. Y.

HAS NO SUPERIOR FOR HOISTING OR HAULAGE.

"Patent Steel" Wire Rope

BRODERICK & BASCOM ROPE CO.,
ST. LOUIS, MO.


KENT POCKET METERS

Automatic Volt-Ammeter

Is designed and calibrated especially for testing batteries on gas oiline automobiles and launches and for any other use of like capacity. Accurate and substantial. Amperes reading made simply by pressing button. The most convenient and complete battery tester on the market.

Volt-Ammeter \$6.00. Amperemeter \$4.50.

Atwater Kent Mfg. Works, 110 N. 6th St., Philadelphia, Pa.



THE SPECIAL IRON & STEEL NUMBER

OF THE

Scientific American

WILL ISSUE ON

DECEMBER 12, 1903

It will have a Colored Cover
Its Price will be Ten Cents

HERE ARE A FEW OF THE SUBJECTS DISCUSSED:

- Armor Plate and Gun Steel at the Bethlehem Works.
- Recent Improvements in Gun-Making, by John F. Meigs, late of the U. S. Navy.
- Structural Shapes at Pencoyd.
- Tube-Making at McKeesport.
- Rail-Making at the Edgar Thompson Works.
- Steel and Wire at the Donora Works.
- Chain Making at Troy.
- The Growth of the American Steel Industry; Facts and Figures. What Becomes of the 17,281,307 Tons of Pig Iron Made Every Year? The Iron and Steel Number will tell.

Striking pictures never before published, some of them photographs of works which no scientific writer was ever before allowed to enter, will illustrate the text. Each article is based on a personal inspection of the plants described. No more authoritative review of the most important of American industries was ever published

MUNN & CO.,
Publishers of the Scientific American, 361 Broadway, New York.

(Continued on page 398.)

