

HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters or no attention will be paid thereto. This is for our information and not for publication.

References to former articles or answers should give date of paper and page or number of question.

Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all either by letter or in this department, each must take his turn.

Buyers wishing to purchase any article not advertised in our columns will be furnished with addresses of houses manufacturing or carrying

addresses of houses manufacturing or carrying

the same.

Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.

Scientific American Supplements referred to may be had at the office. Price 10 cents each.

Books referred to promptly supplied on receipt of price.

Minerals sent for examination should be distinctly marked or labeled.

(9403) R. C. says: Will you please answer these questions in the "Notes and Queries" column of your valuable paper, the SCIENTIFIC AMERICAN: 1. What would be the result if an electric arc be attached to a 110volt incandescent lighting circuit in a building? Would any fuses be blown or incandescent lamps be burned out? A. An arc has a drop of about 45 volts in it. If the rest of the apparatus covers 5 volts, there will be a drop of 50 volts in the lamp. An arc lamp is rated for ten amperes. This would imply about 5 ohms in the lamp. Now if such a lamp is put directly across a 110-volt circuit, it will take 22 amperes and there will be tablished, and either fuses will give way or fire be set from hot wires. Incandescent lamps may receive a rush of current if there any advantages of electric welding over other methods of welding? A. An electric weld is made in less time than you can describe it. There is no burning, the heat does not extend through the metal, the machine is compact, there is little or no danger of fire, etc. There are many advantages in electrical welding. By it, scrap can be joined up into bars without remelting and forging. The weld is neatly made. 3. Will you explain what is meant by the term carbureter as applied to gasoline engines? A. A carbureter is a device in which air, or coal gas or hydrogen is passed through or over a hydrocarbon liquid, such as naphtha, in order to impregnate it with the vapor of the naphtha. The mixture is then burned or exploded. You will find in Hiscox's "Gas, Gasoline and Oil Engines," which we send for \$2.50, a full description of these apparatus as found in engines. Would there be any induction of current if insulated bell wires should cross insulated electric lighting wires? A. If one wire lies across another at right angles, there will be very little induction from one to the other. If a wire lies along another in which there is an alternating current flowing, there will be a strong induction in the second wire.

(9404) B. B. says: A., who has never been 200 miles north or south of Kalamazoo, claims that in the Arctic Circle the "midnight sun" is to the north and your shadow falls to the south. B., who has been inside the Arctic Circle, Klondyke, etc., claims that he saw the sun to the south and that his shadow fell to the north (midnight, of course). Who is right? A. When the sun is seen at midnight from any place in the northern hemisphere, it is seen to the north above the northern horizon. Thousands go every June to see the midnight sun from Norway. Shadows then fall to the south at midnight. This can only be seen on or within the Arctic Circle. At noon the shadows would fall to the north as usual, since the sun would then be to the south.

(9405) P. D. McC. says: Will you kindly explain through your paper the theory of oil quieting disturbed waters? A. The action of oil on the surface of the sea in a storm in preventing the waves from breaking is explained by the great surface viscosity of oil. It covers the water with a film which is more viscid than the water, and holds the waves from combing and breaking over a ship. The surface of the oil is more tenacious than that of water, and is not readily broken into surf by the pressure of the water from below. We should not express the actlon as quieting the disturbed waters, but as we have done above. The seas still roll, but they are smooth on the surface and do not break over the vessels. Ships can ride the seas with safety in this manner.

(9406) J. W. H. asks: Being an interested reader of your Scientific American. I would ask you for some information through "Notes and Queries." 1. What would be the easiest way of sinking a 5-foot caisson through 8 feet or more of quicksand? I must deepen an irrigating sump pit and have a stratum of quicksand to contend with. I have a 40- soda, dissolved in water with sulphuric acid horse-power locomotive style boller. Would added. To make a battery you should have it be much economy to jacket it? If so, what is the best, and I might say home-made jacket? What gage of iron or steel plate should I use in making a caisson or well curb 5 feet in di- mental Science," price \$5, gives instructions

son through quicksand, pressure should be applied to the top of the caisson to continually force it a little below the sand bottom in order to protect the workmen or appliances in excavating the sand within the caisson. Studding may be set around and resting on the top of the caisson, extending above the top of the well and loaded with sufficient weight to sink the caisson while the excavation is progress A sand pump or any convenient device ing. may be used for removing the sand. A moderate pumping of the well may be done to relieve the resistance at the bottom of the caisson by inflow of the sand, which if too free, should be stopped by keeping the water at full height. The caisson may be made of oak or cypress staves with hoops on the outside and angleiron bracing hoops on the inside, or may be made of three-sixteenths iron or steel with angle-iron hoops on the inside for bracing. There is considerable economy in the jacketing of your boiler and for home-made work we recommend to inclose the sides with an 8-lnch brick wall to just above the center line of the shell and under the smoke jacket and front to make an air-tight chamber, then plaster the top of the boiler with ashes or sand and as little clay as will make a light plaster. Asbestos felt plaster would be better and would stick to all parts of the boiler, requiring no brick walls.

(9407) G. A. B. says: 1. Why is it you can place the hand without its being burned, on the bottom of a vessel containing boiling water and as soon as the water ceases to boil the hand will suffer a severe burn? A vessel containing boiling water can usually be held on the hand if the person has a good thick skin from labor or exercise, for a short time; just about long enough for the water inch and the substitution therefor of the millito stop boiling. If the bottom of the kettle trouble directly. A short circuit will be es- is covered with soot, which is a non-conductor of heat, it can be held longer than if it is clean metal. We do not think the fact that the water ceases to boil about the time the on the same lines and be burned out. 2. Are burn is felt has anything to do with the burn; it is a coincidence, merely. 2. Why is it that water boils, seemingly, easier in an old tin vessel than in a new one? A. Water boils sooner in a kettle with a rough, unpolished bottom than in one with a smooth, polished bottom. Hence it boils easier in an old tin than in a new one. 3. Why can you cut glass with shears under water? A. When glass is cut under water with shears the water seems to take the shock and hold the glass, so that the glass is chipped off without cracks running across it as we ordinarily see them do. 4. Is the temperature of steam at the bottom of the liquid boiling at a higher temperature than or no, the reader can scarcely doubt his earnest that at the surface? Does the temperature of the steam on the bottom vary with the depth of the liquid? Else what has the superincumbent liquid to do with the vapor pressure? A. Boiling takes place when the saturated vapor has a pressure equal to the atmos pheric pressure at the time. Since the elasticity of the vapor is then the same as that of atmosphere, the vapor may be formed any where within the mass of the liquid. The bubbles formed below the surface rise through the liquid and the act is called boiling. Unless the fire is very hot, the entire mass, kettle and all, is of the same temperature, that of the boiling point of the liquid. We do not under stand that the depth of the liquid influences the temperature of the boiling point to any extent. 5. Is there any truth in the state ment that liquids when hot and thrown into present book seems well calculated to supply the air on a cold day will fall frozen, while this want. After treating of the method of liquids not heated will not do so? A. Water that has been boiled and by this means deprived of its contained air, freezes more easily than water in its natural condition. But it must be extremely cold for water which is thrown into the air to fall in the frozen condition. It hardly seems credible, though water blown as spray often freezes as it strikes upon some surface. These drops are quite minute and the water is already at its freezing point when it strikes. 6. Why will not the leaves of an electroscope (gold leaf) remain diverged? Is there a remedy for it? A. An electroscope should have its metallic parts quite smooth, clean and free from dust; it then ought to retain a charge for several minutes if the air of the room is reasonably dry. The glass of the instrument should be clean and dry also. We know of no other remedies for an electroscope which does not retain its an art that of late years has grown in imcharge. 7. What could cause an electrolytic machine to cease working, after a few minutes? Could anything save a farl in potential cause studied the construction of fish weirs and this? A. You ask, "What could cause an electrolytic machine to cease working?" We take It that you intended to write "an electrostatic machine." These machines easily lose their These machines easily lose their charge by the action of the air, dampness principally. The remedy is to have the plates in a glass case and keep calcium chloride in the case to absorb the moisture. Even then, there may be occasional trouble. two second-class conductors with one firstclass conductor would make a voltaic one? A. For a voltaic cell, use zinc as the positive plate, and carbon for the negative plate. The liquid may be either ammonle chloride dissolved in water, or bichromate of potash or specific instructions. Our Supplement No. 792 described a very fine battery for lectures

and students' experiments. Hopkins's "Experi-

ameter? A. For deepening a well with a cais- in almost everything which a person engaged the method of operation, while generally slighthis work.

NEW BOOKS, ETC.

THE MECHANICAL ENGINEER'S REFERENCE Воок. By Henry Harrison Suplee, B.Sc., M.E. Philadelphia: J. B. Lippincott Company, 1904. 16mo.; pp. 834. Price, \$5.

Of making many engineer's pocket books there is no end, but it is seldom that we are favored with one which stays on the editor's desk for constant reference. Mr. Suplee has shown a large grasp of the subject and has performed his task in an exemplary manner, and we consider that it is indispensable to every one who is in any way concerned with mechanical engineering, or civil engineering for that matter. It is impossible to note the individual contents, but it is safe to assume that practically all the engineering data that are required are at hand. The book is a labor saver, and the "short cuts" are excellent. The book has thumb indexes, and is substantially bound. It is worthy of an extended sale, and we do not doubt that it will be a most welcome addition to the library of the engineer, old or young.

THE METRIC FALLACY. By Halsey and Dale. New York: D. Van Nostrand Company, 1904. 8vo.; pp. 231. Price,

The chief points which the writer endeavors to maintain are these: That, as shown by the A. experience of other countries, the changing of a people's system of weights and measures is a task of enormous difficulty, attended by widespread confusion; that the retirement of the meter involves the destruction of all mechanical standards; that the prosperity of foreign trade in nowise requires the adoption of the metric system as a basis of manufacture; tha the system has for industrial purposes no such superiority as is claimed; and that the claims for the saving of time in calculations and in the school life of children are completely negatived by the certainty that, here as else where, the old units will persist in use and must be learned; that the confusion which is said to exist in our weights and measures is a fiction; that, measured by the number of units in common use, and by their uniform value in all sections and all industries, we have the simplest and most uniform system of weights and measures in the world. Whether Mr Halsey's arguments are sufficiently strong and well presented to convert the pro-metric mind ness and sincerity. Mr. Dale's contribution to the work is an exhaustive consideration of "The Metric Failure in the Textile Industry. It shows knowledge and research, makes inter esting reading, and is certainly worthy of notice as an able presentation of "the other side of the question."

VERWERTUNG DES SPIRITUS TECHNISCHE ZWECKE. Von Prof. Dr. N. Wender. Mitt 88 Abbildungen. Large 8vo. Price, \$1.50.

Low-grade alcohol is destined to become or great industrial value as an engine fuel. Up to the present time there has been no work in German in which the technical utilization of alcohol has been discussed with anything like the thoroughness technologists demand. The present book seems well calculated to supply utilizing alcohol in various countries, the author describes methods of producing alcohol, alcohol illumination, alcohol cooking and heating apparatus, alcohol motors and loco-mobiles. In a brief chapter the author reviews the utilization of alcohol in chemical industry.

FISCHWEGE UND FISCHTEICHE. Die Arbeiten des Ingenieurs zum Nutzen der Fischerei. Von Paul Gerhardt. 142 illustrations. Leipzig: Wilhelm Engelman, 1904. 8vo.; pp. 147. Price, \$2.

Since the publication of H. Keller's "Die Anlage der Fischwege," in 1885, no notable scientific book on what may be termed the engineering side of fishery work has been published. The present book is, therefore, rather a timely addition to the literature of nortance Mr Gerhardt has confined his investigations not merely to Germany. He has ponds abroad, and has made many an interesting comparison with similar structures of his own country. His book may well be considered an excellently prepared scientific treatise on a subject which in this country has been discussed, so far as we know, only in the reports of the United States Fish Commission.

CLEAN CHIMNEY. The Economical Burning of Coal Without Smoke, with Especial Reference to the Use of Washed Coal. By A. Bement, Member American Institute of Mining Engineers, etc. Published for private circulation by Peabody Coal Company, Chicago, 1904. 8vo.; pp. 48.

The efficiency or inefficiency of bituminous coal is generally supposed to depend almost entirely upon the chemical characteristics of the coal and the construction of the apparatus used in consuming it. As a matter of fact, Cigarette box. A. A. Brown 761,576

in teaching needs to enable him to carry on ed, is also of high importance. It has been the aim of the writer to show how the costly evils of incomplete combustion, the loss of coal and coke removed in the ashes, and the escape of heated gases, may be remedied by scientific operation and manipulation. The chapter setting forth the valuable features of "washed" coal deserves the careful consideration of firemen, engineers, and proprietors,

> CHEERFUL AMERICANS. By Charles Battell Loomis. New York: Henry Holt & Co., 1903. 8vo.; pp. 300. Price, **\$**1.25.

"Cheerful Americans" is a volume of short stories in Mr. Loomis's usual cheerful style. All the yarns have appeared at different times in different well-known periodicals, and are here collected and reprinted for the delectation of Americans who are already cheerful, and the conversion of those who are not. The humor is of the quiet, good-natured kind, dependent as much on character as on situation. The fads and follies of humanity are sketched for our amusement, but there is nothing caustic or cynical in the manner of their presentation. Well-executed drawings by popular illustrators heighten the enjoyment of the reader.

INDEX OF INVENTIONS

For which Letters Patent of the United States were Issued for the Week Ending May 31, 1904.

AND EACH BEARING THAT DATE

[See note at end of list about copies of these patents.]

i-		
i- n	Achroo dextrin, making, G. Reynaud Acid from beet-root molasses and making same, organic, H. Schrader Adding machine signal, F. A. Cottrill Adhesive melting and distributing apparatus,	761,542
e	Acid from beet-root molasses and making same, organic, H. Schrader	761,412
t	Adding machine signal, F. A. Cottrill	761,149
h		
s	Air brake, railway automatic, Flanders & Carlson Air brake, vehicle, W. W. Walter. Air compressor, H. M. McCall Alarm system, heat actuated, C. E. Buell. Angle iron bending machine, Vogel & Finck Apparel attached pipe, I. C. Clark. Autographic register, E. J. Barker. Automebile, F. E. Grout Baby walker, B. Leininger Bale tie machine, R. L. Johansen. Baling press tying attachment, R. S. John- son Balloon, steering, P. Delbert Ballot box, W. M. Teeter Bank, trick savings, A. Rosedale Barber's chair attachment, A. D. Kandle. Battery. See Storage battery. Bearing, roller, A. A. Lowry Bed or couch and bath, combined, F. R. Buck Buck Bell, P. C. Arnold	761 916
n	Air brake, vehicle, W. W. Walter	761,618
y	Air compressor, H. M. McCall	761,598 761,198
)- .a	Angle iron bending machine, Vogel & Finck	761,429
d s	Autographic register, E. J. Barker	761,436
a	Autometile, F. E. Grout	761,295 761,514
s	Bale tie machine, R. L. Johansen	761,231
n	son	761,305
e	Balloon, steering, P. Delbert	761,062 761,338
s	Bank, trick savings, A. Rosedale	761,254
•	Barber's chair attachment, A. D. Kandle Battery. See Storage battery.	761,232
d	Bearing, roller, A. A. Lowry	761,084
d	Bed or couch and bath, combined, F. R. Bulck Bell, P. C. Arnold Belt guide and shifter, Ruth & Jones. Belting, E. Magaldi Bevel and square, combined, E. G. Tague. Boiler, A. A. Ball, Jr. Boller, W. R. Macklind Boiler, A. J. Peet Bookcase, L. W. Luellen Bookcase, knockdown sectional, J. Richards	761,443
0	Bell, P. C. Arnold	761,128 761,545
f	Belting, E. Magaldi	761,519
,,	Bevel and square, combined, E. G. Tague Boiler, A. A. Ball, Jr	761,336 761,130
-	Boller, W. R. Macklind	761,313
f	Bookcase, L. W. Luellen	761,394 761,312
r	Bookcase, knockdown sectional, J. Rich-	761 103
	Book leaf margin cutting, W. L. Jacobs .	761,299
R	Book, manifolding, N. A. McDonald	761,244
•	Book mark, F. J. Tack	761,556 761 142
١.	Bookease, knockdown sectional, J. Richards Book leaf margin cutting, W. L. Jacobs Book, manifold sales, J. S. Holmes. Book, manifolding, N. A. McDonald Book mark, F. J. Tack Book or pad, manifold, H. P. Brown Boring machine, D. Hepp Bottle, non refillable, S. M. Carriker. Bottle, non refillable, T. J. Irwin Bottle, non refillable, T. J. Irwin Bottle, non refillable, E. H. Davis Bottle, non refillable, J. Dorlot. Bottle, non refillable, T. C. Rhodes. Bottle washing machine, W. E. Brown Box, B. vom Eigen	761,171
	Bottle, non refillable, S. M. Carriker Bottle, non refillable, I. I. Fonda	761,060 761,2 92
f	Bottle, non refillable, T. J. Irwin	761,298
p	Bottle, non refillable, J. Doriot	761,364
n	Bottle, non refillable, T. C. Rhodes Bottle washing machine, W. E. Brown	761,543 761,442
f	Box, B. vom Eigen	761,461
e e	Bracelet, T. W. Johnson	761,589
y	Brake, J. W. Tapp	761,337 761 418
f	Broom holder, H. D. Harris	761,168
e	Brush attachment, G. Mielenhausen Brush, tooth, A. F. Blanchard	761,522 761,193
١,	Bucket latch, tramway, B. C. Riblet	761,609
d	Bottle washing machine, W. E. Brown. Box, B. vom Eigen Box, Wright & Wade Bracelet, T. W. Johnson Brake, J. W. Tapp Brick, fire, F. W. Shupert et al Broom holder, H. D. Harris Brush attachment, G. Mielenhausen Brush, tooth, A. F. Blanchard. Bucket latch, tramway, B. C. Riblet Building construction, steel, H. G. Hodgkins Bung, P. P. Menard Bung hole borer, Pfluger & Christensen Buoy recorder, bell, J. A. Fairbanks. Burner, T. Stites	761,241
- -	Bung hole borer, Pfluger & Christensen Buoy recorder, bell, J. A. Fairbanks	761,397 761,630
ì	Burner, A. Piat Button and tie holder, combined collar, J.	761,331 761,604
•	Burner, A. Piat	
	B. Weaver	761,118 761,544
ı	Calipers, micrometer, F. Spalding	761,544 761,328 761,474
	Button and the holder, combined collar, J. B. Weaver Button making machine, E. Rosenwald Calipers, micrometer, F. Spalding Camera, H. Goodwin Can capping machine, C. B. McDonald Can lifter, A. G. Beck Cans, etc., vacuum machine for, C. B. McDonald	761,093
1	Can lifter, A. G. Beck	761,136
	McDonald	761,092
Į	Car, S. M. Curwen761,626 to	761,309 761,628
e	Car, combination stock, coal, and coke, G.	761,550
e	Car, convertible, H. E. Haddock	761.296
e	Car coupling, automatic, A. J. Beard	761,537 761,056
1 . i	Car draft and huffing rigging, railway, R.	
ť	Car, dumping, W. Giesecke	761,158 761,161
-	Car fender, O. Thibault	761,421 761,557
-	Car fender, R. G. J. Sandifer	761,612
3	Car haul, F. V. Hetzel	761,263 761,484
1	Car, mining, A. Stucki	761,166 761,264
3	Car roofs, means for attaching flexible roof-	761,138
1	Car safety apparatus, railway, S. H. Short	761.417
1	Car trunnion and sash lock, E. S. Bucknam	761,536 761.355
-	Carbonating apparatus liquid W I Voung	761.355 761,262 761.434
3	Carbureter, explosion engine, R. E. Olds.	761,434 761,392
	ner Gess-	761,470
ı	Carding machine, C. Surprise	761,427
1	ting and beveling sheets of, C. Johnson.	761,077
f ;	Carpet stretcher, W. Andres	761,467
-	Carpets, etc., fastener for, J. P. Hull	761,174 761 119
-	Carriage top bow support, E. W. Wright.	761,281
e	Cart, ash, J. Altschul	761,126
- I	Cash register box, E. O. Bathen	761,135 761,225
	Cattle guard, W. Houghton	761,074
	Cheese box, C. T. & F. P. Smith	761,115 761,552
e l	Chuck for bolding sockets, J. E. Baines.	761,348 761 121
3	Card clothing for napping machines, D. Gessner Carding machine, C. Surprise Cardobard or the like, apparatus for cutting and beveling sheets of, C. Johnson. Carpet fastening, D. T. Foley Carpet stretcher, W. Andres Carpets, etc., fastener for, J. P. Hull. Carriage, folding baby, A. B. Todd Carriage, folding baby, A. B. Todd Carriage to bow support, E. W. Wright. Carrier. See Trace carrier. Cart, ash, J. Altschul Cash register box, E. O. Bathen Catheter, I. F. Kepler Cattle guard, W. Houghton Centerboard, C. B. Wainewright. Cheese box, C. T. & F. P. Smith Chuck for bolding sockets, J. E. Baines. Churn, A. C. Willis Cigar cutter and match safe, combined, P. Seiler	701,121
. 1	Seiler A A Brown	101,047 781 874

Wood-working Machinery

For rioping, cross-cut-ting, initering, grooving, borling, scoll-sawing, edge moulding, mortising: for working wood in any man-ner. Send for catalogue A. The Seneca Falls M'1'g Co., 695 Witter St., Seneca Palls, N. Y.




THE TOOLS & SUPPLIES

Veeder Counters

to register reciprocating movements or revolu-tions. Cut full size.

Booklet Free VEEDER MFG. CO.

Hartford, Conn. Cyclometers, Odometers, Tachometers, Counters and Fine Castings.



THE OBER LATHES




For Turning Axe. Adze Pick, Sledge, Hatchet. Hammer, Auger, File, Knife and Chisel Handles, Whiffletnees, Yokes, Spokes, Porch Spindles, Stair Baiusters Table Whitnetrees, Spindles, Stair Balusters Tame and Chair Legs and other irregular

Send for Circular A.

The Ober Mfg. Co., 10 Bell St., Chagrin Falls, O., U.S.A. HIGHEST GRADE GREY IRON CASTINGS For Gasoline Engines and Cylinders All kinds of Automobile Castings.

FRONTIER IRON WORKS, 2 Auburn Ave., Buffalo, N. Y





Marine Motors

If you want a Gasoline
Motor, with all the good
points and none of
the bad, buy a
"RELIABLE"

Either jump or make and break Spark. Boston Gasoline Engine Co. 134 Broad St., Boston, Mass.

TAKE THE NICKEL PLATE ROAD FOR THE ST. LOUIS FAIR.

Lowest Rates and many unusual privileges. Special \$15.00 rate on certain dates. Full information on application to local Agents, or R. E. Payne, General Agent, 291 Main St., Buffalo, N. Y., or A. W. Ecclestone, D. P. A., 385 Broadway, New York.



Angle Benders

we make hand-power benders for forming an-gles in stock lin. thick and under. Light stock can be bent cold.

WALLACE SUPPLY COMPANY 910 Royal Insurance Building, CHICAGO

THE MIETZ & WEISS KEROSENE



1 to 60 H. P. and GAS ENGINE burns KEROSENE cheaper and

ELECTRO MOTOR, SIMPLE, HOW TO make.—By G. M. Hopkins. Description of a small electric motor devised and constructed with a view to assisting amateurs to make a motor which might be driven with advantage by a current derived from a battery, and which would have sufficient power to operate a foot lathe or any machine requiring not over one man power. With 11 figures. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 641. Price 10 cents. To be had at this office and from all newsdealers.

STEAM HEATERS For Manufacturing and Laboratory Purposes

Made with finished surface in various sizes.

J. A. STOWELL CO. Leominster _ _ _ _ Mass

Lackawanna Motors



are Simple and Valveless Easy to start and easy to operate.
For automobiles and launches.

31924 H.P.
Cut shows Lackawanna Reversing
Device attached to our 6 H. P. marine
motor. No reversing gear necessary

LACKAWANNA MOTOR COMPANY 51-61 Letchworth St. - - Buffalo, N. Y.

FI DRILLING **Machines**

ver 70 sizes and styles, for drilling either deep or llow wells in any kind of soil or rock. Mounted wheels or on ails. With engines or horse powers. one simple and durable. Any mechanic can rate them easily. Send for catalog.

WILLIAMS BROS., Ithaca, N. Y.

Circuit controller, manual and automatic, W. L. Denio dicator for high voltage, E. E. Woodbridge 761,289 (Clamp, E. E. Aircs 761,280 (Clamp, E. E. Aircs 761,280 (Clamp, E. E. Aircs 761,282 (Clarifing and filtering apparatus, D. L. 761,187 (Clock case, W. J. Daly 761,162 (Cloth steaming machine, E. Gessner 761,471 (Clock case, W. J. Daly 761,162 (Cloth steaming machine, E. Gessner 761,471 (Clothese system for operation of magnetic, A. C. Eastwood 761,469 (Caster brake, F. O. Bullis 761,577 (Coin pocket attachment for envelopes, etc. W. H. Coleman 761,577 (Coin pocket attachment for envelopes, etc. W. H. Coleman 761,562 (Coke oven, J. S. Maxwell 761,521 (Coke quenching apparatus, C. S. Price 761,527 (Coke quenching apparatus, C. S. Price 761,251 (Comercial security, J. Dunne 761,221 (Concrete and metal structure, R. A. Cummings 761,287 (761,288 (Concrete structure mold, D. W. Boyes 761,141 (Confessional service, H. La Prise 761,307 (Core drill, F. Stone



The Darlington Disaster

could not have happened had Seaboard Cast Steel bas, columns and caps been used instead of cast iron. Our metal averages 10,000 tensile, is true to pattern, solid and reliable. It will stand any strain that can be put upon it in building work.

SEABOARD STEEL CASTING CO., Chester, Pa.











THE AUTOMOBILE THE MERKEL MOTOR CYCLE


For pleasure or husiness is quickest, most convenient, safer and cheapest. Long rides made without tiring yourself.

Durability, simplicity and economy are combined in the Merkel.

Write for our Free Bookiet. THE D. MERKEL MFG. CO., Milwaukee, Wis. Factory, Layton Park,

Patents, Trade Marks, COPYRIGHTS, etc.,
Address MUNN & CO., Solicitors of Patents.
Office of the SCIENTIFIC AMERICAN
361 Broadway, New York.
Branch Office: 625 F St., Washington, B.C.
Hand-book Sent Free on Application.






A NEW BIRD'S EYE VIEW OF LAKE WINNIPESAUKEE PUBLISHED BY THE BOSTON & MAINE R. R.

THE BOSTON & MAINE R. R.

The numerous vacationists who annually journey to Lake Winnipesaukee, and those persons intending to take a vacation in this section, will be interested in the new publication issued by the Passenger Department, Boston & Maine Railroad, Boston. It is a Bird's Eye View of Lake Winnipesaukee, the different glens and coves on the lake and the hundreds of islands. Each mountain peak, island and cove is numbered, and at the bottom is a table giving the name of each number. This map is interesting and useful in furnishing one with the geography of the lake, and prospective vacationist and New Hampshire enthusiasts should send six cents in stamps to the General Passenker Department Boston & Maine Railroad, Boston, for it.





GASOLINE

Marine Engines

Improved. Simple. Reliable, Economical, Substantial. Prices Right. Guaranteed. Write for Catalogue. Built by

PENNSYLVANIA IRON WORKS CO., Philadelphia, Pa. and 136 Liberty St., New York. U.S. A.







Muscular Children Irish Mail

A strongly finit, sporty little hand as that thrings all muscles into play, overtaxes new. Endowed and recommended by phosicians. Assumment NAFR. Let et fau? for box and girls. Rubber theil.


Write for illustrated booklet FREE.


THE STANDARD MFG.
2553 IRISH MAIL STREET

AND GIBBS. REGISTRATION AND GROWN AND









66327 Buildings in the United States were lighted by **ACETYLENE in 1903**

These consisted of Residences, Stores, Factories, Churches, Institutions, Hotels, etc.—mostly outside of large cities.

> You will be especially interested in our new book of facts regarding the latest adaptation of this great illuminant to your own personal use, which is sent free on request.

> > Union Carbide Co. 154 Michigan Avenue, Chicago 39 Broadway, New York

Works at Niagara Falls, N. Y. and Sault Ste. Marie, Mich. Distributing warehouses in all parts of the United States.

Acetylene is "Artificial Sunlight."



Tryan INDIA. Guaranteed to give satis-

512e. By Mail, 4½x1½x½ \$0.50 3x1x½ By Mail. Send for Price List THE PIKE MFG. CO. - PIKE, N. H.
New York Store, 151 Chambers Street

Let Us Show You

how to save hundreds of dollars every year by keeping your boilers free from scale. We will loan you free of cost, for a thorough trial in your boiler, a Dean



Boiler Tube Cleaner. Don't delay but accept this trial offer at once. If you don't like the cleaner we take it away.

WM. B. PIERCE CO.

319 Washington Street, Buffalo, N. Y.

MR. MANUFACTURER-

Our long suit is helping. Helping to reduce your steam cost. With coal at its present price, and competition where it is, would you like our booklet? Tells how we go at it; our terms and some other things. It's yours for the asking.

THE G. M. PARKS CO. 345 Main Street, Fitchburg, Mass.

IF YOU NEED A GOOD OILSTONE With This Tool You Will Always "HIT THE COMBINATION SQUARE"

Carpenters' Combination

Center Head Equipment ?

Well made, well finished, and will stand the test for accuracy. It is indispensable for the carpenter's kit. GOODELL-PRATT COMPANY





THE BEST LIGHT

COSTS 2c # WEEK Gives more light than

6 Electric Lights or 10 Kerosene Lamps A brilliant, pure white steady light. Conforms to insurance underwriters' rules.

No Smoke-No Grease-No Odor Safe as a candle. Send for catalogue. Agents wanted. Liberal Commission Exclusive Territory THE BEST LIGHT CO. 87 E. 5th St., Canton, Ohio.




Brushless Painting

The old way of covering a large surface with paint or whitewash, was with a brush. The improved method of applying paint, shingle stain or whitewash is with Patton's

Aereo-Painter

A remarkable invention. Simple in construc-A remarkable invention. Simple in construc-tion. No complicated parts to get out of order. Requires no experience to use it successfully. Saves time and money. Adapted for both out-side and inside work. The 25 feet of hose and 7-foot nozzle pipe, reaches any part of a building without the use of scaffold or ladder. Send for free descriptive circular.

> PITTSBURGH PLATE GLASS CO. PATTON PAINT COMPANY 227 Lake St., Milwaukee, Wis-







You Drink Down Disease



water that has not been filtered. Impurity lurks in it. Germs of disease cannot be seen, but they cannot pass through the cele-brated

Berkefeld Filter because it is so scientifically constructed as to suppress every atom of solid matter in the water, thoroughly purifying it. Will give one gallon of pure water in 4 minutes. Ne trouble to clean or keep in order.

BERKEFELD FILTER CO., 4 Cedar Street. New York



Their Origin and Development.—An important series of papers giving a historical resume of the rotary pump and engine from 1888 and illustrated with clear drawings showing the construction of various forms of pumps and engines. 38 illustrations. Contained in SUPPLEMENTS 1169, 1110, 1111. Price 10 cents each. For sale by Munn & Co. and all newsdealers.

STIMULATION without IRRITATION



EVANS VACUUM CAP CO.

EVANS VACUUM CAP CO.

5. LOUIS OFFICE, Fullerton Building.

NEW YORK OFFICE, 1300 Broadway.

NEW YORK OFFICE, 1300 Broadway.

Statistication number of demonstrations free to satisfy them as to the need to the tax of the company.



Cobaugh 761,582

Textile materials, oiling and finishing, R.
S. J. & F. R. Carmichael. 761,203

Therapeutic purposes, apparatus for producing an alternating magnetic field for, E. Buhtz 761,199

Thermostat and reversing valve, F. W. Robertshaw 761,402

Tire cover, pneumatic, T. Houben 761,491 Robertshaw 761,402
Tire cover, pneumatic, T. Houben 761,491
Tire fastening device, Dickey & Derry 761,457
Tire, vehicle, J. A. Swinehart 761,335
Tires, infiating pump for pneumatic, N. F.
Canepa 761,461
Tobacco stem crushing machine, E. Quester 761,101
Tongue support, vehicle, C. H. Chapman 761,206
Tool, combination, Wagniere & Van Alstyne 761,272

now
Tube expanding, beading, and cutting tool,
H. G. Lykken
Tube or flue cleaner, T. J. Hart

TION without IRRITATION

Means New Life to the Scalp.

The Evans Vacuum Cap gives the scalp as thorough massage and encourages a free and healthful circulation without rubing and without the use of drugs or irritants. It will stop hair from falling out and restore a normal growth where live folicies exist. The Cap is used about ten minutes live as day and its effects are plessant from the very beginning. We will refund your money in full if results are not satisfactory money in full if results are not satisfactory in which is the convenient to call at our offices we will make ro demonstrations free to satisfy them as to the nuce.

OUR ROTARY MEASURE

Is simply a revolving rule. The wheel is graduated into sixteenths same as the comment foot rule, the dial indicates and notice foot rule, the dial indicates and notice foot rule, the dial indicates are not satisfacted and half feet, the dial indicates and notice for our red or straight work etc. It is in a class all its own foraccuracy and speed. Circular?

STECKENREITER MFG. CO. 33N W. OSTA STEEPER, New York**

TION Without IRRITATION

**Head of the cleaner, T. J. Hart (761,268

Turbine, cleastic fluid, T. G. E. Lindmark, 761,248

Turbine, elastic fluid, T. G. E. Lindmark, 761,228

Turbine, elastic fluid, T. G. E. Lindmark, 761,228

Turbine, elastic fluid, T. G. E. Lindmark, 761,248

Turbine, elastic fluid, T. G. E. Michael fluid, T. G. Turbine, elastic fluid, T. G. E. Michael f

"Let Us Put You On the Right Track"


Send for full information about the ideal road that is free from ruts and constant repairing; that costs less than stone roads, lasts longer and is always in good condition and not dusty or

The Steel Highway Track

is better for the taxpayer (less taxes) and better for horses and all vehicles.

One horse on a Steel Highway Track can pull as heavy a load as six horses on a good macadam road, or twelve horses on a good gravel road.

This means less wear and tear on the road and wagon and harness, less exertion for the horse, greater speed for the wagon or any kind of vehicle.



This picture hows the Steel Highway Track. Every part of it is interlocking and 🖁 practically indestructible.

Write for booklet A that tells all

Steel Highway Track Construction Co.

114-118 Liberty St., New York

758 Drexel Building, Philadelphia

Low-Priced Electric Wagons



Double Motor Equipment Direct Double Chain Drive

THE AUTO-CAR EQUIPMENT CO.

BIG PAYING BUSINESS For MEN.
Write for names of hundreds of delighted customers. Make 80 to 850 delighted or traveling, all or spare time.
Selling Gray outiles and floing senuine gold, silver, nickle and metal plating on Watchen, Jawelry, Tablaware, Bicroles, all metal goods. Enavy plate. No criperience, quickly learned, Enormous demand.
No toys or humbug, Outiles all sizes, Everything guaranteed. Let waterly you. We fresh you FREE. Write today H. GRAY & CO., CINCINNATI, O.

Eclipse Pocket Ammeter
for general battery testing. 0 to 20 amperes.
Flexible cord attached and contact spur in case, which is drawn back into case, when carried in pocket.
Size of watch and very "participality. Can be need in any position. The position of the case of t any position. Parlicularly designed for Auto use. Frice \$5.00.

FLUREDGE FLECTRIC MFG. CO. 227 Main St., Springfield, Mass.



PALMER BROS., Cos Cob. Conn. New York Office, 136 Liberty St.

IT'S TIME FOR ELECTRIC FANS


Many a business man working during the hot summer days under the cooling breeze of an electric fan has dreaded going home at night, because his house is not wired for electric lights and he has no cooling fan. An Edison Battery Fan Motor Outfit, operated by Edison Primary Batteries, will make his nights and Sundays as comfortable as his working hours. All electrical houses sell them. Write for Catalog 23F.



EDISON MFG. COMPANY Factory Orange, N. J.

NEW YORK 83 Chambers Street

CHICAGO 304 Wabash Avenue





The development within ten years of Scientific BUSINESS

The development within ten years of Scientific BUSINESS

The development within ten years of Scientific BUSINESS SYSTEM

The development within ten years of Scientific BUSINESS SYSTEM marks a new yocation for bright young men; many are now employed by the several firms of high reputation who make it a business (not of auditing) but of systematizing factories and stores from receipt of goods or raw material to output. Others who have learned the principles of Modern Business System are filling lucrative positions in factories or stores. The demand for men so trained greatly exceeds the supply. We teach nothing taught in commercial colleges but something entirely different that will command the attention of any employer. For full particulars address

BOSTON SCHOOL OF BUSINESS SYSTEM

BOSTON SCHOOL OF BUSINESS SYSTEM 227 Washington St., Boston, Mass., Dept. B.

Business Directory of Cuba for 1904 and 1905

The 10th Edition of this Directory is now ready for delivery. It contains a complete and accurate list of names and addresses of all business bous-s, professional men and owners of sugar plantations. It is arranged on the plan of American directories of the same character, It will be found of great value to Manufacturers and Dealers in all kinds of goods. Heading of trades in Spanish and English. Pages of the book, near 1500. Price \$5.50. delivered in any part of the country by express. Address FELIX REY de CASTRO, 17 & 19 Broadway, New York City.





Send For It To-Day

Montgomery & Co.'s Tool Catalogue The new edition has 704 pages and is opiously illustrated. Pocket size 64x ins. Sent by mail for 25c.

MONTGOMERY & CO., 105 Fulton St., New York City.



Easier, need attention only part of time, bring hig prices. Raised in one month. Attractive for poultrymen, farmers, women. Send for FREE HOGK LET and learn this immensely rich home industry.

289 Atlantic Ave., Boston. Mass



The Franklin Gas Engine
One-Half Horse Power
worth \$100 complete. We sell all necessary castings, m terials and detail drawings for \$16.55. For reg lwork-not a toy. 450 revolutions per minute. Upright or norizontal form. Finished parts sold separately. Runs by gas or gasolene. For boys and men with a mechanical turn. Write for circular 9.

PARSELL & WEED
129-131 West 31st Street. New York.



MODEL SHIRT CO., 30 Century Hullding, Indianapolis, Ind. 50 Years' Experience

Designs, Copyrights, Etc. Anyone sending a sketch and description may quickly ascertain our opinion free whether an invention is probably patentable. Communications strictly confidential. Handbook on Patents sent free. Oldest agency for securing patents. Patents taken through MUNN & Co. receive Special Notice, without charge, in the

A handsomely illustrated weekly. Largest circulation of any scientific journal. Terms, \$3 a year; four months, \$1. Sold by all newsdealers

MUNN & CO.361 Broadway, NewYork Branch Office 625 F St. Washington, D. C.

_	Vehicle top spring support, E. G. Martin	761,239
		761,075
W		
	Vending machine, F. J. Beier	761,351
	Ventilating, heating, and cooling apparatus,	
8	C. Cluthe	761,581
	Ventilating system, W. S. Rogers	761,405
	Violin, J. A. Heckenbach	761,480
rá		
77	Voting machine interlock, C. Christensen.	761,358
v	Wagon body clamp, E. H. Dewes	761,456
ข้า		761,261
ő	Wagen, dumping, L. Field	761,464
9.,		,
		761,476
1 id		101,410
	washer. See Dish washer.	
и	Washing machine, J. C. McCulley	761,532
	Washtub cover, stationary, P. W. Casler.	761,147
	Washing machine, J. C. McCulley Washtub cover, stationary, P. W. Casler. Water closet flushing apparatus, A. La	
-	Bonte	761,509
1	Wave receiver Shoemaker & Giddings	761,258
	Woothowproof pole switch C H Inckson	761,236
	Weather proof pole switch, C. H. Jackson. Weather strip, W. J. Perry Weighing hopper, E. W. Lindquist	761,395
	weather strip, w. J. Perry	161,395
	weighing hopper, E. W. Lindquist	761,515
	Weighing machine, automatic, G. Hoep-	
	ner	761,587
	Weighing verifier, coin controlled, A. A.	•
	Caille	761,144
	Weight testing machine, E. A. Smith	761,614
	Windmill swivel, S. E. & S. W. Burke.	761,143
	Windmin swiver, S. E. & S. W. Burke	
	Wine, etc., concentrating, E. Monti	761,387
	Wire onto spools or shuttles, apparatus for	
ď	winding, G. H. Berthelot	761,283
ı	Woodworking machine, N. J. Hutchinson	761,492
	Wool fat, recovering, C. E. Swett	761,265
	Woven fabric, W. M. Stevenson	761,554
	Wrapper, J. J. Hinde	761,172
4	Wrongh W A Storgart	761,110
d	Wrench, W. A. Stewart Wrench, N. W. Kahle Wrench, J. Sauer	
	wrench, N. W. Kable	761,383
	Wrench, J. Sauer	761,411
	Wrench, Wagoner & Adams	761,431
	l	
	<u> </u>	

DESIGNS.

Car body, motor, J. Wilkinson 36,935,	36,936
Decorative fabric, J. Cochrane 36,939.	36,940
Dial crest, W. E. Ulmer	36.938
	36,933
Dish, A. A. Robineau	
Dish, J. Pass	36,934
Hair pin. A. W. Carlson	36.937
Rug. J. A. Carroll 36,941,	36.942
Spoons, forks, or similar articles, handle	,
for, Heath & Such	26 022
Tot, Heath & Such	00,002

TRADE MARKS.

Mop wringers and buckets combined, F. M. Fritsch Fritsch
Paste, Italian, Maull Bros.
Poultices, E. S. Athearn
Prints, colored, Chicago & Alton Railway Softa and twine, American Manufacturing Co. 42,708
Satin and silk, Burton Bros. & Co. 42,703, 42,704
Soda, baking, Morehouse Manufacturing Co. 42,711
Stogies or tobies, S. Ewart & Co. 42,719
Valves, cocks, faucets, and nozzles, Peck Bros. Co. 42,738
Wall and celling coverings or decorations, composition relief, Embossed Wall Covering Co. 42,734
Whisky. Acker Mountly 6 2

42,732

42,731

42,729

42,741

42,709 42,726

42,742

42,730

LABELS.

'American Blend Tea," for tea, E. Mc-

PRINTS.

'Smaltz-Goodwin Co., Phila.,' for shoes,

A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in print issued since 1863, will be furnished from this office for 10 cents, provided the name and number of the patent desired and the date be given. Address Munn & Co., 361 Broadway, New York.

Canadian patents may now be obtained by the inventors for any of the inventions named in the force going list. For terms and further particulars address Munn & Co., 361 Broadway, New York.

AUTOMOBILE Parts. Our line of automobile parts is complete and embraces new and original ideas in construction. Send to Catalogue and Prices.

OTTO KONIGSLOW, Cleveland. Ohio.



Roof/Leak?

Ellictt's Durable Asphalt Coating

(Is composed of pure Utah Asphalt, prepared Linseed-Oil and Pine Creosote

applied on an old leaky shingle, tin or felt roof will make it absolutely waterproof. Stops the rusting process in tin or iron, and stops warping or rotting of shingles. Will add ten years to the life of a new or old roof.

 \P ROOF LEAK is the most durable sun or winter proof paint or coating possible to make. Does not crack in winter or soften in summer. Easily applied. Imparts no taste to water.

¶ ROOF LEAK SHINGLE DIP renders the wood absolutely weatherproof, and when the shingles are nailed on the roof they become cemented together so tightly that warping which causes cracked shingles and loose nails is positively prevented.

¶ ROOF LEAK is shipped in the heavy liquid cement form, and is applied as received on worn and leaky surfaces. It is reduced with one quart of boiled linseed-oil to each gallon if used as a durable paint on surfaces in good condition. Shingle Dip is shipped ready for dipping.

¶ ROOF LEAK COATING AND ROOF LEAK SHINGLE DIP are made in Black, Maroon and Dark Green. Five gallons up to any quantity, 75c. per gallon, freight paid east of Denver. Returnable at our expense if not approved.

¶ ROOF LEAK is sold by up-to-date paint and hardware dealers. Those who try to sell you something else are not doing you justice, because "there is nothing else like ROOF LEAK."

¶ Liquid samples, together with an interesting booklet showing its various uses, will be sent on request, or to enable you to give it a practical test, we will send you for \$1.00, delivered free to your door, one gallon, which is sufficient for cementing 100 square feet of leaky surface, or painting 200 square feet. One gallon of Shingle Dip covers about 400 square feet, shingles both sides.

ELLIOTT VARNISH CO., 156 Fulton Street, CHICAGO Pearl Street, NEW YORK

Manufacturers of Fine Varnishes and Inventors of

Roof/Leak?



DIES AND STAMPINGS TO ORDER.
SPEC'L MACHINERY-MODELS-EXPERIMENTAL WORK

GE MACHINES Corline Engines, Brewers Machinery. THE VILTER Machinery. THE VILTER MFG. CO., 839 Clinton St., Milwankee, Wis

SPECIAL MACHINERY Tools and Dies. Model
Costilo Machine Works. 60 Centre St., New York

CHEMICAL EXAMINATIONS OF ALL DR. H. C. STIEFEL, Bissell Block, Pittsburgh, Pa. MODELS UNION MODEL WORKS

MODELS & EXPERIMENTAL WORK Inventions developed. Special Machiner E. V. BAILLARD, Fox Bldg., Franklin Square, New York.

MODELS LEHICAGO MODEL WORKS ESTABLE SHED 7867 FOR CATHLOWN OF MODEL SUPPLIES

MODELS Dies and Automatic Machinery. Manufact'r of Special Hardware and Wire Goods. H. C. Hinchcliff, 193-197. Centre Street, New York.

MODEL AND EXPERIMENTAL WORK.

ctrical and Mechanical Instruments. Small Mach'y FOWARD KLEINSCHMIDT, 82 W. Broadway, New York

Dies, Tools, Models and Special Machinery. Metal Specialities and Speciali

"How to Successfully Operate a Gas or Gasoline Engine." This book is the latest and the "Last Word" on the subject. Pocket Edition. Price Fifty Cents. For sale by the GENESEE LAUNCH AND POWER COMPANY, Genesee, N. Y.

BUILDERS of Special Machinery. Models, oped. THE FENN-SADLER MACH. Co., Hartford, Conn-

FOR SALE FIRST-CLASS MANUFACTURING PLANT, making iron and steel products, up

to date and complete in every respect, doing a fine business-no debts-always a money maker, substantial buildings. Elegant equipment, established 15 years. One hundred thousand dollars required. For particulars, address OLMSTED & BROWN, - Chattanooga, Tenn.

Are you interested in Patents, Model or Experimental work? Our booklet entitled

WHAT WE DO-HOW WE DO IT will be sent to you on request.

KNICKERBOCKER MACHINE WORKS, Inc.,
8-10-12 Jones Street, New York.

Manufacturers of HARDWARE SPECIALTIES

Contract Manufacturers and will market articles of merit LORIMER MFG. CO., 153 S. Jefferson St., Chicago, III.

"THE CRYSTAL" "ONE CENT"
Plate Glass Gnm Vender
Designers and constructors of vending machines of all
kinds, on contract.
MICHIGAN NOVELTY WORKS, Kalamazoo, Mich.

MECHANICAL MANUFACTURERS wishing to establish branch in New York City, can be represented by NATIONAL SUPPLY CO., 835 Broadway, N. Y.

TYPEWRITER HEADQUARTERS

332 Broadway, New York, sell all makes under half-price. Don't buy before sending for samples of writing, prices, exchange and unprejudiced valvice. Immense stock for selection. Shipped for trial. Guaranteed first-classcondition. Dealers supplied.

SPLITDORF SPARK COILS

STAMPINGS. Dies. Tools. Specialties manufactured, Nye Tool & Machine Works, 200 South Clinton St., Chicago.

FOR SALE. Patent No. 754.040, issued March 8, 1904. Machine for Cutting Bread, Meat, Cheese, and Vegetables.
OSCAR BERNARD, Patentee,
449 Parrott Building, San Francisco, Cal.

FOR SALE,—Castings and Blue Prints for 2x4 Corliss Engine. E. A. SIKES, Cherry Valley, Mass.

DRYING MACHINES. S. E. WORRELL Hannibal. Mo.