
Vol. XCVI.-No. 17. ESTABLISHED 1845. NEW YORK, APRIL 27, 1907.

10 CENTS A COPY \$3.00 A YEAR.



SCIENTIFIC AMERICAN

ESTABLISHED 1845

MUNN & CO. - Editors and Proprietors

Published Weekly at

No. 361 Broadway, New York

TERMS TO SUBSCRIBERS

THE SCIENTIFIC AMERICAN PUBLICATIONS

Scientific American (Established 1845)	\$ 3.00 a	a year
Scientific American Supplement (Established 1876)	. 5.00	
American Homes and Gardens	3.00	44
Scientific American Export Edition (Established 1878)	3.00	**
The combined subscription rates and rates to foreign co	untri	es, in-
cluding Canada, will be furnished upon application.		
Remit by postal or express money order, or by bank draft or	check	
MUNN & CO., 361 Broadway, N	ew Y	ork.

NEW YORK, SATURDAY, APRIL 27, 1907.

The Editor is always glad to receive for examination illustrated articles on subjects of timely interest. If the photographs are sharp, the articles short, and the facts authentic, the contributions will receive special attention. Accepted articles will be paid for at regular space rates.

THE PEACE CONGRESS.

It is unfortunate that the aims of the Peace Congress which recently closed in this city should not have been more intelligently appreciated and clearly emphasized by the New York press. It is always more difficult to kill a false impression than to create a true one; and unfortunately the later movements directed to the promotion of international peace have been hampered by the misapprehension that peace was being sought by the altogether impractical road of immediate disarmament.

As a matter of fact, the aims of the recent Congress were purely educational—the inculcation and development of an idea. No one realized better than the sponsors of the congress that all those mighty changes in sentiment and practice which because of their magnitude are known as the revolutions of history, are of slow growth, and require, from the time of the sowing of the first seed to the final harvesting of results, a period which is frequently measured by centuries.

War, with everything that the term involves, political, diplomatic, material, and sentimental, is one of the most stupendous facts of national and international life. The forms and instrumentalities of war, both material and human, and all its vast organizations and varied interests, are so interwoven with the national life, that the abolition of war by the immediate disbanding of fleets and armies would be altogether impracticable.

The reign of international peace can be brought about only through a campaign of education similar to that inaugurated by the Peace Congress, which has just closed its labors. Regret it as we may, it is a fact that the average citizen does not realize that war is savagery; that when the citizens of two modern nations set out deliberately to butcher each other, they are simply reverting to that age in the development of the race, when man was emerging from the brute into the human. The world must be made to understand that war is the greatest anachronism of the day. When these facts have been clearly settled in people's minds, and their significance appreciated, a great step will have been taken toward the final abolition of war.

Of the many suggestions advanced at the congress, the most practical, the one which if adopted would produce the most immediate results, was that set forth by Secretary of State Root, in the course of his very able address. After stating that the great obstacle to the universal adoption of arbitration is not the unwillingness of civilized nations to submit to the decision of an impartial tribunal, but rather an apprehension that the tribunal selected might not be impartial, Mr. Root went on to state that what is needed is "the sub stitution of judicial action for diplomatic action, the substitution of judicial sense of responsibility for diplomatic sense of responsibility. We need for arbitration" said the Secretary of State, "judges who will be interested only in the question appearing on the record before them. Plainly this end is to be attained by the establishment of a court of permanent judges, who will have no other occupation and no other interests but the exercise of the judicial faculty under the sanction of that high sense of responsibility."

Of the success of the Peace Congress there can be no two opinions. Seldom, if ever, has a more representative and distinguished body of men gathered for deliberations of such international importance. In addition to the fact that men pre-eminent in every important sphere of human activity were present from all corners of the earth, the congress received the highest national and local recognition; as witness the fact that the President sent a personal letter and was

represented by the Secretary of State and that the mayor of the city and governor of the State in which the congress gathered were also among its principal speakers.

SCOPE AND PURPOSE OF THE JAMESTOWN EXPOSITION.

The traveler who may be ascending the sluggish waters of the James River, in search of the wealth of historic associations with which its banks abound, after he has covered some thirty miles of his journey, and unless some timely informant be at hand, will be apt to overlook a stretch of shore which, scarcely lifting its uninteresting level above the waters of the river, has little to break its monotony beyond an irregular clump of trees, scarce hidden within which he will, on closer inspection, should his curiosity be so far aroused, discern the dark red and green walls of an old ivy-covered tower. Desolate remote and largely sedge-covered, this little island affords the passing traveler virtually no suggestion that it holds all that is left of the crumbling walls and scattered graves of the town and people of Jamestown-the first colonial settlement in America. It needs a creative imagination to realize that here was witnessed the "beginnings of a nation," which to-day, after the lapse of three brief centuries, numbers eighty millions of people, and believes, not without cause, that it is destined to become, at least in material resources and material power, the leading people of the earth.

The sponsors of the Jamestown Exposition are to be congratulated on the judgment and good taste with which they have detérmined the scope and characteristics of the enterprise. With the memories of the colossal Louisiana Purchase Exposition at St. Louis fresh in the minds of the people, it would have been folly to attempt to rival that over-big affair in the size of its buildings and the number of its exhibits. Magnificent though it was, the St. Louis Fair was big to the point of burdensomeness and boredom. It was a reductio and absurdum of the cult of the superlative; and it taught the valuable lesson that future expositions should aim to be intensive rather than interminable, distinctive rather than discursive.

The Jamestown Exposition will be both intensive and distinctive. It aims at historical and educational results; the one being secured largely by the character of the buildings, the other by a careful selection of the exhibits which they will house. In searching for a fitting means to embody those spectacular effects which have come to be regarded as an essential, and by many people, alas! as the most desirable, feature of a great exposition, the management have availed themselves of the fine opportunity presented by the waters of Hampton Roads, and have arranged for an international display of the naval forces of the world, which, if it does not rival in extent, will possibly exceed in interest, any previous pageant of the kind.

The Jamestown Exposition is essentially a display of the peaceful arts; hence, it is peculiarly fitting that its most imposing feature should consist of a gathering of battleships and cruisers—those stately patrolmen of the high seas, whose day-by-day duty it is to preserve the peace of the world and render the ocean highways secure; whose activities are mainly concerned in the promotion of international peace; and whose pacific purpose is never so clearly manifested as in an international review of the kind now being organized at the mouth of the James River.

RAISING THE ASSOUAN DAM.

The Egyptian government, as a result of prolonged deliberations, has now finally decided to raise the height of the water of the River Nile impounded behind the Assouan barrage to 22 feet above its present maximum level. This project was first mooted shortly after the works were completed and opened, and the plans and calculations were prepared by the Irrigation Department as far back as 1904, and submitted to Sir Benjamin Baker, the consulting engineer, for his consideration and approval in the fall of that year. About this time, however, no little sensation was created in scientific and engineering circles by the paper published by two professors of the London University, Atcherley and Carl Pearson, regarding the theory and stability of dams, in which reference was made to those thrown across the Nile at Assouan and Asyut. As a result of this discussion, the Egyptian government invited Sir Benjamin Baker to visit the works and announce his decision regarding the advisability of raising the level of the works, as proposed in the plans drawn up by the Irrigation Department. Sir Benjamin Baker spent several weeks inspecting both the barrages and the protective apron which had been built below the toe of the dam, to prevent the friable rock of the river bed being scoured away by the force of the water escaping through the sluices. Upon the completion of his surveys he expressed the opinion: (1) That the dain was perfectly safe and sound throughout, and that there was no reason whatever for the slightest anxiety regarding its stability. (2) That extensive works should be carried out on the talus

downstream of the dam. (3) That no decision could be given by him regarding the advisability of raising the dam for at least two years, at the expiration of which time it was hoped that the protective works would have been completed and tested.

In the early part of this year Sir Benjamin Baker visited the barrages and made a prolonged and detailed investigation of the protective works, the greater part of which had been completed, and was able to inspect the behavior of that section of the operations which had been first completed and submitted to practical test for several months. They were found to be perfectly satisfactory, and the increase in the height of the barrages was thereupon approved.

During the interval that has elapsed between the completion of the plans for this work in 1904 and the recent decision, elaborate surveys and exhaustive examinations have been carried out by the Irrigation Department throughout the Nile Valley between Wady Halfa and Khartoum, to ascertain the practicability of throwing a barrage across the river at a suitable point above the Assouan dam, and thereby creating a subsidiary reservoir, as an alternative to raising the height of the Assouan dam. It was found that no such dam could be built.

The raising of the barrage will be a work of only less importance than the erection of the structure itself, while the advantages reaped by the barren lands of the Nile Valley will equal those conferred by the original dam. The additional quantity of water that will thus be impounded by raising the level 22 feet will be two and a quarter times greater than that stored by the existing barrage. By this new supply it will be possible to bring about a million acres of land under irrigation. At the present moment there are approximately 950,000 acres of government land in the northern tracts of the Nile Valley lying untilled because of the dearth of water. It is intended to reclaim the whole of this tract by using the additional water that will be impounded in the enlarged reservoir. The wealth and revenue of the country will be immediately and greatly increased. In the cotton crop alone the increase, due to the additional water supply, will represent, it is estimated, a sum of between \$17,500,000 and \$20,000,000. The undertaking is to be commenced at an early date, and the total cost of completing the work will approximate \$7,500,000, which outlay will include the compensation to be awarded to the inhabitants of Numidia whose land will be submerged. The work will take some six years to complete, so that the country will not reap the full benefit accruing from this huge increase in the water supply for irrigation purposes until the year 1914.

Unfortunately, the raising of the water level will entail the still further submergence of the temples of Philæ and other Nubian archeological monuments, upon the protection of which, by elaborate underpinning, a vast sum of money was expended when the existing structure was thrown across the river. Although the government deplores the necessity of partly submerging these historic remains, it is realized that the economic and agricultural demands of the country must receive first consideration. However, the authorities pledge themselves to do everything possible to minimize the injury. An archeological survey, extending from Wady Halfa to Assouan, has been made by the order of the government, and the various archeological societies have been invited to co-operate with the authorities in their task of preserving the remains as far as the exigencies of the country will

AN OPPRESSIVE POSTAL REGULATION.

On April 17 the publishers of the United States received notification from Washington that the Canadian postal authorities had made new regulations affecting the rate on newspapers and periodicals, whereby the postage to Canada was increased nearly six times. This law is to go into effect on May 8, 1907. The publishers in this country are powerless to protect themselves in view of this arbitrary act. It would not be honorable or fair to terminate or curtail subscriptions which have been sent in good faith up to the present time. The result is that the publishers are obliged to pay this considerable increase in postal rates without compensation from subscribers. This is a heavy and unjust burden, which could have been avoided by giving due and reasonable notice of such contemplated change of rate. This act has been done in the most arbitrary and unnecessarily abrupt manner, and it is hoped that when the great injustice to American publishers is understood at Ottawa, and the unnecessary harshness of the provisions of the act, the matter will be reconsidered, and some measures taken to defer the enforcement of the new rate until the end of the year.

While this rule is a matter of such considerable financial loss to American publishers, in the end it is sure to be most severely felt by the Canadian reading public. By far the largest percentage of periodical literature is in the widest sense educational. To increase the cost of such literature to the reading

masses is unwise, impolitic, and sure to arouse the antagonism of those whom the increase affects.

Of course, it will be absolutely essential for publishers to increase the price of their periodicals mailed to Canada on all new business, but as eighty per cent of subscriptions are contracted for during the months of November, December, and January, the injustice done the publishers is apparent, owing to the season at which the change in rates becomes effective.

The publishers are forced to bear the burden of the increased rate without compensation, and this loss will in the aggregate amount to hundreds of thousands of dollars. As a matter of fact, the financial loss to the publishers of this paper arising out of the change in rates will be between two and three thousand dollars.

RULES GOVERNING THE COMPETITION FOR THE SCIENTIFIC AMERICAN FLYING MACHINE TROPHY.

A special committee of the Aero Club of America, appointed for the purpose, has formulated the following provisional rules governing the competition for flying machines of the heavier-than-air type, which will be inaugurated at the Jamestown Exposition on September 14 next.

It is the intention of the SCIENTIFIC AMERICAN, in offering this trophy, to have it always open to competition by inventors the world over. Should the trophy be won by the representative of a foreign aeronautical club, this club, if a member of the Federation Aeronautique Internationale, may become the custodian of the trophy; but the future competitions, even if held abroad, shall be carried out under the same rules and conditions used by the Aero Club of America in the competitions held here.

RULES GOVERNING THE COMPETITION FOR THE SCIENTIFIC AMERICAN AERONAUTICAL TROPHY.

- 1. This competition will be held annually, and the conditions of the trials will be progressive in character, so as to keep abreast of the state of the art. The first contest will be held at the Jamestown Exposition on September 14, 1907, and all entries for this contest must be made in writing and sent to the secretary of the Aero Club of America, 12 East 42d Street, New York city, prior to September 1, 1907. The rules governing future contests will be formulated by the contest committee of the Aero Club of America in accordance with the results obtained and the lessons learned in this first contest.
- 2. All heavier-than-air machines of any type whatever (aeroplanes, helicopters, orthopters, etc.), shall be entitled to compete for the trophy; but all machines carrying a balloon or gas-containing envelope for purposes of support are excluded from the competition.
- 3. The machine which accomplishes the required flight in the shortest time and with the best display of stability and ease of control, shall be declared the winner. If several machines perform equally well, the committee shall have the right to demand further flights in order to determine which is the best. If no machine makes the required flight on the date set for the contest, the one that subsequently first accomplishes such flight shall be declared the winner, and shall not be entitled to make a further flight until the next year, under the changed conditions of the contest.
- 4. The flights shall be made in calm air, if possible. If a wind of over 20 miles an hour is blowing, no trial need be made. Aeroplanes may start by running along on wheels on the ground under their own power, but no special track or launching device will be permitted. A smooth, level roadway, or a reasonably smooth, turfed field will be provided from which to make the start. Machines need not fly more than a few feet above the ground, or higher than is necessary to avoid obstacles. They should be capable of being steered both horizontally and vertically, and of alighting without being damaged. If there is a wind blowing, the flights shall be made in such direction as best suits each operator. The start should preferably be made against the wind.
- 5. The committee shall make arrangements to accurately time and measure all flights, as well as the distance traversed and time taken in starting and stopping. Accurate observations of the speed of the wind and other weather conditions at the time of the flight shall also be made and recorded by the committee. Complete specifications of the competing machines, giving weight, supporting surface, details of motors and propellers, etc., together with a description of any performance that the machine has made, shall be forwarded to the contest committee with the entry or when application is made for a trial.
- 6. Anyone desirous of making a flight at any subsequent time can arrange for such a test by communicating with the contest committee of the Aero Club of America, at least fourteen days in advance, and asking this committee to appoint a suitable time and place for the trial. If the committee believe the machine to be impractical, it can require the inventor either to prove the incorrectness of such belief by an

informal demonstration with the machine itself, or by demonstration in some other satisfactory way which will show that the machine is operative.

- 7. The first flight shall be for a distance of one kilometer (3,280 feet) in a straight line.
- 8. After every competition, the name of the winner will be inscribed upon the trophy. If it is won three times in different years by any competitor, the trophy will then become his personal property.

Aeronautical Competitions, Jamestown Exposition, Norfolk, Va., April 28 to November 30.

No. 1. Special race limited to members representing recognized aero clubs for club championship, May 4.

No. 2. Dirigible balloon competition, June 1.

No. 3. Competition of balloons for distance, June 15. No. 4. Competition of balloons for duration, August 3.

No. 5. Competition of balloons for objective point, September 7.

No. 6. Competition of balloons for altitude, November 16.

No. 7. Competition of balloons in pursuit of pilot balloon, August 17.

No. 8. Competition of carrier pigeons; flight from aeronautical concourse, exposition grounds, May 18.

No. 9. Simultaneous release of large number of

small balloons carrying messages, May 18.

No. 10. Flying devices heavier than air, with motor

and operator, September 14.

No. 11. Flying machine models with motor, Aug-

ust 24.

No. 12. Flying machine models without motor, and

carrying operator, September 14.

No. 13. Kites for altitudes, November 2.

No. 14. Kites for steepest angle of flight, November 9.

No. 15. Kites carrying operators, November 16.

No. 16. Registering balloons, July 13.

No. 17. Competition of balloons and automobiles, (Date to be coincident with the arrival of the automobile tour)

No. 18. Competition of dirigible balloons and automobiles, May 25.

No. 19. Competitions of photographs taken from balloons or kites.

No. 20. Competition of photographs taken of balloons, aeroplanes or other aeronautical objects.

No. 21. Competition of photographs of meteorological phenomena. (Exhibits for Nos. 19, 20, and 21 to be ready April 26, and continuing on exhibition throughout the exposition.)

No. 22. Signaling competitions with balloons or kites, October 12.

No. 23. Hot air balloon competition, October 5.

No. 24. Dropping (harmless) shells nearest selected objective point or target.

No. 25. Competition for longest trip, open during exposition.

New Means of Producing Ballast for Balloons,

A new method of producing ballast during a balloon trip has recently been tried in Berlin. In a balloon ascent just made by Capt. Von Krogh, the pilot of the Parseval balloon, a quantity of chemicals were carried, which have the property of absorbing moisture, and thus increasing their weight in a damp atmosphere. The experiments took place under the superintendence of Dr. Knochs of the Meteorological Institute, and as far as can be gathered at present, were of a successful nature. The ascent was made in the spherical balloon "Betzold" from Tegel (Berlin). After reaching a height of 5,904 feet a landing was effected at Ratteick near Koslin, 186 miles distant. Time taken was about six hours.

The Building of the United Engineering Society.

The dedicatory exercises of the new building of the United Engineering Society, at 25 West Thirty-ninth Street, New York city, to which Andrew Carnegie gave \$1,500,000 for construction and still more when it came to raising an endowment fund, were held on April 17, 1907. The exercises were in the assembly hall of the new building, which is one of the finest auditoriums of its kind in the city.

Mr. Carnegie shared attention with the venerable Dr. Edward Everett Hale, President Arthur T. Hadley, of Yale, Ambassador Creel, of Mexico; Sir William H. Preece, president of the Institute of Electrical Engineers of England, and John Fritz, of the building committee, who received the most prolonged applause of any of those present.

Charles Wallace Hunt, who presided, had as a gavel the setting maul which Mrs. Carnegie used when she laid the cornerstone of the building. T. C. Martin, president of the Engineers' Club, read this telegram of congratulation from President Roosevelt:

The White House, Washington,

April 13, 1907.

My Dear Sir: I heartily congratulate you on the opening of the building of the Engineering Societies. The building will be the largest engineering center of

its kind in the world. It is, indeed, the first of its kind, and its erection in New York serves to mark and emphasize the supremacy which this country is steadily achieving through her proficiency in applied science. The whole country is interested in the erection of such a building, and particularly, of course, all of those who follow either the profession of engineering or any kindred profession, and in no branch of work have Americans shown to greater advantage what we like to think of as the typically American characteristics.

With all good wishes, believe me, sincerely yours,

THEODORE ROOSEVELT.

Mr. T. C. Martin, 114 Liberty Street.

President Hadley delivered the principal address and declared that a combination of ethical and technical standards would produce the best professional service.

Ambassador Creel voiced the greeting of President Diaz of Mexico, and a letter was read from Charles A. Haswell, who, at the age of 97, is the dean of New York's community of engineers. Just before Mr. Carnegie was introduced, Charles F. Scott, the chairman of the building committee, delivered an historical address.

When Mr. Carnegie rose to speak, he asked the audience not to applaud him too long, lest he should conclude that they did not want to hear him.

"It is the spirit of the men that does the work," said Mr. Carnegie; "the safety of human society lies just here. Whenever we coalesce to do some good, a unification takes place and a consolidation; and whenever men meet to conspire against the public good—to do some evil—they find themselves unable to trust each other. That's why you needn't lie awake nights and worry about the future and about what problems society is going to meet. As sure as the sunflower turns toward the sun so the human race turns toward better things.

"This is the rock on which I rest, and on which I meditate sometimes. Nor can you deny this, that, quite apart from whatever evil exists, there is that principle of improvement inherent in us. To-day is better than yesterday and to-morrow will be better than to-day. So I look forward to the future of this building and I know that the organizations to whom it is devoted will advance and continue to meet the developing needs of our age."

Peary's Proposed Arctic Trip.

Commander Robert E. Peary has definitely decided to make another attempt to reach the North Pole. He stated that he would sail from New York as near July 1 next as possible. Sufficient money had been raised, he said, for repairing his ship, the "Roosevelt," and a fund of \$100,000 necessary to equip the expedition would be available before July 1.

Commander Peary said that he expected to arrive among the ice fields by the middle of July. His equipment and crew, he said, would be practically the same as on his recently completed expedition. He will buy two hundred dogs when he arrives in Greenland. He expects that the trip may be made in about the same length of time as the 1905 trip, which required sixteen months.

The Current Supplement.


In the current Supplement, No. 1634, the article on "How Coke is Made," begun in the last number, is concluded. Charles S. Walden writes on multiplex telephony. Some highly interesting experiments on the behavior of thin aluminium sheets in electrostatic fields are recorded. Prof. H. Geitel, well known for his splendid work in radioactivity, contributes an authoritative article on radioactivity and atmospheric electricity, which may safely be accepted as the latest utterance on the subject. An exceedingly interesting piece of physical apparatus, and one that any amateur can make and use, provided he has a little knowledge of electricity and a source of direct current at his command, is the speaking arc. In the current Supplement Mr. A. Frederick Collins describes very explicitly how such an arc can be made at home. Prof. C. E. Lucke and S. N. Woodward have for months past been conducting an elaborate investigation for the purpose of ascertaining the comparative efficiencies of alcohol and gasoline in farm engines. The results of their investigations are published in the current Supplement. G. K. Gilbert's most interesting monograph on the rate of recession of Niagara Falls is concluded. Sanford E. Thompson, a well-known authority on concrete, writes exhaustively on forms for concrete construction,

Ira Remsen Chosen President of National Academy of Sciences.

The National Academy of Sciences has elected Prof. Ira Remsen, of Johns Hopkins University, president, vice Prof. Alexander Agassiz, who retires after five years' service. The vacancy in the vice-presidency caused by the promotion of Prof. Remsen was filled by the election of Charles D. Walcott, secretary of the Smithsonian Institution.

SAVING A SHIP BY AMPUTATION.

It is not an uncommon occurrence for human life to be saved by amputation; but it is safe to say that the recent salvage of the White Star liner "Suevic," herewith illustrated, is the first instance in which this Star Company rushed down to the Scilly Islands from Liverpool a strong force of engineers, divers, tugs, and a wrecking outfit; but the joint efforts of the tugs and the ship's own engines failed to budge her. Then it was that a consultation of the doctors was held, in



The "Suevic" Immediately After She Had Been Cut in Two.

surgical operation was used in saving a ship. There is this important difference, however, that whereas the dismembered portion of the human body can be replaced by what is at best but a doubtful counterfeit, the portion of the White Star ship that was left behind on the rocks of the Scilly Islands, which in this case happened to be her head, will, in the course of a few months under the skillful hands of Harland & Wolff, be so perfectly reproduced and joined to the original ship, that no one will be able to tell, by looking at her, that such a drastic work of naval surgery was ever done on her.

On the evening of Sunday, March 17, the good ship "Suevic," 12,500 tons register, flying the flag of the White Star Company, was approaching the Scilly Islands at the close of a day in which she had been bowling along before a full southwesterly gale. The weather was thick, but the captain was sure of his reckoning, and confident that he had yet a few miles to go before reaching the vicinity of those greatly-dreaded rocks. Just as he was about to heave the lead, however, the "Suevic" ran full speed upon a ledge known as Maentare Rock, which lies immediately below the lofty point which is crowned by the lighthouse.

The "Suevic" is a big ship and weighty, measuring 550 feet in length by 63 feet in beam and 40 feet in molded depth. Her dead weight when she struck was probably about 20,000 tons. Consequently, before her momentum was arrested, she had driven about one-third of her whole length firmly upon the rocks. Very quickly, her three foremost holds filled with water; but, fortunately, the bulkheads of the after two-thirds of the ship held; and, by means of the ship's boats, and other craft which put out from shore, all of the passengers were safely landed.

Immediately on learning of the disaster, the White


which it was decided that nothing short of severing the head from the body could save the ship; and the operation was carried out as follows:

First, a stout bulkhead of heavy timbers was built


2,000 tons being left on board to keep the vessel in trim. Then, at the point of amputation, the wooden decks were cut through, exposing the steel decks underneath. A continuous line of dynamite cartridges was laid across each deck and carried entirely around the hull of the vessel. Electric wires were led to a distant point, and, when all was ready, the lines of cartridges were detonated. The intense local action of the dynamite was sufficient to cut cleanly through the whole of the plated structure of the ship, and immediately the after two-thirds of the vessel floated away intact, leaving the other third hung upon the rocks in the position shown in one of the accompanying illustrations. Several tugs then made fast to the floating portion of the vessel; the ship's engines, which were in perfect order, were started in the reverse direction; and the "Suevic," or rather 66 2/3 per cent of her, commenced the journey to the hospital in Southampton. It was a curious procession; and certainly, if it be true, as the poets would have us believe, that a ship is a thing of life, the "Suevic" must have been filled with amazement at her strange going.

Liquid Carbonic Anhydride as a Solvent.

In all chemical literature there is but little information at hand as to the solubility of various solids in liquid carbon dioxide. According to reports and statements quoted in the Zeitschrift für Physikalische Chemie and in the Chemiker Zeitung (Repertory), C. H. Büchner has now, on the basis of experiments, supplied this lacking information. According to these experiments, inorganic substances, particularly carbonates, such as CaCO₃, Na₂CO₃, and the halogen salts, are insoluble in liquid carbon dioxide. Boracic acid, PCl₃, AsBr₃, J, P, Br, are slightly soluble; organic substances, as benzol, are mixable under all conditions.



The "Suevic" Backing Away from Her Bow.




The "Suevic" Starting Under Tow for Southampton, Leaving Her Bow on the Rocks.

transversely across the hull of the ship, back of the last point of rupture by the underlying rocks. While this was being done, the greater part of the cargo in the after portion of the ship was discharged, only Naphthalin is at most soluble in carbon dioxide to but 1½ per v ut. Between —60 deg. C. and +200 deg. C. ethyl alcohol showed no decomposition in carbon dioxide. Of the acids, succinic acid and phthalic acid were insoluble. Of the ethers, ethyl ether is under all conditions soluble. Fixed or but slightly volatile substances are in general insoluble. The author remarks that liquid carbon dioxide is sharply differentiated from other condensed gases such as sulphurous acid and ammonia, which easily resolve inorganic salts, and from the chlorides, bromides, iodides, and sulphides of hydrogen, in which many organic bodies are soluble.

Another Fiala Polar Trip.

Anthony Fiala, who headed the Baldwin-Ziegler expedition in search of the North Pole, has decided to fit out an expedition of his own, and is already beginning to equip it at a cost of \$200,000. The commander and navigator George Comer, of East Haddam, who has acted as master of numerous whaling vessels that have made successful trips to northern waters, is now superintending the fitting out of the "Gifford" for the trip. As a preliminary to the expedition, Mr. Fiala purposes personally to conduct a party of Americans next June to within the Arctic Circle, and probably land on the coast of Greenland. This excursion will establish a base of supplies for the expedition proper, which, it is expected, will be in readiness for the following summer.

It has been decided to increase the distance and reduce the area of the target for the firing tests in the British navy with the 6-inch and 9.2-inch and 12-inch guns. The abnormally high scores made last year are responsible for the change, the opinion being held that the gunlayers can do well with a much smaller target at a longer range.



After Arrival at Southampton. View Showing the Jagged Edges Where the Dynamite Cartridges Cut Through the Hull and Decks.

SAVING A SHIP BY AMPUTATION.


THE NEW HOME OF THE AUTOMOBILE CLUB OF AMERICA.


BY HARRY W. PERRY.

Formal opening of the new \$500,000 club house of the Automobile Club of America was held April 18, when the final work of interior finishing and furnishing of the magnificent structure had just been completed. This new club house is of interest, not alone because it is the largest and most costly building in the world especially designed and constructed for use by an automobile club, but because it combines in an ingenious way the club quarters of a wealthy semi-social organization with garage and storage accommodations for three hundred motor cars owned by the

members. Still another claim to interest is the fact that it is one of the first large structures erected in New York by the reinforced concrete process.


The building stands on West 54th Street, between Broadway and Eighth Avenue. It has a frontage of 131 feet and rises to a height of eight stories, towering prominently above the four-story brown-stone






One of the Four Storage Floors.


The Automobile Elevator.





The Main Entrance to the Club House.

The Members' Lockers on the Ground Floor.





The Main Assembly Hall, Modeled After That of a Famous French Castle.

The Façade of the Club House.

houses of this former rather exclusive residential section. The location is convenient to the many large new garages erected within the last two years in Broadway above Times Square and is handy to various lines of transportation, including the subway and elevated systems. The front of the building is of white granite and glazed with white brick with ornamental relief of green and white terra-cotta, offering a strong contrast to surrounding buildings.

The novel problem of combining luxurious club quarters with ample garage facilities was happily solved by architect Ernest Flagg, of New York, with the result that the new home of the club offers its members ample quarters for business and social gatherings and unsurpassed facilities for the storage and care and repair of their cars under the same roof. The total cost of the new home is approximately \$750,000. of which \$250,000 was paid for the plot of eight city building lots, \$350,000 for the building, and about \$150,000 for furnishings. Every precaution has been taken to guard against destruction or damage by fire. The building has a steel skeleton sheathed with concrete, and all the floors are of tile and cement. No wood or inflammable material is used, with the exception of a limited quantity for wainscoting, doors, and windows. Fire doors sheathed with steel close automatically by gravity in case of fire, shutting off the garage floors from the club rooms and the stairways and elevator shafts. All the gasoline used is stored in an underground tank outside of the building, and no cars are allowed to have their tanks filled on any floor but the first or ground floor garage. Lubricating oil is stored in a brick vault on this floor and kept under lock. Small portable tanks mounted on wheels and fitted with self-registering pumps are used for filling the fuel tanks of the cars, thereby avoiding the carrying of gasoline about in open buckets. On every column in the five garage floors is hung a pail of sand. and chemical fire extinguishers are liberally disposed about the garage, to be used in case of emergency.

Describing in detail the interior arrangement and furnishing of the club house, it is most natural to begin with the ground floor, which opens directly off the sidewalk and has three runways for cars into the garage. The first door on the east is the members' entrance, of chiseled white granite. Through a double set of heavy oak doors this gives into a lobby extending the full depth of the building, with a grand stairway of white marble at the rear. The lobby is finished in white, with marble floor, and is furnished with carved oak settees and chairs upholstered in red leather. Several doors open from the lobby on the left, the first one communicating with the garage superintendent's office and the garage. The second admits to the members' locker room, where there are one hundred private fireproof metal lockers where clothing and other articles can be kept under lock and key. This room has a mezzanine gallery all of steel, and there is not a thing in it that can burn.

Back of the grand stairway and beneath the first landing is a new departure with the club—the ladies' room. This is small, but is exquisitely finished with white enamel and gray silk-covered walls and furnished in polished French walnut.

Extending almost the full length of the front of the second floor is the great assembly hall rising through two floors. The walls are white, wainscoted to a height of eight feet with dark oak. Six great windows admit floods of southern sunlight and opposite the windows an equal number of great double oak doors open into the big grill room and onto the stair landing. Parquetry is laid on the cement floor, and massive carved oak tables and chairs upholstered in red leather furnish the assembly room. At the east end a huge marble fireplace is flanked by black oak bookcases with adjustable shelves, in which are found bound volumes of the leading motoring periodicals of the world, and automobile literature. At the opposite end of the hall is a carved oak balcony for an orchestra, with a door behind opening onto a rear stairway.

The grill room has a cement floor in terra-cotta and white, white columns and ceiling, and the walls are covered with neutral-toned green wall paper. The tables and chairs are of black-stained weathered oak. As at present furnished, the room seats one hundred. On the north side are five large leaded glass windows, while there are three big skylights. The directors' room opens from one side of the grill room, while the butler's serving room and kitchen are on the other side

On the mezzanine floor above is the secretary's office and the general office, where the large volume of clerical work is done and where the touring and road-map department is quartered. A richly furnished pool and billiard room is also located on this same floor, having an entrance from the head of a flight of stairs rising from the landing at the top of the grand stairway. The ceiling is enameled white, while the walls are papered in dark red, and a rich, red carpet covers the floor. The tables and chairs are of mahogany.

Four of the floors above this are devoted to the storage of cars. They are admirably lighted by im-

mense windows by day and electric lights at night. Although the city Edison current is at present employed, the plans contemplate the generation of current by steam-turbine-driven dynamos in the basement as soon as the machinery can be set up. Communication between all of the storage floors and the basement and roof is established by two electric elevators at the west end of the building, each 10 by 18 feet and having a lifting capacity of four tons. Flanking these are cement stairways for chauffeurs and servants. On each of the storage floors is a small room for chauffeurs, fitted with clock, telephone, tables, and chairs

An interesting feature of the garage on the main floor is the three huge doors that admit cars. Instead of swinging back into the garage, where they would always be in the way and obstruct the light, they rise, folding inward horizontally at the middle. Directly back of one of these doors is a Fairbanks scales for weighing cars. To the east of the entrances is the superintendent's office, from which a small window looks into the garage, and on the west is the checker's room, where there are wire pigeonholes for letters and messages for the chauffeurs. The two big automobile elevator shafts are located also on the east end of the room, and in front of them is a large iron turntable for turning cars with their backs toward the elevators. On this floor are also washing stands and running water for cleaning the bodies and running gears of the machines.

The top floor is reserved for a repair department and testing room. Here is to be provided every facility for making repairs that can be found in the most up-to-date metropolitan garage. Delays in securing shipments have prevented installation of the necessary machinery as yet, but the purchases include one small and three large lathes, one milling machine, universal grinder, shaper, radial drill press, portable crane, and emery grinders, buffers, and similar small machine tools, all driven by individual electric motors. When complete, the repair shop will provide employment for a score of machinists, with space for any reasonable expansion.

In the center of the floor, cut off by wire screens reaching to the ceiling, is the testing department. This is to be equipped with a dynamometer and everything needed for measuring the power developed by motors and that delivered at the wheels of a machine, showing efficiency, friction losses, fuel consumption per horse-power-hour, taking indicator diagrams, etc. Of necessity an adequate description of this plant, to which the technical committee of the club is giving considerable attention, must be postponed to some future time.

The growth of the Automobile Club of America has been rapid since its organization in 1899, eight years ago. The active membership limit has been raised a number of times until it stands at one thousand. This limit has now been reached, and besides three hundred additional associate members, there is always a waiting list of applicants for membership. Among the members are many wealthy and socially prominent men. The club has international relations with all the national automobile clubs of Europe, and occupies the position of a national organization in this country, conducting national motor car exhibitions and technical contests, such as endurance, consumption, and commercial vehicle trials. It takes an active and influential part in affairs, having been in large measure instrumental in securing the passage of the \$50,000,000 road improvement act in the New York legislature, in promoting touring at home and abroad and in securing reasonable and just laws affecting the use of motor cars on the public streets and roads.

THE INTERNATIONAL FLEET AT JAMESTOWN.

Unquestionably, the most imposing feature connected with the opening of the Jamestown Exposition will be the long lines of battleships and cruisers which have gathered from all parts of the world to do honor to the occasion. Of the sixty-seven ships of importance there assembled, twenty-seven fly the flags of friendly foreign nations, and the balance that of the United States. The visiting ships, including those of the larger size, are mainly of the armored-cruiser type, the remainder consisting of protected cruisers and a few gunboats. To be exact, there are fourteen armored vessels, nine protected cruisers, two gunboats, and one training ship. In the main, the foreign ships are representative of the latest ideas of the powers in the various types that are represented, up to the close of what might be called the ante-bellum period, or the period which closed with the Russo-Japanese war. There is, however, one important exception, which is furnished by the Japanese themselves, who have sent over, in that splendid ship the "Tsukuba," the first of a new typethe cruiser-battleship—to make its appearance on the high seas.

In dispatching the "Tsukuba" to Jamestown, the Japanese have at once paid us the compliment of sending their latest and finest ship of its class, and, incldentally, they present to the United States concrete

evidence of the fact that they are now entirely independent of foreign ship-builders, and are capable of turning out in two years a first—ass warship—hull, engines, guns, and equipment—completely of Japanese manufacture.

APRIL 27, 1907.

The "Tsukuba" is of about the same displacement as the British "Good Hope" and the United States "Washington." But she has one inch more belt armor than the British, and two inches more than the American ship. She carries twenty-eight guns, as against eighteen on the "Good Hope" and twenty on the "Washington." Of these, the main armament consists of four 12-inch guns, as against two 9.2-inch on the "Good Hope," and four 10-inch on the "Washington." The intermediate battery on the Japanese ship consists of twelve 6-inch and twelve 4.7-inch guns, while the British and American cruisers carry each sixteen 6-inch guns. The "Tsukuba," therefore, shows a great superiority of gun power, even over the "Washington": but her speed of 21 knots is a knot and a third less than that of the "Washington," and 31/2 knots less than the maximum speed of the "Good Hope." The next in importance of the foreign cruisers is the armored cruiser "Victor Hugo," representing the French republic, an exceedingly handsome vessel of 12,416 tons and 22 knots speed. She carries a 634-inch belt, and her battery of four 7.6-inch and sixteen 6.4-inch guns is carried mainly in turrets with a high command of from 26 to 34 feet above the sea. The 7.6's are protected by 8 inches of armor, and twelve of the 6.4's are mounted in pairs on the broadside in double turrets protected by 5½ inches of armor; the other 6.4's are mounted on the main deck in four casemates with four inches of protection.

In point of size and speed, though not of gun power, the next largest ships are the three armored cruisers "Hampshire," "Roxburgh, and "Argyll" of the British squadron, vessels of 10,650 tons displacement, and from 22½ to 23½ knots speed, carrying four 7.5-inch guns in single turrets with 6 inches protection, and six 6-inch guns in casemates. The belt protection is 6 inches in thickness.

Next in importance are the twin armored cruisers "Roon" and "Yorck" of the German navy, each of 9,050 tons displacement and over 21 knots speed. The armament, which is much heavier than that of the "Hampshire" class above mentioned, consists of four 8.2-inch guns carried in two turrets with 6 inches of armor protection, and ten 6-inch guns mounted in a central redoubt of 4-inch armor, and so placed that four of them can be fired dead ahead and four dead astern. The only point in these fine ships which can be criticised is the belt, which has a maximum thickness of only 4 inches.

France, Italy, and Austria each contribute an armored cruiser of between 7.000 and 8.000 tons displacement, France sending the "Kleber" of 7,700 tons and 21.27 knots, carrying eight 6.4-inch in 4-inch armor turrets and four 4-inch guns in casemates. The "Kleber" has the characteristic high freeboard of the French cruisers; but like the German "Roon" and "Yorck" her armor is over-light, the belt being but 4 inches in thickness. Of about the same displacement is the Italian "Varese," of 20.2 knots, mounting one 10-inch and two 8-inch in 6-inch-armor turrets, and fourteen 6-inch in 6-inch casemates or behind shields. The belt armor is 6 inches in thickness. The "Varese" is a type of cruiser designed and built in Italy, which combines, if we except the "Tsukuba" and "Indomitable," more fighting efficiency on a given displacement than any armored cruiser that we know of. Two of this type went successfully through the Japanese war as part of the Japanese armored cruiser division. Another armored cruiser of the same displacement is the "Sankt Georg," of the Austrian navy, mounting two 9.4-inch guns, five 7.6-inch, and four 6-inch. The belt is 61/2 inches in thickness, the barbettes have 8 inches, and the side of the lower deck has 81/4 inches of Krupp armor protection. These features, combined with a speed of 21 knots, render this vessel an exceedingly fine example of the armored cruiser class. A little smaller than the "Sankt Georg" is the "Kaiser Karl VI.," also of the Austrian navy. Her speed is 20.8 knots, and she mounts two 9.4-inch and eight 6-inch guns; the belt being 81/2 inches, and the barbette armor 8 inches in thickness.

The protected cruiser class is represented by the two German ships "Bremen," of 3,250 tons and 23.2 knots speed, and "Niobe," of 2,650 tons and 21.6 knots speed, each vessel mounting ten 4.1-inch guns and several 1-pounders. Japan has the "Chitose," a protected cruiser of 4,760 tons and 22.5 knots, mounting two 8-inch and ten 4.7-inch guns. Italy sends the protected cruisers "Etruria" and "Fieramosca," the former of 2,280 tons and 19.8 knots, carrying two 6-inch and eight 4.7-inch guns, and the latter of 3,600 tons: and 17.5 knots, mounting a somewhat out-of-date battery of two 10-inch and six 6-inch guns. Austria sends: the protected cruiser "Aspern," of 2,437 tons and 20 knots, and a battery of eight 4.7-inch guns. Sweden is: represented by the armored cruiser "Fylgya," of 4.060 tons and 21.5 knots, mounting eight 6-inch guns in

THE INTERNATIONAL FLEET AT JAMESTOWN. VISITING SHIPS.

Great Britain.

Name.	Туре.	Tous Disp.ace- ment.	Knots Speed,	Guns.	Armor.
- 					
Good Hope	Armored	14,100	24.5	2 9,2-in.; 166-in.	Belt 6 in.; bte, 6 in.
Hampshire Roxburgh	cruiser 	10,850 10,850	22.4 23.6	4 7.5-in.; 6 6-in.	ore, om.
Argyll	••	10,850	22 3	1-	£.,
France.					
Victor Hugo	Armored	12,416	22.00	47.6-in.; 166.4in.	Belt 63 in.;

rience.						
Victor Hugo	Armored	12,416	22.00	47.6-in.;	166.4in.	Belt 63 in.;
Kleber	cruiser	7,700	21.27	8 6.4-in.	; 4 4-in.	tur. 8 in. Belt 4 in.; tur. 4 in.
Jean Bart*						

Jean Bart*	. .	• •••••	· · • • ·	. 		
* Des	eignated, but	wrecke	d, ano	ther cruiser to be s	ent.	
		Ger	manı	<i>j</i> .		
Roon	Armored cruiser	1		4 8.2-in.; 10 6-in.	Belt 4 in ; tur. 6 in.	
Yorck Bremen	Protected cruiser	9,050 3,250	21.4 23.2	104.1-in.; 101-pd		
Niobe Panther	Gunboat.		21 6 13.5	104.1-in.; 141-pdr 24.1-in.; 61-pdr		
		Ja	ıpan.			
Tsukuba		14,000	21 00	4 12-in.; 12 6-in.:	;Belt 7 in.;	
Chitose	battleship Protected cruiser	4,760	22.5	12 4.7-in. 2 8-in.; 10 4.7-in.	tur. 9 in. Deck41 in.	
		It	aly.			
Varese				1 10-in.; 2 8-in.;		
Etruria	cruiser Protected cruiser.	2,280	19 8	14 6-in. 2 6-in.; 8 4.7-in.	bte. 6 in. Deck 1 in.	
Fieramosca	. Cranscr.	3,600	17.5	2 10-in.; 6 6-in.	Deck2 in.	
		Au	stria.			
Sankt Georg	Armored	7,400	21.00	2 9.4-in. ; 5 7.5-in. ; 4 6-in.	Belt 6; in.; tur. 8 in.	
Kaiser Karl VI		6,325	20.8	2 9.4-in.; 8 6-in.		
Aspern	Protected cruiser	2,437	20.0	8 4.7-in.; 12 3-pdr	Deck 2 in.	
		Sw	eden.			
Fylgya	Armored cruiser	4,060	21 5	86-in.; 146-pdr	Belt 4 in.; tur. 5 in.	
		CI	ıi'e.			
Baquebano	Training ship			4 4.7-in.; 2 12-pdr	1	
	•	Armo	ntine		•	
Buenos Ayres.	Protected	0			Deck 5 in.;	
Buchos 11, 1 co.	cruiser	1,000	1		sh'lds 41in.	
		Por	tugal.			
Dom Carlos	Protected cruiser	4,100	22.0	4 6-in.; 8 4.7-in.	Deck 41 in.	
	Brazil.					
Riacheulo	Battleship	5,700	16.5	4 9.4-in.; 6 4.7-in	Belt 11 in.; tur, 10 in.	
Barroso	Protected cruiser	3,450	20.5	6 6-in.; 4 4. 7-in.	Deck 3} in.	
Tamoyo	Gunboat	1,030	23.0	24.7-in.: 6 6-pdr.	Deck 1 in.	
UNITED STATES BATTLESHIP FLEET.						
Minnesota	Battleship	16,000	18.8	4 12-in.; 8 8-in.; 12 7-in.	tur. 12 in.	
Vormont		16 000	100		and 8 in.	

Mannesota		20,000		12 7-in.	tur. 12 in.
T7	٠	10.000	100	· .	and 8 in.
Vermont		16,000	10.0	١	Dal4 11 day .
Louisiana		16,000	10.0		Belt 11 in.;
	1				tur. 12 in.
				۱	and 8 in.
Connecticut	,	16,000	18 5		1
Georgia		14,948	19 2	4 12-in.; 8 8-in.; 12 6-in.	
Nebraska		14,948	19 0		
New Jersey		14,948	19.2	45	is.
Rhode Island	1.0	14,948	19 0		14
Virginia		14,948		b1	
Maine	14	12,500		4 12-in.; 16 6-in.	Rolt 11 in .
маше		12,000	10.0	¥ 12-111., 10 0-111.	tur. 12 in.
Missaul	١	12,500	10 1		tur. 12 III.
Missouri					
●hio	4.	12,500			D 1/ 401 1
Alabama		11,552	17.0	4 13-in.; 14 6-in.	
					tur 13in.
Illinois		11,552		.,	! "
Kearsarge		11,520	16.8	4 13-in.; 4 8-in.;	
			1	145-in.	tur. 13 in.
	l		[]		and 8 in.
Kentucky	**	11.520	16 9	**	**
Iowa	**	11,346	17.1	4 12-in.; 8 8-in.;	Belt 14 in.:
		,		4 4-in.	tur. 12in.
	;		. :		and 8 in.
Indiana		10.288	15.6	4 13-in.; 8 8-in.;	
III		10,200	1.0.0	4 6-in.	tur. 13 in.
ì				1 0-III,	and 8 in.
Washington	Armored	14 500	99 2	4 10-in.; 16 6-in.	Delt K in
и аэшид юн	cruiser	14,000	WW-0 1	т 10-ш., 10 0-ш.	tur. 10in.
Toppossoo	or arser	14,500	99 t		· ····································
Tennessee		14,000	CO I		

turrets protected by 5 inches of armor. Chile sends the training ship "Baquebano," and Argentina the protected cruiser "Buenos Ayres," of 4,500 tons, 24 knots, and battery of two 8-inch, four 6-inch, and six 4.7-inch guns. Portugal is represented by the "Dom Carlos," a protected cruiser of 4,100 tons and 22 knots and a battery of four 6-inch and eight 4.7-inch guns. Brazil sends the old-time battleship "Riachuelo," of 5,700 tons and 16.5 knots, carrying four 9.4-inch and six 4.7-inch guns. She also is represented by the "Barroso," a protected cruiser of 3,450 tons and 20.5 knots, mounting six 6-inch and four 4.7-inch guns, and the gunboat "Tamoyo," of 1,030 tons and 23 knots and a battery of two 4.7 and six 6-pounder guns.

UNITED STATES FLEET.

The United States fleet assembled at Hampton Roads to receive the visiting squadrons is one of the strongest aggregations of naval power ever drawn up for review. In the fact that of the forty ships or more twenty are armored, and that eighteen of them are battleships, the composition of the fleet is strictly representative of the United States navy, especially in its later development. Ours is essentially a battleship navy; and our naval constructors have been careful to maintain the national reputation for mounting exceedingly heavy batteries—a fact which is at once evident from a study of the number and caliber of the guns given in the accompanying table. Another satisfactory feature evident in this table is that, since the period of the Spanish war, we have built our ships strictly in classes. There is no instance of the construction

of an individual ship, whose design differs widely on some point or other from every existing class.

The most modern and formidable vessels of the fleet are the four battleships of the "Minnesota" class, all of 16,000 tons, 18.5 knots, and mounting four 12-inch, eight 8-inch, and twelve 7-inch. In the "Connecticut" and "Louisiana" the belt is 11 inches, in the "Minnesota" and "Vermont" 9 inches; otherwise, the ships are practically identical. The 12-inch guns have 12 inches and the 8-inch guns 8 inches of protection, all of them being mounted in pairs in turrets. Of the world's battleships designed before the late war, these are the most powerful and best protected—with the possible exception of the Japanese "Kashima" and "Katori," whose four 10-inch guns will by some authorities be preferred to eight 8-inch.

The five battleships of the "Georgia" class (see table) are about 1,000 tons smaller than the "Minnesota," but have a knot more speed. The main armament is identical; the intermediate battery consisting of 6-inch in place of 7-inch guns. The only objection that can be urged against these ships is that they carry the superposed turret—whereby a heavier allround 8-inch fire is obtained at the expense of undesirable complication of mechanism and no little interference of gun fire. Nevertheless, these are most powerful ships, with good freeboard, high speed, generous coal supply, and a battery heavier than that of any foreign vessels of their date.

The nine battleships above mentioned are by far the most formidable portion of the fleet at Hampton Roads. In the "Maine," "Miscouri," and "Ohio," of 12,500 tons and 18 knots, we have ships of excellent protection but considerably less battery power, 8-inch guns being excluded. The "Alabama" and "Illinois," of a knot less speed and 1,000 tons less displacement, carry the 13-inch gun in their main battery, and like the "Maine" class have no intermediate 8-inch guns; but all of these five ships are heavier armed than battleships of the same date built for foreign navies. The "Kearsarge" and "Kentucky." of the same displacement, and about the same speed as the "Alabama," carry four 8-inch guns in superposed turrets above the 13-inch guns, and they have a numerous broadside battery of 5-inch. The "Iowa," of about the same displacement and speed as the "Kentucky," is an improved "Indiana," being about 1,000 tons larger with a knot and a half more speed, and a similar disposition of the battery, the 12-inch taking the place of the 13-inch gun,

In the armored cruisers "Washington" and "Tennessee," of 14,500 tons displacement, the United States navy possesses two ships which but for the overlight waterline armor could be reckoned as of the cruiserbattleship type which promises to have something of a vogue during the next few years. They carry a battery of four 10-inch guns in turrets protected with 10 inches of armor, and they have a broadside battery of sixteen 50-caliber 6-inch guns. Limitation of space prevents any detailed reference to the less important United States ships at the review.

Taken altogether, the United States fleet at Hampton Roads is a subject for just pride on the part of American citizens; and when the President steams down the lines and receives the salvos of the visiting and home fleets, it will be a subject of well-earned gratification to him that his efforts for a long period of years should have contributed to the production of so many and such formidable warships as will fly the American flag on that day.

OPENING OF THE JAMESTOWN EXPOSITION.

BY JOHN T. MAGINNIS.

What has been described as a "Colonial city beautiful" has sprung up at Sewell's Point, on the shores of Hampton Roads, and Norfolk and the towns that nestle about this historic body of water are prepared to receive the throngs of visitors to the Jamestown Exposition, which will be formally opened by President Roosevelt April 26. The exposition is in celebration of the tercentenary of the establishment of the first permanent English settlement in the new world at Jamestown

Jamestown, a peninsula when Capt. John Smith landed there May 13, 1607, now an island cut off by the currents of the James River, is some thirty-odd miles up the river, above Hampton Roads. The town as such ceased to exist two hundred years ago and the island now is partly used for farming purposes. The historic portion is owned by the Association for the Preservation of Virginia Antiquities, which tends it with reverent care and has made valuable research through excavation. The government has built a retaining wall about part of the island to protect it from further encroachments of the river and has erected on the island a monument to the first House of Burgesses—the first representative body of the people assembled on this continent. The Colonial Dames have restored the Old Church, the dismantled tower of which alone remained, and the Daughters of the American Revolution have erected a conv of Hays Barton, the home in Devon, England, of Sir Walter Raleigh. The Pocahontas Memorial Society has been engaged in raising a subscription of \$10,000 for a

monument to the Indian princess whose interposition gave to the English their lasting foothold. The A. P. V. A. has erected a statue of Capt. John Smith.

The opening date of the exposition commemorates that on which Capt. Newport's little fleet, consisting of the "Susan Constant," the "Discovery," and the "Godspeed" anchored off Cape Henry, named after the then Prince of Wales, when Capt. John Smith, going ashore, planted a cross near where is now the Cape Henry lighthouse.

The ceremonies incident to the formal opening on April 26, 1907, will be under the direction of Mr. G. T. Shepperd, secretary of the Jamestown Exposition Company, assisted by Lieut. P. H. Bagby, Sixth United States Infantry, military attaché to the department of the secretary. At sunrise on April 26 the Norfolk Light Infantry Blues, stationed at the exposition grounds, will fire a salute of 300 guns to usher in the commencement of the day opening the Jamestown Tercentennial Exposition in commemoration of the 300th anniversary of the first English settlement of America.

Upon the arrival of President Roosevelt on the "Mayflower" in Hampton Roads, a salute will be fired by the United States and foreign warships there assembled. When the President arrives at the exposition grounds, he will be met at the end of the government pier by a military escort, and will be saluted by the United States artillery stationed on the exposition grounds. Promptly at the hour of 11:30 the President will be escorted to the reviewing stand, on Lee's Parade in the rear of the auditorium building, where appropriate exercises will take place. When the President presses the gold button, putting the machinery of the exposition in motion, it will at the same time be a signal for a salute to the Union by the United States and foreign ships assembled in Hampton Roads and by the garrison at Fort Monroe. At the conclusion of the salute all of the bands on the exposition grounds will play "The Star-Spangled Banner," at which time all the troops will salute the national anthem by presenting arms, and the entire concourse will be expected to uncover during the rendition of this ceremonial.

Immediately thereafter the President of the United States will review the parade, of which Major-General Frederick D. Grant. of the United States Army. will be grand marshal, which will be participated in by the soldiers and sailors of the United States and foreign governments and the National Guard. The governors of the different States of the Union having military representation in the parade will participate therein, together with their staffs. Boxes on the reviewing stand will be assigned to those governors who do not participate in the parade.

On the reviewing stand, besides the President of the United States and his cabinet, will be the diplomatic corps, officers and directors of the Jamestown Exposition Company, members of Congress, the general assembly of Virginia, United States and State commissioners to the Jamestown Tercentennial Exposition, official representatives from the different States of the Union, officers of the various historical societies and the mayors and municipal officers of the cities surrounding Hampton Roads.

The various States have responded liberally to calls for appropriations and some twenty-five have buildings on the grounds, nearly all permanent structures of Colonial design, alined along the waterfront, where they will remain to form the nucleus of Norfolk's prospective new suburb, which may become known as

The resources of the States will be shown by exhibits in what is known as the States Building.

The principal exposition buildings are: Hall of Congresses, 236 feet long and 160 feet wide, with wings 62 feet wide; auditorium, 150 x 250 feet; Mining and Metallurgy, 100 x 250 feet; Manufactures and Liberal Arts, 280 x 550; Machinery and Transportation, 280 x 550 feet; States Exhibits Palace, 300 x 500; Food Products. 300 x 250 feet: History and Historic Arts. 100 x 300 feet; Education Buildings, two, connected by colonnades with wings of Hall of Congresses, each 124 x 129; Marine Appliances, 26,000 square feet; Palace of Commerce, 11,500 square feet.

The grounds of the Jamestown Exposition are ideally located. Sewell's Point has historic interest of its own and overlooks the scene of the great marine duel between the "Merrimac" or "Virginia" and the "Monitor." Topographically the exposition site was particularly adapted to its purpose and susceptible to the adornment and general treatment that adds so much to the attractiveness of an exposition. Its marine frontage made possible the naval display, and its beach adds the delight of sea bathing. It extends along Hampton Roads two and a half miles, and Boush's Creek skirts it for a mile and a half. Covering 600 acres, more than the World's Fair at Chicago had, the grounds offer ample room for the buildings, broad boulevards, lawns, groves, and rambles, and the Lee Parade of thirty acres. Near this is the military camp with sloping ground, giving natural drainage.

More than a million plants have been set out and

are now enjoying healthy growth, and these with shrubs and trees have been so selected as to give perpetual bloom. Hundreds of apple trees of large growth, some a foot thick, have been transplanted from the neighboring country, while many other trees of great variety have been brought from afar. The arboriculture of the grounds is in itself an interesting and attractive exhibit. Along the two and a half miles of water front a quadruple row of trees has been

planted, and similar work has been done lavishly in all parts of the grounds, while grassed places have been adorned with innumerable flower beds. The roads are of macadam and the walks, all broad, are concrete. A canoe trail winds for two miles through the grounds, passing through bits of picturesque woodland.

To comprehend the plan of the grounds, the best method is to go directly across the middle from the main entrance at the south to the water basin formed by the great double pier erected by the government. The piersare 800 feet long and 200 feet wide and are connected at the outer ends by extended bulkheads and an arched bridge beneath which the naval launches and small craft from the fleet may enter. At the head of the basin called Smith Harbor is Discovery Landing, named for one of Newport's fleet, while the piers are similarly named for the other vessels of the fleet, the "Susan Constant" and the "Godspeed." From the landing extends the

broad Raleigh Square back to a similarly broad expanse, in which are the lagoons.

The piers with their towers for wireless telegraphy and searchlights, the Square and the lagoons, the gardens and buildings on either hand, the innermost at the back of the Square connected with those nearer the water by peristyles, make this central feature decidedly imposing.

On either side of the Square are the United States government buildings—to the right the Smithsonian Institution exhibits and another exhibits building, while to the left are the Fisheries Building and those devoted to other exhibits, including the displays from Porto Rico and Alaska, and the officers' club. Within the Square on either side is, on the one hand, the re-

production in topographical verity of the Panama isthmus and canal; on the other, a large tank for the larger marine specimens, seals, etc.

To the right of the lagoons is the Manufactures and Liberal Arts palace, and to the left the building of Machinery and Transportation. At the head of the lagoons is the Auditorium, a handsome structure, with its classic dome, lofty portico, and wide-stretching wings.



States Exhibits.

The Auditorium will be the scene of daily conventions. Some 150 conventions are scheduled for the exposition. To meet the hall requirements another building has been erected near the entrance, while a citizens' committee has provided for many of the gatherings in Norfolk.

Willoughby Boulevard skirts the water front, and along it, flanking the central government buildings, are the beautiful State buildings. Kentucky, at the extreme right in a pine grove and next the Inside, a hotel accommodating 3,000 guests, has reproduced Daniel Boone's fort. Virginia has given a fine example of the type of Georgian Renaissance such as is seen in such old homes as Monticello, Jefferson's mansion at Charlottesville. Va., and Montpelier, the home of Madi-


son. Maryland has copied the home of Charles Carroll, of Carrollton; Pennsylvania has the Independence Hall, and Massachusetts the old State House. New York has a conspicuous structure with an elliptical dome, a high Colonial portico and wings; New Jersey has a copy of Washington's headquarters at Morristown; Delaware has a Colonial dwelling; Connecticut reproduces the home of Col. Talmadge, of Washington's staff; Rhode Island copies her first State house;

Georgia reproduces Bulloch Hall, the home of President Roosevelt's mother, where on June 10 the President will deliver an address on the occasion of the building's dedication; Ohio has "Adena," the first stone house erected by English-speaking people west of the Alleghenies, which was the executive mansion when Chillicothe was the State capital; New Hampshire reproduces the home of John Langdon, and Maine the home of Longfellow. North Carolina. Illinois, and Missouri have handsome Colonial buildings. Still other States with buildings are Florida, North Dakota, Vermont, Alabama, Tennessee, Arkansas, Louisiana, West Virginia (which also is erecting a huge coal monument). Michigan, and California. Oklahoma provides for her exhibits in her building, while the other State buildings are for social purposes and display of only things of art and historic interest.


These buildings are fn the main of brick with white trimmings. In ap-

pearance they harmonize with the exhibit palaces, which have brick veneer instead of staff, which is used only in the trimmings. This gives an appearance of permanency, and relieves the aspect of that garishness and newness common to most exposition architecture.

In the Auditorium group of buildings are, to the right, the concrete and fireproof History and Historic Art and Fine Arts Buildings, and the Food Products Building, while to the left of the Auditorium are the Marine Appliance Building, and next it the Minerals, Mines and Metallurgy triple building. Farther to the left and east is the Graphic Arts Building, which is shared in part by the Social Economy department. The Boston Printers' Society has arranged the plan of



Photographs copyright 1907 by Jamestown Official Photographer Corporation.



Main Entrance of Auditorium Palace,



the Graphic Arts exhibit and it will duly impress the visitor with the conspicuous part printing has played in the advance made by humanity in civilization in the last three hundred years.

At the eastern end of the grounds are the Canoe Trail, the Philippine Reservation and Athletic Field, and the Life Saving Station. On the extreme west are the War Path, which corresponds to the Midway at Chicago; the Negro exhibit and the Palace of Commerce, which will be devoted to display of wares, domestic and foreign.

Perhaps no exhibit will attract more attention than that of Power and Alcohol. The government will conduct tests, experiments, and demonstrations, and the agriculturist will learn how many things about him may be converted into alcohol, and profitably so, under the denatured alcohol act of Congress. Experiments will be made to determine how inexpensively denatured alcohol can be manufactured, and show its qualities as a fuel compared with coal and gasoline.

Officials of the United States Geological Survey have in charge the Mines and Metallurgy exhibits, and processes will be shown. The Building Material exhibits will be large and much attention will be paid to cement and to concrete work.

Farmers will find the States Exhibits palace devoted mainly to agriculture, and in it, besides the great staples from all parts of the country, fresh fruits and green vegetables and berries, everything in season, together with work in soils, fertilizers, and seeds. The exhibit of farming implements will be extensive.

In the Machinery and Transportation Building the Pennsylvania Railway will show a section of its East



Government Museum Building.

this year of the Glidden tours, which will include the Virginia battlefields and reach to Virginia Beach, at which point will be found a beach course for racing of 80 miles extending to Hatteras.

Aeronautical devices are likewise to be shown.



Maryland State Building.

River tunnel tube, 23 feet in diameter, and within the tube will be one of the company's new steel cars. The Baldwin firm will show four types of locomotives, and of these two will be so installed as to have their machinery in motion. Automobiles will be shown in great variety and the exposition will be the objective

A special building has been erected and in it will be placed aeronautical paraphernalia, models, charts, etc. There are to be contests between balloons, dirigibles, aeroplanes, and various characters of flying machines, kites, etc. The contests will be not only of the sporting kind, but scientific both in reference to

airship construction and in relation to the elements.


The exposition will be the rendezvous of athletes, and the field events will bring together a large number of champions in their respective lines. The auto-boat will be much in evidence and Hampton Roads will witness a series of yacht races for craft of varied design and racing length. Five cups are offered for the international races—the President Roosevelt, the Kaiser Wilhelm, the King Edward, the Sir Thomas Lipton, and the Exposition cup. Other cups are offered for special regattas and for free-for-all racing. The National Rowing Association goes to Philadelphia for its annual championships, but comes to Jamestown afterward and an interesting series of boat races is promised, off Sewell's Point.

One of the most instructive features of the Exposition will be the Negro exhibit, for which Congress appropriated \$100,000. A building has been erected on the grounds from a design made by a colored architect, W. S. Pittman, of Washington. It is 125 x 250 feet area, two stories, and in the Colonial style. The life of the race on American soil began at Jamestown twelve years after the landing of the English, and the exhibits will represent the stages of negro life and progress. A striking exhibit will be a series of model groups with appropriate scenic accessories illustrating in chronological order the various stages of the negro's history. This is the work of Meta Vaux Warrick, a young colored sculptor of Philadelphia, graduate of the Drexel School of Fine Arts. There will be exhibits from the several colored schools, such as Hampton, Tuskegee, Fisk, Livingstone, and Normal.

Collections have been made of the products of negro labor in all branches—agricultural, horticultural, mechanical, and in the liberal arts—and furthermore will be shown exhibits representing his activities in the professions, in art, music, and literature.



Photographs copyright 1907 by Jamestown Official Photographer Corporation.



Reproduction of Old State House, Boston. Boston massacre occurred on the square in front of this building.

AUSTRALIAN SAPPHIRES.

BY IOHN PLUMMER.

Sapphires are found in all the Australian states, but chiefly at Anakie, in Queensland, where they are obtained in considerable quantities. The sapphire-bearing area, according to Mr. B. Dunstan, assistant Queensland geologist, is of considerable extent, about fifty square miles, extending north and south of Sapphire Town, as the Anakie settlement is designated. The deposits

are mostly confined to the granite country, although rarely met with in existing streams. Generally, they are found high above the beds of the creeks, but roughly marallel with the creeks. The sapphires do not travel very far, and if the deposits containing them are washed away, the stones will be found just below any remaining portions, or perhaps only a short distance away. Associated with the samphire deposits is a quartzite rock, locally known as "billy," which is general in all the eastern portions of the field in which the gems are found, and, when met with in unprospected localities, is regarded as an indication of the probable existence of sapphires in the vicinity. There are, however, localities in which the sapphires are found, although

no traces of the "billy" are to be discovered, hence it is assumed that while the rock may have been plentiful in the sapphire-bearing country, it is not that from which the gems originally came.

In some places bowlders of basalt invariably occur with the sapphires, and pebbles of basalt in which pleonaste is imbedded are often found. There are numerous basalt peaks scattered over the Anakie field, and a pale blue sapphire, having a thick, black scaly coating on one side, together with abundance of pleonaste, was picked up on the summit of one of these. The stone was obtained at a height of 500 feet above the highest of the sapphire alluvial deposits, and, although there were means by which it could have been taken up to the top from the deposits below, it very probably was weathered out of the basalt, together with the pleonaste with which it was found. The mineral inclusions in the masalt on the tops of the mountains present many interesting features, and are regarded as throwing some light on the origin of sapphires, although it must apparently remain largely speculative. In the different workings on the Anakie field the thickness of the sapphire wash varies con-

siderably, in some places being only a few inches thick, while in others it amounts to several feet.

The bottom is usually a reddish clay, resting on decomposed schists and slates. Occasionally this reddish clay has been mistaken for the bottom, but such is not the case, other and sometimes richer beds having occasionally been found below it. Some of the workings contain only medium sized boulders. while others have boulders too large to be removed by hand. Frequently the sapphire wash is extremeclavey, and requires "puddling" before the gems can be extracted. Much, however, of the wash is loose, friable, and free from clay, in which case the sapphires are obtained by "dry sieving." No general rule can be given to determine what the deposits will be like

in any particular place. In a claim the wash may change from a reddish clay to a very dark, fine, friable soil, or from a black soil to one which is white and marly, all carrying sapphires; and from being a shallow surface deposit to one perhaps seven or eight feet deep. In several of the western creeks the wash is of considerable thickness, and in a few of the deposits, so far, no bottom has been found, the wash not being sufficiently rich to induce miners to sink beyond a

few feet. That part of the wash which carries the sapphires is often very irregular, sometimes occurring as small patches in the otherwise almost barren portions; while in other places the sapphires are generally scattered throughout the wash. As the older formations which form the bottom of the deposits vary in composition, so does the color of the deposits which rest on them. Where the bedrock consists of decomposed slates and schists, the wash is inclined to be



Treating Sapphire Wash Dirt.

reddish; where granite is present, the wash is yellowish; and where the basic volcanic and intrusive rocks are on the bottom the wash is almost black. The blue stones are most numerous on the eastern fields of the district, and the green ones on the western fields, while the parti-colored stones are common to both, Yellow sapphires are extremely rare. Shades of blue range from light to dark, but the rich cobalt-blue color—the cornflower blue—has vet to be found. The green shades vary from a light-tinted pale green to a deep olivine green. The light green stones having a just perceptible golden tinge are very beautiful, and according to Dr. Dunstan, might be appropriately termed "Oriental chrysoberyl," while the pure green would be "Oriental peridot." Some fine specimens of the Oriental topaz, both of canary and orange yellow shades, have been obtained, but the "Oriental ruby," the red variety, is extremely rare, the one or two found being of perfect color. The purple-tinted stone, "Oriental amethyst," is also rare, but when found has the true amethyst color.

With the suppliers in the alluvial deposits the hyacinth, a well known variety of zircon, is frequently

than the sapphire, is harder than opal, the much prized Australian gemstone. Several of the stones have the property of altering their color. Occasionally miners who have carried stones in their pockets have found the color affected by the warmth of the body. When heated the stone becomes lighter in color or changes from red to brown. Intense heat will destroy all the color. When only slightly heated the stone, as it becomes cool, resumes its natural tint. The same

effect is obtainable with sunlight. The sapphire wash-dirt is, as already hinted, treated in a somewhat primitive yet very effectual manner by means of sieves of peculiar construction, which save even the smallest stones.

A correspondent of the New York Times writes the following interesting letter to that publication on a school for airship experimenters:

"The benevolence of philanthropists has been, up to this time, mainly directed to libraries, schools, universities, and other institutions of learning. There are manual training and technical schools, but there are no institutions where untold numbers of capable and practical men, especially workingmen, can be advised and financially help-

ed. Frequently such men have to give up the pursuit of ingenious inventions for lack of means to perfect them. Applied science would certainly be much promoted if inventors were given the opportunity to work out their inventions to a degree of commercial utility, which otherwise they could not afford to do.

"If we look at the field to which so many now turn their energies and money, air navigation, it appears as if they were tying the cart before the horse. Instead of advancing on a sure, scientific, and practical basis, they waste money on balloons, which lack the first requirement, dirigibility. Would it not be more sensible to recognize the immature state of the science of air navigation and to first exhaust all resources by offering prizes to scientific and practical men for valuable propositions to overcome the principal obstacle, resistance of the air? Until this problem is solved balloons will remain mere toys.

"If there existed an institution in which ideas, patterns, or developed models could be examined and where the inventor would be allowed to finish and test his invention and to demonstrate its commercial value, there would certainly be more chances to accomplish

quicker and better results.

"Suppose one or more such institutions should be created, does it not stand to reason that in a given time such institutions would be self-supporting? The inventors, in case of success, would only be too willing to divide their revenues from such institutions with the institution that enabled them to finally reach success."

For several weeks during the drought from which a portion of central southern Florida has been suffering for a long time, heavy fogs were of frequent occurrence. The amount of water that these yielded was determined by the Rollins College weather observer by supporting a weighted sheet of filter paper near the ground during the night, and allowing it to

remain carefully protected from the sunshine until the dissipation of the fog in the early morning, and then weighing the saturated paper. It was found that a very dense southern Florida fog is not equivalent to more than 0.002 of an inch of precipitation as measured by a rain gage.

The use of nitrogen gas has been tried in France for inflating tires.



Working a Sapphire Deposit.

AUSTRALIAN SAPPHIRES,

found, mostly in the shape of small grains, of shades varying from brown to deep blood-red, the stones suitable for cutting as gems being comparatively rare. Some of the colorless hyacinths have a resemblance to rough diamonds, and have been mistaken as such. They have rounded faces, are brightly polished, and possess a brilliant luster, but are betrayed by their inferior hardness. In some of its richer shades the hyacinth is extremely beautiful, and, although softer

A GIGANTIC CLOCK. BY DR. ALFRED GRADENWITZ

Few mechanisms exert the same fascination on the human mind as a clock. This instrument, measuring the most important factor of modern life, time, is in fact the most indispensable utensil of our activity. This explains why from the very earliest times of the watchmaking art some especially skilled constructors should have devoted so much attention and energy to

the production of real marvel clocks. These endeavors to outdo one another by the construction of ever more complicated clocks have been continued to modern times. An interesting example is afforded by the clock that has been recently installed in the bell tower of the St. Gervais basilica at Avranches (France) and of which a short description is given in the following. The clock was constructed by Mr. Gourdin at Mayet (Sarthe) and claims to be the largest in France.

It comprises five works, viz., a regulating works and four striking works. The former, which is provided with a remontoir escapement, regulates and disengages the striking works; by means of hollow steel rods 38 m. (124 ft.) in total length, and 6 gear trains it actuates 7 dials, viz., 4 external dials 1.4 m. (4.6 ft.) in diameter, and 3 internal dials of smaller dimensions. The regulating works at the same time operate a large bronze wheel upward of 1 meter in diameter, carrying 96 pins, each of which corresponds to a quarter of an hour, and by the aid of which the various ringing effects are produced automatically.

These ringing effects are obtained by means of four clockworks, one of which serves for the hours, one for the quarters, and the two remaining for the several chimes, which are the following: The quarters ringing works will play the hymn "Inviolata," the first 5 notes being produced at the first quarter, further 8 notes with the second, and 11 notes with the third quarter, while with the fourth quarter, before the hour is rung, the whole phrase, "Inviolata, integra et casta es Maria." is heard.

At noon and at 7 o'clock in the evening the "Inviolata" is automatically replaced by some tune varying according to the season.

The hours are rung by means of a hammer 100 kgs. (220 lbs.) in weight on a bell weighing 6,454 kgs. (14,228 lbs.), the working weight of this clockwork being only 300 kgs. (661 ibs.) Another 22 bells representing a chromatical scale and varying from 33 to 2,230 kgs. (4,916 lbs.) in weight, has been provided for ringing the quarters and operating the chimes. The most remarkable feature of the latter is that the number of tunes is increased at will, the cylinders on which the cams of the hammers are located being readily exchanged, like those of a phonograph, pro-

vided the tunes in question fit into the series of notes represented by the 23 bells. The large cylinder visible in Fig. 1 to the right carries the cams, gearing with the ends of the bell hammers by means of the levers lifted by their aid. Each bell has been provided with two hammers, the weights of which, according to their size, vary from 6 to 20 kgs. (13 to 44 lbs.).

The dials of the clock are of ordinary dimensions, only the power and automatic operation of the ringing mechanisms as well as the weight of the hour's hammer (100 kgs.) being remarkable.

The aggregate weight of the whole clockwork is 2,000 kgs. (4,409 lbs.), its length being 4.15 m. (13.6 ft.), its breadth 1.90 m. (6.2 ft.), and its height 2.40 m. (7.8 ft.). The wheels of the ringing works are 0.60 m. (23.6 in.) in diameter.

A professor at Lehigh University has made a calculation to show that if a tiny vessel of one cu. cm. (0.061 cu.

Vanadium Steel in Automobile Manufacture.

Automobile construction has put steel makers to a severe test. To obtain strength, durability, and elasticity and yet to reduce weight are problems of no mean order. Many experiments and tests are necessary to get the best results.

Preparing metals for automobile construction requires entirely different methods from those for other engineering specifications. Steels that under ordinary




Fig. 1.-End View of Mechanism.

circumstances would stand the usual static tests, would prove unavailable if tried under the severe dynamic strains to which they would be exposed. J. Kent Smith, the English metallurgist and exponent of vanadium, in an address to the Mechanical Branch of the Association of Licensed Automobile Manufacturers, stated that from 80 to 90 per cent of the breakages were caused by dynamic strains to the metal, leaving only 10 or 15 per cent as the result of the static. It has been the aim of each engineer to discover the best grades of steel for each specific part of an automobile, which would withstand the particular dynamic strain to which it would be subjected.

In vanadium there seem to be found all the elements to give the desired requirements. Vanadium is peculiar in that unlike many other metals it has no value in itself, but when alloyed with steel has infinite

vanadium. To use it as an agent for this work, however, is very expensive. An analysis of a steel known to contain vanadium will not always result in the finding of a percentage that has been put in, although tests will show its presence in certain degrees. For example, it may be known that 15 per cent has been put in an open-hearth casting, whereas the analysis will show but 4 per cent. This is because its introduction is improper. It is quite useless to introduce

vanadium in oxidized steel because you cannot find any vanadium in the steel. It naturally did its easiest work first, seizing the oxygen, so that the steel did not receive the dynamic qualities of the element. Its work was confined to cleansing.

Unlike many other elements, vanadium, to get the best results, must be used in extremely small quantities. A little goes a great way, too much being as useless as not enough. For casehardened steel from 1½ to 2 per cent remaining in the steel will give better results than a less amount, although even if properly introduced 10 per cent of the amount put in, that is, 10 per cent of the 2 per cent, must be counted as a loss.

In some instances steel makers have directed their efforts to attaining a satisfactory tensile strength, which is of course necessary, but in many cases the tensile strength has been increased to the detriment of the dynamic qualities of the metal, and this often without needing the maximum tensile strength for some specific duty of the steel. With the addition of vanadium the same tensile strength may be maintained or even lowered with the dynamic qualities increased, but for certain conditions the dynamic qualities would not be necessary. This would apply to the parts of an automobile where a steady and consistent strain is maintained.

Bending tests by Prof. Arnold have shown that vanadium steel will stand a much higher alternating stress test than steels containing any of the other alloys. A high carbon may break at 100 alternations. Steels of the best acid or open-

hearth casting will run as high as 290. An excellent quality of nickel steel ran to 270, while vanadium steel has attained as high as 570, or nearly 100 per cent better than a good nickel compound.

The life of steels, pure carbon steels, is materially lengthened by the addition of this alloy. A pure carbon steel on test ran to 280; the same after the addition of vanadium ran to 480. The simple addition of vanadium to a low-carbon steel raises its tensile strength or the elastic limit of the steel. In regard to nickel steel, vanadium does not increase the life of the steel when tested beyond its elastic limit. Where the dynamic qualities enter into the duties of a metal, it has been found that the intensifying of chrome by vanadium has given the most satisfactory results. Where the requirements are more static than dynamic, or an equal proportion of both, vanadium nickel

has proven to be the better.

The principal parts of an automobile that are constantly receiving the sudden or unexpected shock or strain will be most benefited by vanadium steel or vanadium chrome. Axles, springs, frames, crankshafts, and gears should be specifically adapted to the dynamic conditions imposed upon them. In casehardened gears, tests have proven that vanadium chrome has been used to great advantage.

Vanadium has proven a most satisfactory alloy because it works so generally. It works in more than one direction, but these directions can be directed to get the maximum results if properly handled It has an advar tage in that it machines nicely. Vanadium chrome machines almost like a carbon steel. There is no apparent difference in machining a carbon axle and a chrome-nickel axle. A vanadium chrome shaft is a little stiffer to machine than an ordinary carbon crankshaft, but it is no more

difficult than an ordinary nickel crankshaft, and not as hard to machine as a nickel-chrome would be. In forging it is the same way, not being more trouble-some than a plain nickel steel. On the whole, the introduction of vanadium steels for particular parts of automobile construction has been accompanied by the most satisfactory results. It has been conceded that chrome vanadium steel is the finest steel ever used for building moving machinery.




Fig. 2.—Front View of the Mechanism.

A GIGANTIC CLOCK.


capabilities. Vanadium has long been known. It is found in small quantities in Swedish ore, but in such small quantities that its use was prohibitive.

The addition of vanadium to various steels has overcome in many ways the difficulties that have presented themselves in dynamic forms to the specific duties of certain grades of metals. It is a most elusive element, and its presence is not always known. If there is any oxide left in steel, it will be cleaned out by the



IMPROVED PACKING FOR PISTONS.

Pictured in the accompanying engraving is a new form of packing adapted for use on pistons and the like. The illustration shows the packing applied to a steam-pump piston. The packing ring A is loosely fitted on the body C of the piston, and the inner edge of the ring bears against a shoulder formed thereon. The




IMPROVED PACKING FOR PISTONS.

ring A is retained by a washer, which bears against its outer edge, the washer being held in place by a nut screwed on the outer end of the central piston rod. The packing ring A is split, being formed with beveled end walls adapted to engage a spreader bar B, of triangular cross section. This spreader bar is engaged and pressed outward by a spring G of S-shape, which is held on a seat formed integrally on the inside of the packing ring A. Instead of the S-shaped spring, liners or like devices may be employed for forcing the spreader bar B outward, with a view to opening the split ring, so as to firmly engage the inner surface of the cylinder in which the piston is used. It will be evident that the outer surface of the ring snugly fits the inner surface of the cylinder in which the piston is used, the ring being spread apart with sufficient force by the spreader bar F, so as to prevent all leakage from one side of the piston to the other. The ring is preferably made of steel, while the spreader bar is made of softer metal, such as brass, so as to prevent the outer corner of the spreader bar from cutting into the surface of the cylinder. A patent on this improved packing has been granted to Mr. Stewart Holmes, 357 Douglas Street, Brooklyn, N. Y.

**** WAGON BRAKE.

The accompanying engraving illustrates a novel form of brake adapted for use on wagons which carry heavy loads. The brake is so arranged that it may be set to operate automatically when the wagon is traveling downhill. In our illustration Fig. 1 shows the under side of the fore truck, while Fig. 2 shows a longitudinal section through the brake mechanism. The axle is indicated at A, and this is provided with the usual hounds supporting guide bars between which the tongue B is fitted. A transverse bar C passes through the hounds and guide bars and also through a slot in the tongue B. A bolt D in the tongue B passes vertically through the slot therein, to the rear of the bar C. so that as the vehicle is drawn forward, the strain is borne by the bolt D bearing on the bar C. The upper end of the bolt D is provided with a lateral extension in which a slot is formed. This slot is engaged by a pin mounted eccentrically upon a disk E, which is journaled in bearings on the tongue. A king bolt F pro-



WAGON BRAKE

vides means for securing a draft tree to the pole. Secured to the under side of the tongue B are a pair of links G formed with slotted rear ends. Connected to these links G, and fulcrumed to the axle A, in the manner indicated in Fig. 1, are a pair of levers, which are connected by the rods H with the brake beam J. The latter is mounted to slide in bearings formed on the hounds, and is provided with the usual brake shoes adapted to bear against the wheels. In use, when the vehicle is traveling downhill, it moves forward on the tongue B, thus swinging the levers connected to the arms G and drawing the brake shoes into contact with the wheels. If it be desired to disconnect the brake the driver swings the disk E on its journals by lifting a cord connected to the end of a weighted lever formed on the disk, and then after the tongue has been drawn forward on the transverse bar the bolt D is slipped down in front of the bar C, preventing the play in the slot necessary for the operation of the brakes. A patent on this improved wagon brake has recently been secured by Mr. George F. Young, of South Kortright,

An Exhibition of Inventions.

A most interesting feature of the Jamestown Exposition which has just opened will be the "Section for Inventions." in which inventors are invited to display their inventions and demonstrate their value to visitors. The invitation is open to all, and every facility is offered in the way of floor space, tables, and shelves, advertising cards and labels, electric current, gas, lights, etc. A modest fee of from ten to not more than thirty dollars, except in very special cases, is charged for such space and service. The service includes as well the general care of models, explanation to visitors, and the return of the exhibit at the close of the Exposition. Awards will be made of gold, silver, and bronze medals and diplomas. That inventors are alive to this unparalleled opportunity for making public their creations is shown by the fact that within four weeks after the first notice was sent out by the Bureau of Inventions of the Jamestown Exposition, applications had been made for more than 5,000 square feet, and new applications are now coming at the rate of a hundred a day. The inventors are not the only ones who will profit by this display, for the exhibition cannot fail to be of interest and material benefit to the public at large. Never before has such an opportunity been presented at any exposition, and now that the first step has been made in this direction such exhibitions of inventions will no doubt become a part of all future expositions.

The Handwriting of Authors.


An interesting study is the handwriting of authors, as it indicates to a greater or less degree their personal temperaments. Longfellow wrote a bold, open back hand, which was the delight of printers. Joaquin Miller writes such a bad hand that he often becomes puzzled over his own work, and the printer sings the praises of the inventor of the typewriter. Charlotte Bronte's writing seemed to have been traced with a cambric needle, and Thackeray's writing, while marvelously neat and precise, was so small that the best of eyes were needed to read it. Likewise the handwriting of Capt. Marryat was so microscopic that when he was interrupted in his labors he was obliged to mark the place where he left off by sticking a pin in the paper. Napoleon's was worse than illegible, and it is said that his letters from Germany to the Empress Josephine were at first thought to be rough maps of the seat of war. Carlyle wrote a patient, crabbed, and oddly emphasized hand. The penmanship of Bryant was aggressive, well formed, and decidedly pleasing to the eye; while the chirography of Scott, Hunt, Moore, and Gray was smooth and easy to read, but did not express any distinct individuality. Byron's handwriting was nothing more than a scrawl. His additions to his proofs frequently exceeded in volume the original copy, and in one of his poems, which contained in the original only four hundred lines, one thousand were added in the proofs. The writing of Dickens was minute, and he had a habit of writing with blue ink on blue paper. Frequent erasures and interlineations made his copy a burden to his pub-

SEAL BOX FASTENER.

It is the custom to ship heavy objects, such as large bottles of mineral water and the like, in boxes specially provided for the purpose, and to use such boxes repeatedly until they are worn out. Ordinarily, the

lid is nailed on the box, and the repeated nailing soon renders the box useless for further shipment. To obviate such difficulties, Mr. Clarence A. Schaad, of 846 South Tenth Street, San José, Cal., has invented a fastener by means of which a lid may be secured to a box without nailing. The fastener is so designed that a seal of lead or like material may be applied thereto, to prevent tampering

with the contents of the box en route. As shown in the accompanying engraving, the lid of Mr. Schaad's box has hinged thereto at A a U-shaped strap, or bail B. Secured to the front of the box is a block C, over which the bail is adapted to be fitted. In this position it is held by a bolt D, which passes through the block and the bail. The bolt is formed with a slot near the center, and a pin or screw $\it E$ in the block passes transversely through the slot to retain the bolt. A leaden seal F may be secured to the




SEAL BOX FASTENER.

lower end of the bolt. The hinge at the rear of the box consists of two slotted plates G secured to the lid and two straps H fastened to the body of the box. The straps are formed with hook ends adapted to enter the slots in the plates. By this arrangement the lid may be entirely removed from the box when the latter is opened. At the same time it requires a very strong hinge, which is necessary because in packing such boxes it is customary to use a quantity of excelsior or shavings, which must be pressed down with considerable force when applying the lid. The box may be used to advantage in shipping eggs, fruit, etc., as well as heavier articles, such as bottles, jugs, and the like.

ALARM ATTACHMENT FOR SELF-BINDERS,

Considerable trouble is experienced in the operation of self-binding harvesters, due to the tangling or knotting of the twine, and its consequent breaking. To overcome this difficulty a recent patent provides an alarm device which, in case of improper feeding of the twine, will give a signal to the driver in time to have him stop the machine before the twine is broken, and thus save the delay and inconvenience which would otherwise be entailed in rethreading the mechanism. The accompanying engraving illustrates the alarm device. The twine is held in a receptacle A, and passes out through an opening in the top. Thence the twine B is led down over the side, and threaded through an eye carried at the bottom of a rod C. From this point it is led back through an eye at the top of the receptacle, and thence to the mechanism of the binder. The rod C is mounted to slide vertically in a slideway. Intermediate of its length it is provided with a pin, which bears against one arm of the lever D. The opposite arm of this lever carries a hammer head adapted to strike the gong E when it is released from engagement with the pin on the rod, the striking being

effected by a coil spring, which exerts a tension on the lever. In operation, should the twine become knotted and feed improperly out of the receptacle, the rod C would be lifted up to the dotted position, shown in the engraving, thus disengaging the lever D and sounding the gong. The length of twine B. extending down to the bottom of rod D. and back again, is such that the operator would have time to stop the machine before the twine wouldbreak. A patent on this novel attachment has been granted to Mr. Lewis J. Phillips, of Foss, Oklahoma Territory.



ALARM ATTACHMENT FOR SELF-BINDERS.

RECENTLY PATENTED INVENTIONS. Electrical Devices.

TELEGRAPHONE. - G. MORIN, Habana Cuba. This invention relates to telegraphones. and more particularly to apparatus for enabling the so-called "voice-currents" to be generated in a wire or line by means of a magneto member having the form of a disk. The improvement further relates to means for enabling one or both sides of the disk to be used as desired.

Of Interest to Farmers.

COMBINED POTATO-DIGGER AND COT-TON-CHOPPER.—R. KRAUSE, Swanquarter, N. C. The digging mechanism comprises a frame having the main bars turned spirally to form approximately a screw, which would if moved in the direction of its axis through a resisting medium, be caused to turn in one direction or the other, according to the spiral twist of the frame-bars. Means provide for turning the frame in a reverse direction. which when the machine is used as a cotton chopper takes the place of the blades. The hoe passing into the ground cuts out the cottonplants at predetermined intervals.

DISK-HARR●W SCRAPER.—A. C. LORD, Galesburg, Ill. The invention relates to certain improvements in disk-harrow scrapers in which the scraper-blades are held in contact with the disk by the pressure of springs, the •bject of the inventor being to relieve the pressure, and hence lessen the friction or increased draft load at the will of the operator.

FRUIT-PICKER'S BASKET .- F. CARTMEL, Jacksonville, Fla. The object of the invention is to provide a basket arranged to permit the picker to conveniently empty the basket of its contents without danger of bruising or otherremoval of the basket from the picker, the basket being collapsible, and when collapsed is convenient for storing, handling, and shipping of empty baskets.

CULTIVATOR ATTACHMENT.—J. J. YOUNG Denver, Col. The purpose in this invention is to provide an attachment adapted for convenient adjustment of the fenders employed on corncultivators and cultivators of like type to protect the young plants during cultivation, so that the said fenders can be expeditiously and quickly adjusted up or down on the arc of a circle as may be demanded and be held firmly in adjusted position.

COLTER-BEARING .- T. R. WALLIS, Greenville, Miss. The object of the improvement is of the hook. to provide a bearing which will mount the metal hub of the colter-blade on a steel or other metal bearing and by means of which, however, the bearing is supported firmly and from wells, and admits of general use, but is non-rotatively on the frame of the plow or other agricultural implement.

SHEEP-BRANDING MACHINE. — J. MAGELSSEN, Melville, Mont. The object in this improvement is to provide a device in which the printing or painting mechanism will be automatically supplied with liquid coloring material in such manner that a large number of sheep may be easily and quickly marked for identification by simply applying the device to the part for an instant and causing neither pain nor annoyance.

Of General Interest.

LOOSE-LEAF BINDER.—H. G. BUCHAN, Woodbridge, N. J. One purpose of the inventor is to provide a binder with a sectional segmental back of spring material so constructed that it may be employed for binding one or as many sheets as may be desired to the extent of its expansion, which is limited only by the number of sheets it will hold when opened to its fullest extent.

BOAT.-U. R. MILLER, Salem, Ohio. In this case, means are adapted to increase speed, decrease draft, and maintain stability. In operation a boat has a tendency to ride out of water when moving at high speed, thereby decreasing the draft and causing the boat to ride on the surface instead of crowding its way through the water. Although the draft is thereby de creased, the keel, together with the flat inboat even when the planes are riding on the

THAWING-POINT .- F. LEWIS, Fairbanks, District of Alaska. In using the device in gold-mining operations the point is driven into the frozen earth by means of a sledge or hammer, and steam is allowed to pass into the interior of the point. This steam, which escapes at the point, thaws the frozen ground and enables the device to be driven further in. An advantageous feature is the fact that there is no necessity for welding the parts together.

PROCESS OF PURIFYING ACETYLENE GAS.-G. F. JAUBERT, 155 Boulevard Malesherbes, Paris, France. The object in this instance is to provide a process for eliminating from acetylene gas the phosphureted hydrogen, which, as is known, constitutes the impurity located at the free end of the handle. which is the most undesirable and at the same time the most difficult to eliminate. The gas as soon as formed is passed into washing-tanks Which contain sulfuric acid concentrated at 62 deg. to 64 deg. Baumé, saturated with any appropriate arsenic derivative.

form which will be secured in the horseshoe ally spring-actuated by means of the ordinary by improved means. The special object is to devices connected therewith, it will be under- Mr. Peppard. provide a construction which will insure that stood that such knob-springs will aid the spring the calk will remain tight during its period of in pressing the cushion-block into engagement usefulness, but which will enable the calk to with the floor-surface. be readily removed when it is to be replaced by another.

STRAIN-EQUALIZER.—J. W. Wash, Lawrenceburg, Ky. The device is characterized by the fact that the pull on various numbers of wires or cables, as in stringing fence, telephone, or telegraph wires may be equalized. This is is to provide a form of caster which shall be on a carrier-plate. done by an endless rope bent over a series of strong and durable, not likely to get out of pulleys on a draft-bar, forming loops each of which is provided with a block, and when less less and of free working. than the full number of wires are connected the idle blocks will pull up the bar, leaving the other under equal strain.

BEER-TAPPER.-R. B. SPIKES, Bisbee, Ariz. Ter. In this instance the invention has ref- desired, can be used under any suitable form the frame, which will enable the direction of erence to devices known as beer-tappers, which of hood and can be used on the top of a range the wheels to be easily controlled. A further hoe comprises a shank and a horizontal blade, are in the nature of appliances for opening or other heated surface and be made of any object is to provide a strong axle construction and dispensing beer from the keg or barrel. size and thickness to suit particular pur-Such devices have hitherto been employed which simultaneously opened an outlet for beer and an inlet for air.

> KILN .- J. A. SHUMAKER, Hyndman, Pa. The object of the inventor is to provide improvements, specially in connection with the fire-this improvement is to provide a machine for maintained, while the other portion of the firebox may be cleaned. By this construction a intermittent, supplying the cutter at each movegreat saving in the volume of heat for the kiln is accomplished at all times, as well as the stopping of the volume of cold air entering the kiln which latter is very detrimental to the

TELESCOPE FOR SUBMARINE BOATS.-F. REHM, Lichtenfels, and K. WINDSTOSSER, wise injuring the fruit and without requiring Nuremberg, Germany. In this patent the infields of view representing several parts of the horizon or sea are obtained within one and preferably so arranged that the field of view of the fore part of the horizon or sea is made the chief field and larger than the other fields of view.

CANT-HOOK OR PEAVEY.—P. PRICE, and to so construct the attachment that it may be applied to the beam of any cultivator and as is used in logging camps for moving or guidings logs from place to place. The object of the invention is to produce a hook of a conwill prevent dislocation of the point or socket

> METHOD OF RAISING LIQUIDS FROM WELLS .- F. J. Moser, Kane, Pa. This invention pertains to a method of raising liquids of peculiar service in connection with the raising of liquids from oil-wells. The invention may be considered in connection with Patents Nos. 721594 and 751323. The present invention undertakes to improve upon the methods disclosed in the patents above mentioned.

> APPARATUS FOR SHARPENING LAWN-MOWERS.—E. C. Springer, Mason City, Iowa. The principal purpose of the invention is to wheels or change the gearing before placing a mower upon the device, it being necessary only to turn the mower upside down and clamp it in position upon the device, whereupon the wheels may be revolved through the medium of a clamp-handle especially adapted for the purpose.

CHALK-LINE HOLDER.—M. A. REARE, Los Angeles, Cal. This invention pertains to cord- the scraper that it will engage closely with all holders such as used in holding marking-cords, parts of the convex bottom of the calcining such as chalk-lines. One object is to produce a device of this kind which will operate normally to maintain the cord wound within the device, but which will enable the cord to be drawn out when it is to be used.

Hardware.

SOD OR WALK TRIMMER.—D. L. ROSE, clined planes, provide ample stability to the Mankato, Minn. This trimmer is designed especially for trimming sod from along a sidewalk. such as cement sidewalks, but which can also passes and also certain improvements in means be used to advantage in trimming sod along for suppyling the motive fluid adjacent said flower-beds and the like. The tool when moved abutments for operating the device. along the sidewalk will trim the sod and by the inner inclined face of the guide-gage throw all dirt and the like beyond the excavation formed by the cutters.

> HAMMER.-H. Lewis, New York, N. Y. This invention has reference to improvements in hammer that will to a greater degree be accessible to obstructed parts. In this instance the head of the hammer is pivotally mounted near its rear end to the handle and can be adjusted to any angle with respect to the handle as may be most convenient by turning a thumb-piece

DOOR STOP AND LOCK .- C. J. TATUM Port Arthur. Texas. A plate on the spindle when released operates as a guide for the upper end of the rod as the latter is raised by the key and also serves to maintain the upper

HORSESHOE .- H. Dahms, Berlin, Germany. engagement of its abutment by the key when tain the bolts in their upper or inactive posi-

Household Utilities.

CASTER.—W. IMBT, East Stroudsburg, Pa. The invention is an improvement in casters as order, and one which shall be absolutely noise-

BROILER.-J. W. Ross, Chillicothe, Mo. This broiler is adapted for broiling meat, all vehicles, it is especially useful in autofish, game, etc. In operation the broiler can mobile construction. The object is to provide be placed on any fire-box or surface and, if an arrangement for mounting the wheels upon

Machines and Mechanical Devices.

MACHINE FOR CUTTING MEAT.—I. B. VAN SISE, Oyster Bay, N. Y. One purpose in biles. The inventor provides means whereby box, whereby one part of the fire only may be cutting meat, especially sausage-meat, and to so construct the machine that the feed will be ment of the feed with just sufficient material for the knives to properly handle.

SHOE-SEWING MACHINE.-J. A. RHOULT, Haverhill, Mass. The present invention simplifies and improves the means for carrying the thread. It improves the stitch-forming devices and provides means for firmly holding the sole provement in frames for vehicles, especially during stitching operation and for releasing vention has reference to a telescope for sub-marine boats by means of which the several fies and renders more certain of operation the ment in the frame whereby little shock or devices for threading the thread-carrier and vibration is experienced in passing over rough stitch-forming elements; and adapts the mathe same circle, the several fields of view being chine to sewing felt or other fabric uppers to the soles by providing means for gripping and feeding the felt upper, as well as the sole.

ATTACHMENT FOR TURNING-LATHES. J. Morgan, Hughesville, Pa. The invention refers to lathes for metal or wood work, and is especially useful in boring and centering or as a center rest. The object is to provide a durable lathe, steady-rest or chuck which is easily operated manually, which may be attached withstruction which operates to increase the out difficulty to lathes of the usual construc-strength of the stock or handle and which tion and which will afford means for holding or steadying the material or work.

> man, Iowa. One purpose of the invention is to provide a construction of plow for digging tiling-sewer ditches or draining-ditches and which is light of draft and capable of effective service in any character of soil. Another is to construct a plow with an inclined conductor from the gutter to wings that move over the surface of the ground and remove excavated material from the edges of the ditch. It is adapted to be drawn by a traction-engine.

STEAM-SAWYER.—S. V. ABREGO, Lake Charles, La. In this patent the invention pertains to improvements in devices for controlling improve upon the device designed for the same the valves of a steam-feed for sawmill-carriages, improve upon the device designed for the same the valves of a steam-feed for sawmill-carriages, terns. All bear the characteristic of ornate purpose for which Letters Patent of the United the object being to provide a steam-actuating invention within lines of refinement and are States were formerly granted to Mr. Springer, mechanism for shifting the valves, thus reliev-calculated to attract by their distinct origin-to the extent that the device is rendered more ing an attendant or sawyer from a greater part ality. simple and it is not needful to remove the of the work now required to shift the valves

CALCINING-FURNACE.-T. MCNEAL, Kan.sas City, Mo. The general construction of this furnace is similar to that shown in the patent formerly granted to Mr. McNeal. The improvement is particularly in scrapers or agitators used in apparatus for calcining plaster and like material, an object being to so construct vessel, thus thoroughly stirring the material.

Prime Movers and Their Accessories.

Prime Movers and Their Accessories.

ROTARY ENGINE.—P. O. Poulson, Brigham, Utah. The invention relates to improvements in rotary engines adapted for use in connection with any suitable motive fluid—as, for instance, steam, compressed air, water, and the like. The object is to provide means for moving the abutments from the chamber as the piston passes and also certain improvements in means for suppyling the motive fluid adjacent said abutments for operating the device.

Railways and Their Accessories.

SWITCH.—J. T. Salvo, Charleston, S. C. The object of this invention is the provision of means simple and inexpensive in construction durable in proposition and effective in use of price.

HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters or no attention will be paid thereto. This is for our information and tof topublication. References to former articles or answers should give date of paper and page or number of question. References to former articles or answers should give date of paper and page or number of question. References to former articles or answers should give date of paper and page or number of question. References to former articles or answers should give date of paper and page or number of question. References to former articles or answers should give date of paper and page or number of question. References to former articles or answers should give date of paper and page or number of question. References to former articles or answers should give date of paper and page or number of question. References to former articles or answers should be repaired. The page thereto. This is for our information and of top page and address must accompany all letters or no attention will be paid thereto. This is for our information and to for paper and page or number of question. References to former articles or answers should be full that some answers require not a little research, and though we endeavor to reply to all either by letter or in this department, each must take his turn.

Buyers wi

of means simple and inexpensive in construction, durable in operation, and effective in use, hammers chiefly applicable to silversmiths' adapted to be readily operated by a passing work; and its primary object is to provide a car and so constructed as to be operative in any locality with little or no liability to become inoperative from any cause.

> CAR JOURNAL-BOX.—A. V. PEPPARD, San Luis Potosi, Mexico. An object of this inventor is to so construct the keeper-bolts that when the pressure of the car is downward and forward on the box the tendency of the liner and shoe or wedge will be to draw the bolts down and at the same time the liner will lock the bolts in lower position, and also to provide a construction of spring for each of the bolts,

The object of the invention is to provide a calk inserted through the hole. As knobs are usu-tion. It is an improvement upon the box for which Letters Patent were formerly granted to

> DUST-GUARD.—H. BENSCH. Davenport, Iowa. By this invention Mr. Bensch seeks to provide a guard which can be readily inserted in any of the ordinary journal-boxes now in general use and which will comprise a series of radially movable packing-blocks with the spring embracing the series and adapted to exused in supporting furniture to enable it to be ert an inward tension on the several blocks, easily rolled about. The object of the inventor the blocks being movably held in suitable guides

Pertaining to Vehicles.

AXLE.-G. A. WEAVER, Newport, R. I. While this invention is capable of use with which will dispense with the usual steeringknuckle and its accessories.

TRANSMISSION MECHANISM.—G. Weaver, Newport, R. I. This mechanism is especially adapted for application to automotwo engines can be coupled up, so as to simultaneously transmit power at varying rates of speed to a driven shaft; provides for driving a shaft and the other engine or motor by one of the engines or motors in case of breakage, and also provides an efficient means for transmitting the power when the speed is to be varied,

VEHICLE-FRAME .-- O. STOLP, New York, N. Y. In this patent the invention is an imof the automobile type, and has among other the sole during feeding movement. It simpli-objects the production of a spring arrangeroads and other uneven surfaces.

> MOTOR-VEHICLE.-M. H. Magie and C. N. WINTERS, Bakersfield, Cal. The underlying purpose here is to provide a vehicle in which the motive power, braking force, and steering action may be applied to all of the four roadwheels of the vehicle. This construction gives greater power of traction, prevents skidding, and enables the vehicle to be completely controlled.

REIN-GUARD .- W. P. FELL, Huron, S. D. The design in this case is to prevent the reins from becoming caught or entangled with the wagon-pole. The object of the invention is to DITCHING-PLOW.—C. T. HOWELL, Kirk- provide a device of this character at a very small cost which will be simple and durable and which may be quickly and easily applied to various sizes and types of wagons.

Designs.

DESIGN FOR A WALL-COVERING.—L. PRONBERGER, Berlin, Germany. Mr. Pronberger has secured patents on seven separate designs of wall-covering. They are numbered from 38,517 to 38,523 inclusive. Ornamental value of a wide and varied artistic range marks the designs. Only one of the number departs from the perpendicular band style of running the pat-

Note.—Copies of any of these patents will be furnished by Munn & Co. for ten cents each. Please state the name of the patentee, title of the invention, and date of this paper.



HINTS TO CORRESPONDENTS.

Minerals sent for examination should be distinctly marked or labeled.

(10511) C. C. W. asks how to amalgamate zincs. A. This is accomplished in several ways. 1. By dipping the zinc in dilute sulphuric acid and then dipping the end of it into a small quantity of mercury, after rubbing the surface with a brush. 2. Dissolve 1 pound of mercury in 5 pounds nitro-muriatic acid (nitric acid 1 part, muriatic acid 3 parts), heat the solution gently to hasten the action. When a complete solution of the mercury is effected, add 5 pounds more of nitro-muriatic acid. The solution should be applied with a which springs act, first, to hold the bolts in brush, as immersing the zinc in it is wasteful. end of the rod in convenient position for the lower or positive position, and, second, to sus 3. To the bichromate solution commonly used

in batteries, add to every pint of solution 1 drachm of bisulphate of mercury or a similar amount of nitrate of mercury (mercury dissolved in nitric acid). By employing this method, the amalgamation of the zincs is maintained continuously after the first amalgamation, which must be accomplished by method 1 or 2. 4. In the Bunsen, Grove, or Fuller battery the amalgamation may be accomplished by placing a small quantity of mercury in the cells containing the zincs. 5. Place a little mercury in a saucer with some dilute sulphuric acid. Dip the zincs into dilute acid. Then with a little strip of zinc or galvanized iron on the zinc. This will transfer a little to the surface, and a few minutes' rubbing will make the zincs as bright as silver. A very small globule of mercury is enough for a single plate.

(10512) N. P. E. asks for information concerning vellum. A. A fine kind of parchment prepared from the skins of calves, kids, and lambs. The skins are limed, shaved, washed, and stretched in hoops or other frames, where they are scraped and trimmed with the currier's fleshing knife, and next carefully rubbed down with pumice stone; they are lastly polished with finely powdered chalk or fresh slaked lime, and then dried. A green color is given with a solution of crystallized verdigris to which a little cream of tartar and nitric acid have been added, and a blue color with a solution of indigo. The surface is often finished with white of egg, and subsequent friction. The skins of sheep are commonly used for parchment, those of goats and wolves for drum heads.

(10513) C. L. T. asks for a formula for elastic glue. A. Elastic glue which does not spoil is obtained as follows: Good common glue is dissolved in water, on the water bath, and the water evaporated down to a mass of thick consistence, to which a quantity of glycerine equal in weight with the glue is added, after which the heating is continued until all the water has been driven off, when the mass is poured out into the molds or on a marble slab. This mixture answers for stamps, printer's rolls, galvano-plastic copies, etc.

(10514) S. Y. B. asks for a cement for mica. A. A colorless cement for joining sheets of mica is prepared as follows: Clear gelatine is softened by soaking it in a little cold water, and the excess of water is pressed out by gently squeezing it in a cloth. It is then heated over a water bath until it begins to melt, and just enough hot proof spirit (not in excess) stirred in to make it fluid. To each pint of this solution is gradually added, while stirring, 1-4 ounce of gum ammoniac and $1\,1\text{-}3$ ounce of gum mastic previously dissolved in bottles when not required. This cement, when arranged for reference. An excellent book for properly prepared, resists cold water. advanced schools and colleges.

ize alcohol. A. Add to the barrel of alcohol a gallon of water saturated with chlorine gas; agitate thoroughly, let rest for twelve hours, then saturate with chalk (which, combining with the chlorine, forms chloride of lime) and distill. Filtering through animal charcoal after precipitating the chlorine with the chalk affords a very fair substitute for the redistilled alcohol. The fusel oil can be separated from alcohol, in small quantity, by adding a few drops of olive oil and thoroughly agitating in a bottle and allowing it to settle, and then $\boldsymbol{d}\boldsymbol{e}\text{-}$ cant. The olive oil combines with and retains the fusel oil.

(10516) B. F. K. asks how to do annealing. A. For a small quantity, heat the ENGLISH WEIGHTS. With their Equiva- free from contamination. Apart from the insteel to a cherry red in a charcoal fire, then bury it in sawdust, in an iron box, covering the sawdust with ashes. Let it stay until cold. For a larger quantity, and when it is required to be very soft, pack the steel with cast iron (lathe or planer) chips in an iron box as follows: Having at least half or three-quarters of an inch in depth of chips in the bottom of the box put in a layer of steel, then more chips to fill spaces between the steel and also the half or three-quarters of an inch space between the sides of the box and steel, then more steel; and lastly, at least one inch in depth of chips, well rammed down on top of the steel. Heat photographer, amateur or professional, who is it is a work to be highly recommended as a until cold

any extent, the size of wire being No. 18 to proper, which is complete in itself. No. 2€ copper wire. A. The length of wire from the secondary of an induction coil will have little effect upon the shock given, since the resistance of these wires will be very small compared with that of the human body. 2. Why is it that Easter comes on a different day every year? Why not permanent? A. Easter is determined by the full moon nearest to the vernal equinox; hence it cannot be fixed for the same date each year. 3. I have heard that the puffing of a locomotive is due is the sudden ejection of the steam and its nitrifying organisms fills a want in a departcondensation which produces the sound called the puffing of a locomotive.

NEW BOOKS, ETC.

FLÜSSIGE KRISTALLE UND DIE THEORIEN DES LEBENS. By O. Lehmann. Leipzig: Johann Ambrosius Barth. 55 pages; 16mo.; 30 illustrations; flexible cloth. Price, 50 cents.

Although, in leading up to his subject, the author makes a statement that has more foundation in popular belief than in biological experiment, the actual subject is conclusively and learnedly dealt with. The border between animate and inanimate forms of matter presents a wide and almost unexplored field of touch the mercury under the acid and rub it research, and work in it should be given every encouragement.

> THE DESIGN OF STEEL MILL BUILDINGS. By Milo S. Ketchum, C.E. (University of Colorado). Engineering News Publishing Company, 1906. Pp. 480. Price, \$4.

Mr. Ketchum's excellent work hardly needs recommendation after the success which attended the first edition. Few books on this subject are provided with illustrations and algebraic tables which so excellently supplement the text. While the book is concerned chiefly with the construction of mill buildings, nevertheless much of the matter will apply which we can commend to our readers. equally well to all classes of steel-frame con- DIGEST OF UNITED STATES PATENTS OF AIR,

COMPLETE AUTOMOBILE INSTRUCTOR. By Benjamin R. Tillson. New York: John Wiley & Sons, 1907. Pp. 213. Price, \$1.50.

Mr. Tillson has succeeded most admirably in condensing the practical knowledge neces sary for one to operate and care for an automobile successfully. He has divided his book into questions and their answers. These are subdivided and classified according to their respective uses.

Kurt Stoze. New York: Spon & claims. The definitions of the sub-classes are Chamberlain. 12mo.; paper cover; also included.

70 pages; illustrated. Price, 25 cents. Especial care has been bestowed upon the

A most excellent set of directions for making an induction coil and its accessories. The facilitate examinations, and to this end the theory of induction is explained in a lucid, simple manner.

Modern Chemistry. THEORETICAL AND Systematic. By William Ramsay, D.Sc. New York: The Macmillan Company. 24mo.; 9 figures; cloth; 2 parts, 329 pages. Price, 70 cents net.

This book is exactly what one needs, to "brush up" on when he feels rusty in his by inventors, manufacturers, and attorneys, 4 ounces of rectified spirit. It must be warmed chemistry. It contains both theory and de- and particularly by those to whom the Patent liquefy it for use and kept in stoppered scription, each complete in itself, conveniently Office is not available.

(10515) B. N. C. asks how to deodor- Photography for Students of Physics AND CHEMISTRY. By Louis Derr. New York: The Macmillan Company. 12mo.; cloth; 247 pages, 88 figures. Price, \$1.40.

> As the title indicates, this little volume goes more into the theoretical aspect of photography than the popular handbooks. It discusses lenses and their defects, diaphragms, sensitiveness, and methods of color photography, as well as the best ways in which to develop, print, reduce, etc. Although tographer usually considers necessary, it will same. Since conquest, however, the "Mayas' photographic reference book.

Price, 50 cents.

useful little book for those who are obliged to convert English weights to their Principles and Practice of Plumbing. metric equivalents. Simply arranged.

PHOTOGRAPHIC CHEMISTRY. By Paul N. Hasluck. Philadelphia: David Mc-Kay. 16mo, cloth; 160 pages, illustrated. Price, 50 cents.

the whole to and keep at a red heat for from not willing to work by mere "rule of thumb." handbook for all who have to deal with the two to four hours. Do not disturb the box For the beginner, enough elementary chemical problems of sanitation as they occur in everytheory is given to make the later development (10517) N. D. R. asks: 1. If the length of the wires from the secondary terminals of an induction coil affect the shock to minals of an induction coil affect the shock to commencing with the photographical theory value for the architect and builder,

> PRINCIPLES AND PRACTICE OF AGRICULTURAL ANALYSIS. A Manual for the Study of Soils, Fertilizers, and Agricultural Products. Second edition, revised and enlarged. Vol. 1. Soils. By Harvey W. Wiley, A.M., Ph.D. Easton, Pa.: The Chemical Publishing Company. 12mo.; cloth; 618 pages, 92 illustra tions. Price, \$4.

A book which is indispensable to the agriculto the exhaust steam from the cylinder. If tural chemist, and of the greatest value to true, what means are employed to effect the the modern farmer. Written as it is by one same? A. The steam when it escapes from the of Dr. Wiley's experience and standing, it concylinders is directed into the smokestack of tains such methods only as have been carefully polarization, etc. The experimental methods a locomotive in order to increase the draft. It tested and found reliable. The section on ment in which far too little practical work has been done on this side of the Atlantic.

Among the World's Peacemakers, Edit-INDEX OF ed by Hayne Davis. New York: The Progressive Publishing Company, 1907. 16mo.; pp. 400. Price, clot \$1.65 mailed; paper, \$1.10 mailed. Price, cloth,

The Arbitration Peace Congress held in New York, April 14 to 17, makes the appearance of a work of this kind valuable at the present The book is the epitome of the interparliamentary union, with sketches of eminent members of this international house of repre sentatives and of progressive people who are promoting the plan for permanent peace which this union of lawmakers has espoused. We have made many provisions for mitigating the horrors of war, and are on the way to its ultimate abolition. It is only by the holding of peace congresses and the dissemination of literature like the present work that we can ever expect to mold public opinion to such a point that this relic of barbarism will be obliterated. The present work is an excellent one, filled with most interesting illustrations. The interparliamentary peace movement began October 31, 1887, when delegates from the British Parliament were presented to the President of the United States. The book is filled with very interesting data, and is one

CALORIC, GAS, AND OIL ENGINES, AND OTHER INTERNAL COMBUSTION ENGINES, 1789 to 1906. Five volumes. Draw ings two volumes, Claims and Briefs two volumes, Indices and List of References one volume. Price, \$50 per set of five volumes.

This work is the only one ever published comprising this class of existing patents, and the material has been prepared with great care and labor. The drawings are clear and distinct, and are as readily understandable as those of the patent copies furnished by the INDUCTION COILS. How to Make and Use Patent Office. It contains all of the reissues, Them. A Practical Handbook on the designs, and trade-marks granted during the Construction and Use of Medical and above period, accompanied by the claims in Spark Coils. By Percival Marshall | full, and a brief description of the invention Thoroughly revised and enlarged by when necessary properly to interpret the

> arrangement of the patents to simplify and several thousand patents are chronologically arranged under 208 subdivisions. To enhance the value of the Digest as a work of reference, additional sub-classes have been added.

> .In the general alphabetical indices a complete list of references cited is given by number, name, and date, as well as the interferences, the parties thereto, and the decisions.

> The work will be found exceedingly useful

A COMPARATIVE STUDY OF THE MAYAS AND THE LACANDONES. By Alfred M. Tozzer, Ph.D. Report of the Fellow in American Archæology, 1902-1905. New York: Published for the Archæological Institute of America by the Macmillan Company.

In this treatise Mr. Tozzer gives only a suggestion of the great mass of data that he collected during his five years' stay in Yucatan and Southern Mexico. In an ethnological sense the situation that he studied is of the greatest importance. The two branches of the "Maya-Quiche" stock, the "Mayas" specially so called, the work is more advanced than the pho- and the "Lacandones," were originally the be found useful by all who wish a good have been in intimate contact with the Spanish population, while the "Lacandones" have been lents in Kilogrammes. By Frederick terest attaching to the life and customs of a W. A. Logan. New York: Spon & pure stock, we have the splendid opportunity Chamberlain. Pocket size; 89 pages. of comparing the effect of Christianity and its ideals upon a race, one branch of which has been allowed to develop along its own lines.

> By J. J. Cosgrove. Pittsburg: Standard Sanitary Manufacturing Company. Cloth; 12mo.; 267 pp.; 169 illustrations. Price, \$3.

Covering as it does almost the entire field day life. Excellent tables, showing the ex

A TEXT BOOK OF ELECTRO-CHEMISTRY. By Max Le Blanc. Translated from the fourth enlarged German edition by Willis R. Whitney and John W. Brown. New York: The Macmillan Company. 12mo.; cloth; 332 pages, 51 illustrations. Price, \$2.60 net.


As the title indicates, a translation of the fourth German edition of the treatise by Prof. Le Blanc, with certain additions by the translators. It is composed of several more or less elementary chapters on dissociation and similar subjects, followed by a discussion of conductance, electro-motive force, electrolysis, used are described as is the apparatus. Λ uniform system of notation is followed throughout the book. To be recommended as a textbook on the subject.

INVENTIONS

For which Letters Patent of the United States were Issued for the Week Ending April 16, 1907.

AND EACH BEARING THAT DATE [See note at end of list about copies of these patents.]

Adjusting device, F. H. Richards	850,252 850,482 850,564 850,208
Adjusting device, F. H. Richards. Agricultural implement, F. W. Miller. Alr brake mechanism, J. J. Coit. Air compresser, F. J. Bring air of other gases, means for heating compresses, Lloyd & Sedau. Airship, J. Shukwech Annunciater, J. L. McQuarrie. Anvil for riveting machines, C. Johannsen. Assayer's peuring mold, J. J. Bailey. Auger bit, J. T. Parker. Auger, earth, T. F. Litaker. Automobile, water, W. L. Hynes. Automobile, water, W. L. Hynes. Automobiles, pedal foot-rest for, S. D. Awl, G. A. Peacock.	850,307 850,800 850,311 850,651 850,811 850,177
Auger, earth, T. F. Litaker Automobile, water, W. L. Hynes Automobiles, pedal foot-rest for, S. D. Awl, G. A. Peacock	850,177 850,533 850,370 850,507 850,779 850,728
AARe, vennete, E. B. Deanen. Bag frame fastener, B. von Eigen. Balls, making playing, F. H. Richards. Bandage, J. Walter Bath cabinet, J. Hermann. Battery plate and making same, secondary,	850,728 850,631 850,253 850,281 850,367
L N J Reselle Bearing, axle, B Meere Bearing for grinding wheel shafts, D. B. Bed, L. H. Flanders	850,788 850,774 850,650 850,744 850,845
Automobile, water, W. L. Hynes. Automobiles, pedal foot-rest for, S. D. Waldon Awl, G. A. Peacock. Axle, vehicle, E. D. Branch. Bag frame fastener, B. vom Eigen. Balls, making playing, F. H. Richards. Bandage, J. Walter Bath cabinet, J. Hermann. Battery plate and making same, secondary, L. N. J. Roselle Bearing, axle, B. Moore Bearing for ginding wheel shafts, D. B. Hyde Bearing for ginding wheel shafts, D. B. Hyde Bed, L. H. Flanders Bed, C. H. Flanders Bed, C. A. Olmstead Belt, I. G. Longenecker Belt stretcher, O. M. Wolfe Belt tightener, W. A. Christensen Bench, See Carpenter's bench. Bicycle, H. Garza Bicycle support, C. P. Ellis Bicycles and the like, handle bar for, D. Cronsiee Binder, lose leaf, G. Labarre Block melding machine, J. C. Herring. Block melds, dividing plate for, F. A.	850,522 850,176 850,534 850,454 850,135
Bicycles and the like, handle bar for, D.	850,746 850,527
Binder, leose leaf, G. Labarre	850,139 850,659 850,368
Binder, losse leaf, G. Labarre Block melding machine, J. C. Herring Block melds, dividing plate for, F. A. Borst Block system, F. B. Carey Blowpipe, G. W. Hopkins Boat launching and stowing apparatus, F. E. Martin Boat transporting and launching apparatus, J. J. Harpain	850,206 850,733 850,581
E. Martin Beat, submarine, J. J. Harpain Beat transporting and launching apparatus, J. J. Harpain	850,239 850,831 850,643
Beiler, W. J. & G. Lane	850,590
Boiler tube cleaner, H. F. Weinland Boiler tube cleaner, S. F. Dibsdale Boiler tubes, setting, W. M. Dickerson	850,701 850,739 850,299
Book cover protector, Cummings & Jordan Book and shoe tread, pneumatic, I. Tauber	850,540 850,735 850,327 850,741
Beiler safety device, automatic, W. S. G. Harris Beiler trap, C. Dennis Beiler tube cleaner, H. F. Weinland Beiler tube cleaner, S. F. Dibsdale Beiler tubes, setting, W. M. Dickersen. Beiler tubes, setting, W. M. Parsens Beiler tubes, restriction, W. M. Parsens Beiler tubes, setting, W. M. Parsens Beiler tubes, setting, W. M. Parsens Beiler tubes, restriction, W. Parsens Beiler tubes, setting, W. M. Parsens Beiler tubes, setting, W. M. Parsens Beiler tubes, protector, Cummings & Jordan Beet and shee trend, pneumatic, I. Tauber Bettle, J. H. Dunstan Bettle clasure, D. W. Lynch Bettle clasure, D. W. Lynch Bettle, nen-refillable, J. C. Uhlein, 850,807,	850,741 850,288 850,437 850,613
Bettle, nen-refillable, J. C. Uhlein, 850,807, Bettle stepper, H. Mergan Bettle stepper, attachment. H. Bartew	850,808 850,844 850,722
Bettle stepper, H. Mergan	850,199 850,467
Lehmann Bettled goods, delivery case for, N. Break-enridge	850,381 850,561
Bettled goeds, delivery case for, N. Break- enridge Bowls and the like, helder for, H. Siemund. Box fastener, C. H. Veeder Brace for roundabouts J. W. Armitage Brace for roundabouts and analogous	850,499 850,195 850,411
Brace for roundabouts and analogous structures, A. Herschell Brace for roundabouts and analogous structures, E. O. Spillman Brake, V. Lamb Brake and other reds, separable jaw for, J. Van Dyke Brake beam, J. H. Baker. Brake slack adjuster, automatic, E. M. Swift	850,431 850,449 850,436
Brake and other rods, separable jaw for, J. Van Dyke Brake beam, J. H. Baker	850,859 850,335
Swift Brick machine, D. Kutsche Brick machine, D. P. Sanders. Brick making device, ornamental, A. H. &	850,856 850,435 850,676
M. N. Grant	850,428 850,654 850,725 850,576
Broom machine, C. R. Lee Brush holder, Mallett & Drohan Bucket, dumping, C. Kortvellyessy	850,532 850.237
Buckle, W. A. Schleicher 850,794, Buckle, I. Blum Buckle, wire, W. A. Schleicher 850,792, Buggy teps, means for removably attach-	850,587 850,556 850,795 850,875 850,793
Brake slack adjuster, automatic, E. M. Swift Brick machine, C. Kutsche Brick machine, D. P. Sanders. Brick making device, ornamental, A. H. & M. N. Grant. 850,427, Breiler, J. J. Jones Broom helder, Heas & Bunn Broom helder, Heas & Bunn Broom helder, Heas & Bunn Broom helder, Mallett & Brohan Bucket, dumping, C. Kertvellyessy Bucket fastener protecter, J. B. Bariani. Buckle, W. A. Schleicher. 850,794, Buckle, I. Blum Buckle, wire, W. A. Schleicher. 850,792, Buggy tops, means for removably attaching, F. Beasley Bundle carrier, H. M. Willis Butter cutting machine, P. Brahn Button, cuff, E. R. Crecelius. Cabinet and loop clasp, J. D. Conover. Button, cuff, E. R. Crecelius, Cabinet and receptacle, commodity, J. H. Beye	850,461 850,705 850,464 850,346 850,350
Cabinet for music speeds, R. J. Cady Call apparatus, selective, J. A. Hulit	850,515 850,363 850,210 850,837
Can See Refuse can Can cutter and spout, E. F. Cavelier	850,465 850,354 850,719
Grande S50,353, Car, convertible dumping, H. L. Aulls Car coupling, J. L. Frazier	850,301 850,474 850,572 850,585
Car ifft, automatic, G. Holmes	850,646 850,132 850,154
Car ventilating apparatus, D. Hill	850,759 850,158 850,157
Stock, J. Shaw Carbureter, W. E. Hallett	850,678 850,223 850,339
Car windew, W. H. Heulings, Jr. Cars, adjustable wall and ventilator for stock, J. Shaw and ventilator for stock, J. Shaw and ventilator for carboreter for gasoline engines, F. E. Bowers Carboreter for gasoline engines, F. E. Card, adjustable tab guide, E. M. Newald Card, mechanical, L. H. Glazier Carpenter's bench, W. Brucker. Carpet cleaning machine, Heffernan & Hall Carde, I. M. Grosveller Carpet cleaning machine, Heffernan & Hall Carpet, mequette or tufted, G. W. Grosveller Carten, H. Conover Carting numbers, electric tower for displaying, J. H. McDaniel Carten, H. Conover Casting and change making machine, K. Malmstrom Casting apparatus, metal, H. Geisenhoner. Casting apparatus, metal, H.	850,245 850,150 850,813 850,645
venor Carriage numbers, electric tower for dis-	850,573 850,671 850,345
Cash receiving and change making machine, K. Malmstrom Casting apparatus, metal, II. Geisenhoner.	850,842 850,829
Casing machine, H. Jones Cement kiln, W. H. Harding Cement kinaking hydraulic, E. Mueller Centrifugal machine, H. G. Merris	850,653 850,750 850,778 850,241
Centrifugal machine, E. A. Fersberg Centrifugal machines, shaft mounting for, M. L. Heyt Chafing dish, Savage & Chanman	850,472 850,477 850,401
Chain; conveyer, M. Garland Chair roller appliance, rocking, E. W. Raymend Check or other financial instrument blent	850,401 850,149 850,782
J. S. Metcaffe Chimney top, P. H. Bayley Chimney top, S. M. Kenp Chin rest and shoulder pad support, J. J. Morrissey 850,775,	850,388 850,12 6 850,372
Churn, N. P. Dazey	850,776 850,525 850,182
R. Ermeler	REO 749



Star" Food and Power Screw Cutting Cross Lathes FOR FINE, ACCURATE WORK

Send for Catalogue B.
SENF.CA FALLS MFG. CO. 695 Water Street, Seneca Falls, N. Y., U.S.A.

Engine and Foot Lathes


MACHINE SHOP OUTFITS, TOOLS AND SUPPLIES. BEST MATERIALS. BEST WORKMANSHIP. CATALOGUE FREE SEBASTIAN LATHE CO.. 120 Culvert St., Cincinnati. O.

Current Always at Your Command



Our Hand Book on Patents, Trade-Marks, etc., sent free. Patents procured through Munn & Co. receive free notice in the

SCIENTIFIC AMERICAN MUNN & CO., 361 Broadway, N.Y. Branch Office: 625 F St., Washington, D.C.



GUNSMITHS, TOOL MAKERS, EXPERI-MENTAL & REPAIR WORK, ETC.

From 9-in. to 13-in. swing. Arranged for Steam or Foot Power, Velocipede or Stand-up Treadle. Send for Lathe Catalng. W.F. & INO. BARNES CO. Established 1872. 1999 Ruby St., Rockford, LL.

How to Construct An Independent Interrupter

In Scientific American Supplement, 1615, A. Frederick Collins describes fully and clearly with the help of good drawings how an independent multiple interrupter may be constructed for a large induction coil.

coil.

This article should be read in connection with Mr. Collins article in SCIENTIFIC AMERICAN SUPPLEMENT. 1605. "How to Construct a 100-Mile Wireless Telegraph Outfit."

Each Supplement costs 10 cents; 20 cents for the two. Order from your newsdealer or from

MUNN & CO., 361 Broadway, New York

The Best Dry Battery for SPARKING

AUTOMOBILE



Instructive Scientific Papers ON TIMELY TOPICS

Price 10 Cents each by mail

ARTIFICIAL STONE. By I. P. Ford. A paper of immense practical value to the architect and builder. Scientific American Supplement 1500.

CAN SUPPLEMENT ISOU.

THE SHRINKAGE AND WARPING OF TIMBER. By Harold Busbridge. An excellent presentation of modern views; fully illustrated. SCIENTIFIC AMERICAN SUPPLEMENT 1500.

CONSTRUCTION OF AN INDICATING OR RECORDING TIN PLATE ANEROID BAROMETER. Hy N. Monroe Hopkins. Fully illustrated. Schentific American Supplement 1500.

DIRECT-VISION SPECTROSCOPES.
By T. H. Blakesley, M.A. An admirably written, instructive and copiously illustrated article. Scientific American Supplement No. 1493.

HOME MADE DYNAMOS. SCIENTIFIC AMERICAN SUPPLEMENTS 161 and 600 contain excellent articles with full drawings.

PLATING DYNAMOS. SCIENTIFIC AMERICAN SUPPLEMENTS 720 and 793 describe their construction so clearly that any amateur can make them.

DYNAMO AND MOTOR COMBINED.
Fully described and illustrated in Scientific
AMERICAN SUPPLEMENTS 844 and 865.
The machines can be run either as dynamos
or motors.

ELECTRICAL MOTORS. Their Construction at Home. SCIENTIFIC AMERICAN SUPPLEMENTS 759, 761, 767, 641.

Price 10 Cents each, by mail

MUNN @ COMPANY 361 Broadway New York

Order through your newsdealer or from

Scient	ific
1	
Circuit detecting device, I. M. Schmidt Circular distributer, R. G. Fraser	850,258 850,826
Cistern former, C. A. Mitchell	850,667
Clasp. C. C. Wright	850,743
Cleaning compound, Barrickman & Byers	850,557
Clipping machines, device for adjusting	000,100
Circuit detecting device, L. M. Schmidt Circular distributer, R. G. Fraser. Cistern fermer, C. A. Mitchell Clasp, G. Fisher Clasp, C. C. Wright Clasp, C. C. Wright Clasp, C. C. Wright Claning compound, Barrickman & Byers. Clip, R. W. Roberts Clipping machines, device for adjusting the height of the cut in hair, R. Klein Clocks and watches to changes in tem- perature, adjusting, S. Kahan Clode fender, M. L. Harris Closet seat, Till & Newton. Clothes line hanger, B. J. Lee Clothes line, pinless, Hook & Robinson. Clothes wringer clamp, G. H. Jantz. Clutch, W. H. Klocke Clutch, C. M. Spencer Clutches, means for operating log haul, F. P. Quim Coal washing apparatus, Martin & Cory. Coating on a non-vitreous surface, producing a metallic, Heller & Baumgartl. Cock, compression, D. Smith Cock, compression, D. Smith Cock, condictor circuit, H. M. Crane. Coin collector circuit, H. M. Crane. Coin collector circuit, H. D. Currier Coin controlled machine, A. A. Caille, et al Combination device, J. Royse Concrete mixer, W. C. Dayhoff Concrete walls, making, F. M. Jackson. Condenser, acid, J. Broome Condenser and making the same, electrical, R. C. Lanphier Conduits, adjusting means for interlocking, J. L. Fay Conveyer, endless, F. A. M. Smulders. Cooker, steam, Eppley & Stonesifer. Cooker, bader of the step of the steam of th	8 5 0,656
perature, adjusting, S. Kahan	850,887 850,574
Closet seat, Till & Newton	850,505
Clothes line pinless. Hook & Robinson	850,235
Clothes wringer clamp, G. H. Jantz	850,584
Clutch, C. M. Spencer	850,854
Clutches, means for operating log haul, F.	950.950
Coal washing apparatus, Martin & Cory	850,594
Coating on a non-vitreous surface, produc-	850 753
Cock, compression, D. Smith	850,679
Coffee percolator, L. Wojidkow	850,251 850,709
Coin collector circuit, H. M. Crane	850,349
Coin controlled machine, A. A. Caille, et al	850,352
Combination device, J. Royse	850,255
Concrete walls, making, F. M. Jackson	850,758
Condenser, acid, J. Broome	850,517
R. C. Lanphier	850,166
Conduit traveler, L. D. Shaffer	850,797
J. L. Fay	850,825
Cooker, steam, Eppley & Stoneslfer	850,684
Cooking utensil, J. R. Dennelly	850,143
J. M. Selden	850,403
Cork wafer cutting apparatus. H. F. Busch.	850,184 850,519
Corn gathering machine, McClure & Loewen-	050 200
Cern shock leader, D. T. Phillips	850,390 850,543
Cotton masne for contralling feed of T A	850,543 850,531
Corn gathering machine, McClure & Loewenstein Corn shock loader, D. T. Phillips Cotton chapper, F. M. Hutchinsen Cotton, means for controlling feed of, T. A. Andrews Crane, overhead traveling, W. H. Morgan. Crane, traveling, Strobel & Hegrebe. Crate, N. J. McLood Cream separator, S. W. Stewart Cream separators, setting gage for, F. A. Gehrman Cross tie, J. W. Peploe	550,710
Crane, overhead traveling, W. H. Morgan	850,439 856,407
Crate, N. J. McLeod	850,439 850,407 850,537
Cream separators, setting gage for, F. A.	Societies
Gehrman	870,708 850,512
Crushing mill, J. Morin	850,5964
Culinary utensil, M. C. Herton	850,582 850,520
Gehrman Cross tie, J. W. Peploe Crushing mill, J. Morin Culinary utensil, M. C. Horton Cultivator, W. E. Butterfield Cultivator, L. E. Waterman Cuprammonium solutions, manufacturing, J.	850,861
Cuprammenium solutions, manufacturing, J. J. M. A. Vermeesch Curbing, C. E. De Clements Current wheel, M. J. Miller Currycomb, W. D. Wheat Curtain holder, vestibule, W. E. Tippett Curtain holding device, G. H. Davis Curtain or shade fixture, window, S. R. Skov	850,695
Current wheel M I Miller	850,866
Currycomb, W. D. Wheat	850,438 850,282
Curtain holder, vestibule, W. E. Tippett	850,193 850,297
Curtain or shade fixture, window, S. R.	
Curtain roller, H. Gross	850,186 850,153
Curved pipe, W. C. Kirk	850,580 850,762
Cut off or fuse bex, automatic, Anderson &	
a rrennerg_	$\begin{array}{c} 850,334 \\ 850,125 \end{array}$
Damper regulator, C. S. Hood	850,530
Differential alin for social renovers etc.	850,661
Y. Tamamura	850,504
Display apparatus, W. A. McKeny	850,84 9 850,243
Display device, S. W. Huntington Display fixture base, H. Frankel.	850,64 9 850,882
Display rack, A. B. Hall	850,221
Distribution system, B. Frankenfield,	850,554
	850,218 (850,278 : 850,408 :
Document holder, M. I. Sullivan	850,408

Dry Battery SPARKING

Becko Spark Cell

A Cells \$1.25

J. H. BUNNELL & CO.

Electrical Manufacturers 20 Park Place, NEW York

Is a simple power for light work of the hists most dose by carpacters, cashed, bay and tenoning machine, W. D.

Kelly Stock The History of the hists most dose by carpacters, and wood workers generally, besides engravers and dectretypers. This Machine has a strong, solid for frame and site dishaft is throughly well-built and suitable for various kinders work, as ripping, cross-cattling, revening, etc. Cap be standing two well-built and suitable for various kinders work, as ripping, cross-cattling, revening, etc. Cap be standing two well-built and suitable for various kinders work, as ripping, cross-cattling, revening, etc. Cap be standing two well-built and suitable for various kinders work, as ripping, cross-cattling, revening, etc. Cap be standing two well-built and suitable for various kinders work, as ripping, cross-cattling, revening, etc. Cap be standing two well-built and suitable for various kinders work, as ripping, cross-cattling, revening, etc. Cap be standing two well-built and suitable for various kinders work, as ripping, cross-cattling, revening, etc. Cap be standing two standing two well-built and suitable for various kinders work, as ripping, cross-cattling, revening etc. Cap be standing two well-built and suitable for various kinders and workers a

duplex, J. Bingham

Egg preservative and making same, E.

Utescher

Utescher

Electric apparatus, cut out for vapor, T.

Electric apparatus, cut out for vapor, T.

Electric conductors in conduits or pipes,
apparatus for threading or laying, T.

J. Cope

Electric machine, dynamo, K. Sulzberger

Electric machine, dynamo, C. Macmillan

S50,625

Electric machine, dynamo, C. Macmillan

S50,625

Electric machine, dynamo, C. Macmillan

S50,203

Electric motor, R. E. Barker

J. H. Hertner

Electric motor starting device, Knapp &
Cade

Cade

Electric switch, C. J. Toerring

S50,506

Electric transportation system, W. C. MeMurray

Murray

S50,173

Electrical indicator, Summers & Berry

S50,691 Electric transportation system, W. C. Mc-Murray 850,173
Electrical indicator, Summers & Berry 850,691
Electrical switch, R. H. Manson 850,870
Electrical switch, R. H. Manson 850,870
Electrolytic apparatus, A. G. Betts 850,127
Electrolytic cell battery, R. H. F. Finlay 850,867
Electrolytic cell battery, R. H. F. Finlay 850,867
Electrolytic cell battery R. H. F. Finlay 850,867
Electrolytic cell battery R. H. F. Finlay 850,823
Elevator. See Grain elevator.
Elevator boot, F. C. Payne 850,618
Elevator valve mechanism, R. C. Bromley 850,619
Emergency brake, J. A. Birdsall 850,414
Engine attachment, traction, J. E. Holland 850,835

land

THE STORY OF THE HAYNES

The first Haynes car was the first American gasolene vehicle (1893), and it now in the Smith sonian Institute Museum to illustrate the history of the automobile. Its successors were best must the first automobile factory to be built in America. It has taken time to develop the automobile, and Haynes had a long start.

The original leadership has never been lost.

Low tension make-and-break ignition originated in the Haynes models of 1895. The Haynes began the march of improvements in materials by introducing nickel steel. Aluminum alloy for bodies and for engine parts was used first in the Haynes. The Haynes were the first cars to be equipped with large wheels. The side entrance body was a Haynes introduction. In a multitude of details the Haynes has been universally imitated. There is no doubt but that the Haynes has been more copied from than any other car.

To-day in their simplicity, reliability and perfection, the Haynes models are still ahead of their rivals, embodying devices that will be imitated in other cars in later years.

The Vanderbilt Elimination Race proved the quality of a Haynes when a regular stock model—the only stock model entered—won its place on the American Team against the best special designs America could produce. In the final Cup Race, against special racing cars of twice its horse-power, its wonderful showing is too well known to need repeating.

Address Desk H 5

HAYNES AUTOMOBILE CO., Kokomo, Ind. Oldest Automobile Manufacturers in America. Members A.L.A.M.

NEW YORK, 1715 Breadway; CHICAGO, 1420 MichiganAve.



1907. Model S. 30 H. P. \$2,500

Keystone Well Drills for A riesian and Ordinary Water Wells; Mineral Prespecting and Placer Testing for Dredgers; Deep Drilling for Oil and Gas; Contractor's Blast Hele Drilling, River and Harbor Exploration, River and Harbor Exploration, So Batteries, Self Ignition by Compression, Fully guaranteed. Write for Catalogue S. A. 127 No charge for packing.



KEYSTONE WELL WORKS Beaver Falls, Pa.



INTERNATIONAL OIL ENGINE CO. 38 Murray St., New York, U.S. A.



W. JOHNS-MANVILLE CO. New York, Milwaukee, Chicago, Boston, Philadelphia, St. Louis. Pittsburg, Cleveland, New Orleans, Kansas City, Minneapolis, San Francisco, Los Angeles, Seattle, London.



FUELGAS GÄNNERŠ, LAUNDRIES, SHOPS, LABORATORIES ALL MANUFACTURING ISPRINGFIELD FUELGASMAGHINES GILBERT BARKER MANFG CO. 82-44 AV. N.Y. GITY

LCOHOL

Its Manufacture Its Denaturization Its Industrial Use

The Cost of Manufacturing Denaturized Alcohol in Germany and Ger-man Methods of Denaturization are lations under which the U. S. Internal discussed by Consul-General Frank H. Revenue will permit the manufacture Mason in Scientific American Sup-

PLEMENT 1550.

The Use, Cost and Efficiency of Alcohol as a Fuel for Gas Engines are ably explained by H. Diederichs in Scientific American Supplement 1596. Many clear diagrams accompany the text. The article considers the fuel value and physical properties of alcohol, and gives details of the alcohol engine wherever they may be different from wherever they may be different from those of a gasoline or crude oil motor.

In SCIENTIFIC AMERICAN SUPPLE-MENT 1581 the Production of Industrial Alcohol and its Use in Explosive Motors are treated at length, valuable staand using it in engines.

French Methods of Denaturization ican Supplement constitute the subject of a good article published in Scientific American The Distillation and Rectification of Supplement 1599.

How Industrial Alcohol is Made and by the late Max Maercker (the greatest

Modern Manufacture of Alcohol, ex- trations. capies which underlie the process without too many wearisome technical phrases, and describing and illustrating all the apparatus required in an alcohol plant is published in SCIENTIFIC AMERICAN SUPPLEMENT 1613 the uses of Industrial Alcohol in the Arts and in the Home are discussed.

Any Single Number of the Scientific American Supplies and in the Home are discussed. the well-known French authority.

In Supplements 1607, 1608, 1609 we and denaturation of tax free alcohol.

and 1637 by M. Klar and F. H. Meyer, both experts in the chemistry and distillation of alcohol. Illustrations of stills and plants accompany the text.

The Sources of Industrial Alcohol, tistics being given of the cost of manutistics being given by the cost of manutistics being give

Used is told very fully and clearly in authority on alcohol), published in Sci-No. 3, Vol. 95, of the Scientific American Supplements 1627 ICAN. Diagrams of the various types The Most Complete Treatise on the of stills in common use are used as illus-

plant is published in Scientific Amer- fic American or Supplement will be ICAN SUPPLEMENTS 1603, 1604 and 1605, sent for 10 cents by mail. The entire The article is by L. Baudry de Saunier, set of papers above listed will be mailed on receipt of \$2.00.

Order from your newsdealer or from the publishers

MUNN & COMPANY, 361 Broadway, New York

Valuable Books Home Mechanics for Amateurs



This book has achieved an unparalleled success in one week, and a Special Edition of 4,000 copies has been ordered. It is by far the largest and best book on the subject ever offered at such a low price. It tells how to make things the right way—the "only" way—at small expense. It will prove of value to you—much more than you realize. Do things with your lands. Send for a circular giving contents—the circulars cost only a cent—the book could meet you face to face you would be the first to purchase. The first large edition is almost gone, order to-day.

326 Engravings Price \$1.50

TWENTY-THIRD EDITION EXPERIMENTAL SCIENCE

EXPERIMENTAL SCIENCE.

By GEORGE II. HOPKINS

Revises and Greatly Enlarged. 2 Octavo Volumes. 1,100
Pages. 800 Hustrations. Cloth Bouns, Postpaid., 85.00. Half Morocco, Postpaid. \$1.00.

EXPERIMENTAL SCIENCE is so well known to many of our readers that it is hardly necessary now to give a description of this work. Mr. Hopkins decided some months ago that it would be recessary to prepare a new edition of this work in order that the many wonderful discoveries of modern times might be fully described it its pages. Since the last edition was published, wonderful developments in wireless tea-grashy, for example, mave been made. It was necessary, therefore, that a good deal of new matter should by added to the work in order to make it thoroughly up-to-date, and wilb this object in view some 200 mages Lave been added. On account of the increased size of the work it has been necessary to divise it into two volumes, handsomely bound in buckram.

REVISED and ENLARGED EDITION

REVISED and ENLARGED EDITION The Scientific American

Cyclopedia Of Receipts, Notes and Squeries.

15,000 Receipts. 734 Pages. Price, \$5,00 in Cloth. \$6.00 in Sheep. \$6.50 in Half Morocco. Post Free.



This work has been re-vised and enlarged, 900 New Formulas.

The work is so arranged as to be of use not only to the specialist, but to the general reader. It should have a place in every home and workshop. A circular containing full Table of Contents will be sent on application.

Those who already have the Cyclopedia may obtain the

1901 APPENDIX.
Price, bound in cloth, \$1.00
postpaid.

MAGIC Stage Illusions and Scientific Diversions, including Trick Photography.



JUST PUBLISHED

Scientific American Reference Book




12mo. 516 Pages. Illustrated. 6 Colored Plates. Price \$1.50, postpaid

The result of the queries of three generations of readers and correspondents is crystalized in this book, which has been in course of preparation for months. It is in dispensable to every family and business man. It deals with matters of interest to everybody. The book contains 50.00 facts and is much pore complete ters of interest to everybody.
The book contains 50.00 facts and is much more complete and more exhaustive than anything of the kind which has ever been attempted. The "Scientific American Reference Book" has been compiled after gauging the k nown wants of thousands. It has been revised by eminent statisticians. Information has been drawn from over one ton of Government reports alone. It is a book of everyday reference—more useful than an encyclopedia, because you will find what you want in an instant in a more condensed form. Sixty years of experience alone have made it possible for the publishers of this book a remarkable aggregation of information.

MUNN & CO., Publishers. 361 Broadway, NEW YORK

	Scient	ific
	Fire and temperature alarm or indicator, G. L. Smith	950 691
•	Fire resisting shutter, E. H. McCloud	850,681 850,172 850,451
	Fish ank on transporting car or the like, Fishing reel, E. Holzmann Floor, dumping, J. F. Dornfeld Floor surfacing machine, Kiebler & Stahl. Flower pot machine, C. Schwarzkopf. Fluid pressure and motor controller, automatic, W. J. Bell	850,316 850,580 850,214
Ì	Floor surfacing machine, Kiebler & Stahl Flower pot machine, C. Schwarzkopf Fluid pressure and motor controller, auto-	850,214 850,229 850,323
	Elming machine A D Direct	850,616 850,727
e i- n	Fragile vessels, protective device for, S.	850,458 850,633 850,442
e n t	Ferguson Freezer, J. H. McKinney Friction coupling, H. H. Benn Fruit gatherer, E. H. Denton Fuel block and producing same, artificial, M. M. Kline Fuel blocks, machine for forming artificial,	850,462 850,355
e y Il		
l- ir	Furnace front, water cooled, A. L. Hammer- berg Furnaces, compound for facing the ports of	850,155
e e	Furnace front, water cooled A. L. Hammerberg Furnaces, compound for facing the ports of open-hearth steel, Beale & McDowell. Furniture construction, G. W. Myers. Fuse, alarm, W. E. Harkness Fuse in circuit, cut out block for connecting, Hornsby & Anger Game apparatus, H. L. Haskell Game apparatus, J. H. Price Game board, A. Collier Garment pads, making, G. Goldman Garment supporter, M. Frerkson. Gas burner regulating valve, F. Egge. Gas generator, actylene, H. S. Gallup. Gas producers, feed mechanism for, A. L. Parker Gas, purifying, G. G. Smith	850,723 850,669 850,365
e	ing, Hornsby & Anger	850,836 850,224 850,489
D	Game board, A. Collier Garment pads, making, G. Goldman Garment supporter, M. Frerkson	850,137 850,151 850,638
	Gas burner regulating valve, F. Egge Gas engine, W. H. Ash Gas generator, acetylene, H. S. Gallup	850,569 850,718 850,148
0	Parker	850,395 850,680 850,699
	Gas, purifying, G. G. Smith Gate, W. M. Watson Gate opener, automatic, T. J. McGinnis Gear, change speed, H. T. Thomas Gear, reverseible transmission, • Petri	850,441 850,857 850,247
0	Gear, reverseible transmission, • Petri Gear transmission mechanism, C. H. Scha- binger Gearing, J. F. McCanna	850,257 850,597
	binger Gearing, J. F. McCanna Generator. See Gas generator. Glass furnace, C. J. Koenig. Glass mold, S. Hipkins Glass ornamentation for panels, floors, etc.	850,233 850,577
	Glass ornamentation for panels, floors, etc., Newman Glass structures, corner clamp for plate, D. A. Cowan	850,538 850,348
	Glass, treating, W. E. Heal	850,833 850,473
	J. H. Fresen Governor, electric and pneumatic, H. W. Young Grain elevator, T. F. Hall	850,329 850,222 850,704
	Young Grain elevator, T. F. Hall Grain lifter, L. Wikoff Grains and similar goods, pneumatic device for drawing out, P. & C. Gebhard Gramophone record tablet, J. Sanders. Grass catching receptacle, L. Brown Grinding machine. C. King	850,639 850,494
	Gyratory crusher • C Redding	850,418 850,374 850,491
•	Hair curling device H. I. West	850,553 850,452 850,212
	Harrow, W. C. Cook Harvester, pneumatic cotton, J. E. Wors- wick Hay loader H. V. Congrove	850,296 850,700 850,138
	wick Hay loader, H. V. Congrove Hay rack, C. W. Baird Headlight, locomotive, R. M. Spillman. Headlight, vehicle, F. G. Frankenberg. Heater, Cape & Durley Hinge for doors and like movable objects, M. Edwards	850,138 850,285 850,802 850,570
	Heater, Cape & Durley Hinge for doors and like movable objects, M. Edwards Hoe, D. B. Curry, Jr. Hoist, W. E. Hutchings	850,818 850,422 850,736 850,757
	Hoist, W. E. Hutchings Hoisting apparatus, automatic stop for electric, H. S. Valentine Hoisting machine brake, G. C. Grable. Hoeps to casks and barrels, machine for ap- plying biles E. C. Thorsebnidt	850,694
į	Hoisting machine brake, G. C. Grable Hoops to casks and barrels, machine for applying plying e. C. Thorschmidt	850,152 850,692
-	plying bilge, E. C. Thorschmidt. Horn, folding, Ø. Kraus Horse knee boot, pneumatic, R. C. Bever. Horsehoe calk, J. T. Bell Hose supporter, E. Middleten. Hot water heater, T. H. Campbell. Hub, wheel, F. F. Unckrich Hydrogarbon burner, McCarren & Duffy. Ice box, G. E. Lovell	850,375 850,128 850,286 850,240
• •	Hot water heater, T. H. Campbell Hub, wheel, F. F. Unckrich	850,620 850,328 850,440
i	Ice, making sanitary carbonated, A. Schroder	850,663 850,607 850,292
וֹ וֹ	Schroder Sehroder Ice saw, T. M. Butler Incubator, J. L. Cousins Index tab cards, label holder for, Seyl & Butts Butts Rahtnen & Stephan	850,523 850,324
e	Indigo, making, Rahtpen & Stephan Ink well, J. W. Jacobus	850,444 ! 850,479 850,468
0	Butts Indigo, making, Rahtpen & Stephan Ink well, J. W. Jacobus 850,478, Inkstand construction, E. Davis Invalid lifting apparatus, W. B. Closson. Iron holder, M. Agneessens Ironing machine, S. J. Tobiasz Journal bearing, G. T. Reiss Kettle cover, A. Seys Keyhole guard for locks, A. Robbins Knapsack, L. M. Norwood Knapsack, L. M. Norwood Knife handle, Cooper & Oliver Knitting machine, Rieffel & Ittershagen Knitting machine fabric take up mechanism, B. T. Steber	850,624 850,713 850,608 850,399
ا دا	Kettle cover, A. Seys Keyhole guard for locks, A. Robbins Knapsack, L. M. Norwood	850,677 850,446 850,312
	Knife handle, Cooper & Oliver Knitting machine, Rieffel & Ittershagen Knitting machine fabric take up mechanism,	850,420 850,786
i		850,855 450,476 850,142
	for, H. A. Houseman Ladder, step, A. W. Derby Lamp, inverted burner gas, W. De Freitas Lamp lighting device, gas, H. K. Wilson. Lamp shade holder, Holt & Foster Lantern, F. K. Wright Laundry bag, W. E. Voss Lawn cleaper C. H. Mosber	850,568 850,509 850,579
	Lantern, F. K. Wright Laundry bag, W. E. Voss Lawn cleaner, C. H. Mosher	850,455 850,697 850,777 850,131
	Lawn cleaner, C. H. Mosher Leather drying rack, R. Buchhold Leather skiving machine, D. Daniels Leather trimmer, A. Larson Lifting jack, J. H. Burkholder	850,627 850,591 850,209
	Lifting mechanism, automatic, G. Holmes Light regulator, window, H. Alrich Lighter & barge, F. A. M. Smulders	850,647 850,201 850,683
; ;	Line carrier, L. D. ShafferLiquid applying device, G. A. BurdettLiquid receptacle, H. W. Eden	850,798 850,814 850,822
	Lifting jack, J. H. Burkholder Lifting mechanism, automatic, G. Holmes Light regulator, window, H. Alrich Lighter or barge, F. A. M. Smulders. Liquid applying device, G. A. Burdett. Liquid receptacle, H. W. Eden Liquid treating apparatus, H. H. Sutro. Liquids of different specific gravities, apparatus for separating, J. H. Cayford. Lock, F. S. Aliano	850,503 ! 850,419 850,333
	Lock, J. C. Dawson Lock and latch, B. Phelps Loom, G. C. Moere	850,877 850,179 850,595
l	Loom, haircloth, G. Taylor Loom picker stick attachment, D. Lemoine. Loom weft replenishing mechanism, J. Bim Lubricator sight, W. L. Abate.	850,806 850,841 850,336 850,711
	the component parts of compound. P. F.	850,338
f	Bolton Mail bag delivery apparatus, D. F. Lah- man Mail bag delivery apparatus, P. H. Sud-	850,588
s n	Mantle firing flames, regulator for, H.	850,690 850,752
-	Heidorn Massage instrument for applying ointments, lotions, etc., W. Doyle	850,357
 		850,141 850,129 850,304
e i;	Measuring instrument, portable electric, H. Bourgeois Measuring machine, W. T. Hollis Metal, composite, T. A. Edison Metal core in a plastic body, machine for enveloping a. W. Poppendieck Metal sheets, coating, L. C. Steele Metal sheets or plates machine for cutting	850,881
n 8 -	Metal sheets, coating, L. C. Steele Metal sheets or plates, machine for cutting or shearing T. Abbatt	850,548 850,611



Think of the number of typewriters that seemed popular a few years ago.

Think of the different ones seek. ing public favor today.

Then think of the Remington, which has been the standard since typewriters were invented and which maintains its supremacy solely through lasting


The man who seeks experience may seek it anywhere, but the man who heeds experience buys the

Remington

Have you tried the new Remington escapement? It will be a revelation to you of the latest and best in typewriter achievement.

Remington Typewriter Co.

New York and Everywhere



The Scientific American Boy

A. RUSSELL BOND

320 Pages. 340 Illustrations. Price \$2.00 Postpaid



HIS is a story of outdoor boy life, suggesting a large number of diversions which aside from affording entertainment. will stimulate in boys the creative spirit. In each instance complete practical instructions are given for D building the various articles.

The needs of the boy camper are supplied by the directions for making tramping outfits, sleeping bags and tents; also such other shelters as tree houses, straw huts, log cabins

The winter diversions include instructions for making six kinds of skate sails and eight kinds of snow shoes and skis. besides ice boats, scooters, sledges, toboggans and a peculiar Swedish contrivance called a "rennwolf."


Among the more instructive subjects covered are surveying, wigwagging, heliographing and bridge building, in which six different kinds of bridges, including a simple cantilever bridge, are described.

In addition to these, the book contains a large number of miscellaneous devices, such as scows, canoes, land yachts, windmills, water wheels and the like. A complete table of contents sent on request.

MUNN & COMPANY

361 Broadway "SCIENTIFIC, AMERICAN" New York City





Merkel Motor Cycle

The only comfortable, non-injurious motor cycle on the market, built on the latest model, including the famous "Merkel" motor, Grip control, and Spring Frame and Fork, absolutely the safest and speediest roadster or racer need.

Write for Catalogue and Prices MERKEL MOTOR CO. 1092, 26th Avenue, Milwaukee, Wis.

Bicycle Into Motorcycle



at small cost by attaching the self-starting Erie 2 H.P. Power Outfit. This includes all parts. Anyone can easily make a

Anyone can easily make a powerful motorcycle, peed 2-30 miles an hour.

3 H.P. Motorcycles. Send stamp for either cataleg.


"The Motorcycle." It tells about the mechanism, care, operation, how to get zirer power, etc.

MOTORCYCLE EQUIPMENT CO., 5 Lake, Hammondsport, N. Y.

Whipple The Motor-Cycle Man

Can and will save you money on new or second-hand motor-cycle. General agent and distributor seven leading makes—also Ferro Motor Boat Engines—with satisfied patrons the world over. It you have the "motor-cycle fever" let me prescribe for you.

WHIPPLE "The Motor-Cycle Man"
262 West Jackson Boulevard, CHICAGO



Important to Subscribers for Scientific American in Canada

Owing to recent changes in the Postal Laws, copies of Scientific AMERICAN mailed to addresses in Canada will have to be prepaid by stamps affixed at the rate of one cent for each four ounces or fraction thereof.

Commencing May 1, 1907, the rates for subscriptions for our periodicals mailed to Canada, postage prepaid, will he as follows

be as lon	lows:					ı
				PE	R YEAR	L
Scientific	American	=			\$3.75	ŀ
Suppleme		=	6	=	5.50	\
American	Homes and	Gar	dens		3.50	:
Scientific	American an (to one add	nd S	uppleme	ent	8.25	
Scientific	American	and	Americ	an		ŀ
Homes	and Gardens (to one add		=		6.25	

MUNN & COMPANY, Publishers SCIENTIFIC AMERICAN OFFICE * NEW YORK Ships or vessels, transferring, F. Roeder... 850,820 361 BROADWAY,

Scient	ific
Mold forming machine, J. Macphail, 850,768 to	1
Molding process, A. R. Marsteller	85 0,770 85 0, 168 850,670
Monkey wrench, ratchet, F. H. M. Davis Mop wringer, J. L. Potts	850,819 850,781
Motor, G. H. Chappell	850,480 850,295 85 0 ,277
Motor controller, A. Pedersen 850,443, Motor controlling apparatus, alternating cur-	850,872
Monkey wrench, ratchet, F. H. M. Davis Mop wringer, J. L. Potts Mortising gage, H. D. Jernigan	850,630 85 0 ,211
ter Musical instrument, pneumatically operated, J. J. Healy	850,621 : 850,366 :
Musical instrument, self-playing, E. D. Ackerman, et al Musical instruments	850,330
J. J. Healy Musical instrument, pneumaticarly operates, Ackerman, et al Musical instruments, expression mechanism for self-playing, J. J. Healy. Musical instruments, pneumatic valve for, A. W. Flegel	85 0 ,303
Necktie, bow, W. A. Clarke	850,635 850,732
burger Non-bygroscopic compound and explosive treated therewith. A. La Motte	850,392 85 0, 589
Nozzle, spraying, J. F. Dornfeld Nut lock, L. H. Kennedy	850,216 850,432 850,459
Nut lock, H. E. Marsch Nut lock, G. W. Roberts	850,665 85 0 ,787
Nut lock, E. E. Smith Oil engine, H. Soeldner, reissue Ore concentrating table. H. D. McLeod	850,8 1 12,635 850,391
organ key action, G. Binnig	850,413
Nitrogen, oxidizing atmospheric, A. Neuburger Non-bygroscopic compound and explosive treated therewith, A. La Motte. Nozzle, spraying, J. F. Dornfeld. Nut lock, L. H. Kennedy Nut lock, W. Bartley Nut lock, G. W. Roberts Nut lock, G. W. Roberts Nut lock, E. E. Smith oil engine, H. Soeldner, reissue. ore concentrating table, H. D. McLeod. organ key action, G. Binnig organs, adjustable combination action for, J. Funkbouser Packing, piston rod, W. Hillman. Paint tube, T. Gotze	850,828 850,159 850,22●
Paint tube, T. Gotze Panel board, metering, A. C. McWilliams. Paper bag machine, M. Schenck Paper feeding machine, T. C. Dexter. Paper hanger's smoothing roller, C. T.	850,174 850,605 850,821
Paper hanger's smoothing roller, C. T. Ridgely	85 0 ,317 850,242
Ridgely Pasting device, S. T. Murchie Pavements, surfacing, G. H. Lutz Peeler and scraper, vegetable, S. Nagasse. Peeling fruits and vegetables, E. J. Judge, Peeling machine, vegetable, Franklin & Percolator, L. Wojidkow Permutation lock, W. A. Matrolis Phonogram, W. C. Runge Photographic plate holder, P. Grassmann. Pianos, combined record making and self-	850,382 850,871
Pecling fruits and vegetables, E. J. Judge. Pecling machine, vegetable, Franklin & Belding	85 0 ,655 850.424
Percolator, L. Wojidkow Permutation lock, W. A. Matrolis	850,710 850,309 850,256
Photographic plate holder, P. Grassmann Pianos, combined record making and self-	
playing attachment for, G. Mohr Picture taking and exhibiting machine, Crosby & Pink	85 0 ,668 85 0 ,567
Photographic plate holder, P. Grassmann. Pianos, combined record making and self- playing attachment for, G. Mohr Picture taking and exhibiting machine, Cros- by & Pink Pile driving and forming device, W. T. Mc- Clintock Piling, sheet, Schuchart & Brown Piling, sheet, P. A. Schuchart. Pine. See Blownine.	850,389 850.496
Piling, sheet, P. A. Schuchart. Pipe. See Blowpipe.	850,497
Pipe connection, J. M. Kiehle Pipe coupling, Christensen & Tulloch Pipe coupling, train, E. D. Piper Pipe hanger, R. W. Clark Pipe laying machine, M. S. Manning.	850,230 850,731 850,486 850,623
Pipe hanger, R. W. Clark Pipe laying machine, M. S. Manning	0KU 990
tion, E. F. Badgley Pipe wrench, E. J. Robbins	850,124 85 0 ,254
Pipe, machine for manufacturing composi- tion, E. F. Badgley Pipe wrench, E. J. Robbins Pipe wrench, M. Z. Viau Piston head, J. C. Howard Piston replacing device, C. J. Richardson, Planter and fertilizer distributor combined	850,696 850,583 850,675
Planter and fertilizer distributer, combined, Purvis & King Plate lifter, D. P. Dellinger Plow, N. Jennings	850,249 850,737
Plow, N. Jennings Plow attachment, A. Arter Plow. gang, G. W. Hammers	850,162 850,717 850,749 85 0 ,181
Pneumatic cushion, V. H. Pedstata Pneumatic spring, A. C. Mathee. Pool table attachment, F. W. Flint	850,387
Pool table attachment, F. W. Flint	850,3 60 850,682 85 0,7 55
Prepayment mechanism, J. E. Hubbell Printing machine sheet delivery mechanism, T. M. North Propeller, C. J. MacRae Proportional meter, J. C. Anderson.	850,313 850,383
Full washing apparatus. W. D. Kiem	850,457 850,657
Pump, G. B. Petsche	850,248 850,803 850,847
Rail clamp or fastening, J. G. Snyder	850,652 850,262 85 0 .198
Rail joint, H. Spunaugle Rail joint, J. C. Abbott	850,269 85€,712 ·
Rail system, guard, A. Morrison Railway crossing, G. E. Starner	850,772 850,536 85 0 ,688
Rail system, guard. A. Morrison Railway crossing, G. E. Starner Railway frog switch, A. M. Lewis Railway safety apparatus, G. E. Ryan Railway switch, Chamberlin & Harrington. Railway switch, Street, C. A. Rieley. Railway tie, J. P. Angell Railway track construction. A. King.	850,66€: 850,790: 850,342;
Railway switch, street, C. A. Ridley Railway tie, J. P. Angell	85 0 ,318 850.283
Railway track construction, A. King Rake, A. Jackson Range lighter, gas, J. H. Robuck Ratchet mechanism, H. J. Cook 850,347, Razor blades, temporary holder for safety,	85 0. 373 850,228 850,852
Ratchet mechanism, H. J. Cook 850,347, Razor blades, temporary holder for safety, D. A. Macbeth	85 0 ,566 850,767
D. A. Macbeth Razor, safety, J. Reichard Razor, safety, F. X. George, Jr. Receptacle, W. Sowerby Reel, A. M. Maguire Refuse can, T. Lee Relay, C. E. Scribner Retort closure, M. J. Campbell Riding device, amusement, J. A. Cole Riding gallery, A. J. Stickney River banks, means for protecting, J. A. Nabers	85 0 ,183 : 850,529 850,686
Reel, A. M. Maguire Refuse can, T. Lee	850,236 $850,167$
Retary, C. E. Scribner Retort closure, M. J. Campbell Riding device, amusement, J. A. Cole	850,402 850,133 850.136
Riding gallery, A. J. Stickney River banks, means for protecting, J. A. Nabers	85 0 ,448 850,244
Nabers Riveting machine, J. Bingham Rock drilling machines or engines, means for mounting, Hellman & Bayles Root and stalk pulling machine, J. L. Anders	85 0 ,615 850,885
Root and stalk pulling machine, J. L. Anders Rotary engine, E. F. Taylor	
Rotary engine, G. A. Whitman	850,450 850,555 ; 850,593
and cleaning, G. H. Blakesley	850,337
	850,156 ;
Safe, pocket, C. Fisher Safety lock, J. E. Ledford	850,485 850,868 850,\$40 850,263
Rubber strips, apparatus for producing, J. Safe, pocket, C. Fisher Safety lock, J. E. Ledford Sanitary closet, J. W. Softley Sash fastener, C. H. Miller Sash leck, W. Schuch Saw bench, F. A. Crum Saw, hand, V. Lemeff Saw handle, H. M. Walker	850,170 \
Saw bench, F. A. Crum Saw, hand, V. Lomoff Saw handle, H. M. Walker Sawmill feed mechanisms, belt tightener	850,351 ; 850,481 ; 850,280
	850,698
Sawmin feed mechanisms, beit tightener fer, N. H. Warneck Scaffolding and the like supporting bracket, E. Lorenz Scale, automatic, W. E. Burks Scale, weighing, G. Walker Scissors, A. T. Eklund Screen hanger, H. B. Higgins Scriben and poseful holder sembined. T. P.	850,662 850,729
Scale, weighing, G. Walker Scissors, A. T. Eklund Screen hanger, H. B. Higgins	850,508 85 0, 632 850,369
Scriber and pencil holder, combined, T. B. Stephenson Seat. See Closet seat.	850,189
Section brake, J. Carr	850,730
D. L. Adelsperger Self-luminous body, L. Vanino Separating apparatus, material, A. C. Cal-	850,331 850,8 6 0
kins Separating or grading machine, C. F. Shu-	850,293 850,447
maker Separater, W. I. Breck Sewing machine, G. E. Gilbert Sewing machine, T. D. Hamilton, et al Sewing machine attachment, A. G. Rosen-	850,447 850,417 850,426
Sewing machine, T. D. Hamilton, et al Sewing machine attachment, A. G. Rosenthal	850,642 850,789
Sewing machines, blindstitching, overseaming, and serging attachment for, E.	850,851
Shade and curtain pole supporter, window,	11
T. W. Brown Shade and shade roller fixture. A. Hitt Shaving apparatus, F. J. Halbekann Ship bottom cleaning device, J. H. Pegram Ships or vessels, transferring, F. Roeder	850.430
pulps of vessels, transferring, F. Roeder	oo∪,820 l





DIRECT FROM FACTORY

I save you dealers' profits. I send an assortment of Emblen on proval to any Fraternal man in good standing in the United St from which to make a selection. Write for an assortment, natemblem desired and approximate price you wish to make. emblem desired and approximate price you wish to pay.
W. J. DOPDS, 911 Ellicott Square, Bullalo, N. V.

THE ILLINOIS Fireless Cooker

Made entirely of Heavy Galvanized Iron. Safe. Sanitary, positively Roach and Vermin proof. No troutle. No odors. Perfection of Fireless Cookery. Send for details and Price List.

ILLINOIS HEATER CO., 3945 Wentworth Ave., Chicago

CONCRETE BUILDING BLOCK

MANUFACTURERS

Reduce cost by my process, which allows you to cast "sloppy wet" blocks on dry process machines and reme we at once. Double moulds waste the inner mould after each block is made. For full information, address

S. W. HENDRICKSON, Patentee, White Plains, N. Y.

ELECTRO MOTOR. SIMPLE, HOW TO make.—By G. M. Hopkins. Description of a small electric motor devised and constructed with a view to assist which would have sufficient power to operate a foot lather or any machine requiring not over one man power. With 11 figures. Contained in SCIENTIFIC AMERICAN SUPPLEMENT. No. 614. Price 10 cents. To be had at this office and from all newsdealers.

SENSATIONAL CLEARANCE SALE

OF SLICHTLY RUBBED SETS Of The New Americanized ENCYCLOPEDIA BRITANNICA THE WORLD'S GREATEST WORK OF REFERENCE

These superb sets will bring delight to the Booklover. The bindings are fine half morocco, and the defects are scarcely discernible; only an expert could detect them.



ENCYCLOPEDIA BRITANNICA

THIS IS YOUR CHANCE. The tremendous selling of the last few weeks has left us with a few are, however (no more than would occur from a few weeks' use in your own bookcase) we are compelled to dispose of them at a reduced price, and thus give you the opportunity of securing the most wonceful book barrain of this generation. There are only a few sets left—to secure the advantage you must order immediate

THIS WORLD-FAMOUS WORK is the product of three hundred of the finest brains in America. With the original Britannica as a foundation they have added, condensed and improved until this magnificent work constitutes the most authoritative, comprehensive, and up-to-date encyclopedia in the world. Its stores are inexhaustible. Every man of force and fame that ever lived, every step in human progress, all inventions, discoveries, statistics, right up to 1906—are found in the 10,000 teeming pages of these splendid volumes. Can you afford to do without it?

\$1.00 Secures Possession of the Entire Set. Nothing is revance. You send for the hooks—you get them—you are mine them. Then, when you are convinced that they are the greatest book bargain of recent years, you forward \$1.00 to open your contract, and \$2.00 monthly thereafter until you pay \$8.3 THE REGULAR PRICE OF THESE BEAUTIFUL NAME OF THE OF

Nothing is required in an analysis. The results book bargain of recent years, the possession thereof. You can then pay just one dollar and the balance a little each month.

Nothing is required in an examine them. Then, when the possession thereof. You can then pay just one dollar and the balance a little each month.

Nothing is required in an examine them. Then, when the possession thereof. You can then pay just one of the possession thereof. You can then pay just one dollar and the balance a little each month.

SIEGEL COOPER CO., New York

recent vent.

AUTHFUL

AUTHFUL

To thereafter

A warricanized the New Americanized Encycles to the beautiful the New Americanized Encycles to the beautiful the New Americanized Encycles to the beautiful the New Americanized Encycles to the New Americanized Encycle

Siegel Cooper Co., New York N.Y.

Classified Advertisements

seven words to the line. All orders must be accompanied by a remittance. Further information sent on request.

BUSINESS OPPORTUNITIES.

To invented and the second and the second and the second and series. J. E. Garratt, 98 Southwark St. London. S. E. and 1133 Broadway, New York, U. S. A., maker and proprietor of the Veedee Vibrator and other similar important patented articles, having unique organization and facilities through his own branches and agencies throughout the world for marketing articles of Domestic Hygiene class, Health Apparatus, Athletic-hygienic Apparatus, and novelties generally, invites correspondence. I also want a manufacturer (good class metal work for the Veedee in U. S. A. Address (in Europe), 96 Southwark Street, London. Address (America), 1135 Broadway, New York.

PATENTS SOLD ON COMMISSION.—If you wish to buy or sell a patent write for particulars to E. L. Perkins, 72 Broad Street, Boston. Patent Sales Exclusively.

WANTED. — Used filter press of 500-1.000 pounds capacity, modern system; must be in good working condition. Answer with full particulars P 1,000, Box 773, New York.

AGENTS WANTED to sell best kettles in world for cooking, steaming, straining food of all kinds. No more burned or scalded bands, no more food wasted. Sample free. For particulars write American Specialty Stamping Co., Johnstown, Pa.

ATTORNEYS AND INVENTORS, ATTENTION! Practical course by mail—Patent Laws and Office Practice. Free booklet and specimen pages. Cor. School of Patent Law, Dept. A, 1833 Mintwood, Wash., D. C.

WE WILL MANUFACTURE FOR YOU, on reasonable basis, specialties in Electrical, Hardware or Metal lines. Large quantities or continuous contracts desires, Forest, Bax 1736, New York.

PATTERN LETTERS AND FIGURES (White Metal and Brass) for use on patterns for castings. Large variety, prompt shipments. Send for catalog. H. W. Knight & Son, Seneca Falls, N. Y.

METAL NOVELTY WORKS CO., Manufacturers of all kinds of light Metal Goods, Patented Articles and Hardware Specialties on contract. Metal Stamping Dies and Stamping our specialty. 43-47 Canal St., Chicago.

I SELL PATENTS. -To buy or having one to sell, write Chas. A. Scott, 719 Mutual Life Building, Buffalo, N. Y.

INCORPORATE YOUR BUSINESS. Over sixteen hundred charters procured for my clients. Write for corporation laws, blanks free, to former Ass't Secretary of State, Philip N. Lawrence, Huron, South Dakota.

SALE AND EXCHANGE.

A 1908 EIGHT H. P. CADILLAC TOURING CAR. In fair condition, with lamps and tires. Price \$125. For further information address J. W., Box 773. New York City.

A SMALL MANUFACTURING PLANT.—Lease, new 10 horse power gas engine, perfect condition; shafting, air compressor and pneumatic hammer; all for sale. Sanford & Bennett, 18 Spruce Street, New York.

HELP WANTED.

A LARGE AGRICULTURAL IMPLEMENT FACTORY intends to improve their shop system, especially as it relates to stock records of raw material and finone department to the other in the process of monone department to the other in the process of manufacture, with due regard to proper senedule whereby full sets of parts necessary to assemble machines will go through on time-and desires to correspond with parties who are thoroughly familiar with the werk. Book-keepers, correspondence school system experts, and card system cranks need not apply. What is wanted is an expert with practical shop experience and a record of having done things. All correspondence will be strictly confidential. Address D-54, Room 1300, Trude Building, Chicago.

DO YOU WANT INFORMATION FROM WASH-INGTON? If so, write Josiah H. Shinn, Special Investigator, Bliss Bldg.. Washington, D. C. Congressional, Departmental, Statistical, Economical, Commissions taken to furnish information regularly.

WANTED.—A SUPERINTENDENT. Syracuse Chilled Plow Co., Syracuse, N. Y.

WANTED.-2,000 young men for Policemen, Firemen, Chauffeurs, Clerks. Positions guaranteed or tui-ion refunded. O'Brien's Civil Service School, 356 6th Ave., City; 15 Myrtle Ave., B'klyn; Phone 4594 Chelsea.

ENGINEERS—Mechanical, Civil, Electrical, Stationary—wanted for some of the 20,000 employers we serve. Salaries \$1.00-\$5.00. Write us to-day, stating experience. Hapgoods, 365 Broadway, New York.

FACTORY AND MILL SUPPLIES.

FACTORIES, CUT DOWN YOUR INSURANCE by putting in a Caldwell Tank and Towerforfire protection. Once up, no further expense. Endorsed by all insurance companies. References in every section. Arkay Stave Co., of Columbus, Miss., says: "Sayes us \$20 a month." Illustrated Catalogue and Price List free. W. E. Caldwell Co., Station DD, Louisville, Ky.

MACHINERY.

REMOVED to larger quarters, we offer our large tock of new and second-hand machinery; also boilers, engines, dynamos, motors, materials and supplies. Liberty Machinery Mart, 153 West Street, New York.

TYPEWRITERS.

TYPEW RITERS.—Sold, rented, and repaired. Expert repairing on all makes. High grade machines at lowest prices. All makes rented. Henry Typewriter Exchange, 54 W. 125th Street, New York. Telephone 4652.

STANDARD MAKES BETTER THAN NEW at prices as low as anywhere. Thoroughly overhauled and prices as low as anywhere. Thoroughly overhauled and rebuilt machines at 1.3 manufacturers' prices. Atlantic Typewriter Exc. 246 Bway, N. Y. Reliable repairing. Telephone 68 Cortlandt.

CHEARANCE SALE—Remingtons, Densmores, Jewetts, Blickensderfers, Williams, \$12.50; Postals, Hammonds, \$10; Underwoods, Olivers, \$35. Orders filled or money back. Standard Typewriter Exch., Suite 45, 231 Broadway, N. Y.

PHOTOGRAPHY.

BARGAIN TIME IS HERE. Splendid opportunity in high grade lenses and cameras. If you want to buy, sell or exchange, write us for list. National Specialty Co., 49 W. 28th St., New York City.

AIL CAMERA USERS should subscribe for the American Amateur Photographer and Camera and Dark Room, monthly, 15 cents, \$1.5 per year. Monthly competitions, illustrated articles, picture criticism, answers to queries. Am. Photo Pub. Co., 361 B'way, New York.

PATENTS FOR SALE.

WILL SELL OUTRIGHT or on royalty basis valuable patent for an article greatly in demand and which can be marketed with a moderate amount of capital. Nothing on the market to compare with it. Chas. S. Moore, Fort Pierce Florida.

AGENTS WANTED

Advertising in this column is 50 cents a line. No less than four nor more than ten lines accepted. Count seven words to the line. All orders must be accom-

MOTION PICTURES.

MOTION PICTURE MACHINES. Films, Slides and Supplies from the largest store of its kind in this lity. Sole agent Power's Cameragraph the real fireproof ma chine. Catalogs. Lewis M. Swaab, 336 Spruce St., Phila.

THE MOVING PICTURE WORLD, weekly, 10 cents per copy; yearly subscription, \$2. The only paper devoted to the moving picture, illustrated song and lantern lecture field. Moving Picture World, Box 450, N.Y.

EYE-GLASS SPECIALTIES.

REMARKABLE MAGNETIC SPECTACLE AND EYE GLASS OFFER. Send stamp, no postals, for Free Pair, coupon and testimonials. S. A. Fredrick Optical Co., Toledo, Obio.

EXPERIMENTAL ELECTRICS.

STUDY ELECTRICITY AT HOME. Complete cour 30-pg. detail-book, 220-pc. text-book, 200 experimen over 100 pieces of apparatus. Only \$5.06. Bulletin "A explains. Thomas M. St. John, 848 Ninth Ave., N. Y.

SCHOOLS AND COLLEGES.

GEO. H. WILSON, the World's Champion, has written a booklet, "Vaudeville, Stage Dancing and Entertaining." It is absolutely free and very interesting. Just

theck abserber, F. W. Battershall \$56,466 theck binder, A. Melin \$56,843 thee, arch supporting, H. C. Welch \$56,843 thee, arch supporting, H. C. Welch \$56,843 thee upper belging device, J. S. Hansen \$56,936 thee upper belging device, J. S. Hansen \$56,936 thee upper belging device, J. S. Hansen \$56,936 tipe, illuminated C. L. Carter \$56,931 tipe, illuminated C. L. Carter \$56,521 tignaling system, train, J. S. Anderson \$56,511 kins and hides, scudding, K. A. Ernst. \$50,114 kirl, C. J. Sørensen \$55,244 kylight, J. Flynn \$50,831 lack adjuster, C. Maderson \$56,243 lack adjuster, C. Maderson \$56,032 led, automabile, J. M. Lambert \$50,763 leve holder, H. M. M. Barnes \$50,721 lilipper fer seaking the feet. G. Reiter \$50,603 luices, device fer automatic regulation of souther, J. F. Wessely \$56,721 map hoek, W. H. Lambert \$50,721 map hoek, W. H. Lambert \$56,336 edering iron, self-heating, Marvell \$56,336 edering iron, self-heating, Marvell \$56,336 edering iron, self-heating, Marvell \$56,336 edering iron, self-heating, N. A. Bowen \$56,130 peed indicater, T. W. Flory \$56,421 pilit, adjustable, J. R. Ward \$56,611 peol Edder, M. Halsted \$56,431 pring wheel, S. S. Childs \$56,431 pring wheel, J. D. Sower \$56,265 tacker, hay, L. J. Lindsay \$56,431 pring wheel, J. D. Sower \$56,265 tacker, hay, L. J. Lindsay \$56,431 tacker, hay L. Chen \$56,631 teve of turnace, E. J. Selley \$56,631 teve of turnace, E. J. Selley \$56,63	a booklet, "Vaudeville, Stage Dancing and En Ing," It is absolutely free and very interestin address Wilson's Vaudeville School, 263 W. 424 S	£., N.Y.
thatthe, F. ett, reissue ign, illuminated, C. L. Carter		85€,46€
thatthe, F. ett, reissue ign, illuminated, C. L. Carter	Shock binder, A. Melin	850,843 850,862
thatthe, F. ett, reissue ign, illuminated, C. L. Carter	Shoe cleaning device, J. J. Pelt	850,396
kylight, J. Flynn kylight, J. Flynn kylight structure, W. F. Plass 556,487 lack adjuster, C. Ø. Anderson 550,282 leeve holder, H. M. M. Barnes 550,282 leeve holder, H. M. M. Barnes 550,732 leeve holder, H. M. M. Barnes 550,732 must machine, O. L. Larsen 550,733 mut machine, O. L. Larsen 550,733 map heek, W. H. Lambert 150,733 map heek, W. H. Lambert 150,833 map heek, W. H. J. Lambert 150,833 map heek, W. L. J. Linksay, S. 150,833 map heek, W. L.	Shuttle, F. Ott, reissue	12,634
kylight, J. Flynn kylight, J. Flynn kylight structure, W. F. Plass 556,487 lack adjuster, C. Ø. Anderson 550,282 leeve holder, H. M. M. Barnes 550,282 leeve holder, H. M. M. Barnes 550,732 leeve holder, H. M. M. Barnes 550,732 must machine, O. L. Larsen 550,733 mut machine, O. L. Larsen 550,733 map heek, W. H. Lambert 150,733 map heek, W. H. Lambert 150,833 map heek, W. H. J. Lambert 150,833 map heek, W. L. J. Linksay, S. 150,833 map heek, W. L.	Sign, illuminated, C. L. Carter	850,521 850,511
kylight, J. Flynn kylight, J. Flynn kylight structure, W. F. Plass 556,487 lack adjuster, C. Ø. Anderson 550,282 leeve holder, H. M. M. Barnes 550,282 leeve holder, H. M. M. Barnes 550,732 leeve holder, H. M. M. Barnes 550,732 must machine, O. L. Larsen 550,733 mut machine, O. L. Larsen 550,733 map heek, W. H. Lambert 150,733 map heek, W. H. Lambert 150,833 map heek, W. H. J. Lambert 150,833 map heek, W. L. J. Linksay, S. 150,833 map heek, W. L.	Skins and hides, scudding, K. A. Ernst	850,146 850,264
and adjuster, U. S. Anderson 1804, automobile, J. M. Lambert 1807, 783 Ilipper at the billion of the state	kylight, J. Flynn	850.361
mut machine, O. L. Larsen map hoek, W. H. Lambert map hoek, W. H. Lambert sol dering iren, self-heating, Marvell & Ashman soldering iren, self-heating, R. W. Marvell soldering iren, self-heating, R. W. Soldering, Soldering, self-self-self-self-self-self-self-self-	Slack adjuster, C. O. Anderson	850,202
mut machine, O. L. Larsen map hoek, W. H. Lambert map hoek, W. H. Lambert sol dering iren, self-heating, Marvell & Ashman soldering iren, self-heating, R. W. Marvell soldering iren, self-heating, R. W. Soldering, Soldering, self-self-self-self-self-self-self-self-	sleeve holder, H. M. M. Barnes	850,763 850,721
mut machine, O. L. Larsen map hoek, W. H. Lambert map hoek, W. H. Lambert sol dering iren, self-heating, Marvell & Ashman soldering iren, self-heating, R. W. Marvell soldering iren, self-heating, R. W. Soldering, Soldering, self-self-self-self-self-self-self-self-	Slipper for soaking the feet. G. Reiter Sluices, device for automatic regulation of	85 0,603
schedning in self heating. R. W. Marvell. Sc. 326 claring then self heating. R. W. Marvell. Sc. 326 claring then self heating. R. W. Marvell. Sc. 326 claring then self heating. R. W. Marvell. Sc. 326 claring the self heating. R. W. Flery. Sc. 326 peed indicater, T. W. Flery. A. Bewen. Sc. 326 pike, O. M. De Witt plint, adjastable, J. R. Ward. Sc. 325, 421 plint, adjastable, J. R. Ward. Sc. 325, 421 plint, adjastable, J. R. Ward. Sc. 425 prayer, compressed air, C. W. & E. A. Farks. S. Sc. 326 prayer, compressed air, C. W. & E. A. Farks. S. Sc. 326 prayer, compressed air, C. W. & E. A. Farks. S. Sc. 325 tacker, hay L. J. Lindsay. Sc. 325 tacker, hay L. J. Lindsay. Sc. 326 tamping and numbering machine, J. French tamps, cushined helder for dating. E. Ensign tapping machine, T. A. Briggs. Sc. 425 tamping machine, T. A. Briggs. Sc. 425 tatelen indicater, T. J. O'Neill tapping machine, T. A. Briggs. Sc. 220 tation indicater, T. J. O'Neill team, mechanism for utilizing superheated. G. de Loewenstein teerlizing and preserving substance, A. terlizing and preserving substance, A. Sc. 466 tone, manufacturing artificial, J. Staudt. Sc. 336 teve or furnace, E. J. Selley. Sc. 436 tove or furnace, E. J. Selley. Sc. 436 tove or furnace, E. J. Selley. Sc. 436 tove or furnace, E. J. Selley. Sc. 320 uperheater, F. J. Cele. Sc. 320 uperheater, F. D. Cele. Sc. 320 uperheater, F. D. Cele. Sc. 320 uperheater, F. B. Baslar tove or furnace, E. J. Selley. Sc. 320 uperheater, F. D. Cele. Sc. 320 uperheater, F. C. Selley. Sc. 320 uperheater, F. Selley. Sc. 320 uperhe	outlet, I. F. Wessely	850,703 850 378
schedning in self heating. R. W. Marvell. Sc. 326 claring then self heating. R. W. Marvell. Sc. 326 claring then self heating. R. W. Marvell. Sc. 326 claring then self heating. R. W. Marvell. Sc. 326 claring the self heating. R. W. Flery. Sc. 326 peed indicater, T. W. Flery. A. Bewen. Sc. 326 pike, O. M. De Witt plint, adjastable, J. R. Ward. Sc. 325, 421 plint, adjastable, J. R. Ward. Sc. 325, 421 plint, adjastable, J. R. Ward. Sc. 425 prayer, compressed air, C. W. & E. A. Farks. S. Sc. 326 prayer, compressed air, C. W. & E. A. Farks. S. Sc. 326 prayer, compressed air, C. W. & E. A. Farks. S. Sc. 325 tacker, hay L. J. Lindsay. Sc. 325 tacker, hay L. J. Lindsay. Sc. 326 tamping and numbering machine, J. French tamps, cushined helder for dating. E. Ensign tapping machine, T. A. Briggs. Sc. 425 tamping machine, T. A. Briggs. Sc. 425 tatelen indicater, T. J. O'Neill tapping machine, T. A. Briggs. Sc. 220 tation indicater, T. J. O'Neill team, mechanism for utilizing superheated. G. de Loewenstein teerlizing and preserving substance, A. terlizing and preserving substance, A. Sc. 466 tone, manufacturing artificial, J. Staudt. Sc. 336 teve or furnace, E. J. Selley. Sc. 436 tove or furnace, E. J. Selley. Sc. 436 tove or furnace, E. J. Selley. Sc. 436 tove or furnace, E. J. Selley. Sc. 320 uperheater, F. J. Cele. Sc. 320 uperheater, F. D. Cele. Sc. 320 uperheater, F. D. Cele. Sc. 320 uperheater, F. B. Baslar tove or furnace, E. J. Selley. Sc. 320 uperheater, F. D. Cele. Sc. 320 uperheater, F. C. Selley. Sc. 320 uperheater, F. Selley. Sc. 320 uperhe	Snap hook, W. H. Lambert	850,234
pilint, silpsande, J. R. Ward peal chilor, M. Halsted Parks Park	wideling nem, sent-nearing, marven &	
pilint, silpsande, J. R. Ward peal chilor, M. Halsted Parks Park	Ashman	850,385 850,386
pilint, silpsande, J. R. Ward peal chilor, M. Halsted Parks Park	beund box, E. D. Gleason	850 883
pring wheel, J. S. Sewer	peed indicator, T. W. Flory	850,745
pring wheel, J. S. Sewer	plint, adjustable, J. R. Ward	850,610
pring wheel, J. S. Sewer	prayer, compressed air, C. W. & E. A.	,
tamping and numbering machine, J. Frenci, 250-325 tamps, cushiened helder for dating, E. Ensign	Farks Spring wheel, S. S. Childs	850.134
tamping and numbering machine, J. Frenci, 250-325 tamps, cushiened helder for dating, E. Ensign	pring wheel, J. D. Sower	850,265
tamping and numbering machine, J. Frenci, 250-325 tamps, cushiened helder for dating, E. Ensign	Stacks, covering for hay and the like, •.	
Ensign machine, T. A. Briggs	tamping and numbering machine, J. French	85 0 ,672
tawe psinting machine. A. Sunyar 1856,191 team, mechanism for utilizing superheated. C. de Leewenstein 556,386 teering gear, L. H. Pyer 1856,145 teering gear, L. H. Pyer 1856,145 teerilizing and preserving substance, A. Schroeder 556,640 tene, manufacturing artificial, J. Staudt. 556,630 tene, manufacturing artificial, J. Staudt. 556,630 tene, manufacturing artificial, J. Staudt. 556,630 teve or furnace, E. J. Selley 556,250 teve properties of the selley for	Ensign	850,471
tawe psinting machine. A. Sunyar 1856,191 team, mechanism for utilizing superheated. C. de Leewenstein 556,386 teering gear, L. H. Pyer 1856,145 teering gear, L. H. Pyer 1856,145 teerilizing and preserving substance, A. Schroeder 556,640 tene, manufacturing artificial, J. Staudt. 556,630 tene, manufacturing artificial, J. Staudt. 556,630 tene, manufacturing artificial, J. Staudt. 556,630 teve or furnace, E. J. Selley 556,250 teve properties of the selley for	Stapling machine, T. A. Briggs	850 ,290 850 ,673
teering gear, L. H. Dyer	stave jointing machine, A. Dunbar	850.144
teering gear, L. H. Dyer teerilizing and preserving substance, A. Schreeder teck leader, J. Gibsen teck leader, J. Staudt. teck, J. Selley teve or furnace, E. J. Selley J. Derrig J. W. Felgert J. Derrig J. Selley J. Sell	team, mechanism for utilizing superheated,	
Schreeder tock leader, J. Gibsen tock leader, J. Gibsen tock leader, J. Gibsen tock leader, J. Gibsen tock leader, J. G. Winans toel, counter, W. G. Winans toelegraph ine, duplexing, I. Kitsee telegraph transmitter, keybeard, G. M. Geddard toelegraph, counter, M. H. Black toelegraph, counter, M. H. Black toelegraph, counter, W. G. Hebby, Geddard toelegraph, counter, W. G. Hebby, Geddard toelegraph, counter, M. H. Black toelephone apparatus, K. Kehn toelephone apparatus, K. Kehn toelephone apparatus, K. Kehn toelephone exchange system, E. E. Clement toelephone exchange system, E. E. Clement toelephone, reinfercing, C. Newman toelephone, reinfercing, C. Newman toelephone, reinfercing, C. Newman toelephone, reinfercing, C. Newman artificial, E. W. Friedrich thresher feeder, T. N. Jehnsen toelephone, reinfercing, C. Newman toelephone, reinfercing, C. Reinfercing, C. Seans toelephone, R	teering gear, L. H. Dyer	85 0 ,33 0
tene, manufacturing artificial, J. Staudt. \$56,859 tevel, counter, W. G. Winans \$56,453 teve or furnace, E. J. Selley to try or furnace, E. J. Selley 55,250 teve or furnace, E. J. Selley 55,251 trainer, jules. T. B. Lashar 55,236 trump puller, J. W. Felgert \$50,362 ulfur disxid, apparatus for nitrating, P. J. Derrig \$50,852 uspender or helder, garment, F. Spaninger \$50,465 uspender or helder, garment, F. Spaninger \$50,460 uspender or helder, garment, F. Spaninger \$50,460 uspender or helder, garment, F. Spaninger \$50,460 uspender or helder, garment, F. Spaninger \$50,400 uspender or helder or helder article, Wagner & Herne \$50,501 uspender, galment, M. H. Wilson, \$50,400 uspender or helder, garment, F. Spaninger spaninger, J. A. Kearney, ressue 12,633 uspender or helder, garment, F. Spaninger \$50,400 uspender, galment, garment, F. Spani	terilizing and preserving substance, A. Schreeder	850,606
tove or furnace, E. J. Selley tove or furnace attachment, L. D. Mohler trainer, julep. T. B. Lashar trainer, julep. T. B. Lashar tump puller, J. W. Felgert ulfur diexid, apparatus for nitrating, P. J. Derrig uperheater, F. J. Cole uspender or belder, garment, F. Spaninger Steventy, F. F. De Mars witch leck, F. B. Bradley witch operating device, E. J. Rice. spensory, F. F. De Mars witch leck, F. B. Bradley witch operating device, E. J. Rice. spensory, F. F. De Mars witch operating device, E. J. Rice. spensory, F. F. De Mars witch operating device, E. J. Rice. spensory, F. F. De Mars witch operating device, E. J. Rice. spensory, F. F. De Mars witch operating device, E. J. Rice. spensory, F. F. De Mars witch operating device, E. J. Rice. spensory, F. F. De Mars witch operating device, E. J. Rice. spensory, F. F. De Mars witch operating device, E. J. Rice. spensory, F. F. De Mars witch operating device, E. J. Rice. spensory, F. F. De Mars delegraph line, duplexing, I. Kitsee. spensory, M. J. Brosnaban spensory, M. C. Tunison spensory, M. C. C. C. College spensory, M. C. Tunison spensory, M. C. C. C. Seaman spensormer, M. M. Black spensormer, M. M. Black spensormer, M. M. Black spensormer, M. M. Black spensormer, M. C. R. Bobinson spensormer, M. M. Septent spensormer, M. M. Septent spensormer, M. M. Septent sp	tana manufaatuuina autifaial T Ctandt	850,640 850,689
uperheater, E. J. Cele uspender er helder, garment, F. Spaninger spender er helder, garment, F. Spaninger abe, garment gable. 256,364 ab fer sheets er ledgers, ctc. E. Davis. 256,364 ab fer sheets er ledgers, ctc. E. Davis. 256,364 ab fer sheets er ledgers, ctc. E. Davis. 256,364 ab fer sheets er ledgers, ctc. E. Davis. 256,364 apping device, liquid, E. H. Weatherhead \$56,410 elegraph emergency. M. C. Tunison. 256,364 elegraph line, duplexing, I. Kitsee. 256,365 elegraph transmitter, keybeard, G. M. 256,364 elegraph, Kitsee 256,364 elegraph, Kitsee 256,364 elegraph, Kitsee 256,364 elegraph, Kitsee 256,364 elephone apparatus, K. Cohn. 256,436 elephone apparatus, W. D. Dean. 256,436 his-indexyl derivative and making same, P. Friedlender 256,437 his-indexyl derivative and making	tool, counter, W. G. Winans	850 453
uperheater, E. J. Cele uspender er helder, garment, F. Spaninger spender er helder, garment, F. Spaninger abe, garment gable. 256,364 ab fer sheets er ledgers, ctc. E. Davis. 256,364 ab fer sheets er ledgers, ctc. E. Davis. 256,364 ab fer sheets er ledgers, ctc. E. Davis. 256,364 ab fer sheets er ledgers, ctc. E. Davis. 256,364 apping device, liquid, E. H. Weatherhead \$56,410 elegraph emergency. M. C. Tunison. 256,364 elegraph line, duplexing, I. Kitsee. 256,365 elegraph transmitter, keybeard, G. M. 256,364 elegraph, Kitsee 256,364 elegraph, Kitsee 256,364 elegraph, Kitsee 256,364 elegraph, Kitsee 256,364 elephone apparatus, K. Cohn. 256,436 elephone apparatus, W. D. Dean. 256,436 his-indexyl derivative and making same, P. Friedlender 256,437 his-indexyl derivative and making	tove or furnace attachment, L. D. Mohler.	850,171
uperheater, E. J. Cele uspender er helder, garment, F. Spaninger spender er helder, garment, F. Spaninger abe, garment gable. 256,364 ab fer sheets er ledgers, ctc. E. Davis. 256,364 ab fer sheets er ledgers, ctc. E. Davis. 256,364 ab fer sheets er ledgers, ctc. E. Davis. 256,364 ab fer sheets er ledgers, ctc. E. Davis. 256,364 apping device, liquid, E. H. Weatherhead \$56,410 elegraph emergency. M. C. Tunison. 256,364 elegraph line, duplexing, I. Kitsee. 256,365 elegraph transmitter, keybeard, G. M. 256,364 elegraph, Kitsee 256,364 elegraph, Kitsee 256,364 elegraph, Kitsee 256,364 elegraph, Kitsee 256,364 elephone apparatus, K. Cohn. 256,436 elephone apparatus, W. D. Dean. 256,436 his-indexyl derivative and making same, P. Friedlender 256,437 his-indexyl derivative and making	tump puller, J. W. Felgert	85 0 ,362
able. See Ore concentrating table. allor's appliance, M. J. Brosnahan. \$59,340 ape or band, weven, A. Weimar. \$59,762 appling device, liquid, E. H. Weatherhead 856,416 elegraph, emergency, M. C. Tunison. \$60,364 elegraph line, duplexing, I. Kitsee. \$60,305 elegraph pransmitter, keyboard, G. M. Goddard. Geddard. \$60,231 elephone attachment, M. H. Black. \$50,538 elephone attachment, M. H. Black. \$50,538 elephone attachment, J. G. Hobby. \$50,536 elephone attachment, L. G. Hobby. \$50,536 elephone attachment, M. W. Denan. \$50,433,856,434 elephone trunking system, E. E. Clement. \$60,344 elephone trunking system, W. W. Denan. \$50,436 elephone trunking system, W. W. Denan. \$50,437 elephones, reinforcing, C. Newman. \$50,438 flielindexyl derivative and making same, P. Friedlaender. P. Friedlaender. P. Friedlaender. P. Friedlaender. P. Friedlaender. P. Stalles. P. Sebert. S50,537 file machine, W. H. Beery. S50,538 file, G. B. Staples. S50,273 file or stair tread, G. B. Staples. S50,533 file, G. B. Staples. S50,543 fine recorders, automatic card step fer, J. & A. Dey S50,548 fire pretecter, rubber, Glles & Tobey. S50,526 fire bolting machine, A. H. Wilson. S50,348 fire pretecter, rubber, J. A. Posey. S50,526 fire politing machine, A. H. Wilson. S50,538 fires amen, C. A. Schlachter. S50,526 fire pretecter, rubber, J. A. Posey. S50,526 fire pretecter, rubber, J. A. Posey. S50,526 fire pretecter, rubber, Glles & Tobey. S50,526 fire pretecter, rubber, Glles & Tobey. S50,526 fire politing machine, A. H. Wilson. S50,534 fire pretecter, rubber, Glles & Tobey. S50,526 fire politing machine, A. H. Wilson. S50,536 fires remer, C. A. Schlachter. S50,538 fires, means for inflating pneumatic, A. A. Wilson. A. Wilson. S50,531 ongs, shelf, B. L. Ward. S50,532 frap, H. Yturri Tany, W. E. Maull. S50,536 Truck, lumber, Glles & Tobey. S50,532 Truck, Jumber, Glles & Tobey. S50,533 Truck, Jum	ulfur diexid, apparatus for nitrating, P. J. Derrig	
able. See Ore concentrating table. allor's appliance, M. J. Brosnahan. \$59,340 ape or band, weven, A. Weimar. \$59,762 appling device, liquid, E. H. Weatherhead 856,416 elegraph, emergency, M. C. Tunison. \$60,364 elegraph line, duplexing, I. Kitsee. \$60,305 elegraph pransmitter, keyboard, G. M. Goddard. Geddard. \$60,231 elephone attachment, M. H. Black. \$50,538 elephone attachment, M. H. Black. \$50,538 elephone attachment, J. G. Hobby. \$50,536 elephone attachment, L. G. Hobby. \$50,536 elephone attachment, M. W. Denan. \$50,433,856,434 elephone trunking system, E. E. Clement. \$60,344 elephone trunking system, W. W. Denan. \$50,436 elephone trunking system, W. W. Denan. \$50,437 elephones, reinforcing, C. Newman. \$50,438 flielindexyl derivative and making same, P. Friedlaender. P. Friedlaender. P. Friedlaender. P. Friedlaender. P. Friedlaender. P. Stalles. P. Sebert. S50,537 file machine, W. H. Beery. S50,538 file, G. B. Staples. S50,273 file or stair tread, G. B. Staples. S50,533 file, G. B. Staples. S50,543 fine recorders, automatic card step fer, J. & A. Dey S50,548 fire pretecter, rubber, Glles & Tobey. S50,526 fire bolting machine, A. H. Wilson. S50,348 fire pretecter, rubber, J. A. Posey. S50,526 fire politing machine, A. H. Wilson. S50,538 fires amen, C. A. Schlachter. S50,526 fire pretecter, rubber, J. A. Posey. S50,526 fire pretecter, rubber, J. A. Posey. S50,526 fire pretecter, rubber, Glles & Tobey. S50,526 fire pretecter, rubber, Glles & Tobey. S50,526 fire politing machine, A. H. Wilson. S50,534 fire pretecter, rubber, Glles & Tobey. S50,526 fire politing machine, A. H. Wilson. S50,536 fires remer, C. A. Schlachter. S50,538 fires, means for inflating pneumatic, A. A. Wilson. A. Wilson. S50,531 ongs, shelf, B. L. Ward. S50,532 frap, H. Yturri Tany, W. E. Maull. S50,536 Truck, lumber, Glles & Tobey. S50,532 Truck, Jumber, Glles & Tobey. S50,533 Truck, Jum	uperheater, F. J. Cole	850,565 850 405
able. See Ore concentrating table. allor's appliance, M. J. Brosnahan. \$59,340 ape or band, weven, A. Weimar. \$59,762 appling device, liquid, E. H. Weatherhead 856,416 elegraph, emergency, M. C. Tunison. \$60,364 elegraph line, duplexing, I. Kitsee. \$60,305 elegraph pransmitter, keyboard, G. M. Goddard. Geddard. \$60,231 elephone attachment, M. H. Black. \$50,538 elephone attachment, M. H. Black. \$50,538 elephone attachment, J. G. Hobby. \$50,536 elephone attachment, L. G. Hobby. \$50,536 elephone attachment, M. W. Denan. \$50,433,856,434 elephone trunking system, E. E. Clement. \$60,344 elephone trunking system, W. W. Denan. \$50,436 elephone trunking system, W. W. Denan. \$50,437 elephones, reinforcing, C. Newman. \$50,438 flielindexyl derivative and making same, P. Friedlaender. P. Friedlaender. P. Friedlaender. P. Friedlaender. P. Friedlaender. P. Stalles. P. Sebert. S50,537 file machine, W. H. Beery. S50,538 file, G. B. Staples. S50,273 file or stair tread, G. B. Staples. S50,533 file, G. B. Staples. S50,543 fine recorders, automatic card step fer, J. & A. Dey S50,548 fire pretecter, rubber, Glles & Tobey. S50,526 fire bolting machine, A. H. Wilson. S50,348 fire pretecter, rubber, J. A. Posey. S50,526 fire politing machine, A. H. Wilson. S50,538 fires amen, C. A. Schlachter. S50,526 fire pretecter, rubber, J. A. Posey. S50,526 fire pretecter, rubber, J. A. Posey. S50,526 fire pretecter, rubber, Glles & Tobey. S50,526 fire pretecter, rubber, Glles & Tobey. S50,526 fire politing machine, A. H. Wilson. S50,534 fire pretecter, rubber, Glles & Tobey. S50,526 fire politing machine, A. H. Wilson. S50,536 fires remer, C. A. Schlachter. S50,538 fires, means for inflating pneumatic, A. A. Wilson. A. Wilson. S50,531 ongs, shelf, B. L. Ward. S50,532 frap, H. Yturri Tany, W. E. Maull. S50,536 Truck, lumber, Glles & Tobey. S50,532 Truck, Jumber, Glles & Tobey. S50,533 Truck, Jum	uspensory, F. F. De Mars	850,298
able. See Ore concentrating table. allor's appliance, M. J. Brosnahan. \$59,340 ape or band, weven, A. Weimar. \$59,762 appling device, liquid, E. H. Weatherhead 856,416 elegraph, emergency, M. C. Tunison. \$60,364 elegraph line, duplexing, I. Kitsee. \$60,305 elegraph pransmitter, keyboard, G. M. Goddard. Geddard. \$60,231 elephone attachment, M. H. Black. \$50,538 elephone attachment, M. H. Black. \$50,538 elephone attachment, J. G. Hobby. \$50,536 elephone attachment, L. G. Hobby. \$50,536 elephone attachment, M. W. Denan. \$50,433,856,434 elephone trunking system, E. E. Clement. \$60,344 elephone trunking system, W. W. Denan. \$50,436 elephone trunking system, W. W. Denan. \$50,437 elephones, reinforcing, C. Newman. \$50,438 flielindexyl derivative and making same, P. Friedlaender. P. Friedlaender. P. Friedlaender. P. Friedlaender. P. Friedlaender. P. Stalles. P. Sebert. S50,537 file machine, W. H. Beery. S50,538 file, G. B. Staples. S50,273 file or stair tread, G. B. Staples. S50,533 file, G. B. Staples. S50,543 fine recorders, automatic card step fer, J. & A. Dey S50,548 fire pretecter, rubber, Glles & Tobey. S50,526 fire bolting machine, A. H. Wilson. S50,348 fire pretecter, rubber, J. A. Posey. S50,526 fire politing machine, A. H. Wilson. S50,538 fires amen, C. A. Schlachter. S50,526 fire pretecter, rubber, J. A. Posey. S50,526 fire pretecter, rubber, J. A. Posey. S50,526 fire pretecter, rubber, Glles & Tobey. S50,526 fire pretecter, rubber, Glles & Tobey. S50,526 fire politing machine, A. H. Wilson. S50,534 fire pretecter, rubber, Glles & Tobey. S50,526 fire politing machine, A. H. Wilson. S50,536 fires remer, C. A. Schlachter. S50,538 fires, means for inflating pneumatic, A. A. Wilson. A. Wilson. S50,531 ongs, shelf, B. L. Ward. S50,532 frap, H. Yturri Tany, W. E. Maull. S50,536 Truck, lumber, Glles & Tobey. S50,532 Truck, Jumber, Glles & Tobey. S50,533 Truck, Jum	witch operating device, E. J. Rice	
elegraphy, I. Kitsee eleghone attachment, M. H. Black. 55,231 elephone attachment, M. H. Black. 55,231 elephone attachment, M. H. Black. 55,433,856,434 elephone attachment, D. G. Hobby. 50,836 elephone attachment, D. G. Hobby. 50,836 elephone exchange system, E. E. Clement. 50,344 elephone trunking system, W. W. Dean. 55,476 elephone, reinforcing, C. Newman. 55,476 elephone trunking system, W. W. Dean. 55,259 hid-indexyl derivative and making same, P. Friedlaender hreast, films, and the like, manufacturing artificial, E. W. Friedrich hresher feeder, T. N. Johnsen. 550,527 himesen, W. H. Beery. 550,527 like or stair tread, G. B. Staples. 550,273 like or stair tread, G. B. Staples. 550,273 limber cutting device, E. C. Pollard. 550,528 lime recorders, automatic card step. J. A. A. Dey. 550,528 lim and solder, apparatus for recovering, J. H. Bills. 550,726 lire armer, C. A. Schlachter. 550,528 lire fastener, rubber, Gles & Tobey. 550,528 lires, means for inflating pneumatic, A. A. Withers. 550,748 lires to wheel rims, manufacture and application of rubber, Gles & Tobey. 550,761 oligs, nail, G. E. Smith. 550,724 longue regulator, J. A. Kearney, reissue. 12,6,33 lorpede, railway signal, C. E. Beckwith. 550,724 ransformer, Allen & Bergman. 550,724 ransformer, Allen & Bergman. 550,724 ransformer, W. J. Weirlidge. 550,662 rap, H. Yturri. 550,666 rap, H. Yturri. 550,666 rap, W. E. Maull ransformer, W. J. Weirlidge. 550,766 ruck, lumber, G. A. Browne. 550,562 ruck, lumber, G. A. Browne. 550,562 ruck, lumber, G. A. Browne. 550,562 ruck, lumber, G. A. Browne. 550,564 ruck of cars and the like, appliance for shifting the point of application of the weight on the, P. Stefree. 550,563	able. See Ore concentrating table.	850,140
elegraphy, I. Kitsee eleghone attachment, M. H. Black. 55,231 elephone attachment, M. H. Black. 55,231 elephone attachment, M. H. Black. 55,433,856,434 elephone attachment, D. G. Hobby. 50,836 elephone attachment, D. G. Hobby. 50,836 elephone exchange system, E. E. Clement. 50,344 elephone trunking system, W. W. Dean. 55,476 elephone, reinforcing, C. Newman. 55,476 elephone trunking system, W. W. Dean. 55,259 hid-indexyl derivative and making same, P. Friedlaender hreast, films, and the like, manufacturing artificial, E. W. Friedrich hresher feeder, T. N. Johnsen. 550,527 himesen, W. H. Beery. 550,527 like or stair tread, G. B. Staples. 550,273 like or stair tread, G. B. Staples. 550,273 limber cutting device, E. C. Pollard. 550,528 lime recorders, automatic card step. J. A. A. Dey. 550,528 lim and solder, apparatus for recovering, J. H. Bills. 550,726 lire armer, C. A. Schlachter. 550,528 lire fastener, rubber, Gles & Tobey. 550,528 lires, means for inflating pneumatic, A. A. Withers. 550,748 lires to wheel rims, manufacture and application of rubber, Gles & Tobey. 550,761 oligs, nail, G. E. Smith. 550,724 longue regulator, J. A. Kearney, reissue. 12,6,33 lorpede, railway signal, C. E. Beckwith. 550,724 ransformer, Allen & Bergman. 550,724 ransformer, Allen & Bergman. 550,724 ransformer, W. J. Weirlidge. 550,662 rap, H. Yturri. 550,666 rap, H. Yturri. 550,666 rap, W. E. Maull ransformer, W. J. Weirlidge. 550,766 ruck, lumber, G. A. Browne. 550,562 ruck, lumber, G. A. Browne. 550,562 ruck, lumber, G. A. Browne. 550,562 ruck, lumber, G. A. Browne. 550,564 ruck of cars and the like, appliance for shifting the point of application of the weight on the, P. Stefree. 550,563	Caller's appliance, M. J. Bresnahan Cape or band, weven, A. Weimar	85 0 ,340 85 0 ,7 0 2
elegraphy, I. Kitsee eleghone attachment, M. H. Black. 55,231 elephone attachment, M. H. Black. 55,231 elephone attachment, M. H. Black. 55,433,856,434 elephone attachment, D. G. Hobby. 50,836 elephone attachment, D. G. Hobby. 50,836 elephone exchange system, E. E. Clement. 50,344 elephone trunking system, W. W. Dean. 55,476 elephone, reinforcing, C. Newman. 55,476 elephone trunking system, W. W. Dean. 55,259 hid-indexyl derivative and making same, P. Friedlaender hreast, films, and the like, manufacturing artificial, E. W. Friedrich hresher feeder, T. N. Johnsen. 550,527 himesen, W. H. Beery. 550,527 like or stair tread, G. B. Staples. 550,273 like or stair tread, G. B. Staples. 550,273 limber cutting device, E. C. Pollard. 550,528 lime recorders, automatic card step. J. A. A. Dey. 550,528 lim and solder, apparatus for recovering, J. H. Bills. 550,726 lire armer, C. A. Schlachter. 550,528 lire fastener, rubber, Gles & Tobey. 550,528 lires, means for inflating pneumatic, A. A. Withers. 550,748 lires to wheel rims, manufacture and application of rubber, Gles & Tobey. 550,761 oligs, nail, G. E. Smith. 550,724 longue regulator, J. A. Kearney, reissue. 12,6,33 lorpede, railway signal, C. E. Beckwith. 550,724 ransformer, Allen & Bergman. 550,724 ransformer, Allen & Bergman. 550,724 ransformer, W. J. Weirlidge. 550,662 rap, H. Yturri. 550,666 rap, H. Yturri. 550,666 rap, W. E. Maull ransformer, W. J. Weirlidge. 550,766 ruck, lumber, G. A. Browne. 550,562 ruck, lumber, G. A. Browne. 550,562 ruck, lumber, G. A. Browne. 550,562 ruck, lumber, G. A. Browne. 550,564 ruck of cars and the like, appliance for shifting the point of application of the weight on the, P. Stefree. 550,563	Capping device, liquid, E. H. Weatherhead Celegraph, emergency, M. C. Tunisan	850,410 850,858
elegraphy, I. Kitsee eleghone attachment, M. H. Black. 55,231 elephone attachment, M. H. Black. 55,231 elephone attachment, M. H. Black. 55,433,856,434 elephone attachment, D. G. Hobby. 50,836 elephone attachment, D. G. Hobby. 50,836 elephone exchange system, E. E. Clement. 50,344 elephone trunking system, W. W. Dean. 55,476 elephone, reinforcing, C. Newman. 55,476 elephone trunking system, W. W. Dean. 55,259 hid-indexyl derivative and making same, P. Friedlaender hreast, films, and the like, manufacturing artificial, E. W. Friedrich hresher feeder, T. N. Johnsen. 550,527 himesen, W. H. Beery. 550,527 like or stair tread, G. B. Staples. 550,273 like or stair tread, G. B. Staples. 550,273 limber cutting device, E. C. Pollard. 550,528 lime recorders, automatic card step. J. A. A. Dey. 550,528 lim and solder, apparatus for recovering, J. H. Bills. 550,726 lire armer, C. A. Schlachter. 550,528 lire fastener, rubber, Gles & Tobey. 550,528 lires, means for inflating pneumatic, A. A. Withers. 550,748 lires to wheel rims, manufacture and application of rubber, Gles & Tobey. 550,761 oligs, nail, G. E. Smith. 550,724 longue regulator, J. A. Kearney, reissue. 12,6,33 lorpede, railway signal, C. E. Beckwith. 550,724 ransformer, Allen & Bergman. 550,724 ransformer, Allen & Bergman. 550,724 ransformer, W. J. Weirlidge. 550,662 rap, H. Yturri. 550,666 rap, H. Yturri. 550,666 rap, W. E. Maull ransformer, W. J. Weirlidge. 550,766 ruck, lumber, G. A. Browne. 550,562 ruck, lumber, G. A. Browne. 550,562 ruck, lumber, G. A. Browne. 550,562 ruck, lumber, G. A. Browne. 550,564 ruck of cars and the like, appliance for shifting the point of application of the weight on the, P. Stefree. 550,563	elegraph line, duplexing, I. Kitsee	850,30 5
threads, films, and the like, manufacturing artificial, E. W. Friedrich hresher feeder, T. N. Johnsen	Goddard	850,364
threads, films, and the like, manufacturing artificial, E. W. Friedrich hresher feeder, T. N. Johnsen	elephone attachment, M. H. Black	850,558
threads, films, and the like, manufacturing artificial, E. W. Friedrich hresher feeder, T. N. Johnsen	elephone apparatus, K. Kohn 850,433	,55 0, 434 850,886
threads, films, and the like, manufacturing artificial, E. W. Friedrich hresher feeder, T. N. Johnsen	elephone exchange system, E. E. Clement.	850,344 850,470
threads, films, and the like, manufacturing artificial, E. W. Friedrich hresher feeder, T. N. Johnsen	elephones, reinforcing, C. Newman	850,484 850,259
threads, films, and the like, manufacturing artificial, E. W. Friedrich hresher feeder, T. N. Johnsen	Phie-indexyl derivative and making same,	850 \$97
Mimber cutting device, E. C. Pellard	hreads, films, and the like, manufacturing	000,021
Mimber cutting device, E. C. Pellard	artificial, E. W. Friedrich	850,838
Mimber cutting device, E. C. Pellard	The, G. B. Staples	85 0 ,274 85 0 ,513
Mimber cutting device, E. C. Pellard	Tile or stair tread, G. B. Staples	850,273
ires to wheel rims, manufacture and application of rubber, Giles & Tobey . \$50,747	Climber cutting device, E. C. Pellard	850,848
ires to wheel rims, manufacture and application of rubber, Giles & Tobey . \$50,747	J. & A. Dey	850,526
ires to wheel rims, manufacture and application of rubber, Giles & Tobey . \$50,747	J. H. Bills	850,726
ires to wheel rims, manufacture and application of rubber, Giles & Tobey . \$50,747	Tre armer, C. A. Schlachter	850,809
ires to wheel rims, manufacture and application of rubber, Giles & Tobey . \$50,747	Tire fastener, rubber, Giles & Tobey	850,748
ires to wheel rims, manufacture and application of rubber, Giles & Tobey . \$50,747	lires, means for inflating pneumatic, A. Withers	
by blocks, nested, J. H. Price \$56,499	ires to wheel rims, manufacture and application of rubben Ciles of Parker	
by blocks, nested, J. H. Price \$56,499	• bacco pipe, J. Shields	850,404
by blocks, nested, J. H. Price \$56,499	onacco pipe, E. Kneezell	850,761 850,551
by blocks, nested, J. H. Price \$56,499	ongs, nail, G. E. Smith	350 547
by blocks, nested, J. H. Price \$56,499	longue regulator, J. A. Kearney, reissue	12,633 850 240
by blocks, nested, J. H. Price \$56,499	Corpedes campasition for mailway signal, C. E. Beckwith	850,72 4
rap, heider, and chute for live stock, combined, W. E. Willheit	Sparre	850,406
rap, heider, and chute fer live steck, cembined, W. E. Willheit	by train, A. W. Bensen	85€,49€ 85€,514
rap, heider, and chute fer live steck, cembined, W. E. Willheit	'ramway switch, R. H. Carlisle 'ransformer, Allen & Bergman	850,294 850,714
rap, heider, and chute fer live steck, cembined, W. E. Willheit	Pransformer, W. J. Woolridge	850,863
rap, heider, and chute fer live steck, cembined, W. E. Willheit	rap, W. E. Maull	85 0 ,666
reliev stand and pole, C. Q. Seaman. \$55,756 ruck, G. A. Brøwne	rap, solder, and chute for live stock, com- bined, W. E. Willhoit	850.197
ruck lumber, G. A. Brewne	Prolley stand and pole, C. Q. Seaman	850,796 850.562
shifting the point of application of the weight on the P. Steffee	Truck, lumber, G. A. Browne	850,563
weight on the, F. Stellee	shifting the point of application of the	
Jeralds	ube compressors, shut off for, E. O.	
& Harrison	Jeralds'ube or bar straightening machine. Worth	
DECIME MOCANICO, DOLCON DESCRIPE FOR WE	arting machines, purion protector for, W.	

	Turbine, elastic fluid, H. P. R. L. Porscke Turbine metor, W. A. Warman. Turner's tool, J. H. Tripp Twine reeling machine, A. J. Crandall Typewriter cover, office folding, G. R.	8 50,397 8 5 0 ,196
,	Turner's tool, J. H. Tripp	850,874 850,734
	Typewriter cover, office folding, G. R.	
	Typewriting machine, G. H. Smith	850,289 850,187 850,310 850,839
	Typewriting machine, H. S. McCormack Typewriting machine, E. F. Kunath	850,839
	Typewriting machine, J. C. McLaughlin Typewriting machine, H. S. McCormack	850,890
	Umbrella, P. J. Callahan	850,341 850,544
	Typewriting machine, G. H. Smith Typewriting machine, H. S. McCormack Typewriting machine, H. S. McCormack Typewriting machine, J. C. McLaughlin Typewriting machine, H. S. McCormack Umbrella, P. J. Callahan Umbrella attachment, C. A. Piltz Umbrella rib helder and runner, W. W. Ream	
	Ream Valve, A. L. Dow Valve device, J. Binnig Valve, electrically operated, J. T. H.	850,445 85 0, 74 0
	Valve device, J. Binnig	850,812
	Valve for steep tanks, J. F. Dernfeld. Valve for water gages, check, C. E. Miser. Valve gear, gas engine, M. A. Neeland. Valve, safety, W. H. Creighton. Vanner, G. O. Bradley Vaporizing device for lubricants, W. P. Mainspult	85€,738 85€,215
	Valve for water gages, check, C. E. Miser.	850,483
	Valve, safety, W. H. Creighton	85 0 ,626
	Vanner, G. O. Bradley	85€,4 15
	Vahiela E Eder	850,771 850,300
	Vehicle, H. D. Smith	850,771 850,300 850,500 850,225
	Vehicle brake, R. F. Armstrong	850,284
	Vehicle, H. D. Smith Vehicle brake, E. Hofman Vehicle brake, R. F. Armstrong Vehicle emergency brake, D. F. & H. H. Greaser Vehicle fook A. Carden	850,3 0 2 85 0 ,830
	Greaser Vehicle jack, A. Gordon Vehicle runnlug gear, P. Richardson Vehicle spring, pneumatic, Podstata & Propul	850,830 850,783
	Vehicle spring, pneumatic, Pedstata &	850,180
	Venicle spring, pneumatic, Poststata & Preucil Vehicle top shifting rail lock, J. D. Pilgrim Vehicle wheel, J. E. Foley Vehicle wheel, E. A. Fountain Vehicles, dust collector for wheeled, J. M. Weaver	850,600
	Vehicle wheel, J. E. Feley	850,636
	Vehicle window, H. Heidemann	850,637 850,834
	Vehicles, dust collector for wheeled, J. M. Weaver	850,708
	Ventilating apparatus, H. S. Richmond	850,784 850,147
	Weaver Ventilating apparatus, H. S. Richmond Ventilating lock, automatic, J. C. Foster Ventilator, Hedge & Douglas Vibratile apparets L. Syndon	850,160
		850,188 850,592
	Vibrater or hammer, pneumatic, W. Lewis. Vielin, I. A. Northrep Vise, hydraulic, H. B. Bright. Wagen, dumpling, R. A. Shewers. Wagen, extensible, E. Riedinger. Waist protecter, dress, J. R. Brantly. Wardrobe, portable, M. S. Koonce Washing machine, Brucker & Stump. Washing machine, C. C. Davis. Washing machine, J. S. Parrish Watch guard, P. B. Smith Watch guard, P. B. Smith Watch guard, R. S. Pope Water by econized air, means for purifying and sterilizing, J. H. Bridge. Water gap, P. Schafer, Jr. Water heater, Fessler & Michaels	850,393 850,865 850,799
	Wagen, dumping, R. A. Shewers	85€,799 85€,785
	Waist pretector, dress, J. R. Brantly Wardrebe, pertable, M. S. Keence	850,785 850,560 850,658
	Washing machine, Brucker & Stump Washing machine C. C. Davis	850 524
	Washing machine, J. S. Parrish	850,539 850,261 850,601
	Watch guard, R. S. Pope	850,201
	and sterilizing, J. H. Bridge	850,416
	Water gap, P. Schafer, Jr	850,791 850,634
	Water heater, Fessler & Michaels	850,423 850,492
	Wedge splitting and shaving machine, F.	850,546
	Weeder, R. D. Abraham Weighing attachment for ice boxes, N. S.	850,456
i	Wells, heisting apparatus for deep, W. S.	850,16 9
	Wells, heisting apparatus for deep, W. S. Sutton Wheel. See Current wheel.	850,54 9
	Wheel, C. C. Brahant	850,5 59
	Wheel, J. W. Hill	850,559 850,754 850,377 850,466
	Whip socket, P. I. Conrad	850,466 850,463
	Wheel, J. W. Hill Whiffletree draft attachment, H. Lambert. Whip socket. P. I. Conrad Winding machine, quill, E. E. Bradley. Windmill, Dempster & Molony Wrench, N. W. Rasnick	850,628 850,315
	wrench, C. D. Braustreet	850,516
	Wrench, J. R. Hunt Wrench, C. M. C. Kirk Wrench, E. Huntley Wrench, E. Huntley Tarm Slug or bunch catcher, T. J. Sands.	850,756 8 <u>5</u> 0.760
I	Wrench, C. M. C. Kirk Wrench, E. Huntley Yarn Slug or bunch catcher, T. J. Sands	850,869 85 0, 4 00
	DESIGNS.	
J	Bag, hand, H. Gressman38,525,	38,526
J	Picture frame molding, H. A. Aronson Radiator, E. Sieden	38,527 38,528
	Speen or ferk, C. A. Bennett	38,524 38,529
J	Steve, coeking, J. S. Van Buren 38,530,	38,531
I	TRADE MARKS.	

Turbine, elastic fluid, H. P. R. L. Perscke \$50,39

	,	ĺ
TRADE MARKS.		ا د
Antiseptics, disinfectants, and germicides,	CO 401	1
E. Bischeff	62,085	ĺ.
Beef, fluid, Patterson-Cabell Co	62,046 62,095	i
Antiseptics, disinfectants, and germicides, E. Bischeff Balls, golf, A. G. Spalding & Bres. Beef, fluid, Patterson-Cabell Co Blue, laundry, Hargreaves Bres. & Co Boots and shoes, leather, Vinsenhaler Shoe Co.	02,000	ļ
		ł
Boots and shoes, leather and canvas, Peoples Shoe Co. Boots and shoes, men's leather, Huckins, Temple & Wood. Boots, felt, W. B. Cosgrave Shoe Co. Boots, shoes, and slippers, leather, A. De Pinna Co. Bows, arrows, and targets, H. N. Anderson, Brandy, Girard & Co. Brandy, cordial, whisky, and gin, Liebenthal Bres. & Co. Brooms and whisk brooms, Lee Broom & Duster Co.	61,973	(
Temple & Wood	61,972	١,
Boots, felt, W. B. Cosgrave Shoe Co Boots, shoes, and slippers, leather, A. De	61,977	įζ
Pinna Co	61,970	ļ
Brandy, Girard & Co	62.100 62,003	ì
thal Bres. & Co	61,993	ij
Brooms and whisk brooms, Lee Broom &	62,116	١,
Butter, D. W. Lewis & Co	62,056	ij
Candies, J. P. Laskaris & Co62,114, Canned lobster. H. C. Baxter & Bro	62,115 61,989	Į
Brooms and whisk brooms, Lee Broom & Duster Co. Butter, D. W. Lewis & Co. Landies, J. P. Laskaris & Co	62,063	ł
Cheese, C. C. Martin	62,007	Ç
Co	62,09●	ł
Co. Checolate and cocoa, Pennsylvania Checolate		í
Cigars, J. H. Jehnsen	62,005	-
Sigars, L. G. Smith & Co	62, 078 62,013	
Coats, vests, and trousers, Bickley, McClure	69 149	
Coffee, Woolson Spice Co.	62,1 0 3 62, 0 83	
Cutlery, certain, Paxton & Gallagher Co	62,084 62,010	
Chocolate and cocos, Pennsylvania Chocolate Co. Cigars, J. H. Johnson Cligars, L. G. Smith & Co. Clothing, certain, W. Read & Sons. Coats, vests, and trousers, Bickley, McClure & Co. Caffee, Woolson Spice Co. Caffee, Yerxa Bres. & Co. Cutlery, certain, Paxton & Gallagher Co. Cutlery, certain, Paxton & Gallagher Co. Dyes, Farbwerke vorm. Meister Lucuis & Bruning	62,€97	
yes, Farbwerke vorm. Meister Lucuis & Bruning Dyestuffs, coal tar, Actien-Gesellschaft fur Anilin-Fabrikation Dyestuffs for coloring and printing, Farbwerks vorm. Meister Lucius & Bruning. Explosives, high, Eastern Dynamite Co. Explosives, high, Judson Dynamite & Powder Co. Gence, wire, Keystone Fence Co. Finger nail clippers, H. C. Cook Co. Fishing tackle, asserted, F. E. Chester. Flat iron pads, Laundry Novelty Co. Flour, wheat, C. H. Bishop Fleur Co. Flood, poultry, Albert Dickinson Co. Food, poultry, Albert Dickinson Co. Food, wheat breakfast, Pillsbury-Washburn Fleur Mills Co	62,108	
Anilin-Fabrikation	62,086	
Dyestuffs for coloring and printing, Farb- works your Meister Lucius & Bruning	62,109	
Explosives, high, Eastern Dynamite Co	62,978	
der Co	$61,979 \\ 62, •25$	
Fence, wire, Keystone Fence Co Finger nail clippers. H. C. Cook Co	62, 0 25 62, 0 67	
Fishing tackle, asserted, F. E. Chester	62,093	
Floor scraping machines, Hurley Machine Co.	62,073 62,024	
Flour, wheat, C. H. Bishop Flour Co Food, poultry, Albert Dickinson Co	61,990 62,€17	
Food, wheat breakfast, Pillsbury-Washburn	69 477	
Grass books, Wiebusch & Hilger	62,082	
Hair pins, S. H. Goldberg	62,077 62,082 62,053 62,057	
Hardware, saddlery, Eberhard Manufactur-	62,001	
Tarmenicas, mouth, F. A. Bohm	62,092	
Hats, stiff felt, N. P. Hill	62,068 62,000	
reed, wheat breakfast, Pillsbury-Washburn Fleur Mills Co62.011, 62.012, Grass books, Wiebusch & Hilger Hair pins, S. H. Colleberg Hair restoratives, F. M. Quinn. Hardware, saddlery, Eberhard Manufacturing Co. Harmonicas, mouth, F. A. Bohm Hats, stiff felt, N. P. Hill Hooks, snap, Covert Mfg. Co. Iron and lithia water, Dawson Salts & Water Co.	61,992	
Co	61,991 62, 080	
Jewelry and precious metal ware, certain.	62,080	
A. Edhelm	62,002	
Co	62,1€ 6 ;	1
S. Esche 62.064, 62.094, amps, incandescent electric, Sunbeam Incandescent Lamp Co	62, 0 15	,
Lard substitute, Miner, Read & Garrette	62,042	
Leather manufactures, certain, J. J. Pigott	61.975	


ensation of the Year. Entirely neroducing many exclusive features. 2 ACTUAL Bare \$6

FreshWater Boat Fittings
\$59.90; With Sait Water
Boat Fittings, \$43.90.
Switted, mest pewerful, efficient and
reduable engine of its size on earth.
Drives Caries. Rewbeat or 14 to 20 ft.
Launch with load, 6 to 10 miles per hour.
Powersible, easy to install and operate,
aurance pewers, economical
Vear Guaran ea Catalog Reversible, easy to install and operate, FREE. unfailing endurance powers, economical and safe, cannot back-fire. Sold under Five Year Guaran es. Belle Isle Motor Co., Dept. 18, Detroit, Mich.





BABBITT METALS.—SIX IMPORTANT formulas. SCIENTIFIC AMERICAN SUPPLEMENT 1123. Price 10 cents. For sale by Munn & Co. and all newsdealers. Send for catalogue.



DETROIT GAS ENGINE AND MACHINERY CO. 58 E. Congress Street, Detroit, Mich.


To Book Buyers

We have just issued a new 112-page catalogue of recently published Scientific and Mechanical Books, which we will mail free to any address on application.

MUNN & COMPANY Publishers of SCIENTIFIC AMERICAN 361 Broadway, New York


GENUINE MOVING **PICTURE** MACHINE

BOYS AND GIRLS—ENJOY YOURSELVES AND MAKE MONE



This illustration shows an actual Moving Picture Machine, made expressly for home use, simple of construction, easily manipulated by Boys or Girls. IT IS A GREATER INVENTION THAN THE PHONOGRAPH.

My young friends, I want you, every one of you, to have one of these MOVING PICTURE MACHINES, and I My young friends, I want you, every one of you, to have one of these MoVING PICTURE MACHINES, and I have arranged a plan whereby you can getit without cost. If you will send me your name and address on a postal card, I will send you 28 of the handsomest pictures you ever saw. These pictures are beautifully printed in colors and at the art stores sell for many times 25 cents. Everyone will instantly buy one fer the small sum of 25 cents, or two for 50 cents. When you have sold them return to me the \$7.00 you have collected and I will immediately send you a MOVING PICTURE MACHINE, all complete—even to a film to reproduce the pictures—and you will certainly be the envy of your entire neighborhood. They are new. No other boy or girl has one, and I have the sole right to give them away in the United States, so be the first in the field. Send me a postal card today. Remember, I do not ask for any money in advance. I will trust you with the 28 beautifully colored pictures. All you will have to do is to sell them and you will soon be the owner of one of these WONDERFILL MOVING PICTURE MACHINES. Address CHARLES E. ELLIS, 649 WEST 43d ST., DEPT.D.S., NEW YORK CITY.



Every reader of the SCIENTIFIC AMERICAN should also be a reader of

BROOKS BOAT MFG. CO. iginaters of the Pattern System of Boat Buildi 104 Ship St., Saginaw. Mic h., U.S.

 faction guaranteed us money refunded.

Technical Literature

A Monthly Review of Current Technical Publications a large 64-page illustrated journal giving its readers, more or less condensed form, the BEST literary material generalinterest appearing in the current technical public tions of America and Europe, as well as much valuable in formation found in daily papers, trade pamphlets, society proceedings, speeches and lectures, etc. The

"Index to Articles in Current Technical Periodicals gives a classified descriptive listing of all the articles of importance appearing in the current technical press, brough down to the first of the month of issue.

"An indispensable publication for engineers and other technical men, and one of the most instructive ever published for general readers who wish to keep in touch with modern industrial progress."

SUBSCRIPTION RATES \$2.00 a Year. Single Copies, - 20 Cent

Special Offers to Readers of the Scientific American. a trial subscription we will send you TECHNICAL LT ERATURE for two ments for 25 CENTS with a low ra in combination with a special Premium Book Offer for th continuance of the subscription. Send your quarter to-day and get the current numbers.

TECHNICAL LITERATURE, 19 S, 220 Broadway, New Yor

Make a Motor Boat of any Boat in 5 Minute



Here's a little, 2 h. p. marine mo attach to the stern post your boat in 5 minutes wi out any tools. Drives an ft. row boat 7 miles per ho (runs 8 hours on one gall gasoline). Can be detach from boat just as quicklya stored in box in which i carried. Simplest motor in —does not get out of ore Write for catalog with

WATERMAN MARINE MOTOR C 1509 Fort St. West, Detroit, Mich.

BUILD A BOAT

By the WEATHERWAX METHOD. only boat builders frames easily put together. The beautiour 100-page Catalog J of 1907 main BAY CITY BOAT MFG. CO., Bay City, Mich., U.S.A.





Anyone sending a sketch and description may nuckly ascertain our opinion free wetther an invention is probably patentable. Communications strictly consider tal. HAND BOOK on Patents sent free dest agency for securing patents. Patents taken through Munn & Co. receive special notice, without charge, in the

A handsomely illustrated weekly. Largest Circulation of any scientific journal. Terms, \$3 a year; four months, \$1. Sold by all newsdealers.

MUNN & CO. 361 Broadway, New York

Branch Office. 625 F St., Washington, D. C.


	1		ı
	Machinery, certain, Societe Anonyme de Fondations par Compression Mecanique		
_	du Sol	61,998	
•	du Sol Malt extract, Malt-Diastase Co	61,995 61,987	l
L	Medical preparation, certain, H. G. Thompson	62.081	
	Medicinal eil, Stallman & Fulten Co Medicinal preparation, certain, Medical Feed	62 ,079	İ
	Co	62,075	١
	Gesellschaft für Anilin-Fabrikation	62,034	
A I	Medicinal preparations, certain, J. W. James	62.055	٠
	Co. Medicinal preparations for the skin, Actien-	62,033	
	Gesellschaft für Anilin-Fabrikation Medicine, certain proprie ary, U. G. Hoshaw	62.040	
	Medicines, certain, E. Bischeff	62,048 62.122	i
	Milk and cream, evaporated and condensed,	62,044	
	Medicine, certain proprie ary, U. G. Heshaw Medicines, certain, E. Bischeff Medicines, certain, F. E. Rutherford	02,011	
	evaporated. Korden's Condensed Milk	62,062	
	Co. Milk, condensed, Wisconsin Condensed Milk Co. 62.031, Milk, preparation for the modification of, Fairchild Bros. & Foster Newspaper, It Publishing Co. Newspaper, It Publishing Co.	62,032	
	Milk, preparation for the medification of,	62,065	
	Newspaper, It Publishing Co.	62,112	
7	Newspaper, It Publishing Co. il, salad, Vacuum bil Co. ils and greases, lubricating, Kathairo Chemical Co.	62,016	ĺ
j	Chemical Co. Paints, roofing, Black Diamond Manufactur-	62.096	
	ing Co.	62, 18	
i	Paper Co.	62.118	
	Peaches, fresh, J. M. Hampton	62,038 62,119	
١	Perfume, W. W. Gavitt Chemical Co Perfumery, tale powder, and toilet water,	62,037	
/	Colgate & Co.	62 ,050 62 , ● 99	
	ng Ce. Paper, wrapping and printing, McClellan Paper Co. Peaches, fresh, J. M. Hampton Pens, fountain. F. H. Mooney Perfumer, W. W. Gavitt Chemical Co. Perfumery, talc powder, and toilet water, Colgate & Ce. Periodical, weekly, Wilson Ce. Periodicals, bulletins, and directories, J. R. Kendrick		
- :		62,113	
ing	Pianes mandelins guitars etc. C. J. Henne	62,€87	l
A.	& Sen	62 ,110	
ļ	61,980 to 61,984, Pawder and massage cream talcum tailet	61,988	
_	Pewder and massage cream, talcum tellet, E. Atwell Pewders, headache, P. Beehme. Preparation for treating venereal diseases,	$62, 101 \\ 62, 104$!
	Preparation for treating venereal diseases,	62,049	I
ls●	Bonkocine Chemical Co		l
ا م	& Co	62,066 62,019	
e	H. Server	62,059	ļ
in	Remedies for skin diseases, K. Drinkard Remedy, dyspepsia, Pittsburg Pharmacal	62,051	
●f	Ce	62,047	i
n-	Co dinama di Manana	62.035 $62,041$	
ty	Remedy for certain diseases, S. M. Marsh. Remedy for rheumatism and gout, Butler & Field Remedy, headache, Dr. Kilmer & Co., Salt, Schwahacher Bros. & Co., Salts, cell and tissue building. J. W. Hine. Seed distributing machines, E. F. Molek., Seeds, garden, D. Hardie Seed Co., Serums, antitoxic, Schimmel & Co., Shirts, dress and negligee. D. Moses. Soap, laundry, H. Bick.	60.096	ļ
s"	Remedy, headache, Dr. Kilmer & Co	62,036 $62,072$	
m-	Salts, cell and tissue building. J. W. Hine.	62,123 62.111	
ht	Seed distributing machines, E. F. Molck Seeds, garden, D. Hardie Seed Co	62,123 62,111 62,0 68 61,971	
- [Serums, antitoxic, Schimmel & Co	62,058 62,009	
·	Seap, laundry, H. Bick	62, 6 61 62, 6 74	
	Kelley Seap. teilet, D. Estes Starch, laundry, Atlantic Starch Werks Starch Add inches achests are Werks	62, 07 1	
ts .		62,088	i
As	Steel and iron in bars, sheets, rails, etc	62,021	
T- ate	Cammell Laird & Co. Stockings, Tefft, Weller Co	62.020 62,029	١
he	Laird & Co. Steel and fron h bars, sheets, rails, etc Cammell Laird & Co. Stockings, Tefft, Weller Co. Stockings, Tefft, Weller Co. Thread, cetten, Ciark Thread Co. Thread, cotten, New England Cetten Yarn	62,022	١
	Co	612, 12 ()	ĺ
rk	Thread Co	62,023	ļ
	Tobacce, smeking, J. G. Saffa	62. 4 98	
~t	Toffee Mackintosh's Toffee Co	62,117	
ΟI	Mueller Manufacturing Co	62.076 $62,060$	
es	Wall beard and building mamer Reaver Manu-	62,102	i
otor	lacturing Co	$\begin{array}{c} 62,089 \\ 62,069 \\ 62,052 \end{array}$	
can t of	Washing powder, Holywood Soap Co	62,052	
ith-	William ratebit seasoning compound, D. K.	62,027	
18- 10ur	Greene Whisky, Breen & Kennedy Whisky, F. S. Scherer Whisky, Wichman, Lutgen & Co. Whisky, John Haig & Co. Whisky, Imperial Distilling & Cordial Co. Whisky, Scotch, Mackenzie Bres.	62,004 61,999	
llon	Whisky, F. S. Scherer	62,028 62.030	
hed and	Whisky John Haig & Co	62,039 62,054	
it is	Whisky, Scotch, Mackenzie Bros. Wine, J. F. O'Toole	61,994	
ıade	Wine, port, offley, Forrester & Co	62,045 62,026	
der, full	Wine, J. F. O'Toole Wine, port, Offley, Forrester & Co. Wines, I. L. Lamm Co. Wrenches, Robbins, Gamwell & Co.	62,070 $62,121$	•
	-		
0,	LABELS.		İ
	"Arcadia Rase" far saan Armaur & Ca	13 476	1

PRINTS.

"Burton-Pierce Uniforms," for uniforms,
Burton-Pierce Co.
"T. T. Dirksen's Incubator," for incubators,
F. T. Dirksen
"Mapi-Flake Hobby Horse," for a prepared
cereal breakfast food, Hygienic Food 1,958 1,959 1,960 Flour of the Hour," for flour, L. P. ubbard

A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in print issued since 1863, will be furnished from this office for 10 cents, provided the name and number of the patent desired and the date be given. Address Munn & Co., 361 Breadway, New York.

Canadian patents may now be obtained by the inventors for any of the inventions named in the foregoing list. For terms and further particulars address Munn & Co., 361 Broadway, New York.



STRONG & DURABLE

The New York Standard

CHRONOGRAPH

IS THE ONLY "Stop-Watch" Watch

made in America and is unequaled for Laboratorial and Experimental Work, Photographic Purposes, Electric and Telephone Uses. Refiner and Compounders of Oils, etc. For Physicians, Surgeons, Nurses, and for the exact timing of all athletic events.

All Jewelers Sell Them

New York Standard Watch Co., 401 Communipaw Ave., Jersey City, N. J.


SEALED PROPOSALS.

PROPOSALS.

PROPOSALS will be received at the Bureau of Supplies and Accounts, Navy Department, Washington, D. C., until 10 o'clock A. M., May 7, 1947, and publicly opened immediately thereafter, to furnish at the navy yard, New York, N. Y. two sets wireless telegraph apparatus and two duplicate gas engine generating sets. Applications for proposals should refer to Schedule 644. Blank proposals will be furnished upon application to the navy par office. New York, N. Y., er to the Bureau. E. B. ROGERS, Paymaster-General U. S. N. 4-10-07.

College Men Wanted

Profitable Summer Work. Permanent Employment If You Want It



THE REVIEW OF REVIEWS COMPANY 13 Astor Place, Room 414, New York

WRITE FOR ESTIMATE ON ANY ARTICLE YOU WANT MANUFACTURED STAMPINGS, MODELS, EXPER. WORK THE CLOBE MACHINE & STAMPING CO. 970 Hamilton St., Cleveland, O.

Corliss Engines, Brewers and Cottlers Machinery. THE VILTER MFG. Co. 199 Clinton St., Milwaukee, Wis.

MODELS & EXPERIMENTAL WORK.

Inventions developed. Special Machinery
E. V. BAILLARD. 24 Frankfort Street. New York.

RUBBER Expert Manufacturer Fine Jobbing Work ARKER, STEARNS & CO., 228-229 South Street. New York

MODELS O INVENTIONS PERFECTED UNION MODEL WORKS BEARS OF IBS SOCIAMIST CHICAGO.

MODELS & EXPERIMENTAL MACHINERY. Gears. Dies. Tools. Novelties manufactured. Fine, Accurate Work a Specialty. M. P. Schell,

Learned by any Man or Boy at home. Small cost. Send to-day 2-cent stamp for particulars and proof.

O. A. Smith, Reem 318, 2040 Knoxville Ave., Peeria, Ill.

ELECTRONS AND THE ELECTRONIC Theory are discussed by SIR OLIVER LODGE in SCIENTIFIC AMERICAN STUPIERENTS 1428, 1429, 1430, 1431, 1431, 1434. Price 10 cents each, by nail. Mann's Company, 361 Broadway, New York City, and all newsdealers.

= INVENTORS'= **OPPORTUNITY**

yames town Exposition will admit models, plans, inventions, etc., to be displayed and operated and sold. A special opportunity not previously granted at other expositions. Awards—Gold, Silver, and Bronze Medals and Diplomas. Exhibits delayed will be received after Opening Day. For details, cost, arrangements, etc., Address

BUREAU OF INVENTIONS
JAMESTOWN EXPOSITION
NORFOLK, VIRGINIA

Before You Invest

A dollar in anything get my book "How to Judge Investments." It tells you all about everything you should know before making any kind of an investment, either for a large or small amount. This book gives the soundest advice and may save you many dollars. Send two-cent stamp for a copy; do it now. Send your name and assess and get the Investors' Review for

3 Months Free

This will keep you reliably posted on various kinds of investments. Address

Editor INVESTORS' REVIEW, 1382 Gaff Bldg., CHICAGO, ILL.

"Success" Automobile, \$250 Practical, durable, eco-emical and absolutely safe. A light, streng, steel-tired Aute busgy. Suitable for city or centry use. Speed from 4 to 20 miles an hour. Our 1997 Medel has an extra powerful engine, patent ball-bearing wheels; price, 3975. Also 10 h. p. 3404.

DRILLING **M**achines

Over70 sizes and styles, for drilling either deep or shallow wells in any kind of soil or rock. Mounted on wheels or on sills. With engines or norse powers. Strong, simple and durable. Any mechanic can operate them easily. Send for catalog. WILLIAMS BROS., Ithaca, N. Y.



THE HORTON MFG. CO.
58 Horton Street Bristol, Conn., U. S. A.

Bow to Make a 100-mile Wireless Celegraph Outfit

In the following SCIENTIFIC AMERICAN SUPPLEMENTS, the well-known wireless telegraph expert, Mr. A. Frederick Collins, describes clearly and simply, without the aid of mathematics the construction of a 100-mile wireless telegraph outfit. Complete drawings accompany his descriptions,

The design and construction of a 100-mile wireless telegraph set is described in Scientific American Supplement 1605.
The location and erection of a 100-mile wireless telegraph station is described in Scientific American Supplement 1622.
In Scientific American Supplement 1623, the installation and adjustment of a 100-mile wireless telegraph station is fully explained.


The adjustment and tuning of a 100-mile wireless telegraph outfit is discussed in Scientific American Supplement 1624.

The theory and action of a 100-mile wireless telegraph outfit is explained in Scientific American Supplement 1625.

The management and operation of ship and shore stations is clearly set forth in Scientific American Supplement 1628.

These six articles constitute a splendid treatise on the construction, operation and theory of wireless telegraph instruments. The complete set will be mailed to any address for 60 cents. Single numbers will be mailed for 10 cents Order from your newsdealer, or from

MUNN @ CO., 361 Broadway, New York, N. Y.



Rubber Pump Valves


For Cold and Hot Water, Oils, Acids, High Pressure Mine Service and for every pumping requirement. A A A

Mechanical Rubber Goods of every description of unsurpassed qualities, including BELTING, HOSE PACKINGS, Gaskets, Mats and Matting, Tubings, Springs, Interlocking Tiling, Emery Wheels and MOULDED and CUT SPECIALTIES for any mechanical

NEW YORK BELTING & PACKING COMPANY, Ltd. 91 & 93 Chambers Street, New York



All varieties at lowest prices. Best stallroad Track and Vagam of Stock Scales made. Also 1000 useful articles including Safet. Sowing Machines, Bicycles, To-bi, etc. Save Lists Free. Chicago Scale Co., Chicago, Ill.





WM. H. BRISTOL Electric Pyrometers

Pertable er Recerding Forms. All ranges to 2900° F. Practical, Accurate. Inexpensive. Guaranteed to give satisfaction. Send for circulars. Wm. H. Bristol, 45 Vesey St., New York

FORMOZONE "ODORLESS" GARBAGE CAN

Made of heavy galvanized iron, air and water tight, two steel shields, steel bound top and bottom, tight fitting cover, rivetted and soldered throughout. Odorless, Practical, Sanitary. Costs very little more than the ordinary garbage can. Used in connection with Formozone, averts nause-Formozone, averts nause-ating odors, dispels the germ-carrying fly.

The Only Antiseptic Garbage Can Made. We also manufacture the Forniozone "Odor-less" Garbage Pail.

Send for full details and Price List,

Patent Pending FORMOZONE HYGIENIC MFG. CO. East Madison St., CHICAGO

Bausch & Lomb Fine Balances

Our line of Analytical Balances is very comprehensive, including all the leading makes. We can supply balances at all prices; also druggists' and other small balances from \$3.50 up. This is only a part of our great line of laboratory apparatus. Write for prices and

Bausch & Lomb Optical Co. Rochester, N. Y.

NEW YORK ork Boston Was Chicago San Francisc WASHINGTON




BRISTOL'S Recording Instruments For Pressure, Temperature and Electricity in all ranges
INSURE SAFE & ECONOMICAL OPERATION
Write for Catalog T. stating conditions

11 j

4

र्विश 🖝

THE BRISTOL CO., Waterbury. Conn., U.S.A.
Chiasgo, 753 Monadows Building



Franco-Auto Portable

No. 2 Ball Bearing Caster, made in one piece, light and durable. Cars can be run off or on at either end. Protects Tires when car not in use. One man can handle the largest car with ease. Indispensable for handling cars in garage, factory or private barns. Requires no jack to place in position. Write for full description and price list.

FRANCO-AMERICAN AUTO @ SUPPLY COMPANY 1402 Michigan Avenue, CHICAGO



Easiest to Row-Absolutely Safe e of pressed steel, with air chambers in each end like a life boat. Can't leak, crack, dry out or sink—last a lifetime. Every boat guaranteed. The ideal boat for families—summer resorts—parks—boat liveries, Strong, safe, speedy. Write for our Catalogue of Row Boats, MotorBoats, Hunting and Fishing Boats.

The W. H. Mullins Co., 118 Franklin St., Salem, O.

THE BERFECT PULVERIZER

For Cement Rock and Clinker, Coal, Phosphate Rock, and other refractory substances.


Nothing Succeeds Like Success


Over 2000 "Griffin Mills" sold to date. 783 of these sold to the following six leading Cement Companies of the United States:

American Cement Company Alpha Portland Cement Company Lehigh Portland Cement Company Iola Portland Cement Company **Vulcanite Portland Cement Company** Hunt Engineering Company

Orders on books April, 1st for 1907 shipment, 229 Mills. MANUFACTURED ONLY BY

BRADLEY PULVERIZER CO., 92 State Street, BOSTON





Cyclopedia of Architecture, Carpentry and Building Compiled from representative instruction papers of American School of Correspondence. This offer is made merely to advertise the School. We believe this great work will easily demonstrate the superiority of our method of instruction, if you mention this Magazine, a 200-page hand-book describing the School's 60 regular courses will be sent FREE.

SPECIAL ADVANCE SALE

LESS THAN 1-3 REGULAR. PRICE

IMMEDIATE DELIVERY
TEN MASSIVE VOLUMES, each nearly one foot high. Bound in red half morocco.
Over 4,000 pages; 3,000 illustrations, full page plates, plans, sections, etc.
Printed on highest grade paper; entirely new type—DE LUXE books in every particular,

Special \$19.80 Price

Regular Price \$60
Sent by prepaid express. Send \$2 within five days, and \$2 a month it satisfactory; otherwise notify us to send for them. In any case you lose nothing. Absolutely no orders accepted at this price if postmarked later than May 25, 1907.

Among the Chapters: Reinferced Concrete Construction—Carpen-proting—Stair Bullding—Superintendence—Estimating—Contracts—Specifications— Strength of Materials—Architectural Fraving—Massery—Electric Wring—Plouting—Steel Construction—Ventilating—Cornice Work—Skylight Work—Resing—Steel Construction.

MAMERICAN SCHOOL of CORRESPONDENCE, CHICAGO





NICKEL

Electro-Plating Apparatus and Material. Hanson & VanWinkle Oo., Newark. N. J.





(Chinal)
Adjustable in size to it any pay or girl as they grow from a gears to tapears. "tienred!" for Justest speed, but runs easier. Stronger "it's iron" but lighter weight. Rider

"Can't upset." No and Sant's loving " exercise matters. Det to develop and strengthen the spine and id's legs. Write for our free effer. It an "Exer-Ketch" Iron Auto Free.

DO YOU KNOW THE



Ferro Auto-Marine Engines have been creating a widespread interest at the Motor Boat Shows because they are so dif-ferent from all others. Catalog tells why.
Write for it to-day or send 10 cents for our Treatise on Marine Engines.

THE FERRO MACHINE & FOUNDRY CO. 75 Wade Building, Cleveland, O. Large Stock at 75 Cortlandt Street, New York, N. Y.



TAPES AND RULES ARE THE BEST.
For sale everywhere, Send for Catalog No. 16.

LUFKIN RULE CO. Saginaw, Mich., U.S. A. New York and London.



A MONEY MAKER
Hollow Concrete Building Blocks
Best. Fastest. Simplest, Cheapest
Machine. Fully guaranteed.

THE PETTYJOHN CO. 615 N. 6th Street, Terre Haute, Ind.





15 to 21 South Clinton Street.